

第17表 一般検診の被患率 (1) 盲学校

区分	栄養 要注意	せき 柱異 常	胸 郭異 常	伝皮 染膚 性疾 の患	目							難聴 (両耳)
					近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異常	ト ラ ホ ー ム	そ の 他 の 眼 疾	
計	2.61	2.49	1.47	0.69	2.66	0.20	0.17	18.48	1.32	7.04	17.81	1.89
総												
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	100.00	100.00	-	-	-	-	-	-	-	-	-
5	-	-	16.67	-	-	-	-	-	-	-	33.33	-
6	6.29	-	2.86	0.57	-	-	-	2.86	-	6.86	17.71	-
7	6.02	2.81	1.61	0.40	-	-	-	5.22	-	8.43	18.88	0.80
8	3.88	2.27	2.59	1.62	1.29	0.32	0.32	14.89	0.32	8.41	18.45	0.65
9	3.35	2.32	3.35	0.52	0.77	0.52	-	19.85	1.55	5.67	18.55	2.58
10	5.04	4.45	1.78	2.03	0.89	0.30	-	20.47	1.78	10.39	15.73	0.89
11	4.53	3.77	1.51	0.38	1.13	-	-	16.23	1.89	7.55	22.26	1.13
12	2.93	3.18	2.20	1.22	1.96	0.24	-	17.11	1.47	7.09	19.32	1.71
13	4.24	3.14	0.74	0.92	1.85	0.18	0.18	18.82	1.48	9.96	18.27	1.29
14	2.17	2.56	2.37	1.18	2.96	0.39	0.39	21.30	0.99	10.85	16.96	1.97
15	1.76	2.06	0.73	0.83	3.96	0.15	0.29	21.29	2.35	7.49	19.33	1.91
16	1.42	1.42	1.00	0.43	4.98	0.43	-	21.91	1.28	8.39	14.08	3.13
17	1.44	3.37	1.77	0.96	2.57	-	0.16	22.15	2.25	7.70	15.41	1.28
18	2.40	2.74	1.72	0.34	4.29	0.17	0.17	21.27	1.54	7.38	21.44	1.72
19	1.54	2.39	1.54	0.51	4.10	0.34	0.34	15.19	1.19	5.29	18.26	2.90
20才以上	2.10	2.17	0.90	0.34	2.51	0.11	0.19	18.33	1.01	5.25	17.43	2.14
計	2.81	2.46	1.71	0.78	2.44	0.24	0.18	18.91	1.48	7.03	18.40	2.00
男												
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	100.00	100.00	-	-	-	-	-	-	-	-	-
5	-	-	25.00	-	-	-	-	-	-	-	50.00	-
6	3.77	-	3.77	0.94	-	-	-	-	-	-	-	-
7	6.04	2.68	1.34	-	-	-	-	4.72	-	5.66	19.81	-
8	4.95	2.20	1.65	2.20	1.65	0.55	0.55	13.19	0.55	7.69	18.68	1.10
9	4.02	3.57	3.57	0.89	0.89	0.45	-	23.66	1.79	6.25	20.98	1.79
10	6.86	2.94	1.47	0.98	0.93	0.49	-	24.51	2.45	7.84	16.67	0.98
11	4.49	3.85	2.56	-	1.28	-	-	16.03	1.92	6.41	22.44	1.92
12	3.77	2.36	1.42	1.42	2.83	0.47	-	15.09	1.42	6.60	17.92	1.42
13	5.56	2.29	0.98	1.31	1.63	0.33	-	20.59	1.31	8.50	16.67	0.65
14	2.36	2.36	2.70	1.69	2.70	0.68	0.34	21.96	1.01	11.15	18.24	1.69
15	1.26	2.76	1.01	1.26	4.27	0.25	0.50	22.36	2.26	8.04	21.11	2.01
16	1.94	1.70	1.46	0.73	4.85	0.24	-	19.66	0.97	9.47	16.02	4.13
17	1.89	4.04	2.43	1.35	2.16	-	-	23.18	2.43	8.63	16.17	1.35
18	3.14	2.88	2.36	0.26	4.19	0.26	-	23.82	1.57	7.85	23.05	2.36
19	1.63	1.91	2.45	-	3.27	0.54	0.54	13.62	1.63	5.72	19.35	2.18
20才以上	1.86	2.09	0.99	0.47	1.92	0.06	0.23	18.08	1.40	5.64	17.85	2.32
計	2.32	2.54	1.10	0.54	2.99	0.14	0.14	17.81	1.07	7.06	16.91	1.72
女												
3	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	-	-	-
6	10.14	-	1.45	-	-	-	-	-	-	8.70	14.49	-
7	6.00	3.00	2.00	1.00	-	-	-	-	-	9.00	29.00	-
8	2.36	2.36	3.94	0.79	0.79	-	-	17.32	-	9.45	18.11	-
9	2.44	0.61	3.05	-	0.61	0.61	-	14.63	1.22	4.88	15.24	3.66
10	2.26	6.77	2.26	3.76	0.75	-	-	12.03	0.75	14.29	14.29	0.75
11	4.59	3.67	-	0.92	0.92	-	-	16.51	1.83	9.17	22.02	-
12	2.03	4.06	3.05	1.02	1.02	-	-	19.29	1.52	7.61	20.81	2.03
13	2.54	4.24	0.42	0.42	2.12	-	0.42	16.53	1.69	11.86	20.34	2.12
14	1.90	2.84	1.90	0.47	3.32	-	0.47	20.38	0.95	10.43	15.17	2.37
15	2.47	1.06	0.35	0.35	3.53	-	-	19.79	2.47	6.71	16.96	1.77
16	0.69	1.03	0.34	-	5.15	0.69	-	25.09	1.72	6.87	11.34	1.72
17	0.79	2.38	0.79	0.40	3.17	-	0.40	20.63	1.98	6.35	14.29	1.19
18	1.00	2.49	0.50	0.50	4.48	-	0.50	16.42	1.49	6.47	18.41	0.50
19	1.37	3.20	-	1.37	5.48	-	-	17.81	0.46	4.57	16.44	4.11
20才以上	2.53	2.32	0.74	0.11	3.59	0.21	0.11	18.78	0.32	4.54	16.67	1.79

(注) 4才の男の被患率100%は受検人員1人であり同時にその1人がせき柱異常、鼻およびいんとう疾患等を併患しているためである。

耳	鼻およびいんとう					歯		身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ よ び 異 常 の 疾 患 お	
	中 耳 炎	そ の 他 の 耳 疾	せ ん (ア デ ノ イ ド) 増 殖 症	蓄 の う 症	へ ん と う せ ん 大	そ よ び 疾 患 の 他 の い ん と う の 鼻 お	が						
							む し 歯 処 置 を 完 了 し て お く て お く て お く て						夫 の 処 置 を お く て お く て
3.39	1.53	0.80	3.16	8.23	8.70	8.9	61.2	6.0	2.73	2.88	1.53	0.83	1.69
					100.00								
				33.33	50.00		75.0			25.00			
1.71	1.71	3.43	1.14	13.14	12.00		84.3	0.6	8.00	2.86	2.29	1.71	4.00
0.80	4.42	3.21	2.41	16.06	16.06	1.2	81.9	4.8	5.62	2.41	0.80	1.20	1.61
2.27	1.62	4.21	1.94	12.30	10.03	0.7	78.9	3.6	4.53	4.53	1.29	0.97	1.62
3.35	1.03	3.87	4.38	16.49	15.21	2.9	77.9	1.6	4.90	3.87	2.31	0.77	1.80
2.97	2.37	3.56	3.86	14.54	14.84	4.2	73.4	5.3	2.67	4.75	2.08	0.89	1.78
2.64	4.53	1.51	1.51	15.47	9.06	5.8	69.8	3.9	3.40	6.79	1.87	0.38	2.26
3.91	0.98	0.73	3.18	11.25	11.98	5.3	63.3	2.3	3.18	5.62	0.98	0.98	1.47
2.95	0.92	0.37	3.69	14.58	9.23	6.7	54.7	5.0	3.51	3.69	1.66	1.11	2.21
3.35	0.99	0.59	3.16	13.41	10.06	5.9	56.9	5.1	1.97	3.94	0.59	0.39	1.97
3.38	1.47	0.29	3.53	8.58	7.49	8.2	52.2	4.3	2.20	2.20	1.03	1.32	1.47
4.13	1.14	0.28	4.55	6.54	7.40	8.3	57.7	5.7	1.56	2.42	1.14	0.28	1.85
4.01	1.44	0.32	3.37	7.38	8.35	9.1	53.5	7.0	2.41	2.73	2.25	0.96	1.28
4.12	0.86	-	4.29	4.46	7.72	9.9	50.0	6.0	3.09	2.23	1.72	1.03	1.03
4.95	2.05	-	2.90	5.80	7.85	9.3	53.3	4.7	1.37	2.73	2.37	0.68	0.85
3.19	1.39	-	2.59	3.22	6.03	14.5	62.1	9.1	2.21	1.65	1.42	0.75	1.80
3.48	1.57	0.76	3.15	7.78	9.09	9.3	57.9	6.0	3.11	2.90	1.60	0.73	1.64
					100.00								
				50.00	50.00		100.0						
2.83	1.89	1.89	1.89	13.21	10.38		85.0	1.0	8.49	2.83	0.94	1.89	1.89
1.34	4.70	2.68	1.34	12.08	16.11	1.4	80.8	3.4	6.04	3.36	0.67	1.34	1.34
1.65	1.65	3.30	1.65	12.64	9.34	0.6	79.3	2.8	6.04	3.30	1.10	1.65	1.65
3.13	0.89	4.91	4.02	12.50	16.52	3.7	77.5	1.8	4.91	4.46	2.68	-	2.68
1.96	2.45	3.92	4.41	13.73	17.16	4.0	75.4	4.0	3.92	4.90	1.96	0.98	2.45
2.56	4.49	1.92	1.92	16.67	10.90	2.7	72.9	2.0	1.92	7.05	1.28	-	2.56
5.19	1.89	0.94	3.77	11.32	12.74	4.8	61.1	2.4	4.72	5.19	0.47	0.94	2.83
2.29	0.98	0.33	3.92	15.36	8.50	7.1	51.6	3.9	3.27	5.23	1.96	1.9	

第17表 一般検診の被患率 (2) ろう学校

区分	栄養 要注 意	せき 柱異 常	胸 郭異 常	伝皮 染膚 性疾 の患	目							耳 難 (聴 両)
					近 視	遠 視	乱 視	弱 視 (両 眼)	色 神 異 常	ト ラ ホ ー ム	そ の 他 の 眼 疾	
計	1.77	0.83	1.41	1.32	12.25	0.48	0.31	0.54	1.74	5.52	6.78	2.45
3	-	-	3.70	-	-	-	-	-	-	3.70	11.11	3.70
4	-	1.11	5.57	1.11	-	-	-	-	-	3.34	14.48	3.34
5	1.23	1.23	1.84	0.61	-	-	-	-	-	3.68	11.66	7.98
6	3.44	1.17	2.93	2.85	0.17	-	-	-	0.08	6.37	9.22	1.93
7	3.35	1.14	2.14	2.08	0.80	-	-	-	0.27	5.43	7.91	1.14
8	2.99	1.02	2.29	2.73	7.94	0.44	-	0.32	1.27	6.35	8.32	2.35
9	1.87	0.91	2.12	1.15	9.43	0.60	-	0.30	1.69	4.66	8.10	2.36
10	2.26	0.53	1.66	1.28	11.74	0.30	0.15	0.15	1.81	6.62	7.37	2.56
11	1.82	1.15	2.30	1.53	13.49	0.48	-	0.29	2.78	6.51	5.65	3.44
12	2.05	0.81	0.59	1.46	13.40	0.95	0.22	0.51	2.49	7.47	6.08	2.78
13	1.15	0.32	0.71	1.22	14.17	0.64	0.13	0.71	2.50	6.22	6.28	3.14
14	1.74	1.07	0.73	1.07	15.83	0.47	0.67	0.94	2.61	5.88	5.41	2.67
15	1.27	0.85	0.92	0.92	17.90	0.28	0.42	0.63	2.61	4.58	5.43	2.40
16	0.41	0.73	0.57	0.24	16.83	0.73	0.73	0.57	1.54	3.66	5.28	1.95
17	0.52	0.84	0.84	0.63	16.21	0.42	0.63	0.94	1.26	4.18	5.96	2.20
18	0.43	0.29	0.14	0.14	22.64	0.86	0.86	1.86	2.15	4.44	4.58	2.29
19	0.39	0.59	0.59	0.39	18.79	0.20	0.78	1.17	2.15	3.52	5.48	1.37
20才以上	0.30	0.61	0.76	0.15	23.94	1.36	1.52	1.21	1.36	3.94	6.97	3.03
計	2.03	0.88	1.77	1.52	10.95	0.65	0.34	0.49	2.73	5.13	6.69	2.61
3	-	-	7.14	-	-	-	-	-	-	-	14.29	-
4	-	1.89	7.55	-	-	-	-	-	-	3.77	16.98	-
5	-	1.10	3.30	1.10	-	-	-	-	-	5.49	12.09	10.99
6	3.91	1.10	3.91	3.76	0.16	-	-	-	0.16	5.79	8.61	2.03
7	4.36	1.12	2.24	1.99	0.25	-	-	-	0.37	2.99	6.97	1.62
8	3.29	0.94	2.59	2.70	7.29	0.71	-	0.12	2.23	5.76	8.23	2.00
9	2.20	0.81	3.13	1.74	7.99	1.04	-	0.12	2.78	3.94	7.87	2.78
10	1.95	0.30	2.09	1.39	10.46	0.30	0.14	0.14	2.51	5.44	6.69	2.79
11	2.48	1.06	2.48	1.60	12.77	0.89	-	0.18	4.43	6.21	4.79	4.08
12	2.27	1.00	0.85	1.70	11.47	1.42	-	0.28	3.68	7.22	6.23	2.55
13	1.29	0.23	0.59	1.17	12.50	0.82	0.23	0.82	4.09	6.31	5.72	3.15
14	1.93	1.16	1.03	1.16	14.78	0.64	0.77	1.03	4.37	6.56	6.30	2.70
15	1.48	0.94	0.94	1.35	16.04	0.13	0.54	0.67	4.04	4.58	4.99	2.83
16	0.62	0.77	0.77	0.31	14.51	0.46	0.93	0.62	2.31	3.09	5.71	2.31
17	0.41	1.44	1.23	1.03	15.02	0.62	0.62	2.26	5.56	7.20	2.89	
18	0.56	0.56	0.28	0.28	19.78	0.84	0.56	2.23	3.34	5.57	5.29	1.67
19	0.36	0.78	1.09	0.36	18.25	0.36	0.78	1.09	2.92	3.65	3.65	1.09
20才以上	0.54	1.08	1.08	0.27	22.31	2.42	1.88	1.08	1.88	3.23	8.33	2.96
計	1.48	0.79	0.99	1.09	13.73	0.29	0.29	0.59	0.61	5.96	6.88	2.27
3	-	-	-	-	-	-	-	-	7.69	7.69	7.69	-
4	-	-	2.78	2.78	-	-	-	-	-	2.78	11.11	8.33
5	2.78	1.39	-	-	-	-	-	-	-	1.39	11.11	4.17
6	2.89	1.26	1.81	1.81	0.18	-	-	-	-	7.04	9.93	1.81
7	2.18	1.16	2.03	2.18	1.45	-	-	-	0.15	8.27	9.00	0.58
8	2.63	1.11	1.94	2.77	8.71	0.14	-	0.55	0.14	7.05	8.44	2.77
9	1.52	1.01	1.01	0.51	11.01	0.13	-	0.51	0.51	5.44	8.35	1.90
10	2.61	0.82	1.14	1.14	13.24	0.33	0.16	0.16	0.98	8.01	8.17	2.29
11	1.04	1.25	2.08	1.46	14.35	-	-	0.42	0.83	6.85	6.65	2.70
12	1.82	0.61	0.30	1.21	15.45	0.45	0.45	0.76	1.21	7.73	5.91	3.03
13	0.99	0.43	0.85	1.23	16.19	0.43	-	0.06	0.06	6.01	6.96	3.13
14	1.53	0.97	0.42	0.97	16.97	0.28	0.56	0.83	0.70	5.15	5.17	2.64
15	1.03	0.74	0.89	0.44	19.94	0.44	0.30	0.59	1.03	4.58	5.91	1.92
16	0.17	0.69	0.34	0.17	19.42	1.03	0.52	0.52	0.69	4.30	4.81	1.55
17	0.64	0.21	0.43	0.21	17.45	0.21	0.64	1.28	0.21	2.77	4.68	1.49
18	0.29	-	-	-	25.66	0.88	1.18	1.47	0.88	5.31	3.83	2.95
19	0.42	0.42	-	0.42	19.41	-	0.84	1.27	1.27	3.38	7.59	1.69
20才以上	-	-	0.35	-	26.04	-	1.04	1.39	0.69	4.86	5.21	3.13

耳	鼻およびいんとう	歯		身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ の 他 の 疾 患 お						
		中 耳 炎	その 他 の 耳 疾						むし 歯	その 他 の 歯 疾				
計	5.20	3.27	1.57	3.43	11.32	9.51	5.3	66.6	3.1	1.08	2.00	1.11	0.96	1.58
3	3.70	7.41	-	-	37.04	14.81	-	63.0	7.7	-	-	3.70	-	11.11
4	2.23	4.45	4.45	1.11	25.61	20.04	1.1	74.7	-	-	1.11	-	-	5.57
5	-	1.84	4.91	2.45	16.56	21.47	3.1	80.6	-	0.61	-	1.84	0.61	1.84
6	2.68	3.60	3.60	2.10	14.50	12.74	0.7	79.4	1.0	1.76	1.01	1.09	0.92	2.43
7	3.35	4.96	3.01	3.82	15.88	12.13	1.5	81.5	1.6	2.08	1.41	1.21	1.21	2.01
8	3.88	4.45	2.73	2.99	15.25	11.88	1.6	81.2	2.8	2.22	2.22	1.21	1.21	1.27
9	4.41	4.29	2.12	3.02	15.30	11.18	2.9	76.8	2.6	1.03	2.06	1.33	0.85	1.87
10	5.27	3.31	2.18	2.78	13.32	10.31	3.6	75.6	3.1	1.50	3.16	1.13	1.20	1.58
11	4.59	2.68	1.91	3.44	15.02	8.04	5.6	70.0	3.1	0.86	3.06	1.44	1.05	1.15
12	5.20	3.44	1.46	4.90	13.10	7.54	4.2	63.1	2.3	1.17	1.90	0.73	1.17	1.10
13	6.22	3.21	0.83	4.55	11.22	9.55	6.0	57.8	4.1	0.77	1.99	0.96	0.77	1.22
14	7.82	2.40	0.60	3.41	9.35	7.88	5.8	55.6	3.2	0.80	2.20	1.07	0.94	1.14
15	6.13	3.38	0.70	3.66	6.27	8.17	7.4	54.0	2.9	0.42	1.83	1.27	1.13	1.48
16	7.07	2.36	0.41	3.74	6.02	8.05	7.4	56.4	3.3	0.49	1.79	0.73	0.98	1.79
17	5.96	1.67	0.31	3.45	5.86	6.80	9.9	53.5	3.7	0.63	2.20	0.94	0.94	1.46
18	5.44	2.29	0.43	3.30	4.73	6.30	9.6	56.7	6.6	0.57	1.72	0.57	0.43	1.72
19	7.44	2.15	-	2.94	3.52	6.46	14.8	53.4	3.9	0.59	1.57	1.76	0.59	1.57
20才以上	4.85	1.97	-	2.88	4.39	6.82	14.5	58.6	6.3	0.30	1.97	1.36	0.45	1.52
計	5.54	3.30	1.57	3.62	11.63	10.80	5.0	65.7	3.4	0.11	2.27	1.17	1.03	1.54
3	7.14	-	-	-	57.14	21.43	-	76.9	15.4	-	-	-	-	21.4
4	1.89	3.77	3.77	1.89	30.19	20.75	-	76.9	-	-	1.89	-	-	1.89
5	-	2.18	1.10	2.18	17.58	27.47	1.1	81.3	-	-	-	2.18	-	1.10
6	2.82	2.82	3.13	2.19	14.08	13.77	0.6	80.3	0.9	1.88	1.25	1.41	1.25	2.03
7	3.99	5.98	3.99	4.48	15.69	14.45	1.1	82.5	1.9	2.37	1.49	0.62	1.00	2.24
8	3.88	4.35	2.70	2.94	17.04	13.87	1.8	80.7	2.3	2.00	2.59	1.53	1.29	1.76
9	4.98	4.86	2.20	3.82	15.16	14.12	2.3	76.9	2.9	1.39	2.31	1.39	0.70	1.74
10	5.44	2.79	1.67	3.07	15.20	11.30	3.4	76.0	2.9	1.53	3.91	0.98	1.26	1.53
11	4.96	3.19	1.42	4.03	16.13	9.75	4.2	71.5	3.3	0.53	3.90	1.42	1.06	1.06
12	5.67	2.97	1.84	5.24	12.32	9.07	3.							

