

第8表 都道府県別疾病異常該当者率 (一般検診)

幼稚園—男

区分	栄養要注意	せき柱異常	胸郭異常	伝染性の皮膚疾患	眼		耳			鼻およびいん頭				歯が			身体虚弱	精神薄弱	運動障機害	心臓の疾患	その他の疾異	
					トボーム	その他	の眼疾	難聴(両耳)	中耳炎	その他耳疾	せ増(アイドードによる症)	蓄うの症	へんとう	せん肥大	そ鼻咽脣のほかのびが疾	むし歯	未処置	歯のあ	その他			
全国	1.04	0.58	1.70	1.14	1.28	2.55	0.11	0.48	0.66	1.03	0.33	12.35	2.76	2.40	69.26	0.42	0.25	0.06	0.14	0.27	0.85	
北海道 青森県 岩手県 宮城県 秋田県	2.0	0.3	2.6	2.6	0.6	2.0	0.1	0.8	0.7	0.8	0.2	12.4	1.3	1.2	59.4	—	0.3	0.04	0.1	0.4	1.9	
	0.6	0.2	1.1	0.5	2.6	1.7	0.1	0.1	0.3	0.7	0.1	12.8	0.9	1.5	80.3	—	0.6	0.1	—	0.4	0.4	
	1.0	0.4	1.4	2.7	5.8	6.8	—	0.3	1.0	1.1	1.1	11.0	5.9	0.5	81.5	1.0	—	—	—	0.3	0.8	
	1.1	0.1	1.9	1.1	5.4	2.4	0.03	0.6	0.2	1.3	0.5	11.9	2.2	2.0	84.6	0.2	0.2	0.03	0.1	0.1	1.3	
	0.3	0.1	0.8	1.2	4.2	1.8	0.1	1.0	0.6	2.3	—	9.0	0.9	0.5	89.6	0.5	0.1	—	0.1	0.1	0.1	
山形県 福島県 茨城県 群馬県	1.4	2.4	5.1	1.7	2.0	1.2	0.4	0.6	2.7	0.9	1.0	13.9	4.1	2.6	90.6	0.2	0.2	0.04	0.1	0.1	0.5	
	0.1	—	1.2	1.8	2.0	3.2	—	0.2	0.3	0.2	—	7.0	0.9	0.3	86.9	0.3	0.07	—	0.2	0.3	0.7	
	1.3	0.4	2.2	0.7	1.7	1.7	0.1	0.1	0.6	0.9	0.1	10.8	1.2	1.8	84.3	1.5	0.2	0.04	0.1	—	0.2	
	1.6	1.1	2.7	1.1	2.9	2.1	0.1	0.4	0.1	1.3	0.1	18.4	1.8	0.9	86.0	0.3	0.2	0.03	—	0.2	0.9	
	1.1	0.6	3.0	1.8	1.1	2.1	0.03	0.3	1.0	1.2	0.6	16.0	3.9	3.5	84.7	0.1	0.3	0.03	0.2	0.5	0.9	
埼玉県 千葉県 東京都 神奈川県	0.3	0.3	1.1	1.7	0.6	3.8	0.1	0.4	0.8	0.8	0.04	12.5	2.9	2.6	77.8	0.1	0.2	0.1	0.1	0.2	0.8	
	0.8	0.2	1.8	1.0	1.3	2.1	—	0.3	0.1	0.4	—	13.9	2.9	2.2	90.5	0.7	0.05	0.1	0.1	0.2	0.9	
	0.7	0.7	1.6	1.2	0.2	3.5	0.04	0.6	1.2	1.4	0.1	21.1	3.3	6.3	77.0	0.3	0.1	0.03	0.2	0.1	0.5	
	1.0	0.6	2.3	0.4	0.5	3.0	0.1	0.5	0.5	1.1	0.5	16.3	3.5	5.0	81.3	0.5	0.5	—	—	0.1	1.3	
	1.8	0.4	4.0	2.6	0.9	4.3	—	0.2	0.2	0.3	—	11.0	4.7	1.9	72.4	0.7	0.03	—	—	—	—	
富山県 石川県 福井県 長野県	1.7	0.4	3.7	0.9	0.1	4.2	0.1	0.6	0.1	0.5	0.5	0.1	10.1	3.9	2.4	71.3	—	0.6	—	0.3	0.9	0.5
	2.9	0.7	4.8	0.4	0.3	1.8	0.1	0.2	0.1	0.1	0.1	0.1	8.2	1.2	5.9	78.6	0.6	0.03	0.3	1.5	2.0	
	2.3	0.7	3.0	3.9	1.8	3.2	0.1	0.3	0.2	—	0.1	8.9	0.8	2.9	69.2	—	0.1	0.2	0.1	—	0.3	
	0.8	1.4	3.4	0.8	0.9	4.3	0.1	0.3	0.6	1.6	1.5	14.4	0.7	7.4	82.4	1.4	0.2	0.1	—	0.1	1.3	
	1.6	1.0	2.1	1.5	0.3	4.0	0.3	0.4	1.3	1.6	1.5	14.9	4.6	3.3	79.7	0.3	0.5	0.1	0.1	—	—	
岐阜県 静岡県 愛知県 三重県 滋賀県	0.9	0.8	0.9	0.8	1.1	2.3	—	1.0	0.4	0.1	—	10.0	1.2	2.0	79.6	0.1	0.1	—	0.1	0.1	0.04	
	0.7	0.4	1.4	0.5	1.0	2.1	0.03	0.5	0.5	0.1	0.3	16.1	1.0	1.9	89.2	0.1	0.3	0.1	0.2	0.2	0.6	
	0.7	0.7	1.6	0.5	0.5	2.3	0.2	0.2	0.5	1.5	0.2	10.0	2.8	2.3	87.8	0.9	0.3	0.1	0.2	0.4	0.6	
	0.4	3.1	1.1	1.7	1.6	1.1	0.2	0.2	0.2	0.1	—	14.1	5.6	1.2	86.9	—	0.1	0.1	0.3	0.6	1.6	
	2.5	0.9	1.4	2.1	1.1	2.7	0.1	0.6	1.8	0.7	0.3	13.8	3.2	2.6	83.3	0.8	0.2	0.1	0.3	—	—	
京都府 大阪府 兵庫県 奈良県 和歌県	3.2	1.0	1.9	0.6	0.1	2.1	—	0.7	0.5	2.0	0.4	20.1	5.6	2.6	82.0	0.2	0.4	0.02	0.1	0.4	0.5	
	1.4	0.7	1.6	0.9	1.4	2.8	0.2	0.7	0.9	1.0	0.5	15.1	2.3	3.0	83.7	1.3	0.5	0.1	0.2	0.3	1.2	
	1.1	1.0	1.8	0.9	2.9	4.6	0.4	0.6	0.4	1.5	0.6	10.8	3.4	3.0	86.1	0.2	0.3	0.1	0.2	0.3	0.6	
	1.2	0.5	1.5	0.7	1.8	2.4	0.1	0.5	0.1	0.4	0.5	6.1	0.8	0.9	91.0	0.1	0.5	0.2	0.1	0.3	0.1	
	1.6	0.3	2.1	1.2	7.5	4.1	—	0.2	—	2.5	0.2	16.4	4.9	0.8	66.1	—	—	0.1	0.1	0.3	0.1	
鳥取県 島根県 岡山県 広島県 山口県	0.6	1.4	2.5	0.7	0.1	0.9	—	0.3	0.7	1.3	0.8	9.8	2.8	1.6	89.0	—	—	—	—	0.1	0.8	
	1.8	0.5	5.2	2.3	1.7	2.4	0.2	0.4	0.4	1.6	—	12.9	5.4	4.2	86.0	4.2	0.3	—	0.4	0.1	1.0	
	0.9	0.7	1.5	1.0	2.0	3.0	0.4	0.6	1.9	1.9	2.0	10.3	5.7	0.8	88.3	0.1	0.2	0.1	0.1	0.1	0.4	
	2.0	0.1	2.2	2.5	1.3	4.2	0.2	0.6	0.5	1.7	0.7	10.1	3.7	2.1	83.5	0.6	0.4	0.03	0.1	0.2	0.6	
	1.6	0.4	1.3	1.2	1.1	1.9	0.5	0.5	0.6	0.7	0.8	10.7	2.3	2.9	75.2	0.1	0.1	0.1	0.2	0.3	0.6	
徳島県 香川県 愛媛県 高知県	0.9	0.2	0.8	0.4	2.1	3.6	0.2	1.6	0.7	4.5	0.3	10.9	6.5	2.7	79.0	0.4	0.1	0.1	—	0.3	0.6	
	0.5	0.1	0.7	1.0	1.3	3.2	0.1	0.6	1.5	0.5	0.2	10.8	4.7	3.7	72.5	0.3	0.1	0.3	0.3	0.5	1.8	
	0.8	0.1	1.5	1.3	1.4	1.1	0.2	0.5	0.1	1.8	0.1	8.5	1.0	1.4	79.1	0.5	0.1	0.1	0.2	0.5	0.8	
	0.7	0.3	0.8	0.7	0.3	2.5	—	0.4	—	—	0.1	6.6	2.8	0.9	94.7	—	0.8	0.1	0.3	0.1	1.8	
	1.2	1.1	2.8	4.4	2.1	2.7	0.1	1.1	1.3	1.4	0.2	13.5	3.5	3.0	77.2	0.1	0.4	0.1	0.1	0.2	—	
佐賀県 長崎県 熊本県 大分県 宮崎県	0.8	0.4	1.1	0.7	2.1	1.8	0.04	0.7	0.5	2.3	1.1	8.4	2.8	1.1</								

第8表 都道府県別疾病異常該当者率 (一般検診)

幼稚園—女

区分	栄養要注 意	せき 柱異常	胸 郭異 常	伝 染 性 皮 膚 疾 患	眼			耳			鼻 お よ び い ん 頭				歯 が				身体 虚 弱	精神 薄 弱	運能 動障 機害	心臓 の疾 患	その 他の 異常
					ト ラ ホ ーム	その 他の 眼疾	難 聴 (両 耳)	中 耳 炎	その 他の 耳疾	せ増 ん殖 デ よう 症)	蓄 う 症	へん とう	腺 肥 大	そ鼻咽 喉の お頭 他よ のび 疾	む し 歯	歯 が む し 歯	未 処 置 をし る 者	そ の 他 の 歯疾					
全国	0.85	0.34	0.82	0.76	1.67	2.64	0.09	0.32	0.54	0.91	0.28	11.11	2.35	2.37	69.94	0.48	0.23	0.05	0.10	0.26	0.71		
北海道 青森 岩手 宮城 秋田	2.1	0.1	1.1	2.0	0.4	2.3	—	1.1	—	0.8	0.2	11.1	0.6	1.2	81.7	0.2	0.6	0.1	0.1	0.3	1.6	0.3	
	0.7	0.2	0.8	0.5	2.4	1.6	0.1	0.2	0.1	0.4	0.1	10.5	0.5	2.9	81.9	0.2	0.2	0.1	0.1	—	0.1	0.7	
	0.8	0.2	1.0	1.7	6.3	9.1	—	0.4	1.1	0.7	1.5	10.0	5.7	3.1	80.9	3.7	—	0.05	—	—	0.1	0.7	
	0.7	0.03	0.5	0.8	5.3	2.6	0.2	0.5	0.2	0.3	0.6	10.3	1.4	1.3	85.7	0.4	0.3	0.03	0.03	0.1	0.1	0.1	
	0.1	—	0.5	0.9	3.6	2.3	0.1	0.8	1.2	1.9	—	8.2	1.1	0.5	90.5	0.3	—	—	—	—	0.1	0.1	
山形 福島 茨城 群馬	1.4	1.6	3.0	1.0	2.6	1.9	0.4	0.4	2.1	0.7	0.4	8.9	2.8	1.8	90.1	0.1	0.3	—	—	0.2	0.8	0.8	
	0.1	—	0.6	1.0	1.6	2.7	0.1	0.1	0.1	0.2	0.4	7.2	0.4	0.04	90.4	1.1	—	0.1	0.1	0.04	0.2	0.2	
	0.8	0.1	0.9	0.8	1.6	1.8	—	0.1	0.9	1.3	0.1	10.8	1.0	2.6	82.9	1.5	0.1	—	0.1	0.1	0.1	0.8	
	0.9	0.7	1.5	0.4	3.3	2.7	—	0.6	0.04	1.3	0.3	16.2	1.2	0.9	86.0	0.2	0.1	—	0.1	0.02	0.1	0.7	
	1.1	0.3	1.4	1.6	0.9	1.9	—	0.2	1.2	1.1	0.2	15.2	1.7	3.4	85.7	0.1	0.2	0.02	0.1	0.1	0.4	0.7	
埼玉 千葉 東京 新潟	0.2	0.2	0.5	1.3	0.9	3.3	0.1	0.3	0.3	0.7	—	11.8	2.1	2.2	78.5	0.1	0.3	0.1	0.04	0.5	0.3	0.3	
	0.4	0.2	0.5	0.5	1.6	2.5	—	0.3	0.1	0.6	—	13.6	1.4	2.0	87.4	0.7	—	0.1	0.1	0.3	0.9	0.9	
	0.7	0.4	0.7	0.8	0.2	3.7	0.1	0.3	1.2	1.3	0.2	19.2	2.8	5.4	78.2	0.4	0.1	0.01	0.1	0.2	0.2	0.2	
	0.8	0.5	1.0	0.3	0.5	2.6	0.1	0.3	0.4	0.9	0.2	16.8	2.7	4.2	81.8	0.4	0.2	—	0.1	0.1	0.1	0.9	
	1.1	0.2	3.3	1.7	1.0	3.2	0.1	0.5	0.3	0.1	—	9.8	4.7	1.0	75.3	0.7	0.1	—	—	0.1	0.1	0.9	
富山 石川 福井 長野	1.6	0.1	2.7	0.8	0.2	5.2	—	0.3	—	0.2	0.2	9.6	3.1	1.9	71.3	0.2	0.1	—	0.1	0.5	0.7	2.1	
	1.7	0.2	2.2	0.3	0.2	0.8	0.1	0.4	0.1	0.2	0.2	7.4	0.7	6.6	79.9	0.3	0.7	0.1	0.04	1.8	2.1	2.2	
	1.7	0.2	1.9	3.4	1.6	3.5	0.2	0.2	0.1	0.1	—	9.3	0.3	1.7	77.3	0.1	0.2	0.1	0.1	0.3	0.1	0.2	
	0.6	1.4	1.8	0.8	0.8	5.8	0.1	0.2	0.3	1.7	0.6	11.3	0.8	2.7	84.2	1.0	0.3	0.2	0.2	0.1	0.1	1.9	
	1.3	0.6	0.6	1.3	0.5	4.0	0.2	0.2	0.6	1.2	1.6	12.0	3.3	3.1	78.7	—	0.4	—	—	—	0.1	0.2	
岐阜 愛知 三重 滋賀	0.7	1.0	0.9	1.1	1.5	2.6	—	0.4	0.2	0.2	0.04	8.2	0.6	2.1	75.3	—	0.1	—	—	0.1	0.3	0.2	
	0.9	0.2	0.6	0.4	1.0	2.3	0.01	0.3	0.3	0.1	0.3	13.1	0.8	1.7	90.7	0.1	0.2	0.01	0.1	0.1	0.2	0.7	
	0.6	0.4	0.5	0.3	0.5	2.1	0.02	0.3	0.3	1.7	0.1	7.8	2.4	2.2	88.6	0.6	0.3	0.1	0.1	0.2	0.3	0.5	
	0.2	0.5	0.8	1.1	2.2	1.1	—	0.2	0.1	—	10.7	4.9	1.2	88.6	0.1	0.1	0.2	0.1	0.3	0.6	1.2		
	2.7	0.3	0.7	1.1	1.2	2.7	—	0.3	0.9	0.6	0.1	11.6	3.2	1.9	83.8	0.8	0.1	0.1	0.3	—	—	—	
京都 大阪 奈良 和歌 歌	2.6	0.5	0.8	0.7	0.2	2.5	0.1	0.7	0.3	2.5	0.6	18.1	5.0	2.9	81.7	0.4	0.5	0.1	0.1	0.4	0.5	0.8	
	0.9	0.5	0.7	0.7	1.6	2.8	0.2	0.4	0.9	0.8	0.3	13.2	2.2	3.2	84.2	1.2	0.5	0.1	0.1	0.2	0.2	1.2	
	1.1	0.7	0.9	0.5	2.7	4.7	0.2	0.4	0.4	1.2	0.4	10.7	3.2	4.0	85.6	1.1	0.2	0.1	0.1	0.2	0.1	0.6	
	1.4	0.1	0.9	0.7	1.6	2.5	—	0.7	—	0.3	—	5.2	0.3	0.7	96.6	0.1	1.0	—	0.1	—	—	—	
	1.3	—	0.4	0.7	10.3	4.1	—	—	0.1	3.0	0.3	16.9	5.2	1.3	66.1	—	0.01	0.3	0.1	—	—	—	
鳥取 島根 岡山 広島	0.8	0.5	2.3	1.3	1.0	0.1	—	0.4	—	0.7	0.5	8.6	2.3	2.0	86.3	0.7	—	—	0.1	—	0.1	0.7	
	1.7	0.3	2.9	1.9	1.7	1.6	0.2	0.3	0.1	1.8	0.1	13.5	3.6	1.5	85.1	5.2	0.3	0.1	0.1	0.4	0.4	0.7	
	0.3	0.4	0.8	0.5	2.8	3.5	0.2	0.2	1.4	1.8	1.6	9.8	5.2	0.7	91.4	0.1	0.2	0.02	0.1	0.1	0.1	0.5	
	1.6	0.03	0.5	1.6	0.8	4.2	0.1	0.7	0.2	1.5	0.3	9.8	3.3	2.2	83.8	0.2	0.1	0.03	0.1	0.1	0.1	1.0	
	1.1	0.04	0.2	0.7	0.9	2.3	0.5	0.3	0.5	0.2	0.7	7.8	2.2	3.0	75.0	0.04	0.2	0.04	0.04	0.2	0.2	1.0	
徳島 香川 高知 福岡	0.8	0.1	0.4	0.3	2.2	4.0	0.2	0.7	0.6	3.1	0.5	9.2	2.8	2.0	82.3	0.3	0.1	0.03	0.1	0.2	0.2	0.1	
	0.5	0.1	0.4	0.7	1.8	3.2	0.1	0.2	1.4	0.1	0.1	10.8	4.3	4.1	72.9	0.3	0.1	0.2	0.1	0.2	0.3	0.3	
	0.8	0.1	0.8	0.5	1.3	1.0	0.2	0.2	0.1	1.7	0.5	7.3	0.7	1.7	81.0	0.1	0.						

第8表 都道府県別 疾病異常該当者率 (一般検診)

小学校—男

区分	栄養 要 注 意	せき 柱 異常	胸 郭 異常	伝皮 染膚 性疾 の患	眼							耳			鼻およびいん頭				歯が			身体 虚 弱	精神 薄 弱	運動機能障害	心臓 の疾 患	その 他の 疾 患	
					近 視	遠 視	乱 視	弱視 (両眼)	色 神 異常	ト ラ ボ ーム	そ の 他 の 眼	難 聴 (両耳)	中 耳 炎	そ の 他 の 耳	せ 症 イ ド 様 増 殖 ノ ア デ ノ	蓄 の う 症	へ 肥 大 と う 腺	そ の 他 の 疾 患 の よ び の 咽 頭 の 鼻 頭	む し 歯	そ の 他 の 歯	未 の 処 置 を 完 成 し て あ る 歯 の 数						
全 国	1.31	1.10	1.23	2.47	8.54	0.24	0.13	0.42	2.74	3.94	3.22	0.36	0.80	0.98	0.94	1.12	10.62	4.02	2.76	66.72	1.09	0.67	0.36	0.37	0.26	1.08	
北海道 青森 岩手 宮城 秋田	1.1	0.9	1.0	6.0	14.7	0.1	0.1	0.5	3.3	2.8	2.1	0.3	0.4	0.7	0.3	0.1	9.7	0.9	2.5	69.0	0.9	0.7	0.3	0.4	0.3	0.9	
	7.3	0.3	0.6	3.7	13.5	0.3	0.1	0.5	3.0	15.5	1.5	0.2	0.4	0.5	0.1	0.3	8.7	2.5	0.6	84.5	0.6	0.2	0.2	0.3	0.2	2.9	
	1.1	0.2	1.0	2.4	9.2	0.1	0.03	0.9	3.2	11.4	3.6	0.2	1.4	3.8	3.3	3.8	12.7	7.6	1.3	74.3	0.6	1.0	0.4	0.4	0.2	0.8	
	0.5	0.2	1.0	4.5	7.8	0.2	0.6	0.4	3.0	8.1	2.5	0.3	1.0	0.4	0.5	0.7	12.2	0.5	2.0	52.6	1.4	0.5	1.1	0.5	0.3	1.6	
	0.5	0.7	0.3	6.8	11.0	0.04	0.1	0.8	2.9	7.5	2.2	0.3	1.0	1.0	0.7	0.5	8.8	1.5	0.6	85.6	3.3	0.6	0.3	0.5	0.4	2.3	
山形 福島 次 棚 群	5.0	6.8	4.8	6.6	9.1	0.2	0.04	0.6	3.8	10.8	4.5	0.4	1.0	1.8	0.9	1.2	13.5	4.6	2.8	63.3	1.0	1.2	0.4	0.5	0.3	3.9	
	1.0	0.7	0.9	1.1	8.7	0.6	0.02	0.5	2.7	5.5	3.6	0.2	1.0	0.3	0.2	0.2	8.5	1.3	1.0	71.1	0.2	0.5	0.3	0.2	0.2	0.8	
	0.5	0.8	1.2	1.9	6.5	0.1	0.03	0.5	2.3	3.2	2.0	0.3	1.3	0.6	0.1	0.4	8.6	1.6	1.6	73.2	1.1	0.9	0.2	0.2	0.2	1.6	
	1.0	1.3	1.8	2.7	5.8	0.2	0.1	0.7	2.9	7.1	3.2	0.3	0.8	0.5	0.4	0.5	10.5	1.3	1.0	68.2	1.6	0.2	0.6	0.3	0.2	0.7	
	1.4	0.9	1.9	4.5	4.4	0.1	0.1	0.3	3.0	1.9	2.0	0.6	0.6	1.0	0.2	0.2	11.1	1.8	2.3	68.5	2.3	0.3	0.5	0.2	0.2	0.7	
埼玉 東京 神奈 新潟	0.4	0.6	1.1	1.7	8.9	0.4	0.1	0.4	3.2	1.6	3.6	0.1	0.3	1.2	0.2	0.1	9.8	3.8	2.7	71.0	2.8	0.3	0.3	0.3	0.1	1.3	
	0.5	0.5	2.2	1.0	6.3	0.2	0.2	0.4	1.8	4.0	4.7	0.2	0.5	0.3	0.5	0.1	10.1	3.2	2.5	71.3	0.8	1.5	0.2	0.4	0.1	0.7	
	0.5	0.5	1.0	2.7	11.5	0.1	0.3	0.4	3.0	2.1	4.3	0.3	0.9	2.5	0.8	2.4	17.6	11.2	6.8	74.7	0.2	0.3	0.2	0.3	0.3	0.4	
	0.5	2.2	1.0	1.8	8.5	0.1	0.1	0.4	2.8	2.5	6.2	0.1	0.5	1.1	1.6	0.8	12.5	5.9	3.3	81.0	0.7	0.2	0.3	0.3	0.3	1.6	
	1.2	1.5	2.8	3.6	9.1	0.3	0.1	0.3	3.0	2.4	3.8	0.4	0.9	0.8	2.7	0.9	10.8	7.0	2.9	59.7	0.9	0.8	0.4	0.4	0.4	1.6	
富山 福井 山梨 長野	1.5	1.2	2.2	3.3	10.3	-	0.04	1.0	3.1	2.5	3.9	0.3	0.5	0.3	0.7	0.8	9.2	6.9	2.0	61.0	0.5	0.5	0.2	0.4	0.4	0.7	
	2.3	1.0	3.2	1.4	12.3	0.01	0.02	0.4	3.1	2.4	2.7	0.3	0.4	0.2	0.2	0.2	9.0	0.9	1.4	71.6	0.4	0.6	0.3	0.4	0.3	0.9	
	1.6	1.7	1.2	3.3	9.9	0.1	0.3	0.7	3.2	1.7	3.0	0.5	0.6	0.6	0.2	0.1	12.6	1.0	1.6	58.0	1.2	0.8	0.6	0.5	0.3	1.3	
	1.8	1.0	1.8	1.1	8.3	0.1	0.1	0.2	3.3	2.2	6.0	0.3	0.6	0.9	0.9	0.2	2.0	14.7	2.5	3.3	68.0	1.2	0.5	0.4	0.3	0.2	1.2
	2.0	2.8	1.7	2.2	7.5	0.1	0.6	0.3	3.3	1.0	5.1	0.4	0.7	2.6	2.0	0.8	11.5	6.3	4.4	74.9	2.3	3.1	0.4	0.4	0.6	1.2	
岐阜 愛知 三重 滋賀 重慶	0.9	1.5	0.8	1.5	9.1	0.1	0.02	1.1	1.9	4.9	2.6	0.2	0.5	0.2	3.3	2.0	10.7	3.3	2.6	63.1	1.6	0.9	0.5	0.4	0.3	0.9	
	1.7	0.6	0.9	0.5	7.8	0.3	0.1	0.2	2.6	1.8	3.6	0.3	0.6	0.3	0.9	0.2	9.6	4.0	1.8	78.6	0.4	0.5	0.4	0.3	0.3	0.4	
	2.1	1.0	0.8	0.6	10.6	0.1	0.2	0.2	2.8	2.2	1.5	0.1	0.6	0.5	0.2	0.2	10.8	1.1	2.7	76.1	1.8	0.2	0.4	0.4	0.3	1.3	
	1.1	1.4	0.9	1.9	11.4	1.0	0.1	1.2	3.8	4.6	1.7	0.4	0.8	0.2	0.9	0.3	14.0	1.7	1.8	75.1	0.9	0.5	0.4	0.4	0.2	1.3	
	1.9	1.7	0.7	1.5	11.0	0.2	0.5	1.3	3.2	1.2	2.3	0.3	0.5	0.8	0.3	0.2	12.6	2.7	2.3	78.7	0.5	0.7	0.4	0.2	0.3	1.3	
京都 大阪 兵庫 奈良 和歌 山	1.5	1.6	1.0	2.4	11.3	1.5	0.3	0.1	3.5	2.2	4.6	0.5	1.3	1.5	2.6	1.5	15.4	11.2	2.5	79.5	0.2	0.5	0.4	0.4	0.4	1.1	
	4.3	2.4	0.7	1.6	7.7	0.8	0.2	0.2	3.3	2.2	3.6	0.2	0.9	0.5	0.4	0.7	10.4	4.4	4.1	73.7	1.3	1.7	0.7	0.4	0.4	0.6	
	1.2	0.6	0.8	1.1	9.4	0.3	0.1	0.4	2.5	6.8	4.5	0.2	0.9	0.5	0.4	0.7	11.5	2.6	3.5	70.6	0.9	1.0	0.2	0.4	0.2	1.2	
	1.2	0.5	1.2	1.0	8.2	0.5	0.04	0.3	3.3	3.0	2.3	0.4	0.7	0.2	0.8	0.2	6.2	0.9	5.3	55.2	1.2	0.6	0.7	0.3	0.2	1.8	
	0.6	0.9	1.1	1.1	4.1	0.5	0.1	0.1	1.8	7.8	2.8	0.5	0.5	0.3	0.5	1.3	11.3	2.8	3.7	64.4	1.4	0.3	0.3	0.2	0.2	1.8	
鳥島 西島 南島 広島 山口	0.8	1.8	2.1	3.3	8.1	0.3	0.3	0.2	2.8	1.1	2.3	0.8	0.7	1.3	0.5	0.3</											

第8表 都道府県別 疾病異常該当者率 (一般検診)

小学校—女

区分	栄養 要 注 意	せき 柱 異 常	胸 郭 異 常	伝皮 染膚 性疾 の患	眼							耳			鼻およびいん頭			歯が			身 体 虚 弱	精 神 薄 弱	運動機能障害	心 臓 の 疾 患	およ び その 他の 疾 患	
					近 視	遠 視	乱 視	弱視 (兩眼)	色 神 異 常	ト ラ ボ ー ム	そ の 他 の 眼	難 聴 (両 耳)	中 耳 炎	そ の 他 の 耳	せ症 イ ド 様 増 殖 ノ	蓄 の う 症	へ 肥 大 と う 腺	そ の 他 の 疾 患 の 咽 頭	む し 歯	そ の 他 の 歯						
全国	1.32	0.81	0.89	1.56	10.14	0.20	0.15	0.48	0.28	4.68	3.77	0.28	0.49	0.82	0.77	0.86	10.40	3.06	3.47	68.03	0.99	0.73	0.31	0.33	0.29	0.88
北海道 青森 岩手 宮城 秋田	1.3	0.6	0.6	4.1	18.3	0.1	0.1	0.6	0.4	3.7	2.1	0.2	0.3	0.5	0.2	0.1	10.0	0.8	2.4	70.4	0.7	0.8	0.2	0.4	0.3	0.8
	0.3	0.2	0.7	2.5	16.3	0.2	—	0.6	0.5	17.8	2.0	0.1	0.4	0.4	0.1	0.3	9.2	1.5	0.7	81.9	0.5	0.1	0.2	0.3	0.2	2.2
	1.2	0.2	0.8	1.7	13.0	0.2	0.03	1.0	0.3	13.4	4.5	0.2	0.9	4.0	2.2	3.0	13.0	7.2	1.5	76.4	0.6	1.2	0.4	0.4	0.2	0.5
	0.4	0.1	0.7	3.1	10.0	0.04	0.9	0.1	0.2	9.9	2.8	0.2	0.6	0.2	0.4	0.5	11.4	0.6	2.9	56.0	1.0	0.5	0.9	0.4	0.4	0.8
	0.6	0.4	0.2	4.3	13.2	0.02	0.04	0.9	0.5	9.2	3.0	0.2	0.8	0.9	0.6	0.5	8.9	1.2	0.7	86.2	2.2	0.6	0.2	0.6	0.4	1.4
山形 福島 茨城 栃木 群馬	5.3	5.9	4.2	4.1	13.0	0.5	0.1	0.5	0.3	8.1	3.7	0.4	0.7	1.7	0.6	0.8	14.0	3.6	4.8	64.5	0.9	1.4	0.3	0.6	0.4	3.5
	0.8	0.5	0.7	0.7	11.1	0.6	0.1	0.6	0.2	7.1	3.9	0.1	0.7	0.2	0.1	0.1	8.6	0.7	1.1	73.6	0.2	0.4	0.3	0.2	0.2	0.6
	0.4	0.4	0.7	0.9	7.2	0.1	0.04	0.8	0.2	3.2	2.0	0.3	0.4	1.2	1.2	0.2	8.5	1.2	2.6	74.5	1.0	1.2	0.3	0.2	0.2	1.6
	1.1	1.1	1.4	2.2	7.9	0.2	0.1	0.7	0.4	8.3	4.4	0.2	0.4	0.3	0.5	0.3	10.3	1.0	2.7	66.8	1.7	1.1	0.5	0.3	0.2	0.6
	1.3	0.6	1.5	3.5	5.5	0.1	0.1	0.3	0.2	2.5	2.5	0.4	0.4	0.3	0.9	0.1	11.0	1.2	3.3	71.4	2.0	0.4	0.3	0.3	0.4	0.6
埼玉 千葉 東京 新潟 奈良	0.4	0.4	0.7	2.2	11.1	0.3	0.1	0.4	0.3	2.1	4.3	0.2	0.2	1.1	0.2	0.1	10.2	2.7	4.0	73.4	2.3	0.3	0.3	0.2	0.2	1.0
	0.4	0.3	1.3	0.5	7.6	0.1	0.2	0.5	0.1	4.4	5.7	0.1	0.2	0.4	0.4	0.04	10.6	1.9	3.0	72.1	0.6	1.7	0.2	0.3	0.2	0.4
	0.6	0.4	0.8	1.7	13.3	0.1	0.6	0.6	0.3	2.7	4.7	0.2	0.6	1.9	0.5	1.6	17.3	8.2	7.7	76.0	0.1	0.4	0.3	0.2	0.2	0.3
	0.7	1.7	0.6	0.9	11.0	0.1	0.1	0.5	0.1	3.6	7.8	0.1	0.4	0.9	1.2	0.7	11.9	4.4	5.0	81.5	0.8	0.2	0.3	0.2	0.3	1.5
	1.0	1.5	2.0	2.0	11.1	0.1	0.03	0.5	0.3	2.9	4.5	0.3	0.7	0.7	1.9	0.7	10.3	6.5	3.3	60.7	1.0	0.7	0.4	0.3	0.3	0.3
富山 石川 福井 山形 長野	1.5	0.8	1.6	2.6	12.7	0.01	0.1	1.0	0.3	2.9	4.2	0.2	0.3	0.2	0.6	0.7	9.5	5.1	2.7	63.6	0.6	0.6	0.2	0.4	0.5	0.6
	2.1	0.7	2.7	0.8	14.6	0.02	—	0.4	0.4	2.5	3.7	0.2	0.2	0.1	0.04	0.1	8.3	0.6	2.1	73.4	0.5	0.6	0.2	0.4	0.4	1.1
	1.7	1.1	0.8	1.7	15.9	0.1	0.1	0.6	0.4	2.5	4.0	0.4	0.5	0.4	0.2	0.1	12.6	0.7	2.5	61.5	0.8	0.6	0.3	0.2	0.2	1.6
	2.1	0.8	1.5	0.7	11.2	0.1	0.1	0.3	0.4	2.9	7.0	0.3	0.4	0.7	0.8	1.6	14.6	2.1	4.7	67.9	0.9	0.6	0.4	0.3	0.4	1.0
	1.9	2.1	1.1	1.4	8.3	0.1	0.6	0.2	0.2	1.2	5.5	1.6	0.5	2.9	1.2	0.7	10.7	4.6	5.6	76.3	3.1	3.2	0.3	0.4	0.5	1.0
岐阜 愛知 三重 滋賀	0.7	1.3	0.6	1.1	10.1	0.03	—	1.0	0.2	5.6	2.9	0.2	0.3	0.1	3.0	1.6	10.8	2.4	3.1	64.2	1.5	0.9	0.5	0.2	0.2	0.6
	1.8	0.4	0.7	0.3	9.0	0.2	0.2	0.3	0.1	2.4	4.3	0.2	0.4	0.2	0.7	0.2	9.7	3.5	2.3	80.0	0.2	0.5	0.4	0.3	0.2	0.3
	2.6	0.9	0.7	0.4	13.7	0.1	0.4	0.3	0.3	2.3	1.9	0.1	0.4	0.4	0.2	0.1	10.2	0.9	3.6	77.7	1.8	0.3	0.1	0.3	0.2	1.1
	1.2	1.1	0.5	1.1	13.4	0.5	0.04	1.2	0.6	5.8	1.8	0.4	0.3	0.6	0.6	0.2	14.1	1.2	2.0	76.7	0.7	0.5	0.3	0.3	0.2	1.2
	1.6	1.1	0.7	0.8	12.1	0.4	0.4	1.6	0.4	1.6	2.5	0.2	0.4	0.5	0.2	0.1	11.9	1.6	2.7	79.1	0.6	0.9	0.3	0.3	0.3	0.4
京都 大阪 奈良 和歌 奈良	1.2	1.1	0.6	1.2	13.3	1.3	0.2	0.1	0.2	2.6	5.1	0.3	1.0	1.3	2.7	1.2	13.7	8.4	3.3	79.6	0.2	0.5	0.4	0.3	0.4	0.9
	4.7	1.4	0.5	1.0	9.4	0.5	0.2	0.4	0.4	2.5	4.6	0.3	0.6	0.8	1.8	0.4	9.8	3.4	5.3	75.1	1.4	1.7	0.4	0.4	0.5	2.6
	1.4	0.4	0.6	0.6	11.0	0.3	0.1	0.5	0.3	7.2	5.5	0.1	0.5	0.3	0.2	0.5	10.9	2.3	4.2	70.0	0.9	0.7	0.2	0.3	0.2	1.0
	1.1	0.4	0.9	0.6	8.6	0.4	0.03	0.4	0.3	3.4	2.1	0.3	0.4	0.1	0.7	0.2	5.9	0.4	7.2	56.5	1.0	0.7	0.4	0.3	0.2	1.5
	0.5	0.5	0.7	0.7	4.9	0.3	0.1	0.1	0.3	9.5	3.0	0.6	0.3	0.4	0.4	1.0	11.1	2.3	5.3	61.0	1.1	0.3	0.2	0.3	0.2	1.5
鳥取 島根 岡山 広島 山口	0.9	1.6	1.4	1.9	9.2	0.4	0.5	0.4	0.2	1.5	2.6	0.4	0.4	1.4	0.3	0.3	11.3	2.7	4.7	60.2	1.2	0.3	0.1	0.2	0.5	1.1
	1.9																									

第8表 都道府県別疾病異常該当者率(一般検診)

中学校—男

区分	栄養要注意	眼										耳			鼻およびいん頭				歯が			身体虚弱		精神薄弱		運動障機害		心臓の疾患		その他の疾患
		近視	遠視	乱視	弱視	(両眼)	色異常	トライ	ホーム	その他眼疾	難聴(両耳)	中耳炎	その耳疾	せん増殖症(アドノイド)	蓄膿の症	へう肥大とん	そ鼻咽脢の頭の他よりのびの疾	むし歯	未歯の者置き	その他の歯疾	の歯疾	身体虚弱	精神薄弱	運動障機害	心臓の疾患					
全 国	0.78	0.88	0.57	1.99	13.04	0.46	0.25	0.74	3.48	4.21	2.98	0.6	0.3	0.5	0.1	0.1	6.1	0.4	6.8	45.8	2.8	0.2	0.2	0.3	0.4	0.8				
北海道 青森 岩手 宮城 秋田	0.6	0.4	0.4	3.6	23.7	0.3	0.3	1.2	3.9	2.9	1.8	0.5	0.5	0.3	0.1	0.1	1.0	6.4	1.7	3.3	47.7	4.4	0.1	0.2	0.3	0.1	2.4			
	0.2	0.2	0.2	4.2	18.7	0.9	0.3	1.6	4.3	12.9	2.9	0.4	1.1	1.1	0.1	0.1	2.0	10.2	4.6	2.3	39.1	2.4	0.4	0.3	0.5	0.5	0.9			
	0.5	0.7	0.4	2.4	13.4	0.1	0.1	1.9	3.5	15.0	4.5	0.3	1.0	0.4	0.3	0.3	2.5	9.8	2.4	3.7	32.0	2.9	0.5	1.4	0.5	0.3	0.4			
	0.3	0.8	0.2	3.8	12.4	0.4	0.3	0.1	3.3	9.4	1.4	0.7	1.1	0.6	0.3	0.5	7.9	1.4	2.8	45.5	4.3	0.4	0.4	0.4	0.4	0.5				
	0.5	0.5	0.3	2.8	15.7	0.3	0.2	1.5	3.4	9.0	2.5	0.71	0.88	0.88	0.40	1.62	77.2	2.34	6.87	40.15	4.32	0.39	0.42	0.34	0.36	0.76				
山形 福島 茨城 栃木 群馬	3.0	6.3	1.9	4.6	13.9	0.1	0.6	0.5	4.6	7.7	3.4	0.4	1.2	1.2	0.3	1.5	9.0	3.3	8.3	33.1	5.4	1.0	0.6	0.5	0.5	3.2				
	0.4	0.4	0.3	1.6	13.3	1.1	0.6	0.8	3.2	10.3	3.1	0.7	0.8	0.8	0.1	0.3	6.3	2.1	2.2	41.7	2.8	0.1	0.1	0.3	0.3	0.4				
	0.9	1.8	1.2	1.9	11.1	1.2	0.1	0.6	3.0	4.5	1.2	0.7	0.8	1.1	0.2	0.7	9.1	2.6	4.7	48.2	9.6	0.9	0.5	0.2	0.2	0.7				
	0.3	0.8	0.5	2.9	9.8	0.6	0.5	0.8	3.0	5.8	3.2	0.5	0.9	1.1	0.5	1.4	9.1	2.3	5.2	43.0	4.4	0.3	0.3	0.4	0.4	0.4				
	0.7	0.9	0.5	2.4	11.1	0.2	0.1	0.7	2.8	2.4	1.9	0.5	0.9	1.2	0.1	0.5	7.9	1.4	2.8	45.5	4.3	0.4	0.4	0.4	0.4	3.2				
埼玉 千葉 東京 神奈 新潟	0.9	0.6	0.5	2.3	11.2	1.0	0.3	0.8	3.0	2.0	2.6	0.8	0.6	0.7	0.3	0.9	7.2	2.7	7.3	52.9	4.5	0.3	0.4	0.2	0.2	0.8				
	0.3	0.2	0.6	1.0	10.4	0.9	0.4	2.3	3.6	3.7	3.2	0.5	0.9	0.9	0.1	0.3	8.6	1.5	6.1	49.3	2.2	0.1	0.4	0.3	0.3	0.3				
	0.6	0.4	0.6	1.5	21.1	0.5	0.5	0.5	3.6	1.3	5.0	0.5	1.2	1.2	0.4	0.4	2.3	11.1	4.8	13.0	43.9	3.0	0.5	0.1	0.3	0.4	0.3			
	0.4	1.5	0.5	0.5	14.8	0.4	0.8	1.1	4.2	2.8	4.6	0.5	1.2	1.2	0.9	0.6	2.4	8.8	3.1	12.0	54.4	3.9	0.3	0.4	0.4	0.4	1.0			
	0.8	0.5	0.8	4.8	14.9	0.4	0.1	0.8	3.8	2.3	2.6	0.5	1.2	1.2	0.9	0.6	2.4	9.0	3.4	7.4	35.4	5.0	0.3	0.3	0.3	0.3	1.0			
富山 石川 福井 長野	1.3	2.4	1.8	2.9	14.4	0.2	0.4	1.6	3.6	2.4	5.4	0.5	0.4	0.4	0.4	0.7	3.1	6.5	3.2	8.0	37.7	1.2	0.5	0.6	0.5	0.3	1.0			
	1.1	0.6	1.2	0.9	18.9	0.03	0.7	0.7	3.4	2.7	1.9	0.6	0.6	0.5	0.6	0.4	0.8	6.6	1.1	8.3	45.0	4.3	0.8	0.1	0.2	0.3	0.3			
	1.3	2.0	0.5	4.3	16.9	0.01	0.4	1.6	4.3	2.7	2.7	0.3	1.1	1.2	0.4	0.4	4.6	11.0	2.4	6.5	43.9	3.8	0.7	0.2	0.4	0.4	1.7			
	1.2	0.6	0.6	2.4	12.4	0.6	0.3	0.6	3.9	2.9	6.9	0.4	0.9	1.7	0.2	0.2	4.2	7.7	3.6	8.2	49.9	9.2	0.3	0.4	0.4	0.4	0.4			
	0.5	1.1	0.3	1.5	11.4	0.3	0.3	0.5	3.0	1.3	4.1	0.4	0.9	1.2	0.1	0.5	7.9	1.4	2.2	35.9	2.1	0.5	0.9	0.3	0.3	0.4				
岐阜 静岡 愛知 三重 滋賀	1.0	1.1	0.4	1.2	14.0	1.0	0.4	1.5	3.4	3.2	4.0	0.8	0.9	0.1	0.5	1.0	1.8	8.6	1.9	7.3	35.9	2.1	0.5	0.2	0.2	0.2	0.4			
	0.3	0.4	0.2	2.0	16.9	0.1	0.3	0.5	3.4	2.3	1.9	0.4	0.7	0.5	0.3	0.2	3.2	0.9	0.1	8.8	3.8	2.6	0.4	0.1	0.4	0.4				
	0.7	1.9	0.6	1.6	16.9	0.1	0.4	0.4	2.9	3.9	3.0	0.8	0.6	0.7	0.1	0.4	8.0	1.1	6.5	48.6	2.6	0.3	0.3	0.4	0.3	0.6				
	0.8	0.5	0.4	1.7	16.3	1.8	0.1	1.0	3.7	4.8	1.4	0.6	0.4	0.4	0.3	0.04	0.6	7.2	0.5	9.4	41.4	7.0	0.2	0.1	0.3	0.3	0.9			
	1.6	0.9	0.6	1.1	15.7	0.6	0.6	1.5	3.6	1.5	0.8	0.6	0.4	0.6	0.4	0.04	0.6	7.2	0.5	9.4	41.4	7.0	0.2	0.1	0.3	0.3	0.4			
京都 大阪 奈良 和歌 奈良	2.2	4.4	0.8	0.9	17.8	1.2	0.2	0.7	4.1	3.0	4.5	0.1	1.7	1.1	0.3	0.3	2.6	10.7	2.8	9.8	45.6	10.3	0.7	1.0	0.5	0.3	0.6			
	1.2	0.9	0.8	0.5	20.3	0.3	0.8	0.3	5.3	0.7	6.3	0.9	0.9	1.2	0.1	0.1	1.7	4.7	0.8	13.4	39.6	3.0	0.6	1.6	0.4	1.1				
	1.1	0.4	0.4	0.5	15.5	0.6	0.5	0.8	3.7	4.5	2.2	0.7	0.6	0.4	0.4	0.01	0.4	5.1	0.4	8.7	38.7	2.9	0.6	1.6	0.4	0.4	0.5			
	0.8	0.4	0.2	0.7	13.4	0.9	0																							

第8表 都道府県別疾病異常該当者率(一般検診)

中学校—女

区分	栄養要注意	せき柱異常	胸郭異常	伝染性皮膚疾患	眼									耳			鼻およびいん頭			歯が			身体虚弱	精神薄弱	運動障機害	心臓の疾患	その他のよびの疾患			
					近視	遠視	乱視	弱視	(両眼)	色異常	トライム	ホーム	その他	の眼疾	難聴(両耳)	中耳炎	その他の耳疾	せん殖(アンド)よう症ノ	蓄のう症	へんとう	せん肥大	そ鼻咽疾のほかよびの患	むし歯の処理	未歯の置き	その他の歯疾					
全 国	0.72	0.70	0.38	1.08	16.91	0.35	0.28	0.88	0.40	4.87	3.35				0.52	0.63	0.69	0.35	1.38	8.43	1.97	8.32	44.72	3.38	0.42	0.34	0.31	0.34	0.62	
北 海 道	青森	0.5	0.3	0.3	1.6	32.7	0.4	0.4	1.7	0.8	3.3	1.7			0.7	0.2	0.4	0.2	0.2	6.3	0.5	6.1	51.4	2.1	0.3	0.2	0.2	0.5	0.5	
	岩手	0.2	0.1	0.1	2.9	25.9	0.5	0.2	1.9	0.8	15.0	3.1			0.3	0.2	0.4	0.1	0.2	7.7	1.4	3.5	51.6	4.8	0.1	0.2	0.3	0.2	2.7	
	宮城	0.4	0.4	0.2	1.3	18.1	0.1	0.04	2.2	0.6	16.4	4.6			0.2	0.9	1.0	0.2	2.0	10.7	4.2	3.2	44.8	2.5	0.4	0.2	0.3	0.5	0.8	
	秋田	0.3	0.6	0.2	2.3	17.1	0.3	0.3	0.1	0.3	11.5	1.3			0.3	0.9	0.4	0.4	2.3	11.0	1.9	4.3	39.3	2.2	0.6	1.2	0.5	0.3	0.4	
	山形	0.5	0.6	0.3	1.1	20.3	0.2	0.03	2.2	0.5	10.5	2.6			0.4	0.6	0.5	0.2	0.5	8.3	1.4	3.6	54.3	3.7	0.5	0.3	0.4	0.3	0.5	
山 群	福島	2.7	6.4	1.7	3.3	15.8	0.2	0.6	0.9	0.5	9.4	4.2			1.0	0.8	0.8	0.3	1.3	10.1	2.9	10.0	43.0	4.1	1.3	0.6	0.6	0.7	2.5	
	茨城	0.5	0.4	0.3	1.1	16.6	0.4	0.5	1.4	0.4	11.4	3.7			0.2	0.8	0.6	0.04	0.3	7.5	5.1	3.0	45.7	2.1	0.2	0.1	0.4	0.3	0.2	
	栃木	0.7	1.4	0.9	1.4	14.9	0.6	0.1	1.0	0.4	5.2	1.2			0.8	0.5	0.3	0.1	0.7	10.7	1.3	4.0	55.5	7.3	0.7	0.4	0.3	0.2	1.1	
	群馬	0.4	0.8	0.3	1.9	13.7	0.3	0.5	0.9	0.3	6.8	3.7			0.4	0.8	0.9	0.1	0.7	11.1	2.2	5.7	56.0	5.7	0.3	0.4	0.1	0.3	0.5	
	新潟	0.7	0.9	0.2	1.4	13.8	0.2	0.1	0.8	0.2	2.9	2.1			0.3	0.7	0.8	0.5	2.1	9.3	1.7	6.6	49.2	2.5	0.3	0.4	0.2	0.4	0.3	
埼玉 東京	千葉	0.6	0.4	0.4	1.3	14.3	0.8	0.4	0.8	0.4	2.4	3.0			0.2	0.5	0.7	0.2	1.0	8.2	2.4	10.8	57.9	3.4	0.3	0.2	0.3	0.2	0.3	
	東京	0.3	0.1	0.4	0.8	14.4	0.4	0.3	1.6	0.6	4.4	3.6			0.5	0.4	0.4	0.03	0.2	9.7	0.9	7.2	55.4	1.6	0.1	0.2	0.1	0.2	0.6	
	神奈	0.3	0.2	0.3	0.5	25.9	0.6	0.7	0.5	0.2	1.0	6.0			0.5	0.7	1.6	0.2	2.1	10.7	4.7	15.7	49.3	3.5	0.3	0.2	0.2	0.3	0.3	
	新潟	0.3	1.0	0.1	18.5	0.2	0.8	1.3	0.6	3.8	4.8			0.3	1.1	1.4	0.4	2.1	10.0	2.4	14.5	53.1	2.7	0.4	0.4	0.2	0.3	0.2		
	埼玉	0.8	0.4	0.4	3.7	20.6	0.7	0.1	0.7	0.5	2.9	3.3			0.4	0.7	0.6	0.2	2.4	10.8	3.7	10.0	41.5	4.6	0.4	0.3	0.4	0.4	0.5	
富山 石川	福井	1.3	1.8	1.4	1.9	18.9	0.4	0.5	1.8	0.3	3.2	6.1			0.3	0.4	0.5	0.7	2.8	7.7	2.5	10.3	43.6	0.8	0.5	0.4	0.5	0.4	0.9	
	石川	1.0	0.5	0.9	0.5	22.7	0.1	0.9	0.6	0.3	2.6	2.3			0.4	0.2	0.3	0.1	0.4	7.9	0.6	9.4	51.6	4.2	0.8	0.1	0.3	0.4	0.4	
	福井	1.6	1.7	0.8	2.2	19.8	0.01	0.5	1.9	0.5	3.0	3.0			0.6	0.5	0.4	0.2	0.6	10.4	1.8	6.6	42.9	2.8	0.9	0.2	0.3	0.5	1.4	
	富山	0.8	0.4	0.5	1.7	15.6	0.6	0.4	0.7	0.5	3.5	6.6			0.3	0.9	0.9	0.5	4.1	11.1	2.2	9.8	49.3	3.5	0.7	0.5	0.4	0.4	0.8	
	長野	0.7	1.2	0.3	0.6	14.4	0.1	0.6	0.4	0.3	1.6	5.0			0.2	0.6	1.4	0.1	3.8	8.5	2.7	10.9	53.7	7.9	0.4	0.4	0.5	0.5	0.6	
岐 齊 滋	静岡	1.0	0.6	0.3	0.5	15.8	0.6	0.2	1.2	0.4	3.6	4.0			0.6	0.7	1.2	0.9	1.7	9.4	1.9	8.6	40.0	1.6	0.5	0.7	0.3	0.3	0.5	
	愛知	0.3	0.1	0.2	0.9	20.0	0.1	0.2	0.7	0.3	1.9	1.6			0.7	0.6	0.1	0.5	0.7	7.5	1.0	9.0	53.5	2.0	0.3	0.4	0.3	0.3	0.5	
	三重	0.7	1.7	0.4	0.7	19.9	0.03	0.7	0.5	0.3	4.3	4.0			0.4	0.3	0.3	0.3	0.7	9.4	2.4	11.4	53.8	3.9	0.6	0.1	0.2	0.3	0.3	
	滋賀	0.8	0.5	0.2	1.2	18.9	1.4	0.2	1.1	0.4	5.9	1.3			0.6	0.4	0.7	0.1	0.3	9.0	1.0	7.6	54.1	1.9	0.3	0.3	0.4	0.4	0.4	
	京都	1.7	0.9	0.4	0.9	18.5	0.7	0.7	1.4	0.4	0.9	0.8			0.4	0.4	0.1	0.02	0.4	7.1	0.5	10.9	45.1	7.2	0.2	0.1	0.2	0.3	0.6	
京 大阪 兵庫	大阪	2.0	2.5	0.5	0.3	19.5	0.8	0.2	0.8	0.5	2.8	4.4			0.6	1.0	0.8	0.2	4.0	12.0	3.7	12.1	49.1	1.3	0.5	0.2	0.3	0.3	0.7	
	兵庫	1.4	0.6	0.7	0.2	24.5	0.3	0.8	0.6	0.6	4.4	7.2			0.8	1.3	0.8	0.2	2.0	10.9	1.8	10.8	50.1	5.7	1.1	0.9	0.4	0.2	1.1	
	奈良	1.1	0.4	0.3	0.2	19.7	0.4	0.3	1.0	0.5	4.8	2.2			0.5	0.5	1.0	0.1	1.3	5.8	0.7	14.8	43.6	2.9	0.5	0.2	0.3	0.3	1.3	0.9
	和歌	0.8	0.3	0.1	0.1	14.7	0.8	0.1	1.2	0.6	3.6	2.1			0.3	0.5	0.4	0.04	0.3	5.3	0.2	10.5	42.6	1.8	0.5	1.2	0.3	0.4	0.9	
	京都	1.2	0.7	0.4	1.2	14.3	0.9	0.1	0.9	0.5	11.6	2.5			0.8	0.6	0.3	0.1	0.9	10.2	1.1	8.0	36.4	6.2	0.5	0.4	0.4	0.5	0.4	
鳥 島	島根	0.8	0.5	0.5	0.5	13.5	0.5	1.2	0.6	0.5																				

第8表 都道府県別 疾病異常該当者率(一般検診)

高等学校(総括) — 男

区分	栄養要注 意	せき 柱異常	胸 郭異 常	伝皮 染膚 性疾 の患 視	眼						
					近 視	遠 視	乱 視	弱視 (両眼)	色神 異常	ト ラ ム ホ	その 他の 疾
全 国	0.48	0.59	0.51	0.39	23.70	0.45	0.63	1.15	3.57	2.86	3.09
北海道	0.3	0.2	0.2	0.3	33.1	0.3	0.6	1.9	3.9	1.8	2.8
青森	0.2	0.1	0.1	0.1	26.7	0.3	0.4	1.1	4.1	10.2	2.6
岩手	0.1	0.3	0.2	0.3	22.0	0.03	0.03	2.4	3.1	8.1	5.0
宮城	0.2	0.03	0.1	0.1	22.8	0.1	0.7	0.1	3.7	8.7	2.1
秋田	0.1	0.1	0.3	1.4	23.6	0.3	0.01	0.7	3.1	5.7	2.4
山形	0.7	2.5	1.1	0.3	28.3	0.9	0.6	0.4	4.0	4.3	2.9
福島	0.1	0.6	0.2	0.4	22.7	0.4	0.3	1.5	3.2	4.9	2.4
茨城	0.3	0.7	0.8	0.5	19.8	0.1	0.5	0.4	3.3	1.3	1.7
群馬	0.5	0.4	0.4	0.2	13.9	0.5	0.3	0.9	3.4	4.9	3.9
埼玉	0.3	0.8	0.8	0.7	21.6	1.2	0.4	0.9	4.1	1.6	2.9
千葉	0.2	0.1	0.2	0.2	18.8	0.3	0.8	2.0	3.2	1.5	4.2
東京	0.1	0.3	0.7	0.03	14.8	0.1	0.2	1.6	3.0	2.7	3.6
神奈川	0.3	0.5	0.8	0.3	31.2	0.7	1.0	0.4	3.4	0.7	3.2
新潟	0.4	0.8	0.3	0.2	20.4	0.2	0.7	1.0	4.0	1.1	2.0
富山	0.6	1.4	0.8	1.1	24.3	0.1	1.0	0.7	3.8	1.1	2.8
石川	0.1	3.9	1.3	0.9	29.0	0.1	0.1	1.1	3.7	2.5	5.2
福井	1.1	0.4	1.1	0.1	26.3	0.1	0.1	2.5	3.1	2.1	1.3
長野	0.4	0.1	0.5	0.5	31.6	0.3	1.0	3.3	4.9	1.8	2.5
岐阜	0.9	0.7	0.9	1.2	13.9	0.1	0.7	0.6	3.8	3.3	6.9
愛知	0.4	0.7	0.5	0.2	20.3	0.3	0.6	0.6	2.5	1.1	3.6
三重	0.1	0.2	0.2	0.2	24.2	0.2	1.2	4.1	3.5	1.2	3.4
滋賀	0.6	0.8	0.6	0.01	23.0	0.4	1.1	3.5	3.7	3.2	1.9
京都	0.4	0.7	0.4	1.3	30.4	1.9	1.8	0.5	3.6	2.4	2.7
大阪	0.8	0.5	0.9	0.04	31.2	0.3	0.7	0.7	3.7	5.5	2.6
奈良	0.8	0.5	0.4	0.1	27.1	0.4	0.2	3.3	3.5	1.4	0.2
和歌	0.2	0.6	0.2	0.02	27.1	0.4	0.2	3.3	3.5	1.4	0.2
鳥取	0.9	0.8	0.5	0.7	30.9	0.2	0.9	0.2	3.7	1.0	3.7
島根	0.9	0.4	0.6	0.1	29.1	0.3	0.9	0.6	4.2	2.2	4.5
岡山	1.1	0.5	0.5	0.4	22.2	0.2	0.4	0.6	3.5	4.2	3.1
広島	0.2	0.1	0.3	0.1	19.4	1.5	0.4	2.6	4.1	1.5	1.4
福岡	0.04	0.1	0.3	0.1	13.1	0.3	0.7	0.3	3.9	12.4	0.8
鹿児島	—	—	0.2	—	14.7	1.5	0.2	1.5	4.3	1.1	2.6
宮崎	0.4	0.2	1.1	0.9	17.0	0.2	0.4	3.1	3.9	1.7	2.9
大分	0.2	0.1	0.3	0.1	23.6	0.1	1.3	0.5	3.9	2.1	7.0
熊本	1.0	0.1	0.9	1.2	21.6	0.1	1.0	1.8	4.0	0.9	4.3
鹿児島	0.9	0.3	0.6	1.1	20.7	0.03	0.4	0.7	3.4	3.5	1.6
徳島	0.3	—	0.1	—	17.2	0.2	—	2.2	4.1	2.0	2.4
香川	0.8	0.1	0.3	—	23.6	0.3	2.1	1.3	3.8	4.0	2.2
愛媛	0.1	0.4	0.4	0.03	15.7	0.1	0.2	0.2	2.7	1.3	2.4
高知	0.1	0.1	0.2	0.03	13.9	0.1	0.2	0.1	2.5	3.3	1.3
福島	0.6	0.4	0.4	0.1	19.7	1.4	0.6	2.6	3.5	3.5	2.1
佐賀	0.1	0.5	0.3	0.1	22.0	0.1	0.7	0.1	3.2	3.0	2.5
長崎	0.8	1.6	1.0	1.9	22.9	0.03	0.2	1.5	4.4	1.6	3.1
熊本	1.0	1.4	0.5	0.03	16.5	0.1	0.1	1.4	4.1	3.1	4.7
大分	0.2	0.1	0.1	—	19.6	2.2	0.1	1.4	2.7	2.3	2.3
宮崎	0.2	0.4	0.4	0.3	12.5	0.03	0.4	0.6	3.7	3.6	2.7
鹿児島	0.2	1.7	0.3	0.1	11.0	0.3	0.1	0.5	2.3	4.4	3.0

難聴 (両耳)	耳			鼻およびいん頭			歯がむし歯			身体虚弱		精神薄弱	運動機能障害	心臓の疾患	その他異常
	中耳炎	その他の耳疾	せ症イド増殖ノ	蓄のう症	へんとう	腺肥大	その他の咽頭	むし歯	その他の歯疾	未処置歯	ある者	の虚弱	の弱	の疾患	の異常
0.48	0.72	0.66	0.09	2.08	5.11	3.08	10.34	42.18	4.85	0.11	—	0.20	0.35	0.51	
0.2	0.5	0.4	0.03	0.9	3.2	2.0	8.0	45.0	3.7	0.1	—	0.3	0.4	0.5	
0.2	0.2	0.2	0.1	2.1	2.5	2.8	10.1	43.5	2.7	0.2	—	0.2	0.4	0.1	
0.6	1.0	0.7	0.1	4.3	4.7	6.6	8.5	33.3	6.3	0.2	—	0.2	0.2	0.6	
0.3	0.9	0.4	0.1	3.9	6.8	3.0	4.5	37.2	5.1	0.1	—	0.3	0.4	0.8	
0.1	0.7	0.2	—	1.5	5.4	4.6	4.1	57.6	3.2	0.02	—	0.1	0.2	0.1	
0.4	0.9	1.4	0.02	4.2	5.8	4.2	10.6	32.3	4.1	0.1	—	0.2	0.4	1.0	
0.2	0.5	0.6	0.01	1.6	3.8	2.1	6.4	49.9	4.6	0.03	—	0.2	0.4	0.4	
0.3	0.6	0.3	0.1	2.8	4.0	3.5	10.1	45.6	9.7	0.1	—	0.1	0.3	0.2	
0.6	0.6	0.5	0.2	3.2	10.5	4.7	8.5	44.8	4.6	0.1	—	0.2	0.7	0.6	
0.3	0.3	0.1	0.1	0.5	4.2	0.3	6.0	41.5	2.6	—	—	0.2	0.4	0.1	
0.6	0.8	1.6	0.1	4.1	4.4	5.0	16.3	43.8	8.4	0.1	—	0.2	0.4	0.6	
0.1	0.5	0.3	—	1.0	5.7	2.9	8.6	49.3	3.7	0.04	—	0.1	0.4	0.4	
0.5	0.7	1.1	0.2	1.7	5.7	3.2	15.4	47.7	5.1	0.1	—	0.2	0.3	0.6	
0.6	0.3	0.3	0.1	0.4	3.7	1.2	10.2	59.5	4.1	0.1	0.01	0.2	0.2	0.2	
0.4	0.9	0.6	0.1	3.1	3.7	2.2	7.9	32.1	4.3	0.1	0.01	0.3	0.5	0.8	
0.7	1.3	1.4	0.5	11.0	3.7	5.2	7.0	40.1	0.3	0.1	0.01	0.2	0.5	0.9	
0.3	0.6	0.6	0.01	0.6	5.3	0.1	9.7	36.7	1.9	0.3	—	0.1	0.4	0.5	
0.2	0.2	0.3	0.1	0.1	3.6	0.5	8.3	40.3	5.9	0.1	0.03	0.2	0.4	0.5	
0.4	0.6	0.1	—	1.2	8.4	5.7	9.2	53.6	3.2	0.2	—	0.1			

第8表 都道府県別疾病異常該当者率（一般検診）

高等学校（総括）—女

区分	栄養 要 注 意	せき柱 異常	胸郭 異常	伝皮 染膚 性疾 の患	眼							耳			鼻およびいん頭			歯が			身 体	精 神	運動 機能 障害	心 臓 の 疾 患	患 お よ び 異 常	
					近 視	遠 視	乱 視	弱視 (両眼)	色 神 異 常	ト ラ ボ ム	そ の 他 疾	難 聴 (両耳)	中 耳 炎	そ の 他 疾	せ 症 イ ン ド 様 ア 増 殖 ノ	蓄 の う 症	へ ん と う	腺 肥 大	そ の よ く 他 の 咽 鼻 頭	む し 歯	そ の 歯 ある 者	そ の 他 疾	虚 弱	薄 弱	0.60	
全国	0.39	0.31	0.22	0.18	25.92	0.46	0.74	1.12	0.28	2.56	2.94	0.35	0.55	0.57	0.06	1.72	5.59	2.51	13.75	46.22	4.31	0.13	0.01	0.15	0.40	0.60
北海道 青森 岩手 宮城 秋田	0.3	0.2	0.1	0.04	36.1	0.2	0.6	3.2	0.3	1.8	3.1	0.3	0.6	0.2	0.02	1.6	4.1	1.8	9.8	52.4	2.6	0.2	—	0.2	0.8	0.5
	0.2	0.1	0.1	0.1	26.3	0.1	1.1	1.5	0.4	10.1	3.9	0.1	0.5	1.3	0.1	2.8	4.3	5.4	21.7	56.9	2.9	0.1	—	0.1	0.4	0.3
	0.1	0.04	0.02	0.04	27.5	0.1	0.1	2.5	1.2	8.6	1.3	0.3	0.8	0.2	—	5.5	5.6	6.8	9.5	38.5	3.2	0.2	—	0.7	0.2	0.6
	0.1	0.1	0.1	0.02	21.3	0.4	0.9	0.3	0.3	5.6	1.0	0.1	0.2	0.1	0.02	1.7	3.6	2.5	7.3	47.1	3.0	0.2	—	0.2	0.5	0.1
	0.1	0.02	0.1	0.02	34.6	0.1	0.1	0.2	0.1	5.8	2.2	0.4	0.4	0.1	—	1.8	4.2	1.3	8.2	58.6	4.5	0.6	—	0.1	0.2	0.5
山形 福島 茨城 群馬	0.6	2.6	0.8	0.5	26.8	0.5	0.4	1.1	0.1	4.0	4.8	0.3	0.4	1.1	—	3.3	6.2	4.7	15.3	39.4	2.8	0.01	—	0.3	0.3	0.8
	0.1	0.1	0.04	—	27.9	0.9	0.3	3.2	0.3	5.4	3.5	0.1	0.4	0.4	—	1.5	3.9	0.6	7.1	52.9	2.9	0.1	—	0.2	0.3	0.4
	0.1	0.2	0.1	0.1	22.8	0.2	0.1	2.0	0.3	2.9	1.3	—	0.2	0.7	0.02	0.3	4.3	1.7	12.7	60.9	15.5	0.1	—	0.1	0.4	0.3
	0.8	0.6	0.4	0.7	15.7	0.4	1.8	1.0	0.2	3.9	4.6	0.1	0.4	0.7	—	5.0	8.8	3.5	11.0	55.8	7.9	0.1	—	0.2	0.4	0.2
	0.02	0.1	0.1	0.5	20.0	0.1	0.1	0.8	0.1	2.3	1.5	0.2	0.4	0.3	0.2	3.4	6.8	0.7	12.4	45.5	3.3	0.02	—	0.2	0.4	0.2
埼玉 千葉 東京 新潟 奈良	0.1	0.1	0.04	0.1	28.1	0.1	0.5	0.6	0.3	1.2	4.9	0.2	0.6	0.5	0.01	2.9	3.4	3.8	23.8	38.5	4.6	0.01	—	0.2	0.3	0.3
	0.1	0.1	0.3	0.03	16.5	0.1	0.1	1.4	0.2	3.6	5.9	0.1	0.4	0.6	—	0.4	8.0	2.3	12.7	46.7	2.9	0.01	—	0.1	0.3	0.6
	0.4	0.2	0.4	0.5	31.2	0.7	1.3	0.4	0.4	0.6	3.4	0.3	0.6	0.9	0.1	0.9	7.5	2.4	17.9	49.1	4.1	0.1	0.002	0.1	0.2	1.4
	0.3	0.1	0.1	0.02	22.1	0.3	0.8	2.5	0.1	1.5	3.1	0.1	0.3	0.1	0.2	1.1	5.2	1.4	16.0	51.2	1.9	0.1	—	0.2	0.3	1.0
	0.6	0.3	0.6	0.2	27.0	1.3	0.7	0.3	0.3	0.9	6.3	0.3	1.0	0.3	0.03	4.1	5.7	4.1	9.0	42.3	6.5	0.2	—	0.2	0.3	0.3
富山 石川 福井 長野 山梨	0.1	2.1	0.4	0.1	29.3	0.02	0.3	1.0	0.1	3.2	6.7	0.6	0.8	1.3	0.02	6.4	6.3	6.6	8.9	42.3	0.1	0.1	—	0.3	0.5	2.4
	1.8	0.4	1.6	0.4	26.6	0.1	0.4	1.6	0.2	0.7	0.1	0.5	0.8	0.2	—	1.4	5.2	0.1	12.2	38.4	0.4	0.3	0.2	0.04	1.6	0.8
	0.6	—	0.2	0.2	34.4	0.3	0.4	3.7	0.4	0.8	1.1	2.5	0.2	0.2	0.04	0.3	4.3	0.04	10.0	46.0	8.1	0.04	—	0.1	0.4	0.7
	1.2	0.5	0.2	0.9	21.5	0.1	0.9	0.5	0.2	5.3	3.8	0.2	1.0	0.9	0.02	1.7	9.7	10.0	15.3	61.3	8.8	0.4	—	0.1	0.3	0.5
	0.2	0.6	0.2	0.04	22.2	0.1	1.2	0.3	0.1	0.9	4.3	0.2	0.5	1.2	0.01	3.7	5.6	6.3	14.9	51.7	6.5	0.1	—	0.2	0.4	0.3
岐阜 愛知 三重 滋賀 奈良	0.3	0.1	0.1	—	29.8	3.0	0.5	1.5	0.5	2.1	2.7	0.2	0.4	0.1	—	1.1	9.1	1.5	9.1	46.3	3.3	0.1	—	0.1	0.7	0.5
	0.4	0.9	0.2	0.1	27.3	0.2	1.6	1.6	0.3	1.6	1.4	1.0	0.7	1.4	—	1.8	4.1	2.9	15.2	50.4	7.0	0.1	—	0.1	0.4	0.2
	0.4	0.2	0.1	0.04	31.9	0.6	1.7	0.3	0.1	1.5	1.9	0.6	0.2	0.1	—	0.4	6.1	1.3	18.5	46.3	3.3	0.3	0.01	0.2	0.6	0.6
	0.3	0.2	0.1	0.03	36.1	0.2	0.4	0.6	0.2	3.3	2.0	0.3	0.3	0.4	0.01	2.1	8.2	1.8	13.3	55.3	5.9	0.1	—	0.04	0.6	0.1
	0.3	0.2	0.1	0.1	22.7	2.1	0.2	1.9	0.4	1.3	0.5	0.3	0.1	0.1	—	0.7	6.0	0.6	10.2	36.9	3.5	—	—	0.1	0.6	0.1
京都 大阪 兵庫 奈良 和歌	1.8	0.3	0.7	0.2	28.6	1.4	1.1	0.2	0.2	0.7	1.8	0.2	0.9	0.3	0.1	0.6	5.2	1.3	12.2	46.0	6.1	0.03	0.02	0.2	0.4	0.9
	0.5	0.3	0.2	0.04	31.0	0.2	0.7	1.1	0.2	1.3	3.3	0.3	0.8	0.6	0.1	0.4	6.5	2.0	16.8	47.5	2.1	0.1	0.004	0.2	0.6	1.2
	0.5	0.6	0.2	0.1	23.8	0.2	0.6	0.3	0.3	3.3	2.1	0.5	0.5	0.8	0.1	0.4	2.9	1.1	15.6	39.3	4.1	0.1	—	0.1	0.4	0.5
	0.5	0.1	0.2	—	24.3	1.0	0.2	2.2	0.5	1.2	1.1	0.4	0.3	0.2	—	3.7	0.3	0.3	16.6	51.5	0.1	—	—	0.1	0.3	0.3
	—	0.1	0.1	0.02	17.3	0.2	0.9	0.4	0.4	16.6	1.4	0.2	0.3	0.3	—	1.3	4.9	2.6	13.7	39.4	10.9	0.1	—	0.1	0.4	0.7
鳥取 島根 山陰 広島 島根	1.0	0.03	0.1	0.03	15.4	0.2	0.3	0.6	0.3	0.3	1.0	0.03	—	0.3	—	—	7.5	—	6.1	42.2	0.8	—	—	0.1	0.2	0.2
	0.4	0.04	0.2	0.2	23.0	—	0.2	3.3	0.2	1.0	2.3	0.5	0.6</													