

第 5 表—1 幼児 児童 生徒の環境別 年齢別 疾病異常 (一般検診) 該当者率

区 分	栄養 要注意	せき 柱異 常	胸 郭異 常	伝皮 染膚 性疾 の患	眼							その 他の 疾
					近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異 常	ト ラ ホ ー ム	眼 の 疾	
幼稚園	3才	1.37	0.50	1.78	0.83	-	-	-	-	-	1.00	2.68
	4	1.58	0.52	0.21	1.22	-	-	-	-	-	1.26	2.87
	5	1.63	0.70	1.90	1.37	-	-	-	-	-	1.91	2.70
	6以上	1.86	0.47	1.45	0.93	-	-	-	-	-	1.36	1.68
	計	1.62	0.66	1.93	1.33	-	-	-	-	-	1.78	2.72
小学校	6	1.88	1.14	1.81	2.54	-	-	-	-	-	4.65	3.42
	7	1.73	1.30	1.55	3.08	-	-	-	-	-	4.56	3.29
	8	1.66	1.23	1.23	2.99	9.53	0.46	0.10	0.46	2.82	4.78	3.09
	9	1.39	1.24	1.04	3.01	9.14	0.41	0.11	0.54	2.79	5.01	3.15
	10	1.25	1.15	0.91	2.84	9.39	0.51	0.16	0.61	2.68	5.07	3.00
	11	1.12	1.15	0.82	2.67	9.19	0.54	0.13	0.69	2.90	5.51	2.97
12以上	2.36	2.35	1.46	1.86	10.11	0.28	0.20	1.14	3.11	5.06	3.67	
計	2.19	1.20	1.26	2.84	9.30	0.48	0.13	0.59	2.79	4.92	3.17	
中学校	12	1.20	0.93	0.64	2.67	11.87	0.81	0.21	0.72	3.62	5.38	3.05
	13	0.96	0.87	0.59	2.84	12.47	0.81	0.25	0.74	3.29	5.17	2.84
	14	0.87	0.97	0.59	2.35	13.88	0.61	0.33	0.83	3.40	5.17	2.93
	15以上	0.97	1.30	0.68	1.81	14.71	0.04	0.40	0.81	3.04	5.08	2.89
	計	1.02	0.92	0.61	2.62	12.70	0.83	0.26	0.76	3.44	5.25	2.94
高等学校	15	0.90	0.64	0.64	0.51	19.20	0.57	0.55	1.15	3.76	3.59	2.94
	16	0.62	0.63	0.58	0.31	20.36	0.56	0.58	1.21	3.34	2.99	2.87
	17	0.50	0.68	0.56	0.17	21.25	0.56	0.64	1.30	3.05	2.57	2.78
	18	0.54	0.73	0.47	0.18	18.95	0.38	0.61	0.96	2.51	2.58	2.55
	19	0.54	0.85	0.44	0.21	20.09	0.44	0.67	0.67	2.65	2.49	2.38
	20以上	0.34	0.73	0.55	0.19	21.95	0.38	0.88	0.92	2.19	2.10	1.86
計	0.65	0.66	0.58	0.31	20.23	0.54	0.60	1.18	3.27	2.97	2.80	
幼稚園	3才	1.16	0.25	1.04	0.51	-	-	-	-	-	1.05	2.03
	4	1.29	0.39	1.09	0.81	-	-	-	-	-	1.29	2.73
	5	1.29	0.44	0.99	0.96	-	-	-	-	-	2.07	2.72
	6以上	2.48	0.44	0.99	0.74	-	-	-	-	-	1.47	1.27
	計	1.30	0.43	1.01	0.93	-	-	-	-	-	1.91	2.70
小学校	6	1.53	0.72	1.05	1.55	-	-	-	-	-	5.18	3.56
	7	1.55	0.84	1.02	2.03	-	-	-	-	-	5.65	3.69
	8	1.64	0.88	1.01	1.82	11.50	0.37	0.13	0.49	0.45	5.73	3.53
	9	1.34	0.90	0.82	1.45	10.91	0.36	0.12	0.57	0.42	5.89	3.33
	10	1.29	0.94	0.74	1.82	10.95	0.41	0.17	0.66	0.35	6.05	3.39
	11	1.17	0.96	0.72	1.70	11.50	0.51	0.19	0.67	0.36	6.31	3.29
12以上	2.80	3.15	1.30	1.76	9.94	0.54	0.22	0.91	0.68	6.47	2.53	
計	1.42	0.87	0.90	1.80	11.19	0.42	0.15	0.61	0.39	5.78	3.46	
中学校	12	1.21	0.76	0.52	1.90	14.15	0.78	0.25	0.86	0.58	6.18	3.52
	13	0.89	0.75	0.46	1.68	15.21	0.63	0.29	1.02	0.43	5.92	3.02
	14	0.71	0.68	0.44	1.13	16.57	0.64	0.32	1.21	0.44	5.59	3.00
	15以上	1.03	1.12	0.48	0.95	16.78	0.89	0.47	1.69	0.42	5.95	2.69
	計	0.95	0.74	0.47	1.59	15.25	0.89	0.29	1.03	0.49	5.91	3.19
高等学校	15	0.60	0.36	0.28	0.28	21.32	0.64	0.60	1.44	0.37	3.27	2.80
	16	0.52	0.31	0.22	0.17	21.97	0.82	0.69	1.46	0.24	2.64	2.73
	17	0.38	0.25	0.20	0.18	21.98	0.89	0.69	1.36	0.23	2.19	2.20
	18	0.46	0.46	0.21	0.26	20.59	0.57	0.58	1.07	0.27	1.97	1.98
	19	0.67	0.53	0.29	0.24	23.03	0.72	1.19	0.80	0.34	2.83	2.11
	20以上	0.34	0.14	0.55	0.14	24.32	0.16	0.83	0.77	0.23	1.90	0.98
計	0.50	0.31	0.23	0.21	21.73	0.77	0.66	1.40	0.28	2.67	2.55	

耳	鼻およびいん頭					歯			身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ の 他 の 疾 患	お よ び 異 常
	難 聴 (耳 両)	中 耳 炎	そ の 他 の 疾	せ ん 様 増 殖 症 (ア デ ノ イ ド)	蓄 の う 症	へ ん と う 大	腺 肥 大	そ の 他 の 疾 患						
0.22	0.57	0.81	1.56	0.23	12.55	2.83	5.40	67.64	1.23	0.40	0.05	0.16	0.19	1.29
0.12	0.62	1.06	1.55	0.31	14.04	3.07	4.42	74.85	0.69	0.56	0.05	0.11	0.30	1.37
0.20	0.68	0.93	1.27	0.39	11.73	2.87	2.85	79.18	0.56	0.50	0.09	0.17	0.27	1.26
0.91	0.92	0.50	1.75	0.87	8.60	2.78	4.94	78.06	0.58	0.92	0.79	0.46	0.79	0.99
0.19	0.67	0.95	1.33	0.38	12.14	2.91	3.19	78.22	0.59	0.51	0.08	0.16	0.28	1.28
0.29	0.98	1.22	1.44	0.54	11.14	4.10	0.97	65.89	0.63	0.79	0.30	0.33	0.28	1.51
0.35	0.95	1.14	1.51	0.76	10.27	4.23	1.37	64.95	0.97	0.74	0.38	0.32	0.30	1.40
0.55	1.14	1.31	1.19	0.81	10.21	3.83	1.90	63.01	1.34	0.86	0.55	0.36	0.29	1.31
0.64	1.10	1.40	0.92	0.87	9.67	3.42	2.52	55.97	2.07	0.67	0.52	0.43	0.32	1.19
0.69	1.08	1.15	0.74	0.76	8.73	2.93	2.93	47.29	2.28	0.65	0.50	0.40	0.28	0.99
0.72	1.08	1.22	0.61	0.80	8.55	2.65	3.56	41.70	2.34	0.60	0.49	0.43	0.25	0.98
1.62	2.07	1.40	0.34	0.78	7.42	2.48	4.47	33.10	3.15	1.95	3.20	5.12	0.41	2.78
0.53	1.05	1.23	1.08	0.74	9.80	3.54	2.16	56.61	1.57	0.72	0.45	0.39	0.29	1.24
0.93	1.03	1.24	0.46	1.11	8.21	2.19	4.21	36.71	4.70	1.13	0.45	0.37	0.31	0.92
0.84	0.94	1.01	0.36	1.09	7.37	1.86	4.27	35.09	5.17	1.15	0.49	0.38	0.30	0.92
0.81	0.80	0.99	0.29	1.14	6.68	1.88	4.65	36.90	5.50	1.26	0.41	0.37	0.33	0.94
0.97	1.01	1.31	0.56	1.03	5.76	1.72	5.47	32.25	4.11	2.90	0.58	1.37	0.49	1.51
0.86	0.93	1.09	0.38	1.11	7.45	5.03	4.38	36.17	5.09	1.20	0.45	0.39	0.31	0.93
0.53	0.71	1.03	0.13	2.63	6.00	2.76	7.55	37.92	5.08	0.23	0.00	0.21	0.32	0.63
0.54	0.68	0.84	0.13	2.35	4.72	2.61	9.51	39.27	5.12	0.19	0.01	0.20	0.35	0.55
0.42	0.56	0.72	0.12	2.08	3.87	2.46	11.66	41.36	5.09	0.17	0.00	0.17	0.35	0.52
0.65	0.64	0.69	0.11	1.54	3.01	2.13	13.26	39.15	4.72	0.21	0.01	0.33	0.35	0.62
0.55	0.54	0.60	0.17	1.12	2.76	2.27	17.10	39.87	4.60	0.21	0.01	0.34	0.34	0.75
0.67	0.64	0.57	0.02	0.72	1.78	2.10	21.75	36.71	4.92	0.20	0.01	0.29	0.27	0.61
0.51	0.65	0.83	0.12	2.22	4.59	2.55	10.33	39.42	5.06	0.20	0.00	0.21	0.34	0.57
0.10	0.60	0.48	0.97	0.21	10.26	1.71	4.24	66.31	0.59	0.32	-	0.03	0.05	1.08
0.09	0.52	1.00	1.39	0.24	12.66	2.68	4.51	75.61	0.66	0.45	0.03	0.08	0.27	1.01
0.18	0.46	0.77	1.02	0.27	10.56	2.27	2.97	79.35	0.56	0.46	0.07	0.12	0.23	1.06
0.38	0.44	0.58	1.18	0.44	7.19	2.07	4.01	81.43	1.74	0.68	0.75	0.49	0.62	0.77
0.16	0.47	0.80	1.09	0.26	10.90	2.34	3.26	78.50	0.59	0.46	0.06	0.11	0.23	1.05
0.26	0.68	1.06	1.17	0.45	9.99	3.02	0.98	67.26	0.57	0.70	0.20	0.29	0.31	1.11
0.25	0.64	0.89	1.09	0.48	10.10	3.03	1.76	66.41	0.84	0.75	0.37	0.32	0.27	1.05
0.41	0.64	1.13	0.94	0.68	10.21	2.65	2.33	64.79	1.14	0.91	0.48	0.32	0.33	1.03
0.53	0.69	1.15	0.71	0.61	9.35	2.40	3.20	57.39	1.81	0.67	0.45	0.33	0.28	0.94
0.51	0.72	0.93	0.56	0.59	8.86	2.35	3.76	49.37	1.86	0.70	0.38	0.36	0.34	0.84
0.51	0.67	0.97	0.52	0.67	9.06	2.04	4.54	43.11	2.08	0.75	0.35	0.36	0.34	0.83
0.77	0.48	0.86	0.60	0.69	6.60	2.78	3.64	36.16	2.22	1.86	2.43	3.81	0.85	3.08
0.41	0.67	1.02	0.84	0.57	9.58	2.60	2.69	58.14	1.35	0.74	0.36	0.34	0.31	0.98
0.66	0.69	0.85	0.47	0.90	8.87	1.87	5.54	40.05	3.93	0.63	0.38	0.29	0.32	0.80
0.56	0.63	0.74	0.37	1.00	8.40	1.69	5.36	38.51	4.13	0.50	0.37	0.36	0.31	0.69
0.64	0.60	0.78	0.25	1.06	7.80	1.63	5.86	40.67	4.64	0.49	0.31	0.35	0.36	0.72
0.69	0.87	0.88	0.34	1.02	5.55	1.90	6.91	31.48	3.74	0.98	0.75	1.44	0.31	1.09
0.62	0.65	0.79	0.37	0.98	8.36	1.74	5.59	39.62	4.21	0.55	0.36	0.34	0.33	0.74
0.35	0.57	0.84	0.18	1.89	6.04	1.96	9.18	42.07	5.06	0.18</				

第 5 表—1 幼児 児童 生徒の環境別 年齢別 疾病異常 (一般検診) 該当者率 (続)

区 分	栄養 要注 意	せき 柱異 常	胸 郭異 常	伝皮 染膚 性疾 の患	眼							その 他 の疾
					近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異常	ト ラ ホ ー ム	眼 の 疾	
幼稚園	3才	1.41	0.60	1.70	0.82	-	-	-	-	-	0.66	2.47
	4	1.71	0.55	2.14	1.15	-	-	-	-	-	0.99	2.94
	5	1.65	0.70	1.96	1.23	-	-	-	-	-	1.54	2.77
	6以上	2.18	0.38	1.43	0.90	-	-	-	-	-	1.31	1.57
	計	1.66	0.67	1.99	1.21	-	-	-	-	-	1.42	2.79
小学校	6	2.14	1.14	1.90	2.70	-	-	-	-	-	3.93	4.12
	7	1.96	1.42	1.61	3.18	-	-	-	-	-	3.88	4.30
	8	1.86	1.25	1.10	3.12	9.87	0.58	0.11	0.60	3.10	3.70	3.80
	9	1.58	1.34	1.05	3.13	9.46	0.32	0.18	0.64	2.82	4.27	3.84
	10	1.52	1.36	0.97	3.03	10.33	0.57	0.24	0.70	2.68	4.52	3.71
	11	1.30	1.27	1.01	2.84	10.55	0.55	0.16	0.74	2.88	4.64	3.51
	12以上	2.39	2.86	2.02	1.85	11.28	0.40	0.20	0.88	4.43	4.37	2.86
計	1.75	1.29	1.32	2.97	10.09	0.50	0.18	0.68	2.86	4.16	3.90	
中学校	12	1.31	0.76	0.64	2.55	13.20	1.19	0.33	0.53	3.53	4.40	3.85
	13	1.06	0.80	0.61	3.23	14.84	1.00	0.43	0.59	3.13	4.17	3.50
	14	0.99	0.94	0.55	2.52	17.39	0.90	0.58	0.67	3.38	3.99	3.64
	15以上	0.79	1.10	0.67	2.31	18.41	1.34	0.77	0.89	2.99	4.31	3.27
	計	1.13	0.83	0.61	2.77	15.02	1.04	0.44	0.60	3.34	4.20	3.66
高等学校	15	0.88	0.56	0.68	0.48	21.50	0.66	0.71	1.11	3.73	3.25	3.36
	16	0.62	0.60	0.63	0.31	22.66	0.65	1.72	1.20	3.26	2.65	3.20
	17	0.54	0.72	0.62	0.14	23.44	0.64	0.76	1.30	2.99	2.25	3.09
	18	0.51	0.63	0.45	0.19	21.21	0.35	0.75	0.91	2.52	2.11	2.54
	19	0.49	0.75	0.52	0.18	21.45	0.48	0.80	0.58	2.58	1.98	2.42
	20以上	0.35	0.74	0.57	0.19	22.80	0.32	0.99	0.95	2.12	1.61	1.80
	計	0.65	0.64	0.63	0.29	22.44	0.62	0.74	1.16	3.20	2.61	3.11
幼稚園	3才	1.15	0.22	0.99	0.42	-	-	-	-	-	0.75	2.03
	4	1.38	0.41	1.11	0.78	-	-	-	-	-	0.98	2.84
	5	1.30	0.45	1.01	0.83	-	-	-	-	-	1.65	2.77
	6以上	2.81	0.53	1.05	0.97	-	-	-	-	-	1.19	1.09
	計	1.33	0.44	1.03	0.81	-	-	-	-	-	1.50	2.76
小学校	6	1.71	0.69	1.04	1.51	-	-	-	-	-	4.42	4.34
	7	1.72	0.84	0.95	2.00	-	-	-	-	-	4.93	4.83
	8	2.04	0.89	1.01	1.75	11.85	0.53	0.23	0.57	0.33	4.37	4.23
	9	1.67	0.90	0.90	1.91	11.19	0.36	0.21	0.69	0.29	4.65	4.05
	10	1.56	1.01	0.81	1.61	11.92	0.46	0.28	0.78	0.31	5.30	4.22
	11	1.41	0.99	0.80	1.66	13.03	0.54	0.27	0.77	0.27	5.34	4.09
	12以上	2.09	1.49	0.93	2.24	8.35	-	-	0.80	0.38	5.04	2.43
計	1.67	0.88	0.92	1.72	12.01	0.47	0.25	0.71	0.30	4.84	4.29	
中学校	12	1.36	0.66	0.49	1.80	15.40	1.09	0.38	0.71	0.46	5.06	4.49
	13	0.97	0.65	0.45	1.61	17.20	0.81	0.49	0.84	0.42	4.35	3.66
	14	0.73	0.60	0.50	0.99	19.48	0.81	0.54	1.05	0.37	3.90	3.62
	15以上	1.06	0.69	0.48	0.96	19.05	1.29	0.71	1.85	0.38	5.30	3.12
	計	1.04	0.64	0.48	1.49	17.23	0.92	0.47	0.87	0.42	4.50	3.94
高等学校	15	0.63	0.30	0.30	0.30	23.40	0.88	0.79	1.62	0.34	2.87	2.92
	16	0.59	0.25	0.22	0.18	23.96	1.12	0.89	1.53	0.23	2.36	2.85
	17	0.40	0.17	0.19	0.23	23.39	1.13	0.88	1.43	0.21	1.90	2.29
	18	0.35	0.24	0.21	0.35	23.31	0.88	0.80	1.13	0.26	1.49	2.02
	19	0.57	0.50	0.22	0.36	26.58	0.78	1.83	0.45	0.22	1.70	2.13
	20以上	0.39	0.19	0.77	0.19	27.29	0.11	0.98	0.79	0.22	1.00	0.99
	計	0.53	0.24	0.23	0.24	23.62	1.03	0.86	1.50	0.26	2.33	2.66

難聴 (両耳)	耳		鼻およびいん頭					歯		が	身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ の 他 の 疾 患	お よ び 異 常
	中 耳 炎	そ の 他 の 疾 患	せ ん 様 増 殖 ノ	イ ド (ア デ ノ)	蓄 の う 症	へ ん と う 大	腺 肥 大	そ の 他 の 鼻 の 患	む し 歯 完 了 置 て る 者							
	0.23	0.66	0.94	1.79	0.26	12.94	2.89	5.16	66.60	1.49	0.40	0.03	0.20	0.20	1.20	
0.12	0.58	1.10	1.72	0.30	14.89	3.25	4.56	75.51	0.75	0.60	0.04	0.12	0.33	1.44		
0.17	0.69	1.03	1.53	0.47	12.72	3.08	3.19	80.46	0.59	0.52	0.07	0.16	0.28	1.30		
0.28	0.59	0.59	1.94	0.97	8.24	3.22	4.78	77.35	0.50	1.24	0.98	0.27	0.53	1.25		
0.16	0.67	1.04	1.57	0.44	13.13	3.11	3.50	79.23	0.64	0.54	0.07	0.15	0.29	1.32		
0.25	1.07	1.46	2.14	0.87	12.57	6.22	1.27	69.50	0.43	1.03	0.30	0.35	0.33	1.87		
0.35	1.06	1.52	2.15	1.16	12.02	6.89	1.76	69.24	0.61	1.08	0.47	0.35	0.33	1.60		
0.48	1.25	1.82	1.61	1.30	11.47	6.03	2.53	66.02	0.97	1.27	0.55	0.46	0.32	1.48		
0.56	1.24	1.73	1.29	1.53	10.75	5.18	3.35	58.63	1.26	0.85	0.54	0.40	0.40	1.29		
0.57	1.30	1.52	0.93	1.27	9.36	4.71	3.86	49.47	1.38	0.80	0.55	0.39	0.34	1.06		
0.64	1.24	1.63	0.79	1.41	9.53	4.06	4.47	44.43	1.57	0.75	0.52	0.43	0.32	1.06		
1.41	2.41	0.86	0.18	1.10	8.26	3.09	5.98	34.24	1.99	2.02	2.38	4.55	0.51	2.36		
0.47	1.19	0.16	1.51	1.23	11.01	5.53	2.79	59.81	1.00	0.96	0.48	0.40	0.34	1.42		
0.87	1.26	1.50	0.65	1.64	7.85	3.04	5.18	38.93	4.59	0.80	0.44	0.37	0.26	0.61		
0.66	1.06	1.16	0.53	1.60	6.85	2.60	5.19	37.93	4.86	0.68	0.54	0.37	0.29	0.61		
0.65	0.91	1.16	0.40	1.60	6.17	2.61	5.58	40.46	5.22	0.75	0.41	0.34	0.30	0.59		
0.79	1.18	1.63	0.24	1.38	6.35	2.82	6.73	37.18	3.50	1.71	0.54	1.34	0.41	0.98		
0.73	1.09	1.29	0.53	1.61	7.02	2.77	5.32	39.01	4.85	0.76	0.47	0.38	0.28	0.61		
0.50	0.79	1.09	0.14	3.16	6.28	2.96	8.21	38.78	5.02	0.22	0.00	0.20	0.31	0.56		
0.49	0.78	0.88	0.14	2.78	4.82	2.80	10.26	40.03	4.96	0.21	0.01	0.21	0.36	0.53		
0.45	0.62	0.76	0.12	2.46	3.90	2.61	12.49	42.21	5.21	0.18	0.00	0.18	0.38	0.52		
0.65	0.76	0.84	0.10	1.65	2.80	2.34	14.07	39.61	4.37	0.20	0.01	0.36	0.37	0.61		
0.56	0.58	0.68	0.17	1.21	2.52	2.87	18.35	41.25	4.16	0.13	0.02	0.21	0.25	0.78		
0.65	0.71	0.65	0.02	0.74	1.69	2.26	23.05	36.61	5.34	0.22	0.01	0.32	0.28	0.63		
0.50	0.73	0.89	0.13	2.60	4.65	2.74	11.17	40.21	5.01	0.20	0.01	0.21	0.35	0.55		
0.13	0.65	0.54	1.08	0.07	10.97	1.82	4.54	65.67	0.57	0.27	-	0.03	0.03	0.92		
0.08	0.54	1.07	1.54	0.22	13.49	2.87	4.65	76.15	0.66	0.50	0.03	0.07	0.28	1.08		
0.15	0.48	0.84	1.25	0.32	11.52	2.48	3.41	80.35	0.60	0.47	0.06	0.10	0.25	1.16		
0.21	0.11	0.77	1.46	0.11	7.73	2.52	4.62	79.39	0.92	0.50	0.30	0.40	0.88	0.50		
0.13	0.49	0.88	1.31	0.30	11.87	2.55	3.68	79.28	0.62	0.48	0.05	0.10	0.26	1.13		
0.27	0.75	1.31	1.74	0.75	11.39	4.37	1.24	71.01	0.40	0.84	0.19	0.30	0.34	1.35		
0.26	0.67	0.99	1.45	0.82	11.41	4.69	2.47	70.87	0.54	0.94	0.46	0.33	0.34	1.16		
0.35	0.82	1.73	1.38	1.11	11.62	3.94	3.07	68.07	0.76	1.22	0.44	0.38	0.39	1.17		
0.55	0.75	1.46	0.97	0.95	10.42	3.64	4.19	60.42	1.21	0.90	0.49	0.33	0.37	1.15		
0.57	0.86	1.29	0.71	0.92</												

第 5 表—1 幼児 児童 生徒の環境別 年齢別 疾病異常 (一般検診) 該当者率 (続)

区 分	栄養 要注 意	せき 柱異 常	胸 郭異 常	伝皮 染膚 性疾 の患	眼							その 他 の疾
					近 視	遠 視	乱 視	弱視 (両眼)	色 神異 常	トラ ホーム	その 他 の疾	
幼稚園	3才	1.22	0.12	2.10	0.88	-	-	-	-	-	2.19	3.42
	4	0.97	0.38	1.83	1.50	-	-	-	-	-	2.39	2.58
	5	1.58	0.68	1.77	1.72	-	-	-	-	-	2.76	2.52
	6以上	0.76	0.76	1.52	1.01	-	-	-	-	-	1.56	2.11
	計	1.49	0.64	1.78	1.68	-	-	-	-	-	2.70	2.54
小学校	6	1.68	1.13	1.74	2.48	-	-	-	-	-	5.19	2.88
	7	1.56	1.22	1.51	3.02	-	-	-	-	-	5.04	2.58
	8	1.51	1.22	1.33	2.90	9.29	0.37	0.09	0.36	2.61	5.57	2.56
	9	1.26	1.16	1.14	2.93	8.92	0.46	0.06	0.48	2.76	5.52	2.66
	10	1.06	1.00	0.86	2.71	8.71	0.47	0.09	0.54	2.68	5.46	2.49
	11	1.01	1.06	0.69	2.54	8.24	0.53	0.12	0.65	2.92	6.11	2.59
	12以上計	2.34	1.87	0.94	1.88	9.12	0.18	0.19	1.38	1.83	5.71	4.43
男 計	1.36	1.13	1.21	2.74	8.75	0.47	0.09	0.52	2.75	5.46	2.65	
中学校	12	1.13	1.13	0.65	2.74	11.00	0.58	0.14	0.84	3.67	6.05	2.51
	13	0.90	0.90	0.57	2.59	11.00	0.71	0.15	0.83	3.40	5.81	2.42
	14	0.81	0.81	0.61	2.25	11.79	0.82	0.19	0.93	3.40	5.89	2.50
	15以上	1.14	1.14	0.70	1.34	11.20	0.63	0.07	0.74	3.09	5.81	2.51
	計	0.95	0.96	0.61	2.53	11.24	0.70	0.16	0.86	3.49	5.92	2.48
高等学校	15	0.93	0.78	0.56	0.55	15.20	0.41	0.27	1.21	3.83	4.16	2.22
	16	0.61	0.68	0.49	0.33	16.15	0.39	0.31	1.22	3.49	3.60	2.27
	17	0.43	0.61	0.44	0.23	17.09	0.42	0.39	1.31	3.18	3.18	2.20
	18	0.60	0.92	0.51	0.17	14.94	0.43	0.38	1.06	-2.50	3.41	2.44
	19	0.67	1.11	0.24	0.28	16.72	0.34	0.35	0.90	2.82	3.74	2.33
	20以上計	0.44	0.70	0.49	0.21	19.78	0.53	0.62	0.87	2.37	3.36	2.05
女 計	0.65	0.71	0.50	0.35	16.15	0.41	0.34	1.22	3.39	3.62	2.25	
幼稚園	3才	1.23	0.37	1.24	0.87	-	-	-	-	-	2.12	2.03
	4	0.87	0.31	0.99	0.91	-	-	-	-	-	2.56	2.27
	5	1.27	0.40	0.94	1.29	-	-	-	-	-	3.07	2.61
	6以上	1.69	0.21	0.84	0.21	-	-	-	-	-	2.12	1.69
	計	1.23	0.39	0.95	1.23	-	-	-	-	-	2.99	2.56
小学校	6	1.40	0.74	1.06	1.59	-	-	-	-	-	5.75	2.97
	7	1.42	0.83	1.07	2.05	-	-	-	-	-	6.13	2.93
	8	1.35	0.88	1.01	1.86	11.24	0.26	0.06	0.43	0.54	6.72	3.02
	9	1.10	0.90	0.78	1.98	10.70	0.35	0.06	0.49	0.51	6.75	2.83
	10	1.11	0.90	0.70	1.96	10.27	0.37	0.09	0.57	0.38	6.58	2.80
	11	1.00	0.94	0.66	1.72	10.42	0.50	0.13	0.60	0.42	7.00	2.72
	12以上計	3.49	4.78	1.65	1.29	11.53	1.07	0.46	1.02	0.99	7.91	2.64
女 計	1.24	0.87	0.88	1.85	10.61	0.38	0.09	0.53	0.46	6.44	2.88	
中学校	12	1.11	0.84	0.54	1.97	13.31	0.59	0.17	0.97	0.66	6.95	2.86
	13	0.84	0.81	0.46	1.72	13.94	0.52	0.17	1.13	0.43	6.95	2.59
	14	0.69	0.74	0.40	1.23	14.75	0.54	0.19	1.31	0.49	6.67	2.60
	15以上	1.00	1.59	0.47	0.95	14.24	0.47	0.22	1.51	0.47	6.69	2.21
	計	0.89	0.80	0.47	1.65	13.96	0.55	0.18	1.13	0.53	8.86	2.69
高等学校	15	0.54	0.47	0.24	0.26	17.53	0.22	0.27	1.14	0.44	3.99	2.59
	16	0.39	0.43	0.23	0.15	18.21	0.28	0.32	1.34	0.27	3.16	2.50
	17	0.35	0.40	0.24	0.07	19.13	0.41	0.31	1.22	0.27	2.76	2.02
	18	0.64	0.80	0.22	0.11	16.46	0.10	0.27	0.97	0.29	2.68	1.93
	19	0.87	0.58	0.44	-	15.84	0.61	0.31	1.50	0.58	5.13	2.06
	20以上計	0.24	-	-	-	17.73	0.25	0.51	0.74	0.24	4.10	0.95
女 計	0.44	0.45	0.23	0.16	18.15	0.29	0.30	1.22	0.32	3.31	2.36	

耳	鼻およびいん頭					歯		身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ の 他 の 疾 患
	難 聴 (両耳)	中 耳 炎	そ の 他 の 疾	せ ん 様 増 殖 (ア デ ノ イ ド)	著 の う 症	へ ん と う 大	そ お 頭 の よ 他 の 疾 患					
0.16	0.27	0.40	0.70	0.14	11.05	2.59	6.31	71.52	0.26	0.40	0.14	1.68
0.13	0.79	0.91	0.79	0.35	10.33	1.06	3.80	71.84	0.40	0.41	0.07	1.01
0.27	0.68	0.72	0.68	0.21	9.37	2.39	2.01	75.98	0.46	0.45	0.12	1.16
3.54	1.75	0.27	1.18	0.59	9.86	1.17	5.45	80.38	0.82	-	0.26	0.26
0.26	0.69	0.73	0.70	0.23	9.51	2.38	2.31	75.43	0.45	0.44	0.12	1.14
0.32	0.92	1.04	0.92	0.30	10.07	2.54	0.75	63.15	0.78	0.61	0.31	1.23
0.35	0.88	0.87	1.07	0.49	9.06	2.40	1.10	61.95	1.23	0.51	0.31	1.26
0.60	1.06	0.94	0.88	0.45	9.29	2.24	1.44	60.81	1.61	0.56	0.54	1.18
0.69	1.00	1.18	0.67	0.42	8.92	2.19	1.93	54.11	2.65	0.54	0.50	1.11
0.77	0.92	0.88	0.60	0.40	8.28	1.67	2.25	45.74	2.93	0.55	0.47	0.94
0.66	0.97	0.94	0.49	0.39	7.87	1.64	2.93	39.78	2.88	0.50	0.47	0.92
1.83	1.75	1.91	0.49	0.49	6.64	1.91	3.05	32.03	4.24	1.88	3.98	3.17
0.56	0.95	0.98	0.78	0.40	8.94	2.13	1.70	54.31	1.97	0.55	0.43	1.11
0.96	0.88	1.07	0.34	0.78	8.46	1.65	3.58	35.35	4.78	1.35	0.47	1.14
0.94	0.86	0.92	0.26	0.79	7.70	1.41	3.69	33.29	5.37	1.45	0.45	1.13
0.90	0.75	0.89	0.23	0.88	6.99	1.46	4.09	34.75	5.66	1.56	0.42	1.16
1.15	0.84	1.00	0.84	0.70	5.19	0.72	4.23	27.42	4.70	4.05	0.62	2.03
0.94	0.83	0.97	0.29	0.82	7.73	1.50	3.78	34.37	5.24	1.48	0.45	1.15
0.58	0.57	0.94	0.11	1.74	5.54	2.42	6.37	36.38	5.19	0.24	0.00	0.75
0.61	0.50	0.78	0.11	1.61	4.54	2.30	8.12	37.86	5.42	0.16	0.00	0.58
0.36	0.45	0.65	0.11	1.39	3.91	2.19	10.07	39.74	4.84	0.16	0.01	0.51
0.63	0.43	0.46	0.13	1.36	4.48	1.78	11.78	38.30	5.36	0.22	-	0.64
0.50	0.46	0.46	0.17	0.89	3.34	0.87	14.20	36.66	5.62	0.40	-	0.68
0.74	0.46	0.41	0.03	0.68	2.02	1.68	18.60	36.96	3.90	0.13	-	0.59
0.53	0.50	0.75	0.11	1.54	4.46	2.23	8.78	37.95	5.15	0.19	0.00	0.62
-	0.41	0.27	0.57	0.71	7.56	1.30	3.13	68.67	0.65	0.53	-	1.70
0.12	0.41	0.74	0.75	0.33	9.15	1.88	3.93	73.27	0.68	0.25	0.03	0.69
0.24	0.43	0.60	0.47	0.15	8.28	1.80	1.85	76.84	0.46	0.43	0.08	0.82
0.86	1006	0.21	0.64	1.06	5.91	1.06	2.41	86.75	3.86	1.07	1.73	1.40
0.23	0.43	0.61	0.51	0.19	8.36	1.80	2.13	76.37	0.51	0.41	0.09	0.82
0.26	0.63	0.88	0.77	0.23	8.97	2.05	0.79	64.46	0.70	0.59	0.21	0.94
0.25	0.61	0.82	0.84	0.25	9.19	1.89	1.26	63.29	1.05	0.62	0.31	0.98
0.45	0.52	0.70	0.63	0.38	9.19	1.73	1.80	62.42	1.42	0.70	0.50	0.93
0.51	0.64	0.94	0.53	0.38	8.62	1.56	2.52	55.29	2.22	0.52	0.43	0.80
0.47	0.62	0.67	0.45	0.36	8.44	1.48	2.87	47.50	2.35	0.63	0.30	0.71
0.49	0.57	0.72	0.43	0.34	8.49	1.24	3.64	41.41	2.53	0.61	0.32	0.68
0.78	0.38	0.57	0.58	0.39	5.90	2.66	2.41	37.15	3.21	3.14	2.59	3.68
0.40	0.60	0.79	0.62	0.32	8.80	1.68	2.10	55.79	1.68	0.61	0.34	0.85
0.72	0.54	0.71	0.31	0.59	9.10	1.41	4.42	38.20	4.05	0.49	0.36	0.92
0.67	0.54	0.61	0.31	0.72	8.83	1.22	4.39	36.64	4.13	0.44	0.32	0.82

第 5 表—1 幼児 児童 生徒の環境別 年齢別 疾病異常（一般検診）該当者率（続）

区 分	栄養 要 注 意	せ き 柱 異 常	胸 郭 異 常	伝 皮 染 膚 性 疾 の 患	眼							眼 の 他 の 疾
					近 視	遠 視	乱 視	弱 視 (両 眼)	色 神 異 常	ト ラ ホ ー ム	そ の 他 の 疾	
15 才	0.88	0.57	0.61	0.48	20.06	0.60	0.62	1.26	3.88	3.41	2.94	
16	0.61	0.56	0.55	0.25	21.67	0.60	0.65	1.38	3.44	2.82	2.94	
17	0.50	0.63	0.55	0.15	22.64	0.60	0.70	1.44	3.16	2.42	2.80	
18	0.84	0.65	0.54	0.24	24.09	0.40	0.92	1.50	2.71	1.90	2.62	
19	1.01	0.73	1.47	-	22.56	0.67	0.44	0.67	3.12	1.61	3.08	
20以上	0.93	2.10	2.11	-	19.24	0.27	1.11	0.75	2.34	0.95	3.14	
計	0.67	0.59	0.57	0.29	21.56	0.59	0.67	1.36	3.46	2.84	2.89	
15 才	0.97	0.95	0.78	0.63	15.19	0.43	0.24	0.61	3.23	4.41	2.96	
16	0.65	0.94	0.72	0.58	14.81	0.40	0.31	0.50	2.89	3.70	2.58	
17	0.51	0.93	0.63	0.28	15.11	0.41	0.36	0.67	2.84	3.26	2.67	
18	0.40	0.77	0.44	0.16	16.55	0.37	0.46	0.71	2.42	2.90	2.52	
19	0.47	0.87	0.29	0.24	19.75	0.41	0.70	0.67	2.58	2.61	2.29	
20以上	0.32	0.69	0.50	0.20	22.03	0.39	0.87	0.93	2.19	2.14	1.82	
計	0.59	0.88	0.61	0.38	16.42	0.40	0.43	0.66	2.70	3.35	2.55	
15 才	0.59	0.33	0.27	0.27	21.79	0.69	0.64	1.53	0.36	3.10	2.80	
16	0.52	0.28	0.20	0.16	22.48	0.90	0.73	1.56	0.23	2.67	2.69	
17	0.37	0.22	0.18	0.17	22.28	0.95	0.70	1.41	0.21	0.21	2.18	
18	0.37	0.60	0.22	0.27	20.90	1.15	0.68	1.67	0.24	1.58	1.46	
19	1.54	0.92	0.62	0.94	22.84	0.70	1.16	1.35	-	1.54	2.15	
20以上	1.25	1.25	-	-	16.25	-	1.54	1.41	-	5.13	3.85	
計	0.50	0.29	0.22	0.20	22.16	0.85	0.69	1.51	0.27	2.54	2.54	
15 才	0.64	0.60	0.30	0.41	17.50	0.32	0.33	0.69	0.46	4.57	2.83	
16	0.48	0.54	0.36	0.26	18.04	0.27	0.43	0.72	0.34	4.02	2.97	
17	0.49	0.47	0.40	0.23	19.08	0.32	0.61	0.84	0.44	2.72	2.43	
18	0.54	0.35	0.20	0.24	20.34	0.10	0.50	0.57	0.30	2.30	2.42	
19	0.51	0.46	0.23	0.11	23.06	0.73	1.31	0.71	0.40	3.07	2.10	
20以上	0.29	0.07	0.58	0.15	24.82	0.16	0.79	0.73	0.24	1.72	0.81	
計	0.53	0.49	0.33	0.28	18.91	0.28	0.50	0.71	0.38	3.52	2.63	
15 才	0.88	0.54	0.68	0.50	22.16	0.70	0.76	1.21	3.82	3.18	3.38	
16	0.64	0.57	0.60	0.27	23.89	0.72	0.77	1.36	3.35	2.60	3.33	
17	0.54	0.69	0.63	0.14	24.63	0.70	0.80	1.43	3.10	2.23	3.13	
18	0.83	0.58	0.64	0.27	25.05	0.48	0.94	1.35	2.89	1.94	3.08	
19	1.08	0.72	1.45	-	24.66	0.89	0.58	0.51	3.14	1.38	3.63	
20以上	0.93	1.55	2.49	-	19.62	0.36	0.72	0.99	2.17	1.27	3.50	
計	0.69	0.60	0.64	0.30	23.63	0.70	0.78	1.33	3.40	2.63	3.27	
15 才	0.90	0.69	0.73	0.34	17.54	0.38	0.36	0.51	3.14	3.74	3.26	
16	0.55	0.76	0.75	0.52	16.37	0.31	0.48	0.42	2.76	2.94	2.57	
17	0.51	0.90	0.61	0.16	17.35	0.37	0.53	0.60	2.37	2.35	2.82	
18	0.33	0.66	0.34	0.14	19.00	0.27	0.62	0.65	2.29	2.21	2.39	
19	0.40	0.76	0.37	0.21	20.98	0.43	0.84	0.59	2.50	2.07	2.24	
20以上	0.33	0.72	0.51	0.19	22.91	0.32	1.00	0.95	2.12	1.62	1.74	
計	0.51	0.75	0.57	0.27	18.54	0.34	0.60	0.60	2.54	2.56	2.56	
15 才	0.65	0.29	0.29	0.29	23.45	0.91	0.78	1.69	0.32	2.88	2.91	
16	0.59	0.24	0.21	0.17	24.00	1.17	0.88	1.61	0.24	2.32	2.83	
17	0.40	0.16	0.18	0.23	23.44	1.17	0.87	1.48	0.20	1.91	2.28	
18	0.35	0.28	0.24	0.35	22.23	1.57	0.86	1.65	0.18	1.42	1.64	
19	1.94	1.16	0.78	1.19	23.64	0.89	1.50	0.87	-	1.99	2.70	
20以上	1.59	0.59	-	-	15.87	-	2.08	1.85	-	6.56	3.28	
計	0.55	0.23	0.23	0.24	23.61	1.10	0.85	1.59	0.25	2.35	2.66	
15 才	0.39	0.50	0.39	0.31	22.52	0.46	0.87	0.39	0.60	2.71	3.04	
16	0.53	0.44	0.36	0.23	23.45	0.31	1.01	0.37	0.18	2.98	3.07	
17	0.33	0.33	0.29	0.21	22.66	0.46	1.14	0.72	0.42	1.65	2.46	
18	0.35	0.19	0.16	0.35	24.67	0.06	0.73	0.51	0.36	1.59	2.51	
19	0.26	0.35	0.09	0.18	27.25	0.76	1.90	0.37	0.27	1.64	2.00	
20以上	0.31	0.10	0.82	0.21	28.11	0.12	0.91	0.72	0.24	0.64	0.84	
計	0.39	0.36	0.32	0.26	23.79	0.34	1.01	0.49	0.36	2.15	2.63	

難聴 (両耳)	中 耳 炎	そ の 他 の 疾	鼻 および いん 頭				歯		が の 他 の 疾	身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ の 他 の 疾 患	お よ び 異 常	
			せ 症 イ ド ノ 増 殖	蓄 の う 症	へ ん と う 大	そ お 頭 の よ い 鼻 思	む し 歯 を て る 者	未 処 置 の 者								あ る 者
0.48	0.70	1.05	0.14	2.26	6.12	2.87	7.73	38.52	5.01	0.23	0.00	0.22	0.30	0.60		
0.50	0.67	0.87	0.14	2.05	4.80	2.71	9.86	40.00	5.11	0.19	0.01	0.22	0.36	0.53		
0.38	0.54	0.75	0.13	1.78	3.94	2.56	12.00	42.03	5.13	0.18	0.00	0.19	0.36	0.50		
0.61	0.60	0.81	0.15	2.18	3.45	2.89	14.24	39.53	4.32	0.34	0.01	0.62	0.43	0.72		
0.60	0.52	1.24	0.10	2.58	3.31	2.89	14.60	34.18	4.62	0.76	0.10	0.96	0.48	1.60		
-	1.05	-	-	2.05	3.34	1.48	18.69	32.04	3.40	1.66	-	0.95	0.71	0.95		
0.46	0.64	0.89	0.14	2.03	4.89	2.72	10.04	40.14	5.06	0.21	0.00	0.23	0.34	0.55		
0.74	0.74	0.91	0.10	4.32	5.44	2.23	6.69	35.02	5.45	0.23	0.00	0.16	0.42	0.79		
0.69	0.74	0.70	0.09	3.64	4.36	2.21	8.00	36.10	5.18	0.18	0.01	0.14	0.33	0.60		
0.59	0.63	0.58	0.05	3.35	3.53	2.05	10.11	38.26	4.88	0.14	0.01	0.09	0.33	0.60		
0.67	0.66	0.64	0.09	1.25	2.80	1.78	12.77	38.96	4.92	0.14	0.00	0.19	0.31	0.58		
0.54	0.54	0.52	0.18	0.91	2.69	2.19	17.50	40.78	4.59	0.13	-	0.25	0.32	0.63		
0.69	0.63	0.59	0.02	0.68	1.73	2.12	21.85	36.87	4.97	0.15	0.01	0.27	0.26	0.60		
0.66	0.88	0.68	0.08	2.74	3.69	2.09	11.22	37.26	5.06	0.17	0.01	0.16	0.33	0.64		
0.33	0.56	0.83	0.19	1.94	5.88	1.96	9.34	42.38	5.08	0.18	0.00	0.16	0.35	0.60		
0.36	0.50	0.88	0.16	1.85	4.91	1.74	12.54	44.54	5.23	0.19	0.00	0.13	0.39	0.67		
0.27	0.40	0.63	0.18	1.48	4.08	1.59	14.95	47.55	5.29	0.18	0.00	0.12	0.41	0.52		
0.30	0.40	0.43	0.15	1.32	4.05	1.08	15.82	44.96	5.33	0.46	0.03	0.44	0.90	1.09		
0.71	1.34	0.67	-	0.70	3.17	1.02	15.58	37.99	1.62	1.60	-	1.26	1.26	1.28		
-	-	-	-	2.90	1.30	-	16.88	36.36	2.60	2.56	-	2.56	-	2.56		
0.32	0.49	0.78	0.17	1.75	4.95	1.75	12.34	44.79	5.20	0.19	0.00	0.15	0.40	0.61		
0.54	0.71	0.87	0.08	1.54	7.31	1.93	7.89	39.54	4.92	0.22	0.01	0.17	0.39	0.86		
0.66	0.50	0.73	0.05	1.39	6.24	1.75	9.03	42.03	5.18	0.22	0.02	0.16	0.43	0.84		
0.46	0.48	0.70	0.03	1.37	4.86	1.99	12.26	43.69	4.85	0.12	-	0.13	0.45	0.92		
0.34	0.39	0.56	0.07	1.34	4.50	2.09	14.32	42.77	4.46	0.21	0.01	0.14	0.56	0.97		
0.36	0.65	0.65	0.06	1.02	4.00	2.00	18.85	41.95	3.47	0.29	-	0.17	0.17	0.93		
0.24	0.15	0.30	-	0.31	3.36	1.74	25.30	35.71	3.35	0.29	-	-	0.51	0.66		
0.51	0.53	0.71	0.06	1.37	5.76	1.91	11.19	41.66	4.80	0.20	0.01	0.15	0.45	0.88		
0.46	0.77	0.11	0.15	2.44	6.52	3.05	8.40	39.38	5.06	0.22	0.00	0.21	0.30	0.55		
0.47	0.76	0.90	0.14	2.17	4.98	2.83	10.50	41.02	5.03	0.21	0.01	0.23	0.38	0.53		
0.40	0.60	0.78	0.13	1.93	4.08	2.66	12.70	42.91	5.32	0.19	0.00	0.20	0.39	0.52		
0.61	0.64	0.92	0.11	2.07	3.47	3.04	13.88	40.25	4.28	0.37	0.01	0.66	0.46	0.73		
0.80	0.56	1.39	0.13	3.18	3.38	3.32	14.64	35.54	4.84	0.50	0.13	0.64	0.39	1.86		
-	1.43	-	-	2.07	3.82	0.66	17.52	31.85	3.50	1.89	-	0.95	0.94	1.26		
0.45	0.71	0.93	0.14	2.18	5.11	2.85	10.70	41.06	5.10	0.22	0.00	0.23	0.36	0.55		
0.75	0.93	1.02	0.09	7.40	4.83	2.40	7.06	35.10	4.81	0.20						

第 5 表—1 幼児 児童 生徒の環境別 年齢別 疾病異常 (一般検診) 該当者率 (続)

区 分	栄養 要注意	せき 柱異 常	胸 郭異 常	伝皮 染膚 性疾 の患	眼							その 他 の疾		
					近 視	遠 視	乱 視	弱 視 (両眼)	色 神 異常	ト ラ ホ ム	眼 疾			
高 等 学 校 (統 部)	男	通常課程	15才	0.89	0.64	0.48	0.44	15.96	0.38	0.32	1.37	3.98	3.87	2.09
			16	0.55	0.53	0.43	0.23	17.20	0.35	0.38	1.42	3.63	3.28	2.17
			17	0.41	0.50	0.38	0.17	18.57	0.40	0.48	1.47	3.27	2.80	2.12
			18	0.88	0.84	0.25	0.14	21.44	0.16	0.87	1.92	2.19	1.80	1.57
			19	0.76	0.76	1.63	-	16.09	-	-	1.20	3.07	2.31	1.56
	20以上計	0.94	3.77	0.94	-	18.10	-	2.44	-	2.83	-	1.89		
	女	通常課程	15才	1.05	1.23	0.94	0.92	12.73	0.48	0.13	0.70	3.34	5.11	2.65
			16	0.79	1.17	0.69	0.65	12.91	0.51	0.13	0.60	3.05	4.22	2.60
			17	0.51	0.97	0.65	0.44	12.04	0.47	0.15	0.77	2.87	4.50	2.48
			18	0.51	0.94	0.60	0.18	12.91	0.51	0.24	0.80	2.60	3.91	2.72
19			0.66	1.15	0.09	0.31	16.79	0.47	0.39	0.86	2.79	3.91	2.42	
20以上計	0.32	0.61	0.48	0.21	19.83	0.54	0.57	0.89	2.36	3.46	2.05			
高 等 学 校 (統 部)	男	通常課程	15才	0.48	0.43	0.23	0.21	18.18	0.21	0.31	1.21	0.45	3.56	2.55
			16	0.37	0.39	0.19	0.11	19.07	0.29	0.38	1.46	0.23	2.78	2.39
			17	0.30	0.36	0.19	0.04	19.67	0.44	0.32	1.28	0.23	2.62	1.95
			18	0.42	1.50	0.18	0.06	17.17	-	0.22	1.72	0.43	2.05	0.96
			19	-	-	-	-	19.70	-	-	3.03	-	-	-
	20以上計	-	-	-	-	17.65	-	-	-	-	-	5.88		
	女	通常課程	15才	0.38	0.42	0.20	0.12	18.93	0.31	0.34	1.33	0.30	2.97	2.28
			16	0.76	0.65	0.26	0.45	15.02	0.25	0.10	0.84	0.39	5.65	2.73
			17	0.45	0.59	0.37	0.27	15.01	0.25	0.14	0.91	0.42	4.59	2.92
			18	0.62	0.58	0.49	0.23	16.18	0.21	0.24	0.93	0.45	3.58	2.42
19			0.73	0.50	0.23	0.13	16.15	0.14	0.29	0.64	0.24	2.96	2.35	
20以上計	0.97	0.65	0.49	-	15.43	0.67	0.34	1.33	0.65	5.70	2.28			
高 等 学 校 (統 部)	女	通常課程	15才	0.25	-	-	-	17.73	0.26	0.54	0.77	0.25	4.27	0.74
			16	0.83	0.58	0.34	0.29	15.46	0.24	0.18	0.86	0.40	4.49	2.63
			17	0.76	0.65	0.26	0.45	15.02	0.25	0.10	0.84	0.39	5.65	2.73
			18	0.45	0.59	0.37	0.27	15.01	0.25	0.14	0.91	0.42	4.59	2.92
			19	0.62	0.58	0.49	0.23	16.18	0.21	0.24	0.93	0.45	3.58	2.42
20以上計	0.73	0.50	0.23	0.13	16.15	0.14	0.29	0.64	0.24	2.96	2.35			
高 等 学 校 (統 部)	女	定時制課程	15才	0.97	0.65	0.49	-	15.43	0.67	0.34	1.33	0.65	5.70	2.28
			16	0.25	-	-	-	17.73	0.26	0.54	0.77	0.25	4.27	0.74
			17	0.83	0.58	0.34	0.29	15.46	0.24	0.18	0.86	0.40	4.49	2.63
			18	0.76	0.65	0.26	0.45	15.02	0.25	0.10	0.84	0.39	5.65	2.73
			19	0.45	0.59	0.37	0.27	15.01	0.25	0.14	0.91	0.42	4.59	2.92
20以上計	0.62	0.58	0.49	0.23	16.18	0.21	0.24	0.93	0.45	3.58	2.42			

耳	鼻およびいん頭							歯		が	身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	お よ び 異 常		
	難 聴 (両耳)	中 耳 炎	そ の 他 の 疾	せ ん 様 増 殖 ノ	蓄 の う 症	へ ん と う 大	腺 肥 の 鼻	そ の 他 の 疾 患	む し 歯 を て る 者							未 処 置 者	そ の 他 の 疾
0.53	0.58	0.98	0.11	1.91	5.48	2.53	6.40	36.80	4.91	0.24	-	0.25	0.29	0.70			
0.57	0.49	0.83	0.12	1.81	4.46	2.48	8.55	37.93	5.27	0.16	-	0.19	0.32	0.53			
0.34	0.43	0.68	0.13	1.49	3.68	2.36	10.54	40.22	4.76	0.17	0.01	0.17	0.28	0.46			
0.60	0.49	0.52	0.26	2.45	3.37	2.48	15.28	37.44	4.42	0.07	-	0.50	0.35	0.68			
-	0.40	0.79	-	0.81	3.10	1.59	14.45	29.69	3.91	1.54	-	1.93	0.78	0.78			
-	-	-	-	1.98	1.90	3.88	22.45	32.65	3.06	0.96	-	0.96	-	-			
0.48	0.50	0.82	0.12	1.76	4.83	2.56	8.69	38.35	4.97	0.19	0.00	0.22	0.30	0.57			
0.73	0.56	0.82	0.11	1.18	6.06	2.06	6.28	35.94	6.13	0.27	0.01	0.19	0.46	0.95			
0.74	0.54	0.64	0.08	0.99	5.81	1.71	6.74	37.64	5.91	0.15	0.01	0.19	0.38	0.75			
0.45	0.52	0.56	0.05	1.05	4.27	1.61	8.38	48.03	5.16	0.13	0.20	0.13	0.38	0.67			
0.64	0.41	0.45	0.09	1.02	3.38	1.56	10.67	38.57	5.66	0.21	-	0.18	0.30	0.63			
0.56	0.47	0.42	0.19	0.90	3.37	0.79	14.17	37.49	5.82	0.09	-	0.50	0.53	0.67			
0.76	0.48	0.42	0.03	0.64	2.02	1.62	18.50	37.07	3.92	0.11	-	0.20	0.25	0.60			
0.65	0.51	0.60	0.08	1.02	4.44	1.69	8.99	37.24	5.59	0.19	0.01	0.19	0.38	0.74			
0.41	0.40	0.82	0.08	2.02	5.26	1.38	8.97	40.55	5.23	0.20	-	0.13	0.27	0.53			
0.33	0.36	0.82	0.12	1.65	4.57	1.61	11.20	42.21	5.16	0.20	0.01	0.10	0.30	0.56			
0.33	0.29	0.70	0.15	1.45	4.03	1.57	13.91	46.27	5.61	0.24	0.00	0.12	0.35	0.41			
0.38	0.19	0.75	0.25	0.82	3.38	1.11	13.90	42.93	5.60	0.36	-	0.43	0.30	0.72			
1.56	-	-	-	-	1.56	1.59	13.79	20.69	6.90	1.54	-	-	-	-			
-	-	-	-	-	5.88	-	11.76	29.41	-	-	-	-	-	-			
0.36	0.35	0.78	0.12	1.69	4.60	1.51	11.37	42.93	5.33	0.22	0.00	0.12	0.30	0.51			
0.63	0.56	0.81	0.08	1.35	7.79	1.39	8.11	40.24	5.73	0.22	0.01	0.16	0.48	0.88			
0.81	0.42	0.68	0.06	1.17	6.50	1.58	8.65	41.22	5.47	0.24	0.02	0.22	0.49	0.81			
0.54	0.51	0.57	0.02	1.03	5.16	1.56	10.86	43.23	5.30	0.10	-	0.16	0.55	1.07			
0.52	0.47	0.55	0.03	1.00	4.95	1.17	12.39	40.76	5.41	0.26	0.03	0.19	0.68	0.97			
0.34	0.33	0.50	-	0.68	3.79	2.00	16.07	38.80	3.42	0.33	-	0.33	-	0.33			
0.25	0.25	0.51	-	-	4.50	1.79	22.03	36.96	3.54	0.25	-	-	-	-			
0.64	0.48	0.67	0.05	1.14	6.29	1.47	9.88	41.19	5.43	0.21	0.02	0.18	0.51	0.88			