

周産期死亡

[月別にみた周産期死亡]
[Perinatal deaths by months]

表 8.3 月別にみた妊娠満28週以後の死産—早期新生児死亡・
年次別周産期死亡数及び率¹⁾ (出生千対)

Table 8.3 Trends of perinatal deaths and perinatal death rates by months : Japan

年次 Year	総数 Total	1月 Jan.	2月 Feb.	3月 Mar.	4月 Apr.	5月 May	6月 June	7月 July	8月 Aug.	9月 Sept.	10月 Oct.	11月 Nov.	12月 Dec.
周産期死亡数 Perinatal deaths													
1970 昭和45年	41 917	3 864	3 545	3 856	3 522	3 468	3 428	3 699	3 341	3 220	3 256	3 116	3 602
75 50	30 513	2 733	2 523	2 705	2 538	2 656	2 545	2 760	2 628	2 330	2 366	2 217	2 512
80 55	18 385	1 544	1 472	1 546	1 560	1 620	1 514	1 633	1 604	1 517	1 449	1 431	1 495
84 59	12 998	1 117	1 067	1 089	1 075	1 157	1 082	1 185	1 142	1 044	1 055	952	1 033
85 60	11 470	961	952	983	916	1 043	969	1 000	1 007	906	953	861	919
86 61	10 148	856	787	888	836	895	840	967	861	806	843	789	840
妊娠満28週以後の死産数 Foetal deaths of 28 weeks and over of gestation													
1970 昭和45年	29 107	2 766	2 522	2 746	2 497	2 437	2 385	2 514	2 261	2 209	2 207	2 105	2 458
75 50	20 268	1 860	1 711	1 858	1 706	1 769	1 659	1 748	1 764	1 528	1 549	1 442	1 674
80 55	12 231	1 054	991	1 027	1 069	1 080	988	1 105	1 073	985	986	921	952
84 59	8 724	764	704	725	731	781	752	802	736	681	713	636	699
85 60	7 733	659	654	656	630	671	644	690	682	609	626	607	605
86 61	6 902	586	554	607	546	611	564	624	588	559	593	504	566
早期新生児死亡数 Early neonatal deaths													
1970 昭和45年	12 810	1 098	1 023	1 110	1 025	1 031	1 043	1 185	1 080	1 011	1 049	1 011	1 144
75 50	10 245	873	812	847	832	887	886	1 012	864	802	817	775	838
80 55	6 154	490	481	519	491	540	526	528	531	532	463	510	543
84 59	4 274	353	363	364	344	376	330	383	406	363	342	316	334
85 60	3 737	302	298	327	286	372	325	310	325	297	327	254	314
86 61	3 246	270	233	281	290	284	276	283	273	247	250	285	274
周産期死亡率 Perinatal death rates													
1970 昭和45年	21.7	22.1	22.9	23.5	21.2	21.6	22.4	21.8	20.4	20.5	21.3	20.9	21.5
75 50	16.0	16.3	16.5	16.9	15.9	16.5	16.7	16.4	16.0	14.6	15.3	15.5	16.0
80 55	11.7	11.4	11.8	11.9	12.2	12.1	11.8	11.8	11.6	11.1	10.9	11.9	11.7
84 59	8.7	9.0	9.2	8.8	9.1	9.3	9.1	8.8	8.5	8.2	8.4	8.1	8.4
85 60	8.0	8.0	8.6	8.5	8.0	8.6	8.3	7.7	8.0	7.4	7.7	7.7	7.7
86 61	7.3	7.4	7.5	7.8	7.6	7.7	7.4	7.3	7.2	6.9	7.0	7.2	7.2
妊娠満28週以後の死産比 Foetal death ratio of 28 weeks and over of gestation													
1970 昭和45年	15.0	15.8	16.3	16.7	15.0	15.1	15.6	14.8	13.8	14.1	14.4	14.1	14.7
75 50	10.7	11.1	11.2	11.6	10.7	11.0	10.9	10.4	10.7	9.6	10.0	10.1	10.7
80 55	7.8	7.8	7.9	7.9	8.3	8.0	7.7	8.0	7.8	7.2	7.4	7.6	7.5
84 59	5.9	6.1	6.1	5.9	6.2	6.3	6.3	6.0	5.5	5.4	5.7	5.4	5.7
85 60	5.4	5.5	5.9	5.7	5.5	5.5	5.5	5.3	5.4	5.0	5.1	5.4	5.1
86 61	5.0	5.1	5.3	5.3	4.9	5.3	4.9	5.0	4.9	4.8	5.0	4.6	4.9
早期新生児死亡率 Early neonatal death rates													
1970 昭和45年	6.6	6.3	6.6	6.8	6.2	6.4	6.8	7.0	6.6	6.4	6.9	6.8	6.8
75 50	5.4	5.2	5.3	5.3	5.2	5.5	5.8	6.0	5.3	5.0	5.3	5.4	5.3
80 55	3.9	3.6	3.8	4.0	3.8	4.0	4.1	3.8	3.8	3.9	3.5	4.2	4.3
84 59	2.9	2.8	3.1	2.9	2.9	3.0	2.8	2.8	3.0	2.9	2.7	2.7	2.7
85 60	2.6	2.5	2.7	2.8	2.5	3.1	2.8	2.4	2.6	2.4	2.7	2.3	2.6
86 61	2.3	2.3	2.2	2.5	2.6	2.4	2.4	2.3	2.3	2.1	2.1	2.6	2.4

注： 1) 計算方法は52ページの「月間周産期死亡率」を参照されたい。

Perinatal deaths

[出産時の体重別にみた周産期死亡]
[Perinatal deaths by birth weight]

表 8.4 性・体重別にみた妊娠満28週以後の死産—早期新生児死亡別周産期死
亡数・率 (性・体重別出生千対) 及び百分率

Table 8.4 perinatal deaths, perinatal death rates (per 1,000 live births)
and percent distribution by sex and birth weight : Japan, 1986

昭和61年											
		総数 Total	1.0kg 未満 Under 1.0kg	1.0~1.5	1.5~2.0	2.0~2.5	2.5~3.0	3.0~3.5	3.5~4.0	4.0kg 以上 4.0kg and over	(再掲) 2.5kg 以下 2.5kg and under (Secondary mention)
周産期死亡数 ¹⁾ Perinatal deaths											
総数 Total		10 148	1 786	1 797	1 585	1 486	1 630	1 209	426	131	6 725
	男 M.	5 362	865	992	845	790	829	646	259	90	3 530
	女 F.	4 678	877	787	722	688	792	562	167	39	3 107
妊娠満28週以後の死産 Foetal death of 28 weeks and over of gestation		6 902	1 034	1 323	1 193	1 057	1 112	778	271	104	4 658
	男 M.	3 522	462	695	624	540	562	401	160	69	2 347
	女 F.	3 272	528	610	551	509	541	376	111	33	2 223
早期新生児死亡 Early neonatal deaths		3 246	752	474	392	429	518	431	155	27	2 067
	男 M.	1 840	403	297	221	250	267	245	99	21	1 183
	女 F.	1 406	349	177	171	179	251	186	56	6	884
周産期死亡率 ²⁾ Perinatal death rates											
総数 Total		7.3	861.1	403.0	141.9	25.0	4.2	1.9	1.8	3.9	83.7
	男 M.	7.5	865.0	430.9	147.2	28.7	4.7	1.9	1.8	4.2	92.8
	女 F.	7.0	816.6	364.9	132.9	21.6	3.7	1.8	1.7	3.2	73.5
妊娠満28週以後の死産比 Foetal death ratio of 28 weeks and over of gestation		5.0	498.6	296.7	106.8	17.8	2.9	1.2	1.1	3.1	58.0
	男 M.	5.0	462.0	301.9	108.7	19.6	3.2	1.2	1.1	3.2	61.7
	女 F.	4.9	491.6	282.8	101.5	16.0	2.6	1.2	1.1	2.7	52.6
早期新生児死亡率 Early neonatal death rates		2.3	362.6	106.3	35.1	7.2	1.3	0.7	0.6	0.8	25.7
	男 M.	2.6	403.0	129.0	38.5	9.1	1.5	0.7	0.7	1.0	31.1
	女 F.	2.1	325.0	82.1	31.5	5.6	1.2	0.6	0.6	0.5	20.9
百分率 ³⁾ Percentage											
総数 Total		100.0	17.8	17.9	15.8	14.8	16.2	12.0	4.2	1.3	66.9
	男 M.	100.0	16.3	18.7	15.9	14.9	15.6	12.2	4.9	1.7	66.4
	女 F.	100.0	18.9	17.0	15.6	14.8	17.1	12.1	3.6	0.8	67.0
妊娠満28週以後の死産 Foetal deaths of 28 weeks and over of gestation		100.0	15.0	19.3	17.4	15.4	16.2	11.3	3.9	1.5	67.8
	男 M.	100.0	13.2	19.8	17.8	15.4	16.0	11.4	4.6	2.0	66.8
	女 F.	100.0	16.2	18.7	16.9	15.6	16.6	11.5	3.4	1.0	68.2
早期新生児死亡 Early neonatal deaths		100.0	23.7	14.9	12.3	13.5	16.3	13.6	4.9	0.8	65.0
	男 M.	100.0	22.4	16.5	12.3	13.9	14.8	13.6	5.5	1.2	65.6
	女 F.	100.0	25.4	12.9	12.4	13.0	18.3	13.5	4.1	0.4	64.3

注： 1) 性・体重ともに不詳を含む。
2) 周産期死亡率 = $\frac{\text{年間の性・体重階級別周産期死亡数}}{\text{年間の性・体重階級別出生数}} \times 1,000$
3) 体重不詳を除き算出した。