

周産期死亡 第5表 周産期死亡数, 出産時の体重; 出産時
5 表 (6-1)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	総 数 Total				0.5 kg 未 満 Under 0.5 kg				0.5 ~		
	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female
総 数 Total	10 148	5 362	4 678	108	275	126	122	27	1 511	739	755
妊娠満28週未満 Under 28 weeks gestation	798	452	346	-	83	44	39	-	582	316	266
満28週~満31週 28-31 weeks	2 295	1 211	1 048	36	121	58	53	10	739	341	386
満32週~満35週 32-35	2 252	1 226	993	33	33	14	16	3	162	70	89
満36週~満39週 36-39	3 078	1 611	1 436	31	29	9	9	11	27	12	13
満40週~満43週 40-43	1 654	830	816	8	9	1	5	3	-	-	-
満44週~ 44 completed weeks and over	8	2	6	-	-	-	-	-	-	-	-
不 詳 Not stated (再 掲)	63	30	33	-	-	-	-	-	1	-	1
早期 (満37週未満) Pre-term	5 998	3 229	2 697	72	240	119	108	13	1 492	730	746
満28週未満 under 28 weeks	798	452	346	-	83	44	39	-	582	316	266
満28週~満31週 28-31	2 295	1 211	1 048	36	121	58	53	10	739	341	386
満32週~満35週 32-36	2 905	1 566	1 303	36	36	17	16	3	171	73	94
正期 (満37週~満41週) Term	3 857	2 001	1 821	35	34	7	13	14	18	9	9
過期 (満42週~) Post-term	230	102	127	1	1	-	1	-	-	-	-
単 産 Single	9 406	4 988	4 335	83	193	93	89	11	1 315	640	660
妊娠満28週未満	661	379	282	-	63	35	28	-	472	257	215
満28週~満31週	2 122	1 120	970	32	106	49	48	9	687	318	358
満32週~満35週	2 106	1 138	937	31	17	7	8	2	144	60	81
満36週~満39週	2 831	1 500	1 316	15	5	2	3	-	11	5	5
満40週~満43週	1 615	819	791	5	2	-	2	-	-	-	-
満44週~	8	2	6	-	-	-	-	-	-	-	-
不 詳 (再 掲)	63	30	33	-	-	-	-	-	1	-	1
早期 (満37週未満)	5 469	2 944	2 460	65	186	91	84	11	1 307	637	656
満28週未満	661	379	282	-	63	35	28	-	472	257	215
満28週~満31週	2 122	1 120	970	32	106	49	48	9	687	318	358
満32週~満36週	2 686	1 445	1 208	33	17	7	8	2	148	62	83
正期 (満37週~満41週)	3 649	1 914	1 718	17	6	2	4	-	7	3	3
過期 (満42週~)	225	100	124	1	1	-	1	-	-	-	-
複 産 Plural	742	374	343	25	82	33	33	16	196	99	95
妊娠満28週未満	137	73	64	-	20	9	11	-	110	59	51
満28週~満31週	173	91	78	4	15	9	5	1	52	23	28
満32週~満35週	146	88	56	2	16	7	8	1	18	10	8
満36週~満39週	247	111	120	16	24	7	5	11	16	7	8
満40週~満43週	39	11	25	3	7	1	3	3	-	-	-
満44週~	-	-	-	-	-	-	-	-	-	-	-
不 詳 (再 掲)	-	-	-	-	-	-	-	-	-	-	-
早期 (満37週未満)	529	285	237	7	54	28	24	2	185	93	90
満28週未満	137	73	64	-	20	9	11	-	110	59	51
満28週~満31週	173	91	78	4	15	9	5	1	52	23	28
満32週~満36週	219	121	95	3	19	10	8	1	23	11	11
正期 (満37週~満41週)	208	87	103	18	28	5	9	14	11	6	5
過期 (満42週~)	5	2	3	-	-	-	-	-	-	-	-

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATHS
(早期一正期一過期再掲) 別 昭和61年
OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1986

0.9kg	1.0 ～ 1.4 kg				1.5 ～ 1.9 kg				2.0 ～ 2.4 kg			
不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
17	1 797	992	787	18	1 585	845	722	18	1 486	790	688	8
-	119	81	38	-	6	5	1	-	3	3	-	-
12	944	536	402	6	373	220	150	3	74	37	37	-
3	546	295	243	8	698	358	329	11	556	337	216	3
2	170	75	92	3	442	235	204	3	682	330	347	5
-	17	4	12	1	62	26	35	1	169	83	86	-
-	-	-	-	-	1	-	1	-	1	-	1	-
-	1	1	-	-	3	1	2	-	1	-	1	-
16	1 684	947	723	14	1 222	657	551	14	833	478	351	4
-	119	81	38	-	6	5	1	-	3	3	-	-
12	944	536	402	6	373	220	150	3	74	37	37	-
4	621	330	283	8	843	432	400	11	756	438	314	4
1	109	44	62	3	355	187	164	4	633	303	326	4
-	3	-	2	1	5	-	5	-	19	9	10	-
15	1 661	917	727	17	1 453	775	661	17	1 384	742	635	7
-	115	78	37	-	5	4	1	-	3	3	-	-
11	874	496	373	5	344	203	138	3	73	37	36	-
3	512	274	230	8	657	332	314	11	527	320	205	2
1	144	65	76	3	383	209	172	2	626	304	317	5
-	15	3	11	1	60	26	33	1	153	78	75	-
-	-	-	-	-	1	-	1	-	1	-	1	-
-	1	1	-	-	3	1	2	-	1	-	1	-
14	1 565	877	675	13	1 131	606	511	14	784	451	330	3
-	115	78	37	-	5	4	1	-	3	3	-	-
11	874	496	373	5	344	203	138	3	73	37	36	-
3	576	303	265	8	782	399	372	11	708	411	294	3
1	93	39	51	3	314	168	143	3	582	284	294	4
-	2	-	1	1	5	-	5	-	17	7	10	-
2	136	75	60	1	132	70	61	1	102	48	53	1
-	4	3	1	-	1	1	-	-	-	-	-	-
1	70	40	29	1	29	17	12	-	1	17	11	1
-	34	21	13	-	41	26	15	-	29	26	30	-
1	26	10	16	-	59	26	32	1	56	5	11	-
-	2	1	1	-	2	-	2	-	16	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	119	70	48	1	91	51	40	-	49	27	21	1
-	4	3	1	-	1	1	-	-	-	-	-	-
1	70	40	29	1	29	17	12	-	1	17	11	-
1	45	27	18	-	61	33	28	-	48	27	20	1
-	16	5	11	-	41	19	21	1	51	19	32	-
-	1	-	1	-	-	-	-	-	2	2	-	-

周産期死亡 第5表 周産期死亡数, 出産時の体重; 出産時
5 表 (6-2)

単産一複産・妊娠期間 (4 週区分)・
TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9 kg				(再掲) (Secondary Mention) 2500 g ちょうど Just 2500 g				3.0 ~ 3.4 kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	1 630	829	792	9	71	38	33	-	1 209	646	562	1	426
妊娠28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-	-	-
28-31 weeks	22	11	9	2	1	1	-	-	8	3	5	-	-
32-35 weeks	185	114	71	-	16	6	10	-	46	24	22	-	10
36-39 weeks	962	498	458	6	40	23	17	-	549	307	242	-	154
40-43 weeks	458	205	252	1	14	8	6	-	603	312	290	1	259
44 completed weeks and over	1	-	1	-	-	-	-	-	1	-	1	-	3
不詳 (再掲) Not stated (Secondary Mention)	2	1	1	-	-	-	-	-	2	-	2	-	-
早期 (満37週未満) Per-term	375	216	157	2	25	11	14	-	90	50	40	-	20
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
28-31 weeks	22	11	9	2	1	1	-	-	8	3	5	-	-
32-35 weeks	353	205	148	-	24	10	14	-	82	47	35	-	20
36-39 weeks	1 196	592	597	7	45	27	18	-	1 028	553	474	1	363
40-43 weeks	57	20	37	-	1	-	1	-	89	43	46	-	43
44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期 (満37週未満) Per-term	352	203	148	1	23	10	13	-	88	50	38	-	20
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
28-31 weeks	21	11	9	1	1	1	-	-	7	3	4	-	-
32-35 weeks	331	192	139	-	22	9	13	-	81	47	34	-	20
36-39 weeks	1 150	569	577	4	44	26	18	-	1 015	545	469	1	363
40-43 weeks	56	20	36	-	1	-	1	-	88	43	45	-	43
44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期 (満37週未満) Per-term	23	13	9	1	2	1	1	-	2	-	2	-	-
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
28-31 weeks	1	-	-	1	-	-	-	-	1	-	1	-	-
32-35 weeks	22	13	9	-	2	1	1	-	1	-	1	-	-
36-39 weeks	46	23	20	3	1	1	-	-	13	8	5	-	-
40-43 weeks	1	-	1	-	-	-	-	-	1	-	1	-	-
44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期 (満37週未満) Per-term	70	36	30	4	3	2	1	-	16	8	8	-	-
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
28-31 weeks	1	-	-	1	-	-	-	-	1	-	1	-	-
32-35 weeks	8	7	1	-	-	-	-	-	-	-	-	-	-
36-39 weeks	53	27	23	3	3	2	1	-	11	6	5	-	-
40-43 weeks	8	2	6	-	-	-	-	-	4	2	2	-	-
44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期 (満37週未満) Per-term	23	13	9	1	2	1	1	-	2	-	2	-	-
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
28-31 weeks	1	-	-	1	-	-	-	-	1	-	1	-	-
32-35 weeks	22	13	9	-	2	1	1	-	1	-	1	-	-
36-39 weeks	46	23	20	3	1	1	-	-	13	8	5	-	-
40-43 weeks	1	-	1	-	-	-	-	-	1	-	1	-	-
44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	-	-	-	-	-	-	-	-	-	-

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATHS
(早期一正期一過期再掲) 別 昭和61年
OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1986—CON.

~ 3.9 kg			4.0 kg ~ and over				不詳 Not stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
259	167	-	131	90	39	2	98	46	44	8	2.00	2.03	1.99	1.24
-	-	-	-	-	-	-	5	3	2	-	0.78	0.81	0.74	-
-	-	-	2	1	1	-	12	4	5	3	1.17	1.20	1.15	0.89
6	4	-	5	2	1	2	11	6	2	3	1.79	1.83	1.74	1.59
101	53	-	52	39	13	-	11	5	5	1	2.54	2.60	2.50	1.26
150	109	-	70	47	23	-	7	2	4	1	3.04	3.12	2.97	1.31
2	1	-	1	-	1	-	-	-	-	-	3.24	3.75	3.07	-
-	-	-	1	1	-	-	52	26	26	-	2.35	2.48	2.28	-
12	8	-	11	7	2	2	31	13	11	7	1.47	1.50	1.43	1.23
-	-	-	-	-	-	-	5	3	2	-	0.78	0.81	0.74	-
-	-	-	2	1	1	-	12	4	5	3	1.17	1.20	1.15	0.89
12	8	-	9	6	1	2	14	6	4	4	1.88	1.92	1.85	1.58
225	138	-	106	74	32	-	15	7	7	1	2.77	2.84	2.73	1.27
22	21	-	13	8	5	-	-	-	-	-	3.13	3.25	3.05	1.25
259	167	-	131	90	39	2	90	41	41	8	2.05	2.08	2.03	1.39
-	-	-	-	-	-	-	3	2	1	-	0.80	0.82	0.76	-
-	-	-	2	1	1	-	8	2	3	3	1.18	1.21	1.15	0.83
6	4	-	5	2	1	2	11	6	2	3	1.81	1.85	1.76	1.61
101	53	-	52	39	13	-	9	3	5	1	2.60	2.65	2.55	1.89
150	109	-	70	47	23	-	7	2	4	1	3.06	3.13	3.00	2.15
2	1	-	1	-	1	-	-	-	-	-	3.24	3.75	3.07	-
-	-	-	1	1	-	-	52	26	26	-	2.35	2.48	2.28	-
12	8	-	11	7	2	2	25	10	8	7	1.49	1.52	1.46	1.23
-	-	-	-	-	-	-	3	2	1	-	0.80	0.82	0.76	-
-	-	-	2	1	1	-	8	2	3	3	1.18	1.21	1.15	0.83
12	8	-	9	6	1	2	14	6	4	4	1.91	1.95	1.86	1.63
225	138	-	106	74	32	-	13	5	7	1	2.82	2.87	2.77	1.98
22	21	-	13	8	5	-	-	-	-	-	3.15	3.27	3.06	1.25
-	-	-	-	-	-	-	8	5	3	-	1.41	1.44	1.43	0.80
-	-	-	-	-	-	-	2	1	1	-	0.70	0.75	0.65	-
-	-	-	-	-	-	-	4	2	2	-	1.12	1.11	1.11	1.38
-	-	-	-	-	-	-	-	-	-	-	1.50	1.57	1.39	1.25
-	-	-	-	-	-	-	2	2	-	-	1.86	1.98	1.91	0.72
-	-	-	-	-	-	-	-	-	-	-	2.04	2.32	2.14	0.18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	6	3	3	-	1.22	1.24	1.20	1.24
-	-	-	-	-	-	-	2	1	1	-	0.70	0.75	0.65	-
-	-	-	-	-	-	-	4	2	2	-	1.12	1.11	1.11	1.38
-	-	-	-	-	-	-	-	-	-	-	1.62	1.64	1.62	1.05
-	-	-	-	-	-	-	2	2	-	-	1.88	2.07	1.94	0.63
-	-	-	-	-	-	-	-	-	-	-	2.43	2.35	2.48	-

周産期死亡 第5表 周産期死亡数, 出産時の体重; 出産時
5 表 (6-3)

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産—複産 Plurality of Birth 妊娠期間 Period of Gestation	総数 Total				0.5 kg 未満 Under 0.5 kg				0.5 ~		
	総数	男	女	不詳	総数	男	女	不詳	総数	男	女
	Total	Male	Female	Not stated	Total	Male	Female	Not stated	Total	Male	Female
総数 Total	6 902	3 522	3 272	108	192	82	83	27	842	380	445
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.
満28週—満31週 28-31 weeks	1 830	918	876	36	121	58	53	10	668	303	353
満32週—満35週 32-35	1 787	955	799	33	33	14	16	3	148	66	79
満36週—満39週 36-39	2 208	1 127	1 050	31	29	9	9	11	26	11	13
満40週—満43週 40-43	1 071	520	543	8	9	1	5	3	-	-	-
満44週— 44 completed weeks and over	6	2	4	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (再掲)	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	4 121	2 133	1 916	72	157	75	69	13	825	372	437
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.
満28週—満31週 28-31	1 830	918	876	36	121	58	53	10	668	303	353
満32週—満36週 32-36	2 291	1 215	1 040	36	36	17	16	3	157	69	84
正期 (満37週—満41週) Term	2 629	1 322	1 272	35	34	7	13	14	17	8	8
過期 (満42週—) Post-term	152	67	84	1	1	-	1	-	-	-	-
単産 Single	6 443	3 300	3 060	83	130	58	61	11	774	348	411
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.
満28週—満31週 28-31	1 730	869	829	32	106	49	48	9	633	287	335
満32週—満35週 32-35	1 665	885	749	31	17	7	8	2	130	56	71
満36週—満39週 36-39	2 002	1 033	954	15	5	2	3	-	11	5	5
満40週—満43週 40-43	1 040	511	524	5	2	-	2	-	-	-	-
満44週— 44 completed weeks and over	6	2	4	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (再掲)	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	3 832	1 984	1 783	65	123	56	56	11	767	345	408
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.
満28週—満31週 28-31	1 730	869	829	32	106	49	48	9	633	287	335
満32週—満36週 32-36	2 102	1 115	954	33	17	7	8	2	134	58	73
正期 (満37週—満41週) Term	2 464	1 251	1 196	17	6	2	4	-	7	3	3
過期 (満42週—) Post-term	147	65	81	1	1	-	1	-	-	-	-
複産 Plural	459	222	212	25	62	24	22	16	68	32	34
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.
満28週—満31週 28-31	100	49	47	4	15	9	5	1	35	16	18
満32週—満35週 32-35	122	70	50	2	16	7	8	1	18	10	8
満36週—満39週 36-39	206	94	96	16	24	7	6	11	15	6	8
満40週—満43週 40-43	31	9	19	3	7	1	3	3	-	-	-
満44週— 44 completed weeks and over	.	.	.	.	.	.	.	.	.	.	.
不詳 (再掲) Not stated (再掲)	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	289	149	133	7	34	19	13	2	58	27	29
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.
満28週—満31週 28-31	100	49	47	4	15	9	5	1	35	16	18
満32週—満36週 32-36	189	100	86	3	19	10	8	1	23	11	11
正期 (満37週—満41週) Term	165	71	76	18	28	5	9	14	10	5	5
過期 (満42週—) Post-term	5	2	3	-	-	-	-	-	-	-	-

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・ PERINATAL DEATHS
(早期—正期—過期再掲) 別 昭和61年
OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1986—CON.

0.9kg	1.0 ~ 1.4 kg				1.5 ~ 1.9 kg				2.0 ~ 2.4 kg			
	総数	男	女	不詳	総数	男	女	不詳	総数	男	女	不詳
	Total	Male	Female	Not stated	Total	Male	Female	Not stated	Total	Male	Female	Not stated
不詳 Not stated	17	1 323	695	610	18	1 193	624	551	18	1 057	540	509
.	.	.	.	.	.	.	.	.	.	.	.	.
12	685	370	309	6	258	147	108	3	58	24	34	-
3	478	259	211	8	546	272	263	11	401	234	164	3
2	146	62	81	3	344	186	155	3	487	225	257	5
-	14	4	9	1	45	19	25	1	111	57	54	-
-	-	-	-	-	-	-	-	-	-	-	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
16	1 229	659	556	14	923	480	429	14	615	334	277	4
.	.	.	.	.	.	.	.	.	.	.	.	.
12	685	370	309	6	258	147	108	3	58	24	34	-
4	544	289	247	8	665	333	321	11	557	310	243	4
1	92	36	53	3	266	144	118	4	429	200	225	4
-	2	-	1	1	4	-	4	-	13	6	7	-
15	1 232	650	565	17	1 101	576	508	17	982	502	473	7
.	.	.	.	.	.	.	.	.	.	.	.	.
11	650	353	292	5	247	140	104	3	58	24	34	-
3	449	242	199	8	518	255	252	11	378	222	154	2
1	121	52	66	3	293	162	129	2	445	203	237	5
-	12	3	8	1	43	19	23	1	101	53	48	-
-	-	-	-	-	-	-	-	-	-	-	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
14	1 154	619	522	13	865	449	402	14	574	312	259	3
.	.	.	.	.	.	.	.	.	.	.	.	.
11	650	353	292	5	247	140	104	3	58	24	34	-
3	504	266	230	8	618	309	298	11	516	288	225	3
1	77	31	43	3	232	127	102	3	397	186	207	4
-	1	-	-	1	4	-	4	-	11	4	7	-
2	91	45	45	1	92	48	43	1	75	38	36	1
.	.	.	.	.	.	.	.	.	.	.	.	.
1	35	17	17	1	11	7	4	-	-	-	-	-
-	29	17	12	-	28	17	11	-	23	12	10	1
1	25	10	15	-	51	24	26	1	42	22	20	-
-	2	1	1	-	2	-	2	-	10	4	6	-
-	-	-	-	-	-	-	-	-	-	-	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
2	75	40	34	1	58	31	27	-	41	22	18	1
.	.	.	.	.	.	.	.	.	.	.	.	.
1	35	17	17	1	11	7	4	-	-	-	-	-
1	40	23	17	-	47	24	23	-	41	22	18	1
-	15	5	10	-	34	17	16	1	32	14	18	-
-	1	-	1	-	-	-	-	-	2	2	-	-

周産期死亡 第5表 周産期死亡数, 出産時の体重: 出産時
5表(6-4) 単産-複産・妊娠期間(4週区分)・

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産-複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9 kg				(再掲) (Secondary Mention) 2500g ちょうど Just 2500g				3.0 ~ 3.4 kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	1 112	562	541	9	51	26	25	-	778	401	376	1	271
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週-満31週 28-31 weeks	20	10	8	2	1	1	-	-	8	3	5	-	-
満32週-満35週 32-35	124	77	47	-	10	4	6	-	33	21	12	-	10
満36週-満39週 36-39	672	345	321	6	30	16	14	-	359	192	167	-	92
満40週-満43週 40-43	295	130	164	1	10	5	5	-	377	185	191	1	166
満44週- 44 completed weeks and over	1	-	1	-	-	-	-	-	1	-	1	-	3
不詳 (再掲) Not stated (Secondary Mention)	.	.	.	.	.	.	.	.	.	.	.	.	.
早期(満37週未満) Pre-term	258	152	104	2	17	7	10	-	64	38	26	-	17
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週-満31週 28-31	20	10	8	2	1	1	-	-	8	3	5	-	-
満32週-満36週 32-36	238	142	96	-	16	6	10	-	56	35	21	-	17
正期(満37週-満41週) Term	820	395	418	7	33	19	14	-	654	338	315	1	225
過期(満42週-) Post-term	34	15	19	-	1	-	1	-	60	25	35	-	29
単産 Single	1 057	534	518	5	50	26	24	-	764	394	369	1	271
妊娠満28週未満	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週-満31週	19	10	8	1	1	1	-	-	7	3	4	-	-
満32週-満35週	116	70	46	-	10	4	6	-	33	21	12	-	10
満36週-満39週	632	325	304	3	29	16	13	-	350	187	163	-	92
満40週-満43週	289	129	159	1	10	5	5	-	373	183	189	1	166
満44週- 44 completed weeks and over	1	-	1	-	-	-	-	-	1	-	1	-	3
不詳 (再掲) Not stated (Secondary Mention)	.	.	.	.	.	.	.	.	.	.	.	.	.
早期(満37週未満) Pre-term	239	142	96	1	16	7	9	-	62	38	24	-	17
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週-満31週 28-31	19	10	8	1	1	1	-	-	7	3	4	-	-
満32週-満36週 32-36	220	132	88	-	15	6	9	-	55	35	20	-	17
正期(満37週-満41週) Term	785	377	404	4	33	19	14	-	643	331	311	1	225
過期(満42週-) Post-term	33	15	18	-	1	-	1	-	59	25	34	-	29
複産 Plural	55	28	23	4	1	-	1	-	14	7	7	-	-
妊娠満28週未満	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週-満31週	1	-	-	1	-	-	-	-	1	-	1	-	-
満32週-満35週	8	7	1	-	-	-	-	-	-	-	-	-	-
満36週-満39週	40	20	17	3	1	-	1	-	9	5	4	-	-
満40週-満43週	6	1	5	-	-	-	-	-	4	2	2	-	-
満44週- 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (Secondary Mention)	.	.	.	.	.	.	.	.	.	.	.	.	.
早期(満37週未満) Pre-term	19	10	8	1	1	-	1	-	2	-	2	-	-
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週-満31週 28-31	1	-	-	1	-	-	-	-	1	-	1	-	-
満32週-満36週 32-36	18	10	8	-	1	-	1	-	1	-	1	-	-
正期(満37週-満41週) Term	35	18	14	3	-	-	-	-	11	7	4	-	-
過期(満42週-) Post-term	1	-	1	-	-	-	-	-	1	-	1	-	-

の平均体重, 妊娠満28週以後の死産-早期新生児死亡・性・ PERINATAL DEATHS
(早期-正期-過期再掲) 別 昭和61年
OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1986-CON.

~ 3.9 kg			4.0 kg ~ and over				不詳 Not stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
160	111	-	104	69	33	2	30	9	13	8	2.02	2.06	2.00	1.24
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	2	1	1	-	10	2	5	3	1.13	1.15	1.12	0.89
6	4	-	5	2	1	2	9	4	2	3	1.73	1.77	1.69	1.59
60	32	-	46	34	12	-	7	3	3	1	2.48	2.55	2.45	1.26
92	74	-	50	32	18	-	4	-	3	1	3.02	3.10	2.97	1.31
2	1	-	1	-	1	-	-	-	-	-	3.65	3.75	3.60	-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	7	-	11	7	2	2	22	6	9	7	1.52	1.56	1.48	1.23
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	2	1	1	-	10	2	5	3	1.13	1.15	1.12	0.89
10	7	-	9	6	1	2	12	4	4	4	1.83	1.86	1.79	1.58
134	91	-	84	57	27	-	8	3	4	1	2.73	2.80	2.70	1.27
16	13	-	9	5	4	-	-	-	-	-	3.13	3.24	3.07	1.25
160	111	-	104	69	33	2	28	9	11	8	2.05	2.09	2.03	1.39
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	2	1	1	-	8	2	3	3	1.14	1.16	1.12	0.83
6	4	-	5	2	1	2	9	4	2	3	1.75	1.79	1.71	1.61
60	32	-	46	34	12	-	7	3	3	1	2.56	2.60	2.51	1.89
92	74	-	50	32	18	-	4	-	3	1	3.06	3.11	3.01	2.15
2	1	-	1	-	1	-	-	-	-	-	3.65	3.75	3.60	-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	7	-	11	7	2	2	20	6	7	7	1.53	1.57	1.49	1.23
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	2	1	1	-	8	2	3	3	1.14	1.16	1.12	0.83
10	7	-	9	6	1	2	12	4	4	4	1.85	1.89	1.81	1.63
134	91	-	84	57	27	-	8	3	4	1	2.79	2.84	2.76	1.98
16	13	-	9	5	4	-	-	-	-	-	3.15	3.27	3.09	1.25
-	-	-	-	-	-	-	2	-	2	-	1.54	1.61	1.56	0.80
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	-	-	-	-	2	-	2	-	1.01	0.99	1.01	1.38
-	-	-	-	-	-	-	-	-	-	-	1.44	1.52	1.34	1.25
-	-	-	-	-	-	-	-	-	-	-	1.79	1.93	1.82	0.72
-	-	-	-	-	-	-	-	-	-	-	1.96	2.26	2.10	0.18
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	-	-	-	-	2	-	2	-	1.39	1.39	1.39	1.24
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	-	-	-	-	2	-	2	-	1.01	0.99	1.01	1.38
-	-	-	-	-	-	-	-	-	-	-	1.58	1.59	1.59	1.05
-	-	-	-	-	-	-	-	-	-	-	1.78	2.04	1.82	0.63
-	-	-	-	-	-	-	-	-	-	-	2.43	2.35	2.48	-

周産期死亡 第5表 周産期死亡数, 出産時の体重; 出産時
5 表 (6-5)

早期新生児(生後1週未満)死亡数
Early Neonatal Deaths
(Under 1 Week)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	総 数 Total				0.5 kg 未 満 Under 0.5 kg				0.5 ~		
	総 数	男	女	不 詳	総 数	男	女	不 詳	総 数	男	女
	Total	Male	Female	Not stated	Total	Male	Female	Not stated	Total	Male	Female
総 数 Total	3 246	1 840	1 406	.	83	44	39	.	669	359	310
妊娠28週未満 Under 28 weeks gestation	798	452	346	.	83	44	39	.	582	316	266
満28週~満31週 28-31 weeks	465	293	172	.	-	-	-	.	71	38	33
満32週~満35週 32-35	465	271	194	.	-	-	-	.	14	4	10
満36週~満39週 36-39	870	484	386	.	-	-	-	.	1	1	-
満40週~満43週 40-43	583	310	273	.	-	-	-	.	-	-	-
満44週~ 44 completed weeks and over	2	-	2	.	-	-	-	.	-	-	-
不 詳 Not stated (再 掲)	63	30	33	.	-	-	-	.	1	-	1
早期(満37週未満) Pre-term	1 877	1 096	781	.	83	44	39	.	667	358	309
満28週未満 under 28 weeks	798	452	346	.	83	44	39	.	582	316	266
満28週~満31週 28-31	465	293	172	.	-	-	-	.	71	38	33
満32週~満36週 32-36	614	351	263	.	-	-	-	.	14	4	10
正期(満37週~満41週) Term	1 228	679	549	.	-	-	-	.	1	1	-
過期(満42週~) Post-term	78	35	43	.	-	-	-	.	-	-	-
単 産 Single	2 963	1 688	1 275	.	63	35	28	.	541	292	249
妊娠28週未満	661	379	282	.	63	35	28	.	472	257	215
満28週~満31週	392	251	141	.	-	-	-	.	54	31	23
満32週~満35週	441	253	188	.	-	-	-	.	14	4	10
満36週~満39週	829	467	362	.	-	-	-	.	-	-	-
満40週~満43週	575	308	267	.	-	-	-	.	-	-	-
満44週~	2	-	2	.	-	-	-	.	-	-	-
不 詳 (再 掲)	63	30	33	.	-	-	-	.	1	-	1
早期(満37週未満)	1 637	960	677	.	63	35	28	.	540	292	248
満28週未満	661	379	282	.	63	35	28	.	472	257	215
満28週~満31週	392	251	141	.	-	-	-	.	54	31	23
満32週~満36週	584	330	254	.	-	-	-	.	14	4	10
正期(満37週~満41週)	1 185	663	522	.	-	-	-	.	-	-	-
過期(満42週~)	78	35	43	.	-	-	-	.	-	-	-
複 産 Plural	283	152	131	.	20	9	11	.	128	67	61
妊娠28週未満	137	73	64	.	20	9	11	.	110	59	51
満28週~満31週	73	42	31	.	-	-	-	.	17	7	10
満32週~満35週	24	18	6	.	-	-	-	.	-	-	-
満36週~満39週	41	17	24	.	-	-	-	.	1	1	-
満40週~満43週	8	2	6	.	-	-	-	.	-	-	-
満44週~	-	-	-	.	-	-	-	.	-	-	-
不 詳 (再 掲)	-	-	-	.	-	-	-	.	-	-	-
早期(満37週未満)	240	136	104	.	20	9	11	.	127	66	61
満28週未満	137	73	64	.	20	9	11	.	110	59	51
満28週~満31週	73	42	31	.	-	-	-	.	17	7	10
満32週~満36週	30	21	9	.	-	-	-	.	-	-	-
正期(満37週~満41週)	43	16	27	.	-	-	-	.	1	1	-
過期(満42週~)	-	-	-	.	-	-	-	.	-	-	-

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATHS
(早期一正期一過期再掲) 別 昭和61年
OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1986-CON.

0.9kg	1.0 ~ 1.4 kg				1.5 ~ 1.9 kg				2.0 ~ 2.4 kg			
	総 数	男	女	不 詳	総 数	男	女	不 詳	総 数	男	女	不 詳
	Total	Male	Female	Not stated	Total	Male	Female	Not stated	Total	Male	Female	Not stated
不 詳 Not stated	.	474	297	177	.	392	221	171	.	429	250	179
.	119	81	38	.	6	5	1	.	3	3	-	.
.	259	166	93	.	115	73	42	.	16	13	3	.
.	68	36	32	.	152	86	66	.	155	103	52	.
.	24	13	11	.	98	49	49	.	195	105	90	.
.	3	-	3	.	17	7	10	.	58	26	32	.
.	-	-	-	.	1	-	1	.	1	-	1	.
.	1	1	-	.	3	1	2	.	1	-	1	.
.	455	288	167	.	299	177	122	.	218	144	74	.
.	119	81	38	.	6	5	1	.	3	3	-	.
.	259	166	93	.	115	73	42	.	16	13	3	.
.	77	41	36	.	178	99	79	.	199	128	71	.
.	17	8	9	.	89	43	46	.	204	103	101	.
.	1	-	1	.	1	-	1	.	6	3	3	.
.	429	267	162	.	352	199	153	.	402	240	162	.
.	115	78	37	.	5	4	1	.	3	3	-	.
.	224	143	81	.	97	63	34	.	15	13	2	.
.	63	32	31	.	139	77	62	.	149	98	51	.
.	23	13	10	.	90	47	43	.	181	101	80	.
.	3	-	3	.	17	7	10	.	52	25	27	.
.	-	-	-	.	1	-	1	.	1	-	1	.
.	1	1	-	.	3	1	2	.	1	-	1	.
.	411	258	153	.	266	157	109	.	210	139	71	.
.	115	78	37	.	5	4	1	.	3	3	-	.
.	224	143	81	.	97	63	34	.	15	13	2	.
.	72	37	35	.	164	90	74	.	192	123	69	.
.	16	8	8	.	82	41	41	.	185	98	87	.
.	1	-	1	.	1	-	1	.	6	3	3	.
.	45	30	15	.	40	22	18	.	27	10	17	.
.	4	3	1	.	1	1	-	.	-	-	-	.
.	35	23	12	.	18	10	8	.	1	-	1	.
.	5	4	1	.	13	9	4	.	6	5	1	.
.	1	-	1	.	8	2	6	.	14	4	10	.
.	-	-	-	.	-	-	-	.	6	1	5	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	44	30	14	.	33	20	13	.	8	5	3	.
.	4	3	1	.	1	1	-	.	-	-	-	.
.	35	23	12	.	18	10	8	.	1	-	1	.
.	5	4	1	.	14	9	5	.	7	5	2	.
.	1	-	1	.	7	2	5	.	19	5	14	.
.	-	-	-	.	-	-	-	.	-	-	-	.

周産期死亡 第5表 周産期死亡数, 出産時の体重; 出産時
5 表 (6-6)

早期新生児(生後1週未満)死亡数
Early Neonatal Deaths
(Under 1 Week)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産—複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9 kg				(再掲) (Secondary Mention) 2500 g ちょうど Just 2500 g				3.0 ~ 3.4 kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	518	267	251	•	20	12	8	•	431	245	186	•	155
妊娠満28週未満 Under 28 weeks gestation	-	-	-	•	-	-	-	•	-	-	-	•	-
満28週—満31週 28-31 weeks	2	1	1	•	-	-	-	•	-	-	-	•	-
満32週—満35週 32-35	61	37	24	•	6	2	4	•	13	3	10	•	-
満36週—満39週 36-39	290	153	137	•	10	7	3	•	190	115	75	•	62
満40週—満43週 40-43	163	75	88	•	4	3	1	•	226	127	99	•	93
満44週— 44 completed weeks and over	-	-	-	•	-	-	-	•	-	-	-	•	-
不詳 (再掲) Not stated (Secondary Mention)	2	1	1	•	-	-	-	•	2	-	2	•	-
早期(満37週未満) Pre-term	117	64	53	•	8	4	4	•	26	12	14	•	3
満28週—満31週 under 28 weeks	-	-	-	•	-	-	-	•	-	-	-	•	-
満32週—満35週 32-35	2	1	1	•	-	-	-	•	-	-	-	•	-
満36週—満39週 36-39	115	63	52	•	8	4	4	•	26	12	14	•	3
満40週—満43週 40-43	376	197	179	•	12	8	4	•	374	215	159	•	138
満44週— 44 completed weeks and over	23	5	18	•	-	-	-	•	29	18	11	•	14
単産 Single	503	259	244	•	18	10	8	•	429	244	185	•	155
妊娠満28週未満 Under 28 weeks gestation	-	-	-	•	-	-	-	•	-	-	-	•	-
満28週—満31週 28-31 weeks	2	1	1	•	-	-	-	•	-	-	-	•	-
満32週—満35週 32-35	61	37	24	•	6	2	4	•	13	3	10	•	-
満36週—満39週 36-39	277	146	131	•	8	5	3	•	188	114	74	•	62
満40週—満43週 40-43	161	74	87	•	4	3	1	•	226	127	99	•	93
満44週— 44 completed weeks and over	-	-	-	•	-	-	-	•	-	-	-	•	-
不詳 (再掲) Not stated (Secondary Mention)	2	1	1	•	-	-	-	•	2	-	2	•	-
早期(満37週未満) Pre-term	113	61	52	•	7	3	4	•	26	12	14	•	3
満28週—満31週 under 28 weeks	-	-	-	•	-	-	-	•	-	-	-	•	-
満32週—満35週 32-35	2	1	1	•	-	-	-	•	-	-	-	•	-
満36週—満39週 36-39	111	60	51	•	7	3	4	•	26	12	14	•	3
満40週—満43週 40-43	365	192	173	•	11	7	4	•	372	214	158	•	138
満44週— 44 completed weeks and over	23	5	18	•	-	-	-	•	29	18	11	•	14
複産 Plural	15	8	7	•	2	2	-	•	2	1	1	•	-
妊娠満28週未満 Under 28 weeks gestation	-	-	-	•	-	-	-	•	-	-	-	•	-
満28週—満31週 28-31 weeks	-	-	-	•	-	-	-	•	-	-	-	•	-
満32週—満35週 32-35	-	-	-	•	-	-	-	•	-	-	-	•	-
満36週—満39週 36-39	13	7	6	•	2	2	-	•	2	1	1	•	-
満40週—満43週 40-43	2	1	1	•	-	-	-	•	-	-	-	•	-
満44週— 44 completed weeks and over	-	-	-	•	-	-	-	•	-	-	-	•	-
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	•	-	-	-	•	-	-	-	•	-
早期(満37週未満) Pre-term	4	3	1	•	1	1	-	•	-	-	-	•	-
満28週—満31週 under 28 weeks	-	-	-	•	-	-	-	•	-	-	-	•	-
満32週—満35週 32-35	4	3	1	•	1	1	-	•	-	-	-	•	-
満36週—満39週 36-39	11	5	6	•	1	1	-	•	2	1	1	•	-
満40週—満43週 40-43	-	-	-	•	-	-	-	•	-	-	-	•	-

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・ PERINATAL DEATHS
(早期—正期—過期再掲) 別 昭和61年
OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1986—CON.

~ 3.9 kg			4.0 kg ~ and over				不詳 Not stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
99	56	•	27	21	6	•	68	37	31	•	1.98	1.99	1.96	•
-	-	•	-	-	-	•	5	3	2	•	0.78	0.81	0.74	•
-	-	•	-	-	-	•	2	2	-	•	1.33	1.35	1.30	•
-	-	•	-	-	-	•	2	2	-	•	2.00	2.03	1.96	•
41	21	•	6	5	1	•	4	2	2	•	2.67	2.72	2.61	•
58	35	•	20	15	5	•	3	2	1	•	3.06	3.14	2.98	•
-	-	•	-	-	-	•	-	-	-	•	2.00	-	2.00	•
-	-	•	1	1	-	•	52	26	26	•	2.35	2.48	2.28	•
2	1	•	-	-	-	•	9	7	2	•	1.35	1.38	1.31	•
-	-	•	-	-	-	•	5	3	2	•	0.78	0.81	0.74	•
-	-	•	-	-	-	•	2	2	-	•	1.33	1.35	1.30	•
2	1	•	-	-	-	•	2	2	-	•	2.10	2.12	2.07	•
91	47	•	22	17	5	•	7	4	3	•	2.86	2.92	2.79	•
6	8	•	4	3	1	•	-	-	-	•	3.14	3.28	3.02	•
99	56	•	27	21	6	•	62	32	30	•	2.05	2.06	2.03	•
-	-	•	-	-	-	•	3	2	1	•	0.80	0.82	0.76	•
-	-	•	-	-	-	•	1	1	-	•	1.35	1.36	1.31	•
-	-	•	-	-	-	•	2	2	-	•	2.01	2.05	1.96	•
41	21	•	6	5	1	•	2	2	2	•	2.69	2.74	2.64	•
58	35	•	20	15	5	•	3	2	1	•	3.07	3.15	2.99	•
-	-	•	-	-	-	•	-	-	-	•	2.00	-	2.00	•
-	-	•	1	1	-	•	52	26	26	•	2.35	2.48	2.28	•
2	1	•	-	-	-	•	5	4	1	•	1.40	1.42	1.37	•
-	-	•	-	-	-	•	3	2	1	•	0.80	0.82	0.76	•
-	-	•	-	-	-	•	1	1	-	•	1.35	1.36	1.31	•
2	1	•	-	-	-	•	2	2	-	•	2.11	2.14	2.07	•
91	47	•	22	17	5	•	5	2	3	•	2.88	2.93	2.81	•
6	8	•	4	3	1	•	-	-	-	•	3.14	3.28	3.02	•
-	-	•	-	-	-	•	6	5	1	•	1.20	1.19	1.22	•
-	-	•	-	-	-	•	2	1	1	•	0.70	0.75	0.65	•
-	-	•	-	-	-	•	2	2	-	•	1.26	1.26	1.27	•
-	-	•	-	-	-	•	-	-	-	•	1.76	1.74	1.82	•
-	-	•	-	-	-	•	2	2	-	•	2.27	2.28	2.27	•
-	-	•	-	-	-	•	-	-	-	•	2.36	2.60	2.28	•
-	-	•	-	-	-	•	-	-	-	•	-	-	-	•
-	-	•	-	-	-	•	-	-	-	•	-	-	-	•
-	-	•	-	-	-	•	4	3	1	•	1.02	1.08	0.95	•
-	-	•	-	-	-	•	2	1	1	•	0.70	0.75	0.65	•
-	-	•	-	-	-	•	2	2	-	•	1.26	1.26	1.27	•
-	-	•	-	-	-	•	-	-	-	•	1.89	1.86	1.96	•
-	-	•	-	-	-	•	2	2	-	•	2.27	2.25	2.28	•