

周産期死亡 第5表 周産期死亡数，出産時の体重；出産時
5表(6-1)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	総数 Total				0.5 kg 未満 Under 0.5 kg				0.5 ~		
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female
総数 Total	14 035	7 558	6 368	109	309	155	127	27	2 015	984	1 009
妊娠満28週未満 Under 28 weeks gestation	1 090	600	490	-	77	38	39	-	794	408	386
満28週～満31週 28-31 weeks	2 959	1 564	1 352	43	147	71	62	14	895	414	468
満32週～満35週 32-35	3 089	1 638	1 420	31	39	19	16	4	259	131	123
満36週～満39週 36-39	4 147	2 288	1 832	27	37	20	10	7	59	29	27
満40週～満43週 40-43	2 639	1 408	1 223	8	8	6	-	2	8	2	5
満44週～ 44 completed weeks and over	28	15	13	-	1	1	-	-	-	-	-
不詳 (再掲)	83	45	38	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	8 006	4 287	3 642	77	271	133	120	18	1 970	965	986
満28週未満 under 28 weeks	1 090	600	490	-	77	38	39	-	794	408	386
満28週～満31週 28-31	2 959	1 564	1 352	43	147	71	62	14	895	414	468
満32週～満36週 32-36	3 957	2 123	1 800	34	47	24	19	4	281	143	132
正期(満37週～満41週) Term	5 467	2 986	2 451	30	36	20	7	9	44	18	23
過期(満42週～) Post-term	479	240	237	2	2	2	-	-	1	1	-
単産 Single	13 080	7 053	5 936	91	226	109	102	15	1 776	859	900
妊娠満28週未満	956	522	434	-	67	32	35	-	691	350	341
満28週～満31週	2 739	1 454	1 247	38	125	60	53	12	819	380	429
満32週～満35週	2 888	1 535	1 326	27	24	11	12	1	226	112	109
満36週～満39週	3 811	2 110	1 680	21	6	2	2	2	34	16	16
満40週～満43週	2 575	1 372	1 198	5	3	3	-	-	6	1	5
満44週～	28	15	13	-	1	1	-	-	-	-	-
不詳 (再掲)	83	45	38	-	-	-	-	-	-	-	-
早期(満37週未満)	7 372	3 956	3 348	68	218	104	101	13	1 753	850	887
満28週未満	956	522	434	-	67	32	35	-	691	350	341
満28週～満31週	2 739	1 454	1 247	38	125	60	53	12	819	380	429
満32週～満36週	3 677	1 980	1 667	30	26	12	13	1	243	120	117
正期(満37週～満41週)	5 147	2 813	2 313	21	7	4	1	2	22	8	13
過期(満42週～)	478	239	237	2	1	1	-	-	1	1	-
複産 Plural	955	505	432	18	83	46	25	12	239	125	109
妊娠満28週未満	134	78	56	-	10	6	4	-	103	58	45
満28週～満31週	220	110	105	5	22	11	9	2	76	34	39
満32週～満35週	201	103	94	4	15	8	4	3	33	19	14
満36週～満39週	336	178	152	6	31	18	8	5	25	13	11
満40週～満43週	64	36	25	3	5	3	-	2	2	1	-
満44週～	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲)	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満)	634	331	294	9	53	29	19	5	217	115	99
満28週未満	134	78	56	-	10	6	4	-	103	58	45
満28週～満31週	220	110	105	5	22	11	9	2	76	34	39
満32週～満36週	280	143	133	4	21	12	6	3	38	23	15
正期(満37週～満41週)	320	173	138	9	29	16	6	7	22	10	10
過期(満42週～)	-	-	-	-	-	-	-	-	-	-	-

の平均体重，妊娠満28週以後の死産—早期新生児死亡・性・ PERINATAL DEATH
(早期—正期—過期再掲) 別 昭和58年
OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1983

0.9kg	1.0 ~ 1.4 kg				1.5 ~ 1.9 kg				2.0 ~ 2.4 kg			
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
不詳 Not stated	22	2 528	1 358	1 151	19	2 277	1 236	1 022	19	2 020	1 094	917
-	-	203	144	59	-	9	6	3	-	1	1	-
13	1 229	671	554	4	523	319	199	5	101	55	46	-
5	815	395	409	11	974	509	459	6	683	390	290	3
3	258	139	115	4	630	336	289	5	945	499	441	5
1	23	9	14	-	140	66	71	3	286	147	138	1
-	-	-	-	-	1	-	1	-	2	1	1	-
-	-	-	-	-	-	-	-	-	2	1	1	-
19	2 349	1 268	1 065	16	1 723	948	763	12	1 032	589	440	3
-	203	144	59	-	9	6	3	-	1	1	-	-
13	1 229	671	554	4	523	319	199	5	101	55	46	-
6	917	453	452	12	1 191	623	561	7	930	533	394	3
3	175	89	83	3	531	278	247	6	942	478	459	5
-	4	1	3	-	23	10	12	1	44	26	17	1
17	2 318	1 250	1 050	18	2 090	1 139	932	19	1 890	1 024	857	9
-	182	130	52	-	9	6	3	-	1	1	-	-
10	1 132	617	511	4	501	309	187	5	99	55	44	-
5	765	373	382	10	906	471	429	6	658	379	276	3
2	222	122	96	4	548	296	247	5	858	449	404	5
-	17	8	9	-	125	57	65	3	270	138	131	1
-	-	-	-	-	1	-	1	-	2	1	1	-
-	-	-	-	-	-	-	-	-	2	1	1	-
16	2 169	1 174	980	15	1 612	890	710	12	984	567	414	3
-	182	130	52	-	9	6	3	-	1	1	-	-
10	1 132	617	511	4	501	309	187	5	99	55	44	-
6	855	427	417	11	1 102	575	520	7	884	511	370	3
1	145	75	67	3	455	239	210	6	860	430	425	5
-	4	1	3	-	23	10	12	1	44	26	17	1
5	210	108	101	1	187	97	90	-	130	70	60	-
-	21	14	7	-	-	-	-	-	-	-	-	-
3	97	54	43	-	22	10	12	-	2	-	2	-
-	50	22	27	1	68	38	30	-	25	11	14	-
1	36	17	19	-	82	40	42	-	87	50	37	-
1	6	1	5	-	15	9	6	-	16	9	7	-
-	-	-	-	-	-	-	-	-	-	-	-	-
3	180	94	85	1	111	58	53	-	48	22	26	-
-	21	14	7	-	-	-	-	-	-	-	-	-
3	97	54	43	-	22	10	12	-	2	-	2	-
-	62	26	35	1	89	48	41	-	46	22	24	-
2	30	14	16	-	76	39	37	-	82	48	34	-
-	-	-	-	-	-	-	-	-	-	-	-	-

周産期死亡
5 表 (6-2)

第5表 周産期死亡数, 出産時の体重: 出産時

単産・複産・妊娠期間 (4 週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産・複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9 kg				(再掲) (Secondary Mention) 2500 g ちょうど Just 2500 g				3.0 ~ 3.4 kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	2 119	1 143	972	4	105	57	46	2	1 747	988	757	2	665
妊娠28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	1	1	-	-	-
満28週～満31週 28-31 weeks	38	22	16	-	6	3	3	-	9	6	2	1	1
満32週～満35週 32-35	223	145	76	2	23	16	6	1	65	32	33	-	14
満36週～満39週 36-39	1 144	625	518	1	55	27	27	1	756	438	317	1	218
満40週～満43週 40-43	705	347	357	1	21	11	10	-	904	504	400	-	426
満44週～ 44 completed weeks and over	8	4	4	-	-	-	-	-	8	4	4	-	6
不詳 (再掲) Not stated (Secondary Mention)	1	-	1	-	-	-	-	-	4	3	1	-	-
早期(満37週未満) Per-term	458	276	180	2	45	27	17	1	123	69	53	1	30
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	1	1	-	-	-
満28週～満31週 28-31	38	22	16	-	6	3	3	-	9	6	2	1	1
満32週～満36週 32-36	420	254	164	2	39	24	14	1	113	62	51	-	29
正期(満37週～満41週) Term	1 542	816	724	2	58	29	28	1	1 463	836	626	1	535
過期(満42週～) Post-term	118	51	67	-	2	1	1	-	157	80	77	-	100
単産 Single	2 040	1 102	934	4	102	55	45	2	1 726	973	751	2	663
妊娠28週未満	-	-	-	-	-	-	-	-	1	1	-	-	-
満28週～満31週	38	22	16	-	6	3	3	-	9	6	2	1	1
満32週～満35週	216	141	73	2	23	16	6	1	64	31	33	-	14
満36週～満39週	1 085	596	488	1	52	25	26	1	742	429	312	1	216
満40週～満43週	692	339	352	1	21	11	10	-	898	499	399	-	426
満44週～	8	4	4	-	-	-	-	-	8	4	4	-	6
不詳 (再掲) Not stated (Secondary Mention)	1	-	1	-	-	-	-	-	4	3	1	-	-
早期(満37週未満)	438	266	170	2	43	26	16	1	121	67	53	1	30
満28週未満	-	-	-	-	-	-	-	-	1	1	-	-	-
満28週～満31週	38	22	16	-	6	3	3	-	9	6	2	1	1
満32週～満36週	400	244	154	2	37	23	13	1	111	60	51	-	29
正期(満37週～満41週)	1 483	785	696	2	57	28	28	1	1 444	823	620	1	533
過期(満42週～)	118	51	67	-	2	1	1	-	157	80	77	-	100
複産 Plural	79	41	38	-	3	2	1	-	21	15	6	-	2
妊娠28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週～満35週	7	4	3	-	-	-	-	-	1	1	-	-	-
満36週～満39週	59	29	30	-	3	2	1	-	14	9	5	-	2
満40週～満43週	13	8	5	-	-	-	-	-	6	5	1	-	-
満44週～	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満28週未満)	20	10	10	-	2	1	1	-	2	2	-	-	-
満28週～満31週	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週～満36週	20	10	10	-	2	1	1	-	2	2	-	-	-
正期(満37週～満41週)	59	31	28	-	1	1	-	-	19	13	6	-	2
過期(満42週～)	-	-	-	-	-	-	-	-	-	-	-	-	-

の平均体重, 妊娠満28週以後の死産・早期新生児死亡・性・ PERINATAL DEATH

(早期・正期・過期再掲) 別 昭和58年

OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1983-CON.

~ 3.9 kg			4.0 kg ~ and over				不詳 Not stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
407	257	1	244	139	104	1	111	54	52	5	2.03	2.08	2.00	1.17
-	-	-	-	-	-	-	5	2	3	-	0.82	0.85	0.77	-
1	-	-	1	-	-	1	15	5	5	5	1.20	1.23	1.17	0.86
11	3	-	15	6	9	-	2	-	2	-	1.75	1.79	1.71	1.31
142	75	1	91	55	36	-	9	5	4	-	2.52	2.55	2.49	1.38
248	178	-	135	78	57	-	4	1	3	-	3.03	3.08	2.99	1.44
5	1	-	2	-	2	-	-	-	-	-	3.10	3.04	3.17	-
-	-	-	-	-	-	-	76	41	35	-	2.81	2.90	2.68	-
22	8	-	24	8	15	1	26	9	12	5	1.46	1.50	1.43	1.06
-	-	-	-	-	-	-	5	2	3	-	0.82	0.85	0.77	-
1	-	-	1	-	-	1	15	5	5	5	1.20	1.23	1.17	0.86
21	8	-	23	8	15	-	6	2	4	-	1.84	1.88	1.81	1.30
326	208	1	190	121	69	-	9	4	5	-	2.78	2.82	2.73	1.37
59	41	-	30	10	20	-	-	-	-	-	3.10	3.10	3.11	2.15
405	257	1	241	139	101	1	110	53	52	5	2.08	2.12	2.04	1.34
-	-	-	-	-	-	-	5	2	3	-	0.82	0.86	0.77	-
1	-	-	1	-	-	1	14	4	5	5	1.21	1.25	1.18	0.90
11	3	-	13	6	7	-	2	-	2	-	1.77	1.82	1.72	1.44
140	75	1	91	55	36	-	9	5	4	-	2.57	2.61	2.54	1.72
248	178	-	134	78	56	-	4	1	3	-	3.06	3.10	3.01	2.07
5	1	-	2	-	2	-	-	-	-	-	3.10	3.04	3.17	-
-	-	-	-	-	-	-	76	41	35	-	2.81	2.90	2.68	-
22	8	-	22	8	13	1	25	8	12	5	1.48	1.53	1.44	1.14
-	-	-	-	-	-	-	5	2	3	-	0.82	0.86	0.77	-
1	-	-	1	-	-	1	14	4	5	5	1.21	1.25	1.18	0.90
21	8	-	21	8	13	-	6	2	4	-	1.86	1.90	1.82	1.41
324	208	1	189	121	68	-	9	4	5	-	2.83	2.88	2.78	1.85
59	41	-	30	10	20	-	-	-	-	-	3.10	3.11	3.11	2.15
2	-	-	3	-	3	-	1	1	-	-	1.46	1.46	1.50	0.38
-	-	-	-	-	-	-	-	-	-	-	0.80	0.82	0.79	-
-	-	-	-	-	-	-	1	1	-	-	1.02	1.02	1.04	0.53
-	-	-	2	-	2	-	-	-	-	-	1.48	1.45	1.56	0.48
2	-	-	-	-	-	-	-	-	-	-	1.87	1.88	1.93	0.18
-	-	-	1	-	1	-	-	-	-	-	2.08	2.16	2.15	0.38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	-	2	-	1	1	-	-	1.22	1.20	1.27	0.51
-	-	-	-	-	-	-	-	-	-	-	0.80	0.82	0.79	-
-	-	-	-	-	-	-	1	1	-	-	1.02	1.02	1.04	0.53
-	-	-	2	-	2	-	-	-	-	-	1.58	1.53	1.65	0.48
2	-	-	1	-	1	-	-	-	-	-	1.93	1.97	1.98	0.25
-	-	-	-	-	-	-	-	-	-	-	0.25	0.25	-	-

周産期死亡

5 表 (6-3)

第5表 周産期死亡数, 出産時の体重; 出産時

単産・複産・妊娠期間 (4 週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

単産・複産 Plurality of Birth 妊娠期間 Period of Gestation	総 数 Total				0.5 kg 未 満 Under 0.5 kg				0.5 ~		
	総 数	男	女	不 詳	総 数	男	女	不 詳	総 数	男	女
	Total	Male	Female	Not stated	Total	Male	Female	Not stated	Total	Male	Female
総 数 Total	9 464	4 966	4 389	109	228	116	85	27	1 105	524	559
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31 weeks	2 294	1 167	1 084	43	143	70	59	14	799	369	417
満32週～満35週 32-35 weeks	2 423	1 243	1 149	31	39	19	16	4	243	127	111
満36週～満39週 36-39 weeks	3 003	1 625	1 351	27	37	20	10	7	55	26	26
満40週～満43週 40-43 weeks	1 728	923	797	8	8	6	-	2	8	2	5
満44週 44 completed weeks and over	16	8	8	-	1	1	-	-	-	-	-
不 詳 (再 掲)	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	5 388	2 783	2 528	77	190	94	78	18	1 063	507	537
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31 weeks	2 294	1 167	1 084	43	143	70	59	14	799	369	417
満32週～満35週 32-35 weeks	3 094	1 616	1 444	34	47	24	19	4	264	138	120
満36週～満39週 36-39 weeks	3 765	2 024	1 711	30	36	20	7	9	41	16	22
正期 (満37週～満41週) Term	311	159	150	2	2	2	-	-	1	1	-
過期 (満42週～)	.	.	.	.	.	.	.	.	.	.	.
Post-term	.	.	.	.	.	.	.	.	.	.	.
単 産 Single	8 837	4 652	4 094	91	157	76	66	15	993	468	508
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31 weeks	2 152	1 104	1 010	38	123	59	52	12	744	344	390
満32週～満35週 32-35 weeks	2 274	1 169	1 078	27	24	11	12	1	210	108	97
満36週～満39週 36-39 weeks	2 716	1 476	1 219	21	6	2	2	2	33	15	16
満40週～満43週 40-43 weeks	1 679	895	779	5	3	3	-	-	6	1	5
満44週 44 completed weeks and over	16	8	8	-	1	1	-	-	-	-	-
不 詳 (再 掲)	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	5 029	2 613	2 348	68	149	71	65	13	971	460	495
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31 weeks	2 152	1 104	1 010	38	123	59	52	12	744	344	390
満32週～満35週 32-35 weeks	2 877	1 509	1 338	30	26	12	13	1	227	116	105
満36週～満39週 36-39 weeks	3 498	1 881	1 596	21	7	4	1	2	21	7	13
正期 (満37週～満41週) Term	310	158	150	2	1	1	-	-	1	1	-
過期 (満42週～)	.	.	.	.	.	.	.	.	.	.	.
Post-term	.	.	.	.	.	.	.	.	.	.	.
複 産 Plural	627	314	295	18	71	40	19	12	112	56	51
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31 weeks	142	63	74	5	20	11	7	2	55	25	27
満32週～満35週 32-35 weeks	149	74	71	4	15	8	4	3	33	19	14
満36週～満39週 36-39 weeks	287	149	132	6	31	18	8	5	22	11	10
満40週～満43週 40-43 weeks	49	28	18	3	5	3	-	2	2	1	-
満44週 44 completed weeks and over	.	.	.	.	.	.	.	.	.	.	.
不 詳 (再 掲)	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	359	170	180	9	41	23	13	5	92	47	42
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31 weeks	142	63	74	5	20	11	7	2	55	25	27
満32週～満35週 32-35 weeks	217	107	106	4	21	12	6	3	37	22	15
満36週～満39週 36-39 weeks	267	143	115	9	29	16	6	7	20	9	9
正期 (満37週～満41週) Term	1	1	-	-	1	1	-	-	-	-	-
過期 (満42週～)	.	.	.	.	.	.	.	.	.	.	.
Post-term	.	.	.	.	.	.	.	.	.	.	.

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATH

(早期一正期一過期再掲) 別 昭和58年

OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1983-CON.

0.9kg	1.0 ~ 1.4 kg				1.5 ~ 1.9 kg				2.0 ~ 2.4 kg			
不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
22	1 825	927	879	19	1 650	878	753	19	1 452	765	678	9
.	.	.	.	.	.	.	.	.	.	.	.	.
13	880	467	409	4	334	190	139	5	83	43	40	-
5	708	336	361	11	724	366	352	6	483	264	216	3
3	220	119	97	4	501	272	224	5	695	361	329	5
1	17	5	12	-	91	50	38	3	191	97	93	1
-	-	-	-	-	-	-	-	-	-	-	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
19	1 676	853	807	16	1 230	651	567	12	752	412	337	3
.	.	.	.	.	.	.	.	.	.	.	.	.
13	880	467	409	4	334	190	139	5	83	43	40	-
6	796	386	398	12	896	461	428	7	669	369	297	3
3	146	74	69	3	409	221	182	6	672	335	332	5
-	3	-	3	-	11	6	4	1	28	18	9	1
17	1 689	868	803	18	1 525	814	692	19	1 350	712	629	9
.	.	.	.	.	.	.	.	.	.	.	.	.
10	823	443	376	4	326	187	134	5	81	43	38	-
5	667	318	339	10	686	344	336	6	469	260	206	3
2	186	102	80	4	431	239	187	5	623	320	298	5
-	13	5	8	-	82	44	35	3	177	89	87	1
.	.	.	.	.	.	.	.	.	.	.	.	.
16	1 567	807	745	15	1 166	617	537	12	718	400	315	3
.	.	.	.	.	.	.	.	.	.	.	.	.
10	823	443	376	4	326	187	134	5	81	43	38	-
6	744	364	369	11	840	430	403	7	637	357	277	3
1	119	61	55	3	348	191	151	6	604	294	305	5
-	3	-	3	-	11	6	4	1	28	18	9	1
5	136	59	76	1	125	64	61	-	102	53	49	-
.	.	.	.	.	.	.	.	.	.	.	.	.
3	57	24	33	-	8	3	5	-	2	-	2	-
-	41	18	22	1	38	22	16	-	14	4	10	-
1	34	17	17	-	70	33	37	-	72	41	31	-
1	4	-	4	-	9	6	3	-	14	8	6	-
-	-	-	-	-	-	-	-	-	-	-	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
3	109	46	62	1	64	34	30	-	34	12	22	-
.	.	.	.	.	.	.	.	.	.	.	.	.
3	57	24	33	-	8	3	5	-	2	-	2	-
-	52	22	29	1	56	31	25	-	32	12	20	-
2	27	13	14	-	61	30	31	-	68	41	27	-
-	-	-	-	-	-	-	-	-	-	-	-	-

5 表 (6-4)

第5表 周産期死亡数, 出産時の体重; 出産時

単産一複産・妊娠期間（4週区分）.

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ～ 2.9 kg				(再掲) (Secondary Mention) 2500 g ちょうど Just 2500 g				3.0 ～ 3.4 kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	1 463	763	696	4	75	38	35	2	1 103	606	495	2	439
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週 28-31 weeks	34	20	14	-	6	3	3	-	6	3	2	1	1
満32週～満35週 32-35	156	95	59	2	17	10	6	1	48	25	23	-	12
満36週～満39週 36-39	803	427	375	1	37	16	20	1	475	259	215	1	145
満40週～満43週 40-43	465	219	245	1	15	9	6	-	569	317	252	-	278
満44週～ 44 completed weeks and over	5	2	3	-	-	-	-	-	5	2	3	-	3
不詳 (再掲) Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	336	192	142	2	31	15	15	1	91	49	41	1	18
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週 28-31	34	20	14	-	6	3	3	-	6	3	2	1	1
満32週～満36週 32-36	302	172	128	2	25	12	12	1	85	46	39	-	17
正期(満37週～満41週) Term	1 058	543	513	2	43	22	20	1	905	503	401	1	351
過期(満42週～) Post-term	69	28	41	-	1	1	-	-	107	54	53	-	70
単産 Single	1 400	731	665	4	74	37	35	2	1 089	598	489	2	437
妊娠満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	34	20	14	-	6	3	3	-	6	3	2	1	1
満32週～満35週	150	92	56	2	17	10	6	1	48	25	23	-	12
満36週～満39週	757	405	351	1	36	15	20	1	465	254	210	1	143
満40週～満43週	454	212	241	1	15	9	6	-	565	314	251	-	278
満44週～	5	2	3	-	-	-	-	-	5	2	3	-	3
不詳 (再掲)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満)	320	185	133	2	31	15	15	1	90	48	41	1	18
満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	34	20	14	-	6	3	3	-	6	3	2	1	1
満32週～満36週	286	165	119	2	25	12	12	1	84	45	39	-	17
正期(満37週～満41週)	1 011	518	491	2	42	21	20	1	892	496	395	1	349
過期(満42週～)	69	28	41	-	1	1	-	-	107	54	53	-	70
複産 Plural	63	32	31	-	1	1	-	-	14	8	6	-	2
妊娠満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週～満35週	6	3	3	-	-	-	-	-	-	-	-	-	-
満36週～満39週	46	22	24	-	1	1	-	-	10	5	5	-	2
満40週～満43週	11	7	4	-	-	-	-	-	4	3	1	-	-
満44週～	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満)	16	7	9	-	-	-	-	-	1	1	-	-	-
満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週～満36週	16	7	9	-	-	-	-	-	1	1	-	-	-
正期(満37週～満41週)	47	25	22	-	1	1	-	-	13	7	6	-	2
過期(満42週～)	-	-	-	-	-	-	-	-	-	-	-	-	-

の平均体重, 妊娠満28週以後の死産・早期新生児死亡・性・ PERINATAL DEATH

(早期—正期—過期再掲) 別 昭和58年

OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1983—CON.

～ 3.9 kg			4.0 kg ～ and over				不 詳 Not stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
278	160	1	176	100	75	1	23	9	9	5	2.05	2.09	2.02	1.17
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1	-	-	1	-	-	1	13	4	4	5	1.15	1.18	1.13	0.86
9	3	-	9	2	7	-	1	-	1	-	1.69	1.72	1.67	1.31
96	48	1	66	41	25	-	6	4	2	-	2.45	2.48	2.44	1.38
169	109	-	98	57	41	-	3	1	2	-	3.03	3.08	2.99	1.44
3	-	-	2	-	2	-	-	-	-	-	3.19	2.94	3.45	-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15	3	-	15	4	10	1	17	6	6	5	1.51	1.54	1.49	1.06
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1	-	-	1	-	-	1	13	4	4	5	1.15	1.18	1.13	0.86
14	3	-	14	4	10	-	4	2	2	-	1.78	1.81	1.76	1.30
220	130	1	141	89	52	-	6	3	3	-	2.72	2.77	2.69	1.37
43	27	-	20	7	13	-	-	-	-	-	3.13	3.12	3.16	2.15
276	160	1	174	100	73	1	23	9	9	5	2.09	2.13	2.05	1.34
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1	-	-	1	-	-	1	13	4	4	5	1.16	1.19	1.14	0.90
9	3	-	7	2	5	-	1	-	1	-	1.71	1.75	1.68	1.44
94	48	1	66	41	25	-	6	4	2	-	2.52	2.55	2.50	1.72
169	109	-	98	57	41	-	3	1	2	-	3.06	3.11	3.01	2.07
3	-	-	2	-	2	-	-	-	-	-	3.19	2.94	3.45	-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15	3	-	13	4	8	1	17	6	6	5	1.53	1.57	1.50	1.14
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1	-	-	1	-	-	1	13	4	4	5	1.16	1.19	1.14	0.90
14	3	-	12	4	8	-	4	2	2	-	1.80	1.84	1.77	1.41
218	130	1	141	89	52	-	6	3	3	-	2.79	2.84	2.75	1.85
43	27	-	20	7	13	-	-	-	-	-	3.14	3.13	3.16	2.15
2	-	-	2	-	2	-	-	-	-	-	1.52	1.52	1.59	0.38
.	.	.	.	.	.	.	.	.	.	.	0.94	0.88	1.01	0.53
.	.	.	.	.	.	.	.	.	.	.	1.36	1.28	1.50	0.48
2	-	-	2	-	2	-	-	-	-	-	1.81	1.79	1.89	0.18
.	.	.	.	.	.	.	.	.	.	.	2.02	2.14	2.12	0.58
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	2	-	2	-	-	-	-	-	1.28	1.21	1.37	0.51
.	.	.	.	.	.	.	.	.	.	.	0.94	0.88	1.01	0.53
-	-	-	2	-	2	-	-	-	-	-	1.50	1.41	1.63	0.48
2	-	-	-	-	-	-	-	-	-	-	1.86	1.90	1.93	0.25
.	.	.	.	.	.	.	.	.	.	.	0.25	0.25	-	-

周産期死亡 第5表 周産期死亡数, 出産時の体重; 出産時
5 表 (6-5) 単産一複産・妊娠期間 (4 週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
DEATHS UNDER 1 WEEK (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	Total 数				0.5 kg 未 満 Under 0.5 kg				0.5 ~		
	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female
総 数 Total	4 571	2 592	1 979	.	81	39	42	.	910	460	450
妊娠満28週未満 Under 28 weeks gestation	1 090	600	490	.	77	38	39	.	794	408	386
満28週～満31週 28-31 weeks	665	397	268	.	4	1	3	.	96	45	51
満32週～満35週 32-35	666	395	271	.	-	-	-	.	16	4	12
満36週～満39週 36-39	1 144	663	481	.	-	-	-	.	4	3	1
満40週～満43週 40-43	911	485	426	.	-	-	-	.	-	-	-
満44週～ 44 completed weeks and over	12	7	5	.	-	-	-	.	-	-	-
不 詳 Not stated (再 掲)	83	45	38	.	-	-	-	.	-	-	-
早期 (満37週未満) Pre-term	2 618	1 504	1 114	.	81	39	42	.	907	458	449
満28週未満 under 28 weeks	1 090	600	490	.	77	38	39	.	794	408	386
満28週～満31週 28-31	665	397	268	.	4	1	3	.	96	45	51
満32週～満36週 32-36	863	507	356	.	-	-	-	.	17	5	12
正期 (満37週～満41週) Term	1 702	952	740	.	-	-	-	.	3	2	1
過期 (満42週～) Post-term	168	81	87	.	-	-	-	.	-	-	-
単 産 Single	4 243	2 401	1 842	.	69	33	36	.	783	391	392
妊娠満28週未満	956	522	434	.	67	32	35	.	691	350	341
満28週～満31週	587	350	237	.	2	1	1	.	75	36	39
満32週～満35週	614	366	248	.	-	-	-	.	16	4	12
満36週～満39週	1 095	634	461	.	-	-	-	.	1	1	-
満40週～満43週	896	477	419	.	-	-	-	.	-	-	-
満44週～	12	7	5	.	-	-	-	.	-	-	-
不 詳 (再 掲)	83	45	38	.	-	-	-	.	-	-	-
早期 (満37週未満)	2 343	1 343	1 000	.	69	33	36	.	782	390	382
満28週未満	956	522	434	.	67	32	35	.	691	350	341
満28週～満31週	587	350	237	.	2	1	1	.	75	36	39
満32週～満36週	800	471	329	.	-	-	-	.	16	4	12
正期 (満37週～満41週)	1 649	932	717	.	-	-	-	.	1	1	-
過期 (満42週～)	168	81	87	.	-	-	-	.	-	-	-
複 産 Plural	328	191	137	.	12	6	6	.	127	69	58
妊娠満28週未満	134	78	56	.	10	6	4	.	103	58	45
満28週～満31週	78	47	31	.	2	-	2	.	21	9	12
満32週～満35週	52	29	23	.	-	-	-	.	-	-	-
満36週～満39週	49	29	20	.	-	-	-	.	3	2	1
満40週～満43週	15	8	7	.	-	-	-	.	-	-	-
満44週～	-	-	-	.	-	-	-	.	-	-	-
不 詳 (再 掲)	-	-	-	.	-	-	-	.	-	-	-
早期 (満37週未満)	275	161	114	.	12	6	6	.	125	68	57
満28週未満	134	78	56	.	10	6	4	.	103	58	45
満28週～満31週	78	47	31	.	2	-	2	.	21	9	12
満32週～満36週	63	36	27	.	-	-	-	.	1	1	-
正期 (満37週～満41週)	53	30	23	.	-	-	-	.	2	1	1
過期 (満42週～)	-	-	-	.	-	-	-	.	-	-	-

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATH
(早期一正期一過期再掲) 別 昭和58年
OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1983-CON.

0.9kg	1.0 ～ 1.4 kg				1.5 ～ 1.9 kg				2.0 ～ 2.4 kg			
不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
.	703	431	272	.	627	358	269	.	568	329	239	.
.	203	144	59	.	9	6	3	.	1	1	-	.
.	349	204	145	.	189	129	60	.	18	12	6	.
.	107	59	48	.	250	143	107	.	200	126	74	.
.	38	20	18	.	129	64	65	.	250	138	112	.
.	6	4	2	.	49	16	33	.	95	50	45	.
.	-	-	-	.	1	-	1	.	2	1	1	.
.	-	-	-	.	-	-	-	.	2	1	1	.
.	673	415	258	.	493	297	196	.	280	177	103	.
.	203	144	59	.	9	6	3	.	1	1	-	.
.	349	204	145	.	189	129	60	.	18	12	6	.
.	121	67	54	.	295	162	133	.	261	164	97	.
.	29	15	14	.	122	57	65	.	270	143	127	.
.	1	1	-	.	12	4	8	.	16	8	8	.
.	629	382	247	.	565	325	240	.	540	312	228	.
.	182	130	52	.	9	6	3	.	1	1	-	.
.	309	174	135	.	175	122	53	.	18	12	6	.
.	98	55	43	.	220	127	93	.	189	119	70	.
.	36	20	16	.	117	57	60	.	235	129	106	.
.	4	3	1	.	43	13	30	.	93	49	44	.
.	-	-	-	.	1	-	1	.	2	1	1	.
.	-	-	-	.	-	-	-	.	2	1	1	.
.	602	367	235	.	446	273	173	.	266	167	99	.
.	182	130	52	.	9	6	3	.	1	1	-	.
.	309	174	135	.	175	122	53	.	18	12	6	.
.	111	63	48	.	262	145	117	.	247	154	93	.
.	26	14	12	.	107	48	59	.	256	136	120	.
.	1	1	-	.	12	4	8	.	16	8	8	.
.	74	49	25	.	62	33	29	.	28	17	11	.
.	21	14	7	.	-	-	-	.	-	-	-	.
.	40	30	10	.	14	7	7	.	-	-	-	.
.	9	4	5	.	30	16	14	.	11	7	4	.
.	2	-	2	.	12	7	5	.	15	9	6	.
.	2	1	1	.	6	3	3	.	2	1	1	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	71	48	23	.	47	24	23	.	14	10	4	.
.	21	14	7	.	-	-	-	.	-	-	-	.
.	40	30	10	.	14	7	7	.	-	-	-	.
.	10	4	6	.	33	17	16	.	14	10	4	.
.	3	1	2	.	15	9	6	.	14	7	7	.
.	-	-	-	.	-	-	-	.	-	-	-	.

周産期死亡 第5表 周産期死亡数, 出産時の体重: 出産時
5 表 (6-6) 単産-複産・妊娠期間 (4 週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

早期新生児(生後1週未満)死亡数
Deaths Under 1 Week

単産-複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9 kg				(再掲) (Secondary Mention) 2500 g ちょうど Just 2500 g				3.0 ~ 3.4 kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	656	380	276	.	30	19	11	.	644	382	262	.	226
妊娠28週未満 Under 28 weeks gestation	-	-	-	.	-	-	-	.	1	1	-	.	-
28週-満31週 28-31 weeks	4	2	2	.	-	-	-	.	3	3	-	.	-
満32週-満35週 32-35	67	50	17	.	6	6	-	.	17	7	10	.	2
満36週-満39週 36-39	341	198	143	.	18	11	7	.	281	179	102	.	73
満40週-満43週 40-43	240	128	112	.	6	2	4	.	335	187	148	.	148
満44週- 44 completed weeks and over	3	2	1	.	-	-	-	.	3	2	1	.	3
不詳 (再掲) Not stated (Secondary Mention)	1	-	1	.	-	-	-	.	4	3	1	.	-
早期(満37週未満) Pre-term 満28週未満 under 28 weeks	122	84	38	.	14	12	2	.	32	20	12	.	12
満28週-満31週 28-31	-	-	-	.	-	-	-	.	1	1	-	.	-
満32週-満36週 32-36	4	2	2	.	-	-	-	.	3	3	-	.	-
満37週-満41週 Term	118	82	36	.	14	12	2	.	28	16	12	.	12
満42週- Post-term	484	273	211	.	15	7	8	.	558	333	225	.	184
早期(満37週未満) Pre-term	49	23	26	.	1	-	1	.	50	26	24	.	30
単産 Single	640	371	269	.	28	18	10	.	637	375	262	.	226
妊娠28週未満 Under 28 weeks gestation	-	-	-	.	-	-	-	.	1	1	-	.	-
28週-満31週 28-31 weeks	4	2	2	.	-	-	-	.	3	3	-	.	-
満32週-満35週 32-35	66	49	17	.	6	6	-	.	16	6	10	.	2
満36週-満39週 36-39	328	191	137	.	16	10	6	.	277	175	102	.	73
満40週-満43週 40-43	238	127	111	.	6	2	4	.	333	185	148	.	148
満44週- 44 completed weeks and over	3	2	1	.	-	-	-	.	3	2	1	.	3
不詳 (再掲) Not stated (Secondary Mention)	1	-	1	.	-	-	-	.	4	3	1	.	-
早期(満37週未満) Pre-term 満28週未満 under 28 weeks	118	81	37	.	12	11	1	.	31	19	12	.	12
満28週-満31週 28-31	-	-	-	.	-	-	-	.	1	1	-	.	-
満32週-満36週 32-36	4	2	2	.	-	-	-	.	3	3	-	.	-
満37週-満41週 Term	114	79	35	.	12	11	1	.	27	15	12	.	12
満42週- Post-term	472	267	205	.	15	7	8	.	552	327	225	.	184
早期(満37週未満) Pre-term	49	23	26	.	1	-	1	.	50	26	24	.	30
複産 Plural	16	9	7	.	2	1	1	.	7	7	-	.	-
妊娠28週未満 Under 28 weeks gestation	-	-	-	.	-	-	-	.	-	-	-	.	-
28週-満31週 28-31 weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満32週-満35週 32-35	1	1	-	.	-	-	-	.	1	1	-	.	-
満36週-満39週 36-39	13	7	6	.	2	1	1	.	4	4	-	.	-
満40週-満43週 40-43	2	1	1	.	-	-	-	.	2	2	-	.	-
満44週- 44 completed weeks and over	-	-	-	.	-	-	-	.	-	-	-	.	-
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	.	-	-	-	.	-	-	-	.	-
早期(満37週未満) Pre-term 満28週未満 under 28 weeks	4	3	1	.	2	1	1	.	1	1	-	.	-
満28週-満31週 28-31	-	-	-	.	-	-	-	.	-	-	-	.	-
満32週-満36週 32-36	-	-	-	.	-	-	-	.	-	-	-	.	-
満37週-満41週 Term	4	3	1	.	2	1	1	.	1	1	-	.	-
満42週- Post-term	12	6	6	.	-	-	-	.	6	6	-	.	-

の平均体重, 妊娠満28週以後の死産-早期新生児死亡・性・ PERINATAL DEATH
(早期-正期-過期再掲) 別 昭和58年
OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1983-CON.

~ 3.9 kg			4.0 kg ~ and over				不詳 Not stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
129	97	.	68	39	29	.	88	45	43	.	2.01	2.04	1.95	.
-	-	.	-	-	-	.	5	2	3	.	0.82	0.85	0.77	.
-	-	.	-	-	-	.	2	1	1	.	1.36	1.40	1.30	.
2	-	.	6	4	2	.	1	-	1	.	1.96	2.02	1.88	.
46	27	.	25	14	11	.	3	1	2	.	2.69	2.74	2.63	.
79	69	.	37	21	16	.	1	-	1	.	3.04	3.09	3.00	.
2	1	.	-	-	-	.	-	-	-	.	2.98	3.16	2.71	.
-	-	.	-	-	-	.	76	41	35	.	2.81	2.90	2.68	.
7	5	.	9	4	5	.	9	3	6	.	1.36	1.42	1.29	.
-	-	.	-	-	-	.	5	2	3	.	0.82	0.85	0.77	.
-	-	.	-	-	-	.	2	1	1	.	1.36	1.40	1.30	.
7	5	.	9	4	5	.	2	-	2	.	2.05	2.09	1.99	.
106	78	.	49	32	17	.	3	1	2	.	2.89	2.93	2.83	.
16	14	.	10	3	7	.	-	-	-	.	3.03	3.06	3.01	.
129	97	.	67	39	28	.	87	44	43	.	2.06	2.10	2.01	.
-	-	.	-	-	-	.	5	2	3	.	0.82	0.86	0.77	.
-	-	.	-	-	-	.	1	-	1	.	1.38	1.43	1.32	.
2	-	.	6	4	2	.	1	-	1	.	1.98	2.03	1.89	.
46	27	.	25	14	11	.	3	1	2	.	2.71	2.76	2.65	.
79	69	.	36	21	15	.	1	-	1	.	3.06	3.10	3.01	.
2	1	.	-	-	-	.	-	-	-	.	2.98	3.16	2.71	.
-	-	.	-	-	-	.	76	41	35	.	2.81	2.90	2.68	.
7	5	.	9	4	5	.	8	2	6	.	1.39	1.45	1.31	.
-	-	.	-	-	-	.	5	2	3	.	0.82	0.86	0.77	.
-	-	.	-	-	-	.	1	-	1	.	1.38	1.43	1.32	.
7	5	.	9	4	5	.	2	-	2	.	2.07	2.11	2.01	.
106	78	.	48	32	16	.	3	1	2	.	2.91	2.95	2.85	.
16	14	.	10	3	7	.	-	-	-	.	3.03	3.06	3.01	.
-	-	.	1	-	1	.	1	1	-	.	1.33	1.36	1.29	.
-	-	.	-	-	-	.	-	-	-	.	0.80	0.82	0.79	.
-	-	.	-	-	-	.	1	1	-	.	1.17	1.22	1.11	.
-	-	.	-	-	-	.	-	-	-	.	1.81	1.87	1.73	.
-	-	.	-	-	-	.	-	-	-	.	2.24	2.31	2.15	.
-	-	.	1	-	1	.	-	-	-	.	2.24	2.25	2.24	.
-	-	.	-	-	-	.	-	-	-	.	-	-	-	.
-	-	.	-	-	-	.	-	-	-	.	-	-	-	.
-	-	.	-	-	-	.	1	1	-	.	1.15	1.18	1.11	.
-	-	.	-	-	-	.	-	-	-	.	0.80	0.82	0.79	.
-	-	.	-	-	-	.	1	1	-	.	1.17	1.22	1.11	.
-	-	.	-	-	-	.	-	-	-	.	1.85	1.91	1.76	.
-	-	.	1	-	1	.	-	-	-	.	2.29	2.35	2.21	.