

表 5.18 都道府県別にみた死因

都道府県	総数	1 コレラ	2 腸チフス	3 細菌性赤痢及び アメーバ症	4 下痢性疾患 腸炎及びその他の	5 呼吸系の結核	6 その他の結核 (後遺症を含まない)	7 らい	8 ジフテリア	9 百日咳
全 国	614.5	—	0.0	0.0	1.2	4.6	0.2	—	—	0.0
北海道	584.1	—	—	—	0.8	4.2	0.3	—	—	0.0
青森県	642.5	—	—	—	2.1	6.0	0.3	—	—	—
岩手県	681.2	—	—	—	1.0	4.0	0.2	—	—	—
宮城県	601.9	—	—	—	0.8	2.1	0.0	—	—	—
秋田県	714.2	—	—	—	2.1	2.6	0.1	—	—	0.1
山形県	771.7	—	—	—	1.7	3.3	—	—	—	—
福島県	723.5	—	—	—	1.4	3.7	0.3	—	—	0.0
茨城県	651.5	—	—	—	1.5	3.2	0.2	—	—	0.1
栃木県	674.2	—	—	—	1.9	3.2	0.1	—	—	—
群馬県	663.0	—	—	—	1.8	2.7	0.2	—	—	—
埼玉県	442.5	—	—	0.0	0.8	2.8	0.2	—	—	—
千葉県	487.6	—	—	—	0.8	2.7	0.1	—	—	—
東京都	509.2	—	—	—	0.6	4.4	0.3	—	—	—
神奈川県	435.4	—	—	—	0.6	3.1	0.2	—	—	0.0
新潟県	729.3	—	—	—	2.4	3.5	0.1	—	—	—
富山県	721.9	—	—	—	2.7	4.8	0.2	—	—	—
石川県	683.5	—	—	—	1.2	3.9	0.1	—	—	—
福井県	724.7	—	—	—	2.9	7.2	0.4	—	—	—
山梨県	760.0	—	—	—	1.2	4.0	0.6	—	—	—
長野県	728.6	—	—	—	1.4	3.2	0.2	—	—	—
岐阜県	645.8	—	—	—	1.8	7.5	0.3	—	—	—
静岡県	593.3	—	—	—	1.1	3.7	0.1	—	—	0.1
愛知県	510.0	—	—	—	1.2	5.2	0.2	—	—	—
三重県	710.4	—	0.1	—	1.3	4.7	0.2	—	—	—
滋賀県	665.9	—	—	—	2.0	5.5	0.3	—	—	—
京都府	647.7	—	—	—	1.2	5.6	0.3	—	—	—
大阪府	532.0	—	—	—	0.6	5.6	0.2	—	—	—
兵庫県	636.6	—	—	—	1.9	5.8	0.2	—	—	—
奈良県	627.8	—	—	—	1.3	3.7	0.4	—	—	—
和歌山県	792.3	—	—	—	1.4	8.0	0.2	—	—	—
鳥取県	795.0	—	—	—	1.2	4.0	0.7	—	—	—
島根県	860.3	—	—	—	1.8	2.9	0.3	—	—	—
岡山県	730.2	—	—	—	1.9	5.5	—	—	—	0.1
広島県	659.9	—	—	—	1.5	4.3	0.0	—	—	—
山口県	764.6	—	—	—	1.6	5.8	0.1	—	—	—
徳島県	819.6	—	—	—	2.1	6.2	0.4	—	—	—
香川県	719.3	—	—	—	2.4	6.5	0.3	—	—	—
愛媛県	772.9	—	0.1	—	1.3	4.5	0.1	—	—	—
高知県	897.2	—	—	—	1.7	8.4	—	—	—	—
福岡県	627.3	—	—	—	1.0	5.3	0.4	—	—	0.0
佐賀県	775.5	—	—	—	2.2	6.9	0.2	—	—	—
長崎県	755.0	—	—	—	1.1	7.0	0.6	—	—	0.1
熊本県	745.5	—	—	—	1.8	6.2	0.4	—	—	—
大分県	793.0	—	—	—	2.0	8.1	0.2	—	—	—
宮崎県	716.9	—	—	—	0.9	8.3	—	—	—	—
鹿児島県	847.0	—	—	—	2.3	6.3	0.2	—	—	—
沖縄県	478.9	—	—	—	0.9	2.5	0.7	—	—	—

(簡単分類) 別死亡率 (人口 10 万対)

昭和 56 年

10 猩紅熱	11 髄膜炎菌感染	12 破傷風 (新生児破傷風を除く)	13 敗血症 (新生児敗血症を除く)	14 急性灰白髄炎	15 痘瘡	16 麻疹	17 日本脳炎	18 ウイルス肝炎 B	19 その他のウイルス肝炎	20 他のリケッチア症 発疹チフス及びその	21 マラリア
0.0	0.0	0.0	1.4	—	—	0.0	0.0	0.1	0.9	0.0	0.0
—	—	—	1.5	—	—	0.1	—	0.1	1.3	—	—
—	0.0	0.1	1.2	—	—	0.6	—	0.2	1.0	—	—
—	—	—	2.0	—	—	0.1	—	0.1	1.3	—	—
—	—	—	0.6	—	—	0.0	—	0.1	1.1	—	—
—	—	—	1.9	—	—	0.1	—	0.2	1.4	—	—
—	—	0.1	1.0	—	—	—	—	0.2	1.0	—	—
—	0.0	0.1	1.4	—	—	—	—	0.4	1.8	—	—
—	—	0.2	1.0	—	—	—	—	0.0	1.0	—	—
—	—	—	1.5	—	—	—	—	0.1	1.2	—	—
—	—	0.1	1.4	—	—	—	—	0.1	1.3	—	—
—	—	—	0.7	—	—	0.1	—	0.1	0.8	—	—
—	—	0.1	0.8	—	—	0.0	—	—	0.9	—	—
—	—	0.1	0.8	—	—	0.0	—	0.1	0.9	—	—
—	0.0	0.1	1.3	—	—	0.0	—	0.1	0.7	—	—
—	0.0	0.0	1.0	—	—	0.0	—	0.0	0.8	—	—
—	—	—	1.1	—	—	—	—	0.2	0.9	0.0	—
—	—	0.1	1.7	—	—	0.1	—	0.1	0.5	—	—
—	—	—	1.4	—	—	—	—	—	0.3	—	—
—	—	—	1.6	—	—	—	—	0.4	0.5	—	—
—	—	—	1.4	—	—	—	—	0.2	0.9	—	—
—	—	—	0.7	—	—	—	—	0.1	1.0	—	—
—	—	—	0.9	—	—	—	—	—	0.9	—	—
0.0	—	—	1.5	—	—	0.0	—	0.0	0.9	—	0.0
—	0.0	0.0	1.3	—	—	—	—	0.1	0.8	—	0.0
—	—	0.1	1.5	—	—	—	—	—	0.8	—	—
—	—	—	0.3	—	—	—	—	0.2	0.6	—	—
—	—	—	1.0	—	—	0.0	—	0.3	0.6	—	—
—	—	0.0	1.7	—	—	0.0	—	0.1	0.8	—	—
—	—	—	1.6	—	—	0.0	—	0.1	0.7	—	—
—	—	0.1	1.1	—	—	0.1	—	0.2	1.1	—	—
—	—	0.1	1.4	—	—	0.1	—	0.2	1.3	—	—
—	—	0.3	1.3	—	—	—	—	0.2	0.3	—	—
—	—	—	2.3	—	—	—	—	0.5	1.0	—	—
—	—	—	2.9	—	—	0.1	—	0.1	1.1	—	—
—	—	—	1.5	—	—	0.0	—	0.2	0.8	—	—
—	—	0.3	2.1	—	—	—	0.1	0.1	1.3	—	—
—	—	—	2.4	—	—	—	—	0.1	0.8	—	—
—	—	—	1.0	—	—	0.1	—	0.1	0.7	—	—
—	—	—	1.5	—	—	0.1	—	0.3	0.4	—	—
—	—	—	2.9	—	—	—	—	0.2	2.3	—	—
—	—	0.0	1.5	—	—	0.0	0.1	0.2	1.0	—	—
—	—	0.1	1.2	—	—	—	—	—	0.8	—	—
—	—	—	1.6	—	—	—	0.1	0.2	1.0	—	—
—	—	0.1	1.9	—	—	0.1	0.3	0.3	0.7	—	—
—	—	0.1	1.8	—	—	0.3	—	—	1.0	—	—
—	—	0.2	0.7	—	—	0.2	—	0.1	0.7	—	—
—	—	0.3	1.5	—	—	—	—	0.2	1.6	0.1	—
—	—	—	2.9	—	—	0.4	—	0.1	0.6	—	0.1

表 5.18 都道府県別にみた死因

都道府県	22 梅毒	23 カ ン サ (新 生 児 を 除 く) ジ ン ダ 症	24 日本 住 血 吸 虫 症	25 フ ィ ラ リ ア 症	26 寄 生 虫 症 其 他 の 感 染 症 及 び	28-37 悪 性 新 生 物	28 食 道	29 胃	30 直 腸 ・ 直 腸 S 状 結 腸 移 行 部 及 び 肛 門	31 肝
全 国	0.1	0.0	0.0	0.0	1.1	142.0	4.8	42.8	6.2	13.2
北海道	0.2	0.0	—	—	1.2	143.1	5.4	39.2	6.4	11.8
青森	0.1	—	—	—	0.6	142.2	4.5	40.7	5.4	11.9
岩手	0.1	0.1	—	—	1.3	143.7	5.5	39.0	8.1	9.1
宮城	0.1	—	—	—	0.8	142.2	8.0	41.7	6.3	8.3
秋田	—	—	—	—	1.0	180.3	9.5	66.3	6.6	10.7
山形	0.2	—	—	—	0.6	185.0	8.1	64.0	9.1	10.5
福島	0.1	—	0.0	—	1.1	158.2	7.8	52.0	6.7	10.8
茨城	0.3	0.0	—	—	0.5	133.4	6.0	46.2	5.4	9.3
栃木	0.2	0.1	—	—	0.8	140.9	6.2	49.1	6.8	10.6
群馬	0.1	0.1	—	—	0.9	134.9	5.2	45.4	5.6	8.3
埼玉県	0.1	0.1	—	—	0.8	103.1	4.2	34.1	4.6	7.5
千葉県	0.1	0.0	—	—	0.6	109.5	3.9	36.5	4.2	8.2
東京都	0.1	0.0	—	—	1.2	131.9	5.7	37.7	6.0	11.6
神奈川県	0.0	0.0	0.0	—	0.7	111.2	4.2	33.3	4.8	9.6
新潟県	0.1	—	—	—	1.2	174.1	8.0	63.4	8.4	9.8
富山県	—	—	—	—	1.4	175.0	4.5	64.7	5.5	13.0
石川県	0.1	—	—	—	0.7	162.2	2.9	51.8	6.0	12.7
福井県	0.3	—	—	—	1.3	159.6	3.5	44.2	7.8	12.2
山梨県	0.1	—	0.9	—	2.0	171.8	7.8	53.0	7.8	18.6
長野県	0.0	—	—	—	0.9	163.8	6.6	54.5	8.2	11.4
岐阜県	0.2	0.1	—	—	1.2	134.2	2.2	45.4	6.6	10.4
静岡県	0.1	—	—	0.0	1.0	122.5	2.8	36.1	4.9	11.9
愛知県	0.1	0.0	—	—	1.0	118.1	2.5	37.5	5.4	9.6
三重県	—	—	—	—	0.9	149.8	3.8	50.2	6.9	9.5
滋賀県	—	—	—	—	0.7	145.5	3.1	46.6	7.2	9.6
京都府	0.1	0.1	—	—	1.5	151.3	4.0	45.9	7.4	12.1
大阪府	0.0	0.0	—	—	1.3	134.4	3.8	38.3	5.7	17.7
兵庫県	0.2	0.0	—	—	1.0	151.5	4.5	43.3	6.7	17.6
奈良県	0.2	—	—	—	0.6	146.5	4.1	46.7	6.8	14.7
和歌山県	—	—	—	—	1.1	176.4	6.1	56.3	5.4	16.5
鳥取県	—	—	—	—	1.2	174.7	3.3	56.0	7.4	19.8
島根県	0.1	—	—	—	1.5	177.3	4.0	58.4	6.8	15.8
岡山県	0.2	—	—	—	1.0	153.8	3.2	44.5	7.5	14.5
広島県	0.0	—	—	—	1.1	150.3	4.4	44.1	6.6	17.8
徳島県	0.2	—	—	—	1.0	174.4	5.8	49.5	7.8	17.7
香川県	0.2	0.1	—	—	1.3	165.9	3.1	47.7	7.6	22.5
愛媛県	—	—	—	—	1.4	172.6	3.3	56.7	6.6	18.7
高知県	0.1	0.1	—	—	1.0	172.2	3.8	55.2	7.1	17.6
福岡県	0.2	—	—	—	2.0	167.4	4.5	53.2	6.9	16.7
佐賀県	0.1	0.0	—	—	1.1	160.5	4.4	42.8	6.3	22.5
熊本県	0.3	—	—	—	0.9	182.2	3.9	57.9	6.1	22.8
大分県	0.1	—	—	0.1	2.1	179.3	5.3	46.5	6.7	20.3
宮崎県	0.2	0.1	—	—	1.1	160.4	4.4	36.6	8.5	19.5
鹿児島県	0.4	—	—	—	1.4	174.6	4.3	46.2	8.9	22.2
沖縄県	—	0.1	—	—	1.2	146.8	5.4	41.1	6.9	14.4
鹿児島	0.3	0.1	—	0.1	1.2	167.3	9.4	34.8	8.0	19.6
沖縄	0.1	—	—	—	2.1	106.0	6.4	18.4	3.1	8.3

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

32 肺	33 気 管 支 炎 及 び 気 管 支 腫 瘍	34 乳 房	34 乳 房 (女 子 人 口 10 万 対)	35 子 宮 (女 子 人 口 10 万 対)	36 白 血 病	37 そ の 他	38 新 生 児 及 び 性 質 不 詳 の 物	39 糖 尿 病	40 栄 養 欠 乏 症	41 貧 血	42 精 神 障 害
7.0	19.5	3.8	7.3	9.0	4.0	36.2	5.2	7.2	0.4	1.3	2.5
9.0	21.1	3.5	6.7	9.3	3.7	38.4	3.6	8.5	0.3	1.3	2.1
10.2	20.9	3.0	5.7	8.6	4.7	36.5	3.6	8.1	0.3	0.9	2.1
8.8	19.9	4.8	9.4	7.8	4.4	40.0	5.3	7.4	0.2	0.7	1.3
8.0	21.2	3.9	7.6	6.4	4.8	36.8	4.3	6.1	0.3	0.9	2.5
9.5	22.9	4.1	7.8	7.3	4.9	41.9	4.8	6.1	0.3	1.0	1.7
11.0	23.5	3.1	6.0	7.1	4.4	47.5	4.9	6.8	0.3	1.5	3.0
9.9	21.0	2.7	5.3	8.0	5.0	38.2	2.2	7.6	0.4	0.8	2.4
6.5	15.2	3.4	6.8	7.9	3.7	33.8	6.8	7.5	0.2	1.1	2.3
7.0	16.9	3.4	6.5	8.4	3.7	32.8	5.3	6.5	0.3	1.1	2.7
6.1	18.5	3.2	6.2	5.5	4.0	35.7	6.0	6.1	0.3	1.2	3.3
4.3	12.7	3.1	6.3	5.9	3.3	26.3	3.1	4.7	0.3	1.1	1.6
5.8	12.7	3.0	6.1	6.7	3.5	28.3	4.3	6.2	0.5	0.8	2.1
6.4	18.3	4.8	9.7	8.0	3.6	33.9	4.9	6.8	0.4	1.1	2.1
5.4	13.7	4.1	8.3	6.8	3.3	29.4	2.9	4.4	0.2	1.1	1.5
8.9	21.8	3.1	6.0	6.9	4.6	42.7	4.0	9.8	0.2	1.5	3.8
7.5	23.3	3.6	7.0	9.1	3.2	44.9	5.9	9.4	0.2	1.3	1.9
8.7	22.7	4.6	9.0	9.7	4.3	43.5	2.0	7.7	0.3	0.9	2.3
9.1	23.9	3.3	6.1	7.6	5.3	46.3	7.6	9.1	0.3	2.7	2.0
7.7	20.8	3.2	6.3	10.9	3.8	43.4	6.3	8.9	0.4	1.4	1.9
6.9	20.1	4.0	7.7	9.7	4.3	42.7	5.0	7.4	0.1	1.6	2.3
6.3	15.6	3.0	5.7	11.3	3.4	35.4	5.5	5.9	0.4	1.2	2.2
6.7	16.9	3.3	6.4	8.6	3.6	31.9	5.1	7.5	0.2	1.2	2.6
5.5	15.6	3.5	6.9	8.1	3.3	31.1	4.0	6.4	0.1	0.9	2.0
6.9	21.6	4.5	8.7	8.3	3.8	38.4	9.5	9.2	0.3	1.5	2.0
7.7	19.4	4.8	9.2	9.0	3.3	39.2	8.3	8.4	0.6	2.0	2.8
7.0	22.5	3.9	7.7	10.4	4.0	39.2	9.3	7.6	0.5	1.5	1.4
6.0	19.2	4.2	8.3	10.1	4.1	30.2	6.6	7.4	0.4	1.3	2.4
6.6	21.0	3.7	7.2	10.0	4.0	39.0	2.6	7.9	0.5	1.5	2.8
7.1	20.0	5.5	10.8	10.1	3.7	32.8	5.9	8.9	0.6	1.3	2.4
8.1	24.6	4.9	9.2	11.9	4.3	44.0	6.0	8.6	0.5	1.4	2.1
9.9	22.8	3.3	6.0	9.5	5.8	41.3	5.5	6.9	0.2	2.0	3.3
8.4	24.0	3.3	6.4	10.1	5.7	45.7	6.5	8.7	0.4	1.4	4.6
9.4	22.7	3.1	6.0	8.8	4.3	40.0	5.1	6.8	0.4	1.2	3.0
7.0	21.4	3.5	6.8	9.7	4.2	36.4	9.5	8.9	0.8	1.9	1.8
8.1	26.9	4.4	8.4	12.3	4.2	43.5	6.9	7.3	0.6	1.8	2.7
7.7	25.9	3.0	5.8	10.9	5.0	37.5	8.0	12.2	0.5	2.1	3.5
7.2	25.9	3.5	6.7	11.3	4.3	40.6	6.1	6.2	0.1	2.5	2.8
8.7	24.9	2.5	4.6	13.4	4.2	41.1	5.8	7.5	0.5	1.4	3.2
8.1	19.1	6.1	11.5	12.0	4.9	41.6	9.9	12.0	0.6	2.2	5.3
7.6	23.9	4.1	7.9	11.2	4.3	38.8	6.1	7.0	0.4	1.5	3.9
9.5	22.8	3.5	6.4	12.7	4.8	44.2	8.9	8.4	—	1.7	3.7
8.4	26.5	3.7	6.9	10.7	5.0	51.3	2.3	7.1	0.6	1.5	2.5
7.6	25.5	3.3	6.3	10.0	4.9	44.9	6.3	8.2	0.4	1.7	3.4
8.7	22.6	3.1	5.9	15.8	5.4	45.0	1.4	7.3	0.3	1.5	3.6
7.8	18.2	3.1	5.8	10.9	5.2	39.1	8.1	6.6	0.4	1.5	4.1
8.1	25.7	3.6	6.8	12.3	5.5	45.9	10.2	11.3	0.2	2.0	4.6
3.9	21.0	1.9	3.7	11.1	4.1	33.3	4.5	3.4	1.0	1.1	2.6

表 5.18 都道府県別にみた死因

都道府県	43 髄 膜 炎	44 中非 炎症 性疾 系の 患	45 急性 性リ ウマ チ熱	46 慢性 性リ ウマ チ性 患	48-49 高血 圧性 疾患	48 高血 圧性 心疾 患	49 高血 圧性 心疾 患 の 他	51-52 虚血 性心 疾患	51 急性 心筋 梗塞	52 虚血 性心 疾患 の 他
全 国	0.5	3.8	0.1	1.5	13.0	9.6	3.5	41.8	25.0	16.7
北海道	0.3	3.0	0.1	1.3	10.3	7.9	2.4	44.7	26.3	18.4
青森	0.7	3.9	—	1.0	9.1	6.6	2.5	32.5	20.5	12.1
岩手	1.1	3.8	0.1	1.1	11.1	8.4	2.7	43.5	28.2	15.3
宮城	0.5	3.1	—	1.0	11.2	7.9	3.3	39.9	24.9	15.0
秋田	0.9	3.3	—	1.5	9.5	6.1	3.3	41.2	21.6	19.6
山形	0.2	5.3	—	1.4	13.9	9.3	4.6	41.1	24.0	17.1
福島	0.7	3.7	0.1	1.5	12.5	7.8	4.6	48.3	31.3	17.0
茨城	0.4	3.7	0.1	1.2	13.6	9.2	4.4	44.3	28.1	16.2
栃木	0.4	4.0	0.2	2.2	14.3	10.7	3.6	47.5	31.4	16.1
群馬	0.3	3.7	0.1	1.6	10.0	7.5	2.5	44.2	29.7	14.5
埼玉県	0.3	2.5	0.1	0.9	10.0	7.4	2.6	29.7	19.6	10.1
千葉県	0.4	3.2	0.1	1.0	14.3	10.7	3.7	32.5	21.1	11.3
東京都	0.6	3.2	0.1	1.3	11.1	8.3	2.8	44.6	25.8	18.8
神奈川県	0.6	2.7	0.1	1.2	8.1	6.1	2.0	33.6	22.2	11.3
新潟県	0.4	4.2	0.2	1.3	15.6	11.6	3.9	43.2	30.1	13.1
富山県	0.5	5.4	—	1.9	12.8	9.3	3.4	48.5	30.6	17.8
石川県	0.6	3.9	—	1.4	13.0	9.3	3.7	48.8	27.7	21.1
福井県	0.8	6.2	—	2.1	13.6	9.3	4.3	44.2	26.8	17.4
山梨県	0.4	4.6	0.4	2.4	12.2	8.1	4.1	49.8	34.4	15.4
長野県	0.2	4.7	0.2	1.3	14.3	10.6	3.7	50.6	33.5	17.2
岐阜県	0.8	4.2	—	1.9	15.1	10.7	4.4	38.6	23.1	15.5
静岡県	0.6	3.6	0.1	1.8	13.0	9.2	3.8	38.8	25.9	12.9
愛知県	0.4	3.3	0.1	1.1	12.1	8.5	3.6	32.4	21.3	11.0
三重県	0.8	5.0	0.1	1.5	10.9	10.9	6.7	43.3	27.9	15.4
滋賀県	0.7	5.3	0.1	2.1	17.8	13.3	4.5	46.2	27.9	18.3
京都市	0.6	4.3	0.0	1.8	13.3	9.5	3.8	48.6	29.2	19.4
大阪府	0.6	3.4	0.1	1.6	11.7	8.8	2.9	34.2	19.6	14.6
兵庫県	0.8	4.3	0.0	1.4	13.1	9.1	4.0	37.2	22.0	15.2
奈良県	0.9	4.2	—	1.1	14.4	9.5	4.9	33.5	17.8	15.7
和歌山県	0.6	5.3	0.4	1.1	13.1	9.2	3.9	42.0	27.0	14.9
鳥取県	0.8	5.8	—	2.3	15.2	11.7	3.5	43.1	26.9	16.2
島根県	1.0	3.7	0.3	1.8	19.4	12.5	6.9	51.5	32.7	18.9
岡山県	0.5	5.7	0.1	1.7	10.5	6.1	4.4	43.2	27.0	16.2
広島県	0.7	4.0	0.1	2.0	12.0	9.7	2.3	44.4	24.3	20.0
山口県	0.3	3.6	0.1	2.4	16.4	12.4	3.9	50.7	28.6	22.1
徳島県	0.5	5.2	0.1	2.4	15.5	11.9	3.6	62.2	34.4	27.8
香川県	0.2	5.9	0.1	1.1	10.5	6.4	4.1	44.8	22.3	22.5
愛媛県	0.5	4.9	0.1	2.1	11.2	8.2	3.0	44.0	27.2	16.8
高知県	0.5	4.2	—	2.2	12.0	8.7	3.4	60.2	31.5	28.6
福岡県	0.5	3.6	—	1.8	15.8	12.7	3.0	45.4	22.3	23.1
佐賀県	0.3	4.0	0.2	2.0	24.2	20.3	3.9	62.2	29.2	33.0
長崎県	0.8	4.1	0.1	2.1	27.5	21.7	5.8	55.1	30.0	25.1
熊本県	0.6	4.3	0.2	2.1	19.0	14.8	4.2	54.8	28.1	26.7
大分県	0.4	4.2	0.2	2.5	24.1	18.4	5.8	74.1	37.7	36.3
宮崎県	0.4	4.1	0.2	1.8	20.7	15.8	4.8	52.6	26.3	26.4
鹿児島県	0.6	5.7	0.1	2.1	23.8	17.1	6.7	50.1	26.7	23.4
沖縄県	0.5	3.6	—	1.3	7.6	5.7	2.0	23.4	16.4	7.0

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

昭和 56 年

54 - 56	54	55	56	58 - 60	58	59	60	61	62	63	64
肺 循 環 疾 患 及 び	心 内 膜 の 慢 性 疾 患	心 不 全	そ の 他 の 心 疾 患	脳 血 管 疾 患	脳 出 血	脳 梗 塞	そ の 他 の 脳 血 管 疾 患	循 環 系 の 疾 患	急 性 気 管 支 炎	肺 炎	イン フル エン ザ
64.2	3.0	52.1	9.1	134.3	40.5	63.8	29.9	7.0	1.5	28.7	0.2
63.5	3.2	50.9	9.3	113.1	34.3	51.4	27.3	7.1	1.6	32.1	0.1
72.1	3.3	58.4	10.4	157.4	48.5	67.6	41.4	4.1	2.0	33.6	—
71.3	3.6	58.6	9.1	163.3	53.4	82.2	27.7	7.3	2.6	44.8	0.1
55.6	3.3	41.2	11.1	161.9	39.9	95.5	26.5	4.9	1.0	28.7	0.1
81.5	3.4	62.0	16.1	180.7	47.9	101.2	31.7	6.6	2.5	33.2	—
79.2	4.1	66.8	8.2	201.2	51.0	107.4	42.7	8.0	1.1	33.2	0.1
71.1	3.7	56.5	10.9	194.3	57.9	107.4	29.0	5.4	2.8	34.5	0.0
65.2	3.1	54.5	7.7	168.4	52.8	88.0	27.6	4.6	2.5	25.5	0.1
59.7	3.1	44.9	11.7	186.6	49.9	100.0	36.7	4.3	3.1	30.4	0.3
71.0	2.4	59.8	8.7	173.5	45.8	97.4	30.4	6.1	1.6	34.5	0.2
48.0	2.2	39.3	6.4	97.2	32.9	44.8	19.4	3.9	1.0	20.1	0.2
48.9	2.1	40.2	6.6	112.5	36.1	53.6	22.8	4.1	1.1	19.9	0.2
39.3	2.6	28.6	8.0	107.0	34.3	50.8	21.9	5.5	0.8	28.4	0.2
37.7	2.4	28.1	7.2	91.0	32.4	37.9	20.7	4.7	0.7	20.1	0.2
59.7	2.9	46.2	10.5	187.0	49.5	98.5	39.1	11.1	2.9	36.5	0.2
73.5	2.9	58.6	12.0	165.0	43.0	78.2	43.8	11.4	2.6	33.2	0.5
79.2	3.3	63.0	12.8	144.7	39.7	65.8	39.2	13.2	1.2	30.2	0.1
84.3	2.9	72.3	9.1	152.4	41.9	76.0	34.5	15.0	2.1	28.9	0.1
81.6	3.7	65.5	12.4	185.6	55.3	96.8	33.5	7.2	2.5	30.8	0.4
75.3	4.0	61.0	10.3	201.1	54.7	107.7	38.6	9.8	1.8	29.9	0.1
73.3	2.8	61.2	9.3	157.1	49.3	73.5	34.3	6.0	2.3	26.7	0.2
68.2	3.4	56.3	8.5	134.7	43.3	63.6	27.8	6.4	1.6	29.4	0.1
60.7	2.1	51.4	7.2	110.7	30.7	51.4	28.6	7.0	1.0	20.2	0.1
82.6	3.8	68.6	10.3	159.1	47.6	74.2	37.3	14.9	0.8	30.2	0.1
73.7	2.8	63.4	7.5	147.2	41.9	73.2	32.1	11.8	1.8	25.7	0.3
77.3	3.2	63.4	10.7	124.3	38.5	58.5	27.3	11.7	0.8	26.7	0.0
59.5	2.5	47.8	9.2	91.6	27.4	40.0	24.3	6.7	0.8	22.7	0.1
73.0	2.9	61.3	8.8	122.8	38.2	56.1	28.6	8.9	1.0	24.8	0.1
77.7	3.0	67.1	7.6	134.4	42.8	62.4	29.3	9.9	1.9	21.9	0.3
103.3	4.2	87.2	11.9	167.5	45.8	76.0	45.7	9.0	1.0	29.9	0.4
96.0	4.5	82.6	8.9	193.1	57.4	95.2	40.5	7.3	1.2	32.6	0.2
91.2	4.2	75.1	11.9	219.3	66.1	98.6	54.6	9.1	3.6	40.4	0.4
86.3	4.2	72.3	9.8	160.3	45.8	78.9	35.7	7.3	2.0	37.6	0.2
66.4	3.3	55.1	8.0	131.7	36.8	61.1	33.7	8.4	1.7	32.0	0.3
74.7	3.1	62.8	8.8	165.2	50.6	77.6	37.0	8.8	1.9	41.2	0.2
95.3	3.8	77.4	14.2	162.7	57.5	66.5	38.7	7.1	3.1	44.2	0.2
81.8	3.2	68.6	10.0	129.9	35.5	56.2	38.2	9.2	1.7	36.0	0.2
96.1	3.8	82.4	9.8	164.1	46.1	76.2	41.7	7.7	1.9	34.3	0.5
96.1	4.2	77.1	14.8	219.1	56.8	120.8	41.5	6.6	1.4	48.5	—
60.3	2.5	49.7	8.1	120.1	33.7	54.4	32.0	6.2	1.0	28.7	0.0
81.9	3.7	67.6	10.6	148.6	46.4	70.4	31.8	9.6	1.8	34.8	0.2
80.0	5.5	61.1	13.5	151.2	53.7	62.0	35.4	12.4	2.0	38.6	0.3
90.2	4.4	71.8	14.0	156.5	51.6	61.8	43.1	8.8	1.7	30.3	0.3
67.7	3.5	56.2	8.0	172.8	52.4	83.5	36.8	8.5	2.2	39.6	—
74.5	4.0	61.9	8.6	161.8	45.9	72.3	43.6	5.4	2.3	41.8	—
99.1	5.0	82.4	11.7	188.1	61.8	78.0	48.4	7.1	2.6	39.5	0.6
42.8	2.6	33.2	6.9	71.4	30.3	18.3	22.8	2.7	1.3	27.3	0.4

表 5.18 都道府県別にみた死因

都道府県	66-68 気管支炎・喘息	66 気管支炎	67 肺気腫	68 喘息	69 胃及び十二指腸潰瘍	70 虫垂炎	71 腹腸閉塞	72 胃及び慢性胃腸炎	73 慢性肝硬変及び慢性肝炎	74 肝疾患(肝硬変を除く)
全 国	10.8	3.5	1.9	5.4	4.6	0.2	2.2	1.6	14.2	2.1
北海道	8.4	2.8	1.4	4.1	4.1	0.3	2.3	0.8	12.7	2.0
青森県	6.9	2.2	0.7	3.9	3.5	0.2	2.3	1.1	11.1	1.8
岩手県	10.0	2.0	1.8	6.2	6.0	0.4	2.5	2.0	10.7	2.2
宮城県	8.9	2.5	2.0	4.4	4.1	0.1	1.9	0.9	9.1	1.8
秋田県	6.9	2.2	1.5	3.2	4.1	0.2	2.7	1.8	8.0	2.3
山形県	14.0	4.9	2.6	6.5	5.6	0.3	2.9	2.5	10.0	2.3
福島県	10.8	2.9	2.1	5.8	5.6	0.1	2.6	1.8	13.3	1.8
茨城県	11.9	3.4	2.2	6.3	5.6	0.3	2.7	1.9	11.2	2.2
栃木県	13.1	3.7	2.0	7.4	6.5	0.2	2.4	2.8	10.4	2.7
群馬県	15.3	5.2	2.7	7.4	5.5	0.2	2.4	1.6	11.7	1.9
埼玉県	7.5	2.4	1.1	4.0	3.3	0.1	1.4	1.1	10.8	1.4
千葉県	9.1	3.4	1.7	3.9	3.6	0.1	1.7	1.5	9.3	1.6
東京都	8.2	2.3	2.0	3.9	4.2	0.1	2.0	0.8	13.0	1.4
神奈川県	6.7	1.9	1.3	3.5	3.0	0.1	1.6	0.6	12.8	1.4
新潟県	11.6	4.4	2.0	5.3	4.0	0.3	2.8	2.6	8.0	1.8
富山県	10.4	4.3	1.2	5.0	4.9	0.3	2.1	2.7	10.1	2.4
石川県	8.6	2.6	1.4	4.6	3.1	0.1	2.6	2.7	11.8	3.0
福井県	13.5	4.0	1.9	7.6	5.7	0.3	3.5	2.8	14.1	2.4
山梨県	15.0	4.1	3.7	7.2	6.3	0.2	2.4	2.9	18.4	3.7
長野県	12.4	3.9	2.4	6.1	5.3	0.1	2.6	1.4	10.4	1.6
岐阜県	9.9	3.0	1.8	5.1	4.1	0.4	1.8	2.7	11.8	2.2
静岡県	9.8	3.2	1.8	4.7	3.8	0.1	1.8	1.9	14.2	1.8
愛知県	9.1	3.4	1.5	4.2	2.8	0.1	1.7	1.7	11.7	1.9
三重県	15.8	6.6	2.4	6.7	4.0	—	2.4	2.2	13.0	3.0
滋賀県	12.7	3.2	2.9	6.5	5.2	0.1	1.8	3.1	9.6	2.2
京都府	10.8	3.8	2.8	4.2	5.6	0.3	2.5	1.9	14.1	1.8
大阪府	9.8	3.3	1.9	4.6	4.7	0.2	2.4	1.1	18.3	1.9
兵庫県	12.9	3.9	2.2	6.0	4.6	0.2	2.2	1.6	18.8	2.5
奈良県	11.7	3.3	2.4	6.1	4.2	0.2	2.6	1.4	14.4	2.6
和歌山県	13.6	4.1	2.7	6.8	5.0	0.1	2.4	1.7	18.5	2.5
鳥取県	12.1	3.5	2.6	6.0	5.5	0.2	2.5	2.1	16.0	2.5
島根県	14.3	3.8	2.3	8.2	6.8	—	2.0	3.4	17.2	2.9
岡山県	14.7	4.1	3.1	7.5	6.0	0.1	2.7	2.2	14.5	2.1
広島県	11.5	3.1	2.7	5.7	5.5	0.3	1.9	1.7	19.9	2.2
山口県	14.8	5.1	2.5	7.2	6.2	0.1	2.5	1.9	18.0	2.9
徳島県	18.5	7.4	2.4	8.7	6.5	0.1	1.7	3.1	22.5	3.4
香川県	16.6	6.2	2.5	8.0	5.3	0.2	2.4	4.0	14.7	2.8
愛媛県	12.8	4.4	1.3	7.1	5.2	0.1	2.0	1.1	16.6	3.1
高知県	15.6	4.2	1.7	9.7	7.2	0.5	3.7	2.3	24.5	4.3
福岡県	11.1	3.8	1.8	5.4	4.3	0.2	2.5	1.6	20.8	2.7
佐賀県	16.4	5.9	2.3	8.2	6.2	0.5	2.8	2.5	23.2	3.3
長門県	14.2	5.9	2.5	5.8	5.0	0.1	2.5	2.6	19.7	3.0
熊本県	16.1	7.1	2.5	6.5	6.8	0.1	3.0	2.6	18.0	3.2
大分県	15.7	6.5	1.9	7.3	8.6	0.4	2.8	2.8	21.3	2.6
宮崎県	15.5	4.3	1.7	9.4	6.6	0.4	2.0	1.0	15.3	3.2
鹿児島県	22.4	7.4	2.7	12.3	9.9	0.2	4.0	2.5	17.9	3.9
沖縄県	13.8	4.0	1.5	8.4	3.8	0.1	1.3	0.8	9.9	1.3

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

昭和 56 年											
76-77 腎炎・ネフローゼ症候群及びネフローゼ症	76 急性糸球体腎炎及びネフローゼ症候群	77 その他	78 (男子人口10万対) 前立腺肥大症	79 直接産科的死亡			80 間接産科的死亡			81 先天異常	82 他の呼吸器病態 症・分娩後死及びその 出産時外傷・低酸素
				女子人口 10 万対	出 生 10 万対	出 産 10 万対	女子人口 10 万対	出 生 10 万対	出 産 10 万対		
9.1	1.9	7.2	0.8	0.4	17.0	16.2	0.1	2.2	2.1	3.9	3.1
10.1	2.6	7.6	1.0	0.5	18.0	16.6	0.0	1.4	1.3	4.0	3.4
9.8	2.3	7.5	0.8	0.5	19.3	18.2	—	—	—	3.6	3.4
11.0	2.9	8.1	1.5	0.3	10.8	10.2	0.1	5.4	5.1	4.1	4.8
6.8	1.3	5.5	0.9	0.5	16.6	15.6	0.3	9.9	9.4	4.6	5.1
9.3	2.3	7.0	1.0	0.9	39.1	37.1	—	—	—	3.7	3.5
8.3	1.9	6.4	0.5	0.2	6.2	5.9	—	—	—	3.7	3.5
7.8	2.1	5.7	1.6	0.2	7.1	6.7	—	—	—	4.4	3.1
7.9	1.7	6.3	0.8	0.6	22.4	21.6	0.1	2.8	2.7	4.7	4.4
6.8	1.9	4.9	1.2	0.2	7.9	7.6	0.1	4.0	3.8	4.1	3.9
8.2	1.5	6.7	1.0	0.5	20.5	19.7	—	—	—	4.2	2.4
5.9	1.4	4.5	0.3	0.6	20.3	19.5	—	—	—	3.7	3.2
6.2	0.9	5.2	0.8	0.4	15.0	14.4	—	—	—	3.9	3.3
8.4	1.9	6.6	0.4	0.3	13.9	13.2	0.1	2.9	2.8	3.4	2.4
6.9	1.1	5.8	0.5	0.6	21.7	20.9	0.1	2.2	2.1	3.8	2.6
6.4	1.6	4.8	0.8	0.2	9.5	9.2	—	—	—	4.3	4.0
11.9	2.7	9.1	0.4	0.2	7.7	7.4	—	—	—	4.5	2.4
9.3	2.1	7.1	0.4	0.9	34.9	33.3	—	—	—	4.8	2.1
9.1	1.9	7.2	1.0	0.5	20.0	19.2	—	—	—	2.1	2.1
8.4	2.4	6.1	0.5	0.7	30.6	29.2	—	—	—	2.9	2.7
9.4	2.0	7.5	0.4	0.3	11.8	11.4	0.1	3.9	3.8	3.0	2.9
10.1	1.7	8.4	0.6	0.4	16.1	15.4	0.1	4.0	3.9	4.5	3.0
8.9	1.6	7.3	0.8	0.5	17.1	16.4	0.2	6.4	6.2	4.1	2.7
7.9	2.1	5.8	0.5	0.3	9.5	9.0	0.1	2.4	2.3	3.6	2.2
8.9	1.8	7.1	1.2	0.2	9.8	9.3	—	—	—	3.1	3.4
9.5	1.9	7.5	0.2	—	—	—	—	—	—	3.8	3.1
10.8	1.9	8.9	0.7	0.4	16.4	15.5	0.1	3.3	3.1	3.8	2.8
10.4	1.9	8.5	0.4	0.7	28.2	26.4	0.1	3.8	3.5	4.0	2.9
11.1	1.9	9.2	0.8	0.3	12.1	11.5	0.0	1.5	1.4	4.1	3.1
9.9	1.5	8.4	1.0	0.3	12.8	12.2	0.3	12.8	12.2	3.3	3.5
10.9	2.2	8.7	1.5	—	—	—	0.2	7.7	7.4	4.0	4.0
9.3	2.0	7.3	1.4	1.0	37.5	35.7	—	—	—	5.8	2.6
7.5	1.3	6.3	1.6	0.5	20.6	19.6	—	—	—	3.6	2.6
11.4	2.5	8.9	1.5	0.3	12.8	12.2	0.1	4.3	4.1	5.1	2.8
7.9	1.2	6.8	0.7	0.6	22.5	21.4	—	—	—	3.7	3.4
10.5	2.3	8.2	0.7	0.5	20.9	19.8	0.1	5.2	5.0	4.3	3.9
13.7	2.9	10.8	1.5	0.5	19.3	18.4	—	—	—	3.9	2.5
13.7	2.3	11.5	0.2	—	—	—	—	—	—	3.5	3.1
12.1	1.9	10.1	0.7	0.5	20.8	19.8	0.1	5.2	5.0	3.8	3.8
14.8	3.6	11.2	2.5	0.7	29.5	27.8	—	—	—	4.9	2.3
9.9	1.8	8.1	0.8	0.3	12.7	12.0	0.0	1.6	1.5	4.0	3.3
12.0	2.3	9.7	1.5	0.2	8.4	7.9	—	—	—	3.9	3.9
10.9	2.3	8.6	1.3	0.7	27.2	25.4	0.1	4.5	4.2	3.8	2.8
11.8	2.8	8.9	1.8	0.3	12.4	11.7	—	—	—	3.9	3.7
12.3	2.2	10.1	0.7	0.6	25.8	24.1	—	—	—	3.7	4.0
9.4	2.3	7.1	1.3	0.2	6.0	5.6	—	—	—	4.0	4.5
13.3	3.0	10.3	1.9	0.7	28.7	26.9	—	—	—	4.7	3.6
7.9	1.5	6.4	1.3	0.9	25.3	24.6	—	—	—	6.8	3.2

表 5.18 都道府県別にみた死因

都道府県	84-87 その 他の死 因	84 新生児 破傷風	85 新生児 カンジダ 感染	86 新生児 敗血症	87 その 他	88 老 精神 病の記 載のな い衰	89 その他 すべての 疾患	91-101 損傷 及び 中毒	91 頭 蓋 骨 折	92 その他 の骨の 骨折
全 国	1.4	—	—	0.2	1.2	25.5	25.6	44.6	5.9	2.5
北海道	1.4	—	—	0.2	1.3	13.4	25.7	49.1	6.4	2.8
青森	1.2	—	—	—	1.2	34.7	26.2	55.0	6.5	2.7
岩手	1.6	—	—	0.2	1.4	18.1	28.3	59.7	8.4	2.0
宮城	1.6	—	—	0.2	1.3	19.4	23.5	43.1	5.9	2.9
秋田	0.6	—	—	0.2	0.5	23.0	25.7	57.1	5.2	2.2
山形	1.4	—	—	—	1.4	43.5	28.9	50.5	4.3	2.2
福島	1.4	—	—	0.0	1.4	40.0	25.8	46.8	5.8	2.8
茨城	2.2	—	—	0.2	2.0	35.0	25.3	46.3	6.3	3.7
栃木	2.2	—	—	0.4	1.8	21.7	26.0	51.9	8.2	3.1
群馬	1.7	—	—	0.1	1.6	23.2	26.1	50.6	6.8	3.2
埼玉県	1.7	—	—	0.1	1.6	16.7	16.7	34.7	5.3	1.8
千葉県	1.1	—	—	0.2	1.0	21.2	19.1	37.3	5.4	2.1
東京都	1.3	—	—	0.2	1.2	12.6	21.3	31.5	4.6	1.5
神奈川県	1.1	—	—	0.2	0.9	13.8	17.0	35.0	5.1	1.8
新潟県	1.7	—	—	0.2	1.5	32.7	27.6	55.6	5.9	3.1
富山県	1.4	—	—	—	1.4	24.6	31.7	51.4	4.9	2.3
石川県	1.1	—	—	—	1.1	38.9	28.4	46.8	4.8	2.7
福井県	0.5	—	—	0.1	0.4	37.9	29.3	55.1	9.0	3.7
山梨県	2.1	—	—	0.4	1.7	31.9	33.7	49.1	7.1	3.0
長野県	1.2	—	—	0.1	1.1	30.2	27.5	43.1	5.1	2.6
岐阜県	0.9	—	—	0.1	0.8	33.5	25.8	46.4	6.2	2.3
静岡県	1.1	—	—	0.2	0.9	29.7	23.4	43.3	5.9	2.8
愛知県	1.4	—	—	0.2	1.2	18.8	18.6	37.7	5.2	2.1
三重県	1.2	—	—	0.1	1.1	35.7	33.5	45.9	7.0	2.7
滋賀県	1.5	—	—	0.2	1.3	28.4	30.4	44.4	6.9	2.9
京都府	0.9	—	—	0.1	0.8	32.1	27.9	39.9	5.9	1.9
大阪府	1.4	—	—	0.1	1.3	17.7	23.1	37.5	5.5	1.6
兵庫県	1.0	—	—	0.3	0.7	36.3	28.0	45.1	6.2	2.7
奈良県	1.3	—	—	—	1.3	29.8	24.8	42.9	7.2	3.0
和歌山県	2.5	—	—	0.2	2.3	57.5	29.3	57.4	8.2	3.4
鳥取県	1.2	—	—	0.2	1.0	42.0	30.6	62.5	8.1	3.8
島根県	1.3	—	—	0.1	1.1	47.1	35.7	64.0	5.1	2.7
岡山県	0.8	—	—	0.2	0.6	44.5	32.9	50.8	7.3	2.7
広島県	1.1	—	—	0.0	1.0	36.4	27.4	50.1	6.8	2.7
山口県	2.0	—	—	0.2	1.8	34.0	31.3	59.8	7.3	4.4
徳島県	1.6	—	—	0.1	1.5	37.9	37.4	61.3	6.2	3.5
香川県	1.6	—	—	0.5	1.1	37.8	35.7	53.9	7.4	3.0
愛媛県	2.1	—	—	0.2	1.9	52.6	33.3	56.1	7.1	2.7
高知県	1.0	—	—	0.2	0.7	37.3	39.8	71.2	8.3	5.2
福岡県	1.2	—	—	0.2	1.0	19.5	26.8	45.4	6.0	2.6
佐賀県	2.5	—	—	0.9	1.6	29.9	28.5	51.6	7.0	3.7
長門県	1.1	—	—	0.3	0.9	24.7	34.5	47.9	4.1	2.0
熊本市	2.0	—	—	0.3	1.7	30.7	37.2	42.9	4.3	2.8
大分県	2.3	—	—	0.2	2.1	28.0	31.4	56.2	8.2	3.7
宮崎県	1.8	—	—	0.1	1.7	20.7	32.4	53.9	5.3	3.5
鹿児島県	2.3	—	—	0.2	2.1	39.3	40.6	52.0	5.1	3.4
沖縄県	1.8	—	—	0.4	1.4	39.4	33.5	42.9	4.7	2.5

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

93 頭蓋内 損傷 (うもの を除く)	94 胸・腹 及び骨 格の損 傷	95 開 放 創	96 熱 傷	97 神 経 の損 傷 及び び	98 中 毒 及 び 毒 作 用	99 溺 死	100 窒 息 及 び 絞 首	101 その 他 の損 傷	E104- E117 損傷 の及 び外 因	E104- E114 不慮 の事 故及 び用	E 104 自 動 車 事 故
5.3	3.2	0.7	2.1	0.3	4.2	5.6	10.2	4.6	44.6	24.8	10.1
4.3	3.7	0.7	2.2	0.3	6.8	6.5	10.4	4.9	49.1	30.5	11.3
6.3	4.5	0.6	2.7	0.5	4.9	8.0	14.0	4.4	55.0	32.3	12.9
5.0	3.4	0.8	2.5	0.4	3.4	10.0	17.5	6.3	59.7	33.5	11.2
3.6	3.0	0.6	1.6	0.2	4.1	6.9	10.6	3.9	43.1	23.1	9.1
4.0	3.7	0.5	1.6	0.3	5.5	9.9	17.4	6.8	57.1	29.8	8.5
3.9	2.8	0.6	2.2	0.5	4.7	8.8	14.2	6.4	50.5	25.8	7.9
4.5	3.3	0.9	2.7	0.2	4.9	6.3	10.5	4.9	46.8	27.5	11.3
7.5	2.8	0.6	2.7	0.5	5.9	4.7	7.1	4.5	46.3	29.8	15.8
7.5	4.5	0.6	2.6	0.5	7.0	3.8	9.5	4.5	51.9	29.8	16.5
6.6	2.5	0.8	2.1	0.4	7.3	5.4	10.2	5.4	50.6	28.3	13.1
4.9	2.2	0.9	2.2	0.2	3.3	3.2	7.2	3.5	34.7	18.6	9.4
5.7	2.7	0.9	2.4	0.4	2.9	4.3	7.2	3.3	37.3	21.9	11.0
3.5	3.0	0.8	1.7	0.2	2.6	2.8	7.6	3.3	31.5	14.1	5.1
3.7	3.9	0.6	2.1	0.4	2.8	3.9	7.0	3.7	35.0	18.8	7.9
5.9	2.8	0.6	1.7	0.2	3.8	9.3	16.9	5.6	55.6	30.7	11.0
5.0	3.8	0.4	1.7	0.7	3.4	8.8	13.2	7.2	51.4	32.2	9.8
5.1	4.2	0.4	1.5	0.3	4.3	6.6	10.5	6.6	46.8	29.6	9.7
5.4	4.2	0.9	3.3	0.6	2.8	7.3	12.1	5.8	55.1	36.7	14.3
6.1	3.1	1.0	2.2	0.2	5.2	4.1	10.9	6.2	49.1	28.4	12.5
5.1	2.7	0.6	1.9	0.4	3.8	4.6	10.8	5.4	43.1	24.6	9.0
4.3	3.4	0.5	2.6	0.3	3.5	5.5	13.0	4.7	46.4	26.4	10.9
6.4	3.2	0.7	1.9	0.5	4.7	4.8	8.3	4.0	43.3	25.9	12.4
4.8	2.4	0.6	1.4	0.4	3.5	4.3	8.9	4.1	37.7	20.6	9.4
6.1	3.1	0.5	2.1	0.2	3.1	7.5	9.3	4.3	45.9	28.8	12.8
5.4	2.7	0.3	1.9	0.4	2.4	5.5	11.3	4.8	44.4	26.9	12.3
5.5	2.3	0.8	1.7	0.2	2.8	4.3	10.3	4.1	39.9	22.1	10.2
4.2	3.1	0.9	1.3	0.3	4.3	3.9	8.7	3.9	37.5	17.1	7.1
5.6	3.9	0.7	1.9	0.3	4.7	5.0	9.3	4.7	45.1	24.5	11.2
5.3	2.4	0.8	2.3	0.8	4.0	3.6	9.4	4.1	42.9	23.7	11.2
7.2	3.0	0.9	2.5	0.8	3.7	6.5	14.7	6.5	57.4	33.2	12.5
7.3	3.5	0.5	2.8	0.5	4.6	8.8	15.0	7.6	62.5	38.0	12.7
5.9	4.0	0.4	4.1	0.1	4.2	12.2	17.5	7.9	64.0	36.5	8.2
5.5	3.5	0.8	2.8	0.3	4.0	8.4	10.5	5.0	50.8	30.9	11.2
7.0	3.1	0.7	2.0	0.4	4.5	6.1	11.9	4.8	50.1	28.9	11.1
7.0	3.9	1.1	2.3	0.7	5.2	8.4	15.2	4.4	59.8	33.4	13.3
11.0	4.7	0.4	3.0	0.4	4.4	9.2	13.2	5.3	61.3	36.0	16.7
9.4	4.4	0.8	2.5	0.4	3.6	9.3	8.8	4.5	53.9	34.4	14.8
7.4	3.6	1.1	3.2	0.4	4.7	9.3	11.4	5.2	56.1	33.8	12.6
8.9	5.2	1.0	4.2	0.7	6.9	7.9	15.3	7.7	71.2	45.0	16.4
5.7	2.9	1.1	1.8	0.2	4.3	5.7	10.3	4.9	45.4	26.0	10.3
7.8	2.3	0.5	2.3	0.5	5.9	7.4	10.4	3.8	51.6	31.6	12.6
6.1	2.5	0.8	2.2	0.4	3.4	10.1	10.7	5.5	47.9	28.4	9.1
4.1	2.7	1.1	1.4	0.3	4.9	6.2	10.7	4.4	42.9	24.3	7.8
5.4	2.9	1.0	2.7	0.6	5.0	7.0	12.8	6.7	56.2	35.4	11.7
6.2	3.4	0.8	2.9	0.3	5.3	5.7	15.6	5.0	53.9	30.6	12.5
5.7	2.9	0.6	2.7	0.2	6.4	6.8	13.3	4.9	52.0	29.5	9.8
5.1	3.8	0.6	1.2	0.2	3.8	5.9	11.1	4.0	42.9	22.2	10.0

昭和 56 年

表 5.18 都道府県別にみた死因

都道府県	E 105 交通事故以外の 自動車事故以外の 事故	E 106 不慮の 中毒	E 107 不慮の 墜落	E 108 火災による不慮の 事故及び火災	E 109 天災	E 110 不慮の 溺死	E 111 不慮の機械的窒息	E 112 不慮の 打撲	E 113 不慮の事故 工業性を主とする	E 114 事故及び有害作用 その他の不慮の
全 国	1.3	0.6	3.6	1.2	0.0	3.0	1.9	0.5	1.3	1.2
北海道	1.6	1.0	2.8	1.9	0.2	2.9	2.3	0.9	4.1	1.4
青森	1.9	0.8	3.2	1.7	—	4.6	2.4	0.7	1.9	2.2
岩手	3.2	0.8	3.2	1.7	0.4	5.2	4.1	0.6	1.7	1.4
宮城	1.6	0.8	2.7	0.9	—	3.3	1.4	0.6	1.1	1.6
秋田	2.8	0.6	3.1	1.4	—	6.1	2.9	0.9	1.2	2.2
山形	1.6	0.5	3.7	0.6	—	5.7	2.2	0.2	1.7	2.0
福島	1.0	0.9	2.9	1.5	—	4.2	2.3	1.1	0.9	1.4
茨城	1.1	0.5	3.8	1.4	—	2.6	1.7	0.5	1.3	1.1
栃木	1.7	0.7	2.9	0.9	—	2.0	1.4	0.7	1.4	1.6
群馬	1.1	0.9	4.0	1.0	—	3.1	2.1	0.5	1.7	1.0
埼玉県	0.7	0.3	2.3	0.9	—	1.6	1.6	0.3	0.8	0.7
千葉県	0.9	0.5	2.5	1.1	0.0	2.3	1.6	0.3	0.9	0.8
東京都	0.5	0.4	2.9	0.9	0.0	1.4	1.5	0.2	0.5	0.8
神奈川県	0.8	0.3	2.8	1.2	0.0	2.3	1.6	0.2	0.6	0.9
新潟県	1.3	0.7	4.3	1.0	0.0	5.5	3.0	0.7	1.3	2.0
富山県	2.4	0.5	5.3	1.6	—	5.6	3.9	0.5	1.0	1.6
石川県	1.2	0.7	5.1	0.9	—	3.9	3.1	0.8	2.0	2.1
福井県	2.3	0.3	5.9	2.3	—	5.1	2.9	1.0	2.4	0.4
山梨県	0.6	0.9	5.1	1.2	—	2.1	2.6	0.4	1.1	1.9
長野県	0.6	0.8	3.8	1.5	0.6	2.5	2.3	0.8	1.1	1.7
岐阜県	1.0	0.7	3.5	1.6	—	3.6	2.0	0.7	1.1	1.3
静岡県	1.0	0.4	3.9	0.9	—	2.8	2.0	0.4	1.2	0.8
愛知県	0.9	0.4	2.9	0.8	—	2.3	1.7	0.3	1.0	0.9
三重県	1.7	0.4	4.5	1.2	—	3.6	1.8	0.5	1.2	1.1
滋賀県	0.7	0.3	3.9	1.1	—	2.8	2.0	0.6	1.7	1.4
京都府	0.8	0.4	2.8	1.2	—	2.3	2.1	0.3	0.9	1.2
大阪府	0.9	0.4	2.9	0.6	—	1.8	1.5	0.2	1.0	0.7
兵庫県	1.5	0.4	3.9	1.0	—	2.6	1.3	0.5	1.0	1.0
奈良県	0.8	0.2	4.2	1.2	—	1.8	1.1	0.2	1.5	1.4
和歌山県	2.6	0.6	5.6	1.7	—	3.5	2.8	1.0	1.6	1.3
鳥取県	1.5	0.8	7.1	1.8	—	6.1	3.0	1.7	1.3	2.0
島根県	3.6	0.4	6.0	2.4	—	7.0	2.7	1.1	1.9	3.2
岡山県	2.0	0.9	5.2	1.6	0.1	3.7	2.2	0.6	1.5	1.8
広島県	1.6	0.7	5.2	1.5	—	3.9	1.9	0.5	1.0	1.4
山口県	2.5	0.9	5.3	1.1	—	4.3	1.8	1.0	1.6	1.5
徳島県	1.8	1.1	4.7	1.8	—	3.5	2.8	0.8	1.3	1.3
香川県	3.4	0.7	4.8	1.3	—	4.1	2.0	0.9	1.6	0.8
愛媛県	2.9	0.8	5.2	1.6	—	4.3	2.1	1.1	1.9	1.3
高知県	2.6	0.2	8.7	3.1	—	5.3	3.1	0.6	2.5	2.4
福岡県	1.5	1.1	4.0	1.0	—	3.2	1.9	0.4	1.2	1.5
佐賀県	2.5	0.9	5.9	1.0	—	4.0	1.8	0.7	1.0	1.0
長門県	3.5	0.4	4.0	1.2	0.1	4.8	1.8	0.3	1.4	1.8
熊本県	1.4	1.1	4.6	1.1	—	3.8	1.6	0.6	1.2	1.1
大分県	1.6	1.1	7.0	2.0	—	4.2	2.2	1.0	2.3	2.4
宮崎県	1.6	1.4	4.1	1.6	—	4.1	1.6	1.1	1.2	1.5
鹿児島県	1.0	1.4	4.3	2.1	—	4.2	2.2	1.1	1.5	2.0
沖縄県	0.7	0.5	2.8	1.2	—	2.6	1.7	0.4	1.0	1.3

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

昭和 56 年

E 115 自殺	E 116 他 殺	E 117 その他の 外 因	1 ~ 26 感染症及び 寄生虫症	5 . 6 結 核	46. 51-52. 54-56 心 疾	62. 63. 66 肺炎及び 気管支炎	4 . 72 胃 腸 炎	79 . 80 妊産婦死 亡		
殺	殺	殺	核	核	患	炎	炎	女子人口 10 万対	出 生 10 万対	出 産 10 万対
17.1	1.0	1.7	9.8	4.9	107.5	33.7	2.9	0.5	19.2	18.3
16.6	1.0	1.1	9.7	4.6	109.5	36.5	1.6	0.5	19.3	17.9
20.1	1.4	1.2	12.3	6.3	105.7	37.9	3.2	0.5	19.3	18.2
24.7	0.9	0.6	10.2	4.2	115.9	49.4	2.9	0.4	16.1	15.2
18.2	0.7	1.1	5.8	2.2	96.5	32.3	1.7	0.8	26.5	25.0
24.9	0.9	1.6	9.4	2.7	124.3	37.9	3.9	0.9	39.1	37.1
22.7	0.6	1.3	7.9	3.3	121.7	39.2	4.1	0.2	6.2	5.9
16.8	1.4	1.0	10.6	4.1	120.9	40.2	3.2	0.2	7.1	6.7
15.1	0.6	0.8	8.1	3.3	110.8	31.4	3.5	0.7	25.3	24.3
20.2	0.9	0.9	9.0	3.3	109.4	37.2	4.7	0.3	11.9	11.4
20.3	1.3	0.6	8.5	2.8	116.8	41.3	3.3	0.5	20.5	19.7
14.5	0.7	0.9	6.4	3.0	78.6	23.5	1.8	0.6	20.3	19.5
13.3	0.9	1.2	6.2	2.9	82.3	24.5	2.3	0.4	15.0	14.4
15.3	0.8	1.2	8.8	4.7	85.3	31.5	1.5	0.4	16.8	16.0
13.0	1.1	2.1	6.6	3.3	72.5	22.7	1.2	0.6	23.9	22.9
23.0	0.5	1.5	9.7	3.7	104.2	43.8	5.0	0.2	9.5	9.2
18.0	0.1	1.0	11.6	5.0	123.8	40.1	5.4	0.2	7.7	7.4
14.8	1.1	1.4	7.7	4.0	129.4	33.9	3.9	0.9	34.9	33.3
16.4	0.5	1.4	14.5	7.6	130.7	35.1	5.7	0.5	20.0	19.2
17.7	1.0	2.0	11.3	4.6	133.7	37.3	4.1	0.7	30.6	29.2
16.8	0.7	1.0	7.5	3.4	127.3	35.6	2.8	0.4	15.8	15.2
18.3	0.6	1.1	12.8	7.8	113.8	32.0	4.5	0.5	20.1	19.3
15.1	1.0	1.3	8.6	3.8	108.7	34.2	3.0	0.6	23.5	22.6
15.1	0.8	1.1	9.9	5.4	94.2	24.6	2.9	0.3	11.8	11.3
14.7	0.6	1.7	9.4	4.9	127.4	37.7	3.5	0.2	9.8	9.3
15.8	0.9	0.8	9.6	5.8	122.0	30.8	5.1	—	—	—
16.1	0.5	1.2	10.7	5.9	127.6	31.4	3.0	0.5	19.7	18.7
16.3	1.2	2.9	10.6	5.9	95.3	26.7	1.8	0.8	31.9	29.9
17.8	1.1	1.7	11.5	6.0	111.6	29.6	3.4	0.3	13.6	12.9
17.0	0.9	1.3	8.6	4.1	112.2	27.0	2.7	0.6	25.6	24.4
21.0	0.8	2.3	13.7	8.2	146.4	35.0	3.0	0.2	7.7	7.4
21.0	0.8	2.6	9.1	4.6	141.5	37.2	3.3	1.0	37.5	35.7
24.5	1.3	1.8	10.5	3.2	144.5	47.8	5.2	0.5	20.6	19.6
17.4	1.1	1.4	12.8	5.5	131.2	43.7	4.2	0.4	17.1	16.3
18.3	0.8	2.2	9.5	4.3	112.8	36.9	3.3	0.6	22.5	21.4
22.4	1.1	2.8	12.6	6.0	127.8	48.2	3.6	0.6	26.2	24.8
20.1	1.2	4.0	13.7	6.5	159.9	54.7	5.2	0.5	19.3	18.4
16.6	1.5	1.4	12.5	6.8	127.7	43.8	6.4	—	—	—
18.8	1.3	2.2	9.5	4.6	142.1	40.7	2.4	0.6	26.0	24.8
22.7	2.0	1.4	17.8	8.4	158.5	54.2	4.0	0.7	29.5	27.8
16.3	1.2	1.9	10.7	5.7	107.5	33.6	2.6	0.4	14.3	13.5
17.4	0.6	2.0	12.7	7.2	146.0	42.6	4.7	0.2	8.4	7.9
17.2	0.8	1.5	13.8	7.6	137.2	46.5	3.6	0.8	31.7	29.6
16.8	1.0	0.8	13.3	6.6	147.1	39.1	4.4	0.3	12.4	11.7
18.5	1.0	1.2	15.2	8.3	144.3	48.3	4.8	0.6	25.8	24.1
21.6	1.0	0.7	12.3	8.3	129.0	48.5	1.9	0.2	6.0	5.6
19.7	1.2	1.6	14.2	6.5	151.3	49.4	4.9	0.7	28.7	26.9
16.1	1.5	3.1	10.4	3.2	67.4	32.5	1.7	0.9	25.3	24.6