

昭和 41 年

人 口 動 態 統 計

VITAL STATISTICS 1966

JAPAN

下 卷

Volume 2

厚生省大臣官房統計調査部

HEALTH AND WELFARE STATISTICS DIVISION,

MINISTER'S SECRETARIAT,

MINISTRY OF HEALTH AND WELFARE

昭和41年 人口動態統計 下 卷

VITAL STATISTICS 1966 JAPAN (Vol.2)

正 誤 表

CORRIGENDA

| ページ Page | 欄 Column | 行 Line | 誤 Error | 正 Corrected |
|-------------|-------------|-------------------------|--------------------------|----------------|
| 71 | 10 | 下から23 23 from bottom | 不鮮明 unclearly printed | 475 |
| 90 | 10 | 上から5 5 from above | 不鮮明 unclearly printed | 39 |
| 90 | 10 | 上から6 6 from above | 不鮮明 unclearly printed | 26 |
| 106 | 7 | 上から22 22 from above | — | 2 |
| 167 | 7 | 上から9 9 from above | 不鮮明 unclearly printed | 253 |
| 220 | 10 | 下から13 13 from bottom | — | 6 |
| 236 | 1 | 上から20 20 from above | 不鮮明 unclearly printed | 16663 |
| 240 | 1 | 上から20 20 from above | 不揃 disarranged | 2707 |
| 240 | 1 | 上から21 21 from above | 不揃 disarranged | 2666 |
| 263 | 3 | 下から7 7 from bottom | 不鮮明 unclearly printed | 790 |
| 285 | 4 | 上から1 1 from above | 19 | 9 |
| 285 | 12 | 上から1 1 from above | 5 | 14 |
| 285 | 5 | 下から17 17 from bottom | 不鮮明 unclearly printed | 56 |
| 298 | 9 | 上から19 19 from above | 不鮮明 unclearly printed | 20 |
| 304 | 1 | 下から10 10 from bottom | 脱落 missing | 3 |
| 399 | 4 | 上から1 1 from above | 8 | 38 |
| 412 | 6 | 上から17 17 from above | 不鮮明 unclearly printed | 114 |

厚生省大臣官房統計調査部

予算係

昭和 41 年

人 口 動 態 統 計

VITAL STATISTICS 1966

JAPAN

下 卷

Volume 2

厚生省大臣官房統計調査部
HEALTH AND WELFARE STATISTICS DIVISION,
MINISTER'S SECRETARIAT,
MINISTRY OF HEALTH AND WELFARE

昭和 41 年

人口動態統計 下巻

一目 次一

| | |
|---|-----|
| 疾病、傷害および死因統計分類の分類体系ならびに分類表 | 12 |
| 疾病、傷害および死因統計分類の分類体系 | 13 |
| 日本における死因統計分類表（英文対照） | 16 |
| 1. 疾病、傷害および死因の統計分類基本分類表 | 16 |
| 2. 50項目死因簡単分類表 | 39 |
| 統計表一覧 | 41 |
| 死因 | |
| 第 52 表 死亡者数、性・年齢（5才階級）・死因（基本分類）別 | 44 |
| 第 53 表 死亡者数、性・年齢（5才階級）・死因（簡単分類）別 | 216 |
| 第 54 表 死亡者数、性・月・死因（簡単分類）別 | 230 |
| 第 55 表 死亡者数、性・死因（簡単分類）・都道府県一七大都市（再掲）別 | 244 |
| 第 56 表 死亡者数、性・施設・死因（簡単分類）別 | 272 |
| 第 57 表 乳児（1才未満）死亡者数、性・月・死因（簡単分類）別 | 280 |
| 第 58 表 乳児（1才未満）死亡者数、性・日一月齢・死因（簡単分類）別 | 288 |
| 第 59 表 乳児（1才未満）死亡者数、性・死因（簡単分類）・都道府県一 七大都市（再掲）別 | 306 |
| 第 60 表 15才以上死亡者数、性・死因（簡単分類）・職業（中分類）別 | 334 |
| 第 61 表 15才以上死亡者数、性・死因（簡単分類）・産業（中分類）別 | 376 |
| 第 62 表 交通事故以外の不慮の事故（E 870—E 936）死亡者数、性・年齢 （特定階級）・傷害発生の場所・死因（基本分類）別 | 418 |
| 第 63 表 交通事故以外の不慮の事故（E 870—E 936）15才以上従業中死亡者数、 性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別 | 446 |
| 第 64 表 外因による死亡者数、性・年齢（特定階級）・外因—傷害の性質相互分 類の死因（簡単分類）別 | 462 |
| 付録 | |
| 第 7 表 日本における外国人の死因 | 470 |

表章記号の規約 Symbols used in tables

| | |
|-----|---|
| — | 計数のない場合 Magnitude zero |
| ... | 計数不明の場合 Data not available |
| . | 統計項目のありえない場合 Category not applicable |
| 0.0 | 数値が微小（0.05未満）の場合 Magnitude less than half of unit employed |

| | |
|---------------------------------|------------|
| 1. 死亡者数, 性・死因(簡単分類)・国籍別 | 470 |
| 2. 乳児(1才未満)死亡者数, 性・死因(簡単分類)・国籍別 | 477 |
| 第 8 表 外国における日本人の死因 | 484 |
| 1. 死亡者数, 性・死因(簡単分類)別 | 484 |
| 2. 乳児(1才未満)死亡者数, 性・死因(簡単分類)別 | 488 |

上巻 内容

まえがき

第Ⅰ編 記述

| | |
|----------------------|--|
| 第 1 章 人口動態統計作成の手続 | |
| 第 2 章 比率の計算式と死因分類の解説 | |
| 第 3 章 出 生 | |
| 第 4 章 死 産 | |
| 第 5 章 死 亡 | |
| 第 6 章 乳 児 死 亡 | |
| 第 7 章 婚 姻 | |
| 第 8 章 離 婚 | |
| 基 礎 人 口 | |
| 英 文 概 要 | |

第Ⅱ編 統 計 表

統 計 表 一覧

総 覧

| | |
|---|--|
| 第 1 表 人口動態総覧, 都道府県・市・郡部 - 七大都市(再掲)別 | |
| 第 2 表 発生地による出生児数・死亡者数・死産胎数, 都道府県・市・郡部 - 七大都市(再掲)別 | |

出 生

| | |
|--|--|
| 第 3 表 出生児数, 施設・立会者・都道府県・市・郡部 - 七大都市(再掲)別 | |
| 第 4 表 出生児数, 性・月・都道府県 - 七大都市(再掲)別 | |
| 第 5 表 出生児数, 性・出産順位・都道府県 - 七大都市(再掲)別 | |
| 第 6 表 出生児数, 母の年齢(5才階級)・都道府県 - 七大都市(再掲)別 | |

| | |
|---|--|
| 第 7 表 出生児数, 性・母の年齢(5才階級)・出産順位別 | |
| 第 8 表 出生児数, 性・母の年齢(5才階級)・出生順位別 | |
| 第 9 表 嫁出出生児数, 父母相互の年齢(各才)・出生順位別 | |
| 第 10 表 非嫁出出生児数, 性・母の年齢(各才)別 | |
| 第 11 表 嫁出出生児数, 結婚年次・母の年齢(5才階級)・出生順位別 | |
| 第 12 表 嫁出出生児数, 結婚期間・母の年齢(5才階級)・出生順位別 | |
| 第 13 表 嫁出出生児数, 父の年齢(5才階級)・父の職業(中分類)別 | |
| 第 14 表 分娩件数, 出生 - 死産・性・単一複産・母の年齢(5才階級)別 | |
| 死 産 | |
| 第 15 表 死産胎数, 施設・立会者・都道府県・市・郡部 - 七大都市(再掲)別 | |
| 第 16 表 死産胎数, 後期(妊娠第8月以後)死産胎数, 施設・自然 - 人工・市・郡部(全国)・都道府県 - 七大都市(再掲)別 | |
| 第 17 表 死産胎数, 自然 - 人工・月・都道府県 - 七大都市(再掲)別 | |
| 第 18 表 死産胎数, 性(全国)・自然 - 人工・妊娠期間(各月)・市・郡部(全国)・都道府県 - 七大都市(再掲)別 | |
| 第 19 表 死産胎数, 自然 - 人工・妊娠期間(各月)・嫡出 - 非嫡出別 | |
| 第 20 表 後期(妊娠第8月以後)死産胎数, 自然 - 人工・月・都道府県 - 七大都市(再掲)別 | |
| 第 21 表 後期(妊娠第8月以後)死産胎数, 母の年齢(5才階級)・都道府県 - 七大都市(再掲)別 | |
| 第 22 表 後期(妊娠第8月以後)死産胎数, 性・母の年齢(各才)・嫡出 - 非嫡出別 | |
| 第 23 表 後期(妊娠第8月以後)死産胎数, 性・自然 - 人工・母の年齢(5才階級)・出産順位別 | |
| 第 24 表 医師の立会による死産胎数, 妊娠期間・自然 - 人工・原因別 | |
| 死 亡 | |
| 第 25 表 死亡者数, 乳児(1才未満)死亡者数, 新生児(生後4週未満・生後1週未満)死亡者数, 施設・都道府県・市・郡部 - 七大都市(再掲)別 | |
| 第 26 表 死亡者数, 性・月・都道府県 - 七大都市(再掲)別 | |
| 第 27 表 死亡者数, 性・年齢(5才階級)・都道府県 - 七大都市(再掲)別 | |
| 第 28 表 死亡者数, 性・年齢(各才)・都道府県 - 七大都市(再掲)別 | |
| 第 29 表 15才以上死亡者数, 性・年齢(5才階級)・配偶関係別 | |
| 第 30 表 死亡者数, 性・月・生年年齢別; 死亡者数, 性・年齢(各才)別 | |

| | |
|-------------|---|
| 第 31 表 | 15才以上死亡者数, 性・年齢(5才階級)・職業(中分類)別 |
| 第 32 表 | 15才以上死亡者数, 性・年齢(5才階級)・産業(中分類)別 |
| 乳児死亡 | |
| 第 33 表 | 乳児(1才未満)死亡者数, 新生児(生後4週未満・生後1週未満)死亡者数, 性・月・都道府県-七大都市(再掲)別 |
| 第 34 表 | 乳児(1才未満)死亡者数, 性・月・日-月齢別 |
| 第 35 表 | 乳児(1才未満)死亡者数, 性・日-月齢・都道府県-七大都市(再掲)別 |
| 婚姻 | |
| 第 36 表 | 婚姻件数, 届出月・都道府県-七大都市(再掲)別 |
| 第 37 表 | 婚姻件数, 届出月・挙式の年月・全国-七大都市の計(再掲)別 |
| 第 38 表 | 婚姻件数, 夫妻相互の初婚-再婚・都道府県-七大都市(再掲)別 |
| 第 39 表 | 婚姻件数, 夫妻相互の国籍別 |
| 第 40 表 | 婚姻件数, 夫妻相互の年齢(各才)・夫妻相互の初婚-再婚別 - 昭和41年挙式届出のもの |
| 第 41 表 | 平均婚姻年齢, 初婚-再婚者別; 初婚・再婚者数, 夫妻の年齢(各才)別; 都道府県-七大都市(再掲)別 - 昭和41年挙式届出のもの |
| 第 42 表 | 夫・妻の再婚者数, 前婚解消の年・再婚時年齢(5才階級)別 - 昭和41年挙式届出のもの |
| 離婚 | |
| 第 43 表 | 離婚件数, 月・都道府県-七大都市(再掲)別 |
| 第 44 表 | 離婚件数, 月・同居をやめた年月別 |
| 第 45 表 | 離婚件数, 夫妻相互の年齢(各才)別 - 昭和41年同居停止届出のもの |
| 第 46 表 | 離婚件数, 種類・都道府県-七大都市(再掲)別 |
| 第 47 表 | 離婚件数, 種類・同居期間別 |
| 第 48 表 | 離婚件数, 夫妻の年齢(5才階級)・同居期間別 - 昭和41年同居停止届出のもの |
| 第 49 表 | 離婚件数, 夫妻が親権をおこなう子の数別 |
| 第 50 表 | 離婚件数, 夫妻が親権をおこなう子の数別 - 昭和41年同居停止届出のもの |
| 第 51 表 | 離婚件数, 同居期間・夫妻が親権をおこなう子の数別 - 昭和41年同居停止届出のもの |

付録

| | |
|-------|---------------------------------------|
| 第 1 表 | 発生地による乗児数, 性・推定生年・都道府県-七大都市(再掲)別 |
| 第 2 表 | 発生地による届出遅れ出生児数, 性・生年・都道府県-七大都市(再掲)別 |
| 第 3 表 | 発生地による届出遅れ死亡者数, 性・死亡の年・都道府県-七大都市(再掲)別 |
| 第 4 表 | 日本における外国人の人口動態 |
| 1. | 出生児数, 性・月・国籍別 |
| 2. | 死産胎数, 性・月・国籍別 |
| 3. | 死亡者数, 性・月・国籍別 |
| 4. | 死亡者数, 性・年齢(5才階級)・国籍別 |
| 5. | 乳児(1才未満)死亡者数, 性・月・国籍別 |
| 6. | 婚姻件数, 夫妻相互の国籍別 |
| 7. | 平均婚姻年齢, 初婚・再婚者数 - 昭和41年挙式届出のもの |
| 8. | 離婚件数, 種類別 |
| 第 5 表 | 外国における日本人の人口動態 |
| 1. | 出生児数, 性・月別 |
| 2. | 死亡者数, 性・月別 |
| 3. | 死亡者数, 性・年齢(5才階級)別 |
| 4. | 乳児(1才未満)死亡者数, 性・月別 |
| 5. | 平均婚姻年齢, 初婚・再婚者数 - 昭和41年挙式届出のもの |
| 6. | 離婚件数, 種類別 |
| 第 6 表 | 乳児(1才未満)死亡者数, 月・出生年月別 - 昭和40年・昭和41年 |
| 特集 | 昭和41年の出生減少について |

VITAL STATISTICS, 1966, JAPAN VOLUME 2

CONTENTS OF VOL. 2

| | |
|---|-----|
| Reference to the international list number of causes of death..... | 12 |
| Structure of the international statistical classification of disease, injuries, and causes of death | 13 |
| List of statistical classification of causes of death in Japan (refered to English) | 16 |
| 1. Detailed list of statistical classification of diseases, injuries, and causes of death | 16 |
| 2. Abbreviated list of 50 causes for tabulation of mortality (B list) | 39 |
| Table 52. Deaths from causes (detailed list) by sex and age; for all Japan..... | 44 |
| Table 53. Deaths from causes (abbreviated list) by sex and age; for all Japan | 216 |
| Table 54. Deaths from causes (abbreviated list) by sex and month of occurrence; for all Japan | 230 |
| Table 55. Deaths from causes (abbreviated list) by sex; for all Japan, prefectures and 7 largest cities | 244 |
| Table 56. Deaths from causes (abbreviated list) by sex, and hospitalization; for all Japan | 272 |
| Table 57. Infant deaths (under 1 year of age) from causes by sex and month of occurrence; for all Japan | 280 |
| Table 58. Infant deaths (under 1 year of age) from causes by sex and detailed age; for all Japan | 288 |
| Table 59. Infant deaths (under 1 year of age) from causes (abbreviated list) by sex; for all Japan, prefectures, and 7 largest cities | 306 |
| Table 60. Deaths at ages 15 and over from causes (abbreviated list) by sex and occupation; for all Japan | 334 |
| Table 61. Deaths at ages 15 and over from causes (abbreviated list) by sex and industry; for all Japan | 376 |
| Table 62. Non-transport accidental deaths (E870-E936) by sex, age and cause (detailed list) accord- ing to the place of occurrence of the accident; for all Japan | 418 |
| Table 63. Non-transport accidental deaths (E870-E936) at work in ages 15 and over by sex, age, and cause (detailed list) according to the place of occurrence of the accident; for all Japan | 446 |
| Table 64. Deaths from external causes by sex and age, cross classified by E and N classification; for all Japan | 462 |
| Appendix 7. Causes of deaths for foreigners in Japan | 470 |
| Appendix 8. Causes of deaths for Japanese in foreign countries | 484 |

CONTENTS OF VOL. 1

Preface

Part I Description


| | |
|------------|--|
| Chapter 1. | The reporting process and government provisions |
| Chapter 2. | Explanation on rates and ratios, and classification of causes of death |
| Chapter 3. | Live Births |
| Chapter 4. | Foetal Deaths |
| Chapter 5. | Deaths |
| Chapter 6. | Infant Deaths |
| Chapter 7. | Marriages |
| Chapter 8. | Divorces |
| | Population |
| | English Summary (An outline of vital statistics in Japan) |

Part II Statistical Tables

| | |
|-----------|---|
| Table 1. | Summary table of vital statistics; for all Japan, prefectures, urban and rural, and 7 largest cities |
| Table 2. | Live births, deaths, and foetal deaths by place of occurrence; for all Japan, prefectures, urban and rural, and 7 largest cities |
| Table 3. | Live birth by hospitalization and attendant; for all Japan, prefectures, urban and rural, and 7 largest cities |
| Table 4. | Live births by sex and month of occurrence; for all Japan, prefectures, and 7 largest cities |
| Table 5. | Live births by sex and total birth order; for all Japan, prefectures, and 7 largest cities |
| Table 6. | Live births by age of mother; for all Japan, prefectures, and 7 largest cities |
| Table 7. | Live births by sex, age of mother, and total birth order; for all Japan |
| Table 8. | Live births by sex, age of mother, and live birth order; for all Japan |
| Table 9. | Legitimate children by sex and combined age of both father and mother; for all Japan |
| Table 10. | Illegitimate children by sex and age of mother; for all Japan |
| Table 11. | Legitimate children by year of marriage, age of mother and live birth order; for all Japan |
| Table 12. | Legitimate children by duration of marriage, age of mother and live birth order; for all Japan |
| Table 13. | Legitimate children by age and occupation of father; for all Japan |
| Table 14. | Deliveries by sex, type (live or still born; single or multiple), and age of mother; for all Japan |
| Table 15. | Foetal deaths by hospitalization and attendant, for all Japan, prefectures, urban and rural (all Japan) and 7 largest cities |
| Table 16. | Foetal deaths and late foetal deaths by hospitalization and type (spontaneous or artificial); for all Japan, prefectures, urban and rural (all Japan), 7 largest cities |
| Table 17. | Foetal deaths by type (spontaneous or artificial) and month of occurrence; for all Japan, prefec- tures and 7 largest cities |
| Table 18. | Foetal deaths by sex (all Japan), type (spontaneous or artificial), and period of gestation; for all Japan, prefectures, and 7 largest cities; urban and rural (all Japan) |
| Table 19. | Foetal deaths by type (spontaneous or artificial), period of gestation and legitimacy; for all Japan |
| Table 20. | Late foetal deaths by type (spontaneous or artificial), month of occurrence and prefectures, 7 largest cities; for all Japan |
| Table 21. | Late foetal deaths by age of mother; for all Japan, prefectures, and 7 largest cities |
| Table 22. | Late foetal deaths by sex, age of mother, and legitimacy; for all Japan |
| Table 23. | Late foetal deaths by sex, age of mother and type (spontaneous or artificial); for all Japan |
| Table 24. | Foetal deaths attended by physician from causes by period of gestation, and type (spontaneous or artificial); for all Japan |


- Table 25. Deaths, infant deaths, and neonatal deaths by hospitalization; for all Japan, prefecture, urban and rural, and 7 largest cities
- Table 26. Deaths by sex and month of occurrence, for all Japan, prefectures, and 7 largest cities.
- Table 27. Deaths by sex and age; for all Japan, prefectures, and 7 largest cities
- Table 28. Deaths by sex and each age; for all Japan, prefectures, and 7 largest cities
- Table 29. Deaths at ages 15 and over by sex, age, and marital status; for all Japan
- Table 30. Deaths by sex, month of occurrence, and age by year of birth; for all Japan
- Table 31. Deaths at ages 15 and over by sex, age and occupation; for all Japan
- Table 32. Deaths at ages 15 and over by sex, age and industry; for all Japan
- Table 33. Infant deaths and neonatal deaths by sex and month of occurrence; for all Japan, prefectures and 7 largest cities
- Table 34. Infant deaths by sex and detailed age; for all Japan
- Table 35. Infant deaths by sex and detailed age; for all Japan, prefectures and 7 largest cities
- Table 36. Marriages by month of registration; for all Japan, prefectures and 7 largest cities
- Table 37. Marriages by month of registration, and month and year of wedding; for all Japan and total of 7 largest cities
- Table 38. Marriages by marital status of participant; for all Japan, prefectures and 7 largest cities
- Table 39. Marriages by cross-classified natalities between husband and wife; for all Japan
- Table 40. Marriages cross-classified by age and marital status of participants; for all Japan — for marriages weded and registered in 1966
- Table 41. Average age at wedding and persons married by age and previous marital status; for all Japan, prefectures, and 7 largest cities — for marriages weded and registered during 1966
- Table 42. Remarried brides by year of last separation and age of remarriage; for all Japan — for marriages weded and registered during 1966
- Table 43. Divorces by month of registration; for all Japan, prefectures, and 7 largest cities
- Table 44. Divorces by year and month of cessation of cohabitation, and month of registration; for all Japan
- Table 45. Divorces by cross-classified ages of both husband and wife at cessation of cohabitation; for all Japan — for divorces separated and registered during 1966
- Table 46. Divorces by legal ground; for all Japan, prefectures, and 7 largest cities
- Table 47. Divorces by legal ground and duration of marriage; for all Japan
- Table 48. Divorces by age and duration of marriage; for all Japan — for divorces separated and registered during 1966
- Table 49. Divorces by number of dependent children on husband or wife; for all Japan
- Table 50. Divorces by number of dependent children; for all Japan — for divorces separated and registered during 1966
- Table 51. Divorces by duration of marriages and number of dependent children; for all Japan — for divorces separated and registered during 1966
- Appendix 1. Children found exposed by estimated year of birth, sex, and place of occurrence; for all Japan, prefectures, and 7 largest cities
- Appendix 2. Delayed registration of live births by sex, year of birth, and place of occurrence; for all Japan, prefectures, and 7 largest cities
- Appendix 3. Delayed registration of death by sex, year of death, and place of occurrence; for all Japan, prefectures, and 7 largest cities
- Appendix 4. Vital statistics for foreigners in Japan
- Appendix 5. Vital statistics for Japanese in foreign countries
- Appendix 6. Infant deaths by month of occurrence and month of birth in 1965 and 1966.
- Special Feature. On the extraordinary decline in birth in 1966.

Each prefecture is denoted by the serial number given here. Prefecture is an administrative area over cities, towns and villages.



疾病、傷害および死因統計分類の分類体系(001-795, E800-E999, N800-N999)

STRUCTURE OF THE STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH



本書の死因統計に用いられている死因分類は、第7回修正の国際疾病、傷害および死因統計分類が基礎となつてゐるので、この分類体系をは握する参考として、はじめに疾病、傷害および死因統計分類の分類体系をかかげる。


つぎに従来は各統計表の死因名欄に英文が併記されていたが、その繁雑さをさけるために、日本における死因統計分類表として、1. 疾病、傷害および死因の統計分類基本分類表、2. 50項目死因簡単分類表をそれぞれ英文と対照してここにかかげ、さらに簡単分類表については、各項目に対応する基本分類番号もあわせて付した。

Reference to the international list number of causes of death

For the convenience of compilation, English translation is not put for each category in the table, but just list number. But to help English readers, the reference to list number is shown here as follows:


不慮の事故、中毒および暴力（外因）(E800-E999)

ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)



不慮の事故、中毒および暴力（傷害の性質）(N800-N999)

ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)



日本における死因統計分類表（英文対照）

LIST OF STATISTICAL CLASSIFICATION OF CAUSES OF DEATH IN JAPAN (REFERRED TO ENGLISH)

1 疾病、傷害および死因の統計分類基本分類表 DETAILED LIST OF STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH

I 伝染病および寄生虫病

呼吸器系の結核 (001—008)

- 001 肺の職業疾患の記載のある呼吸器結核
 - 001. a けい肺症の記載のある呼吸器結核
 - 001. b その他の塵肺症の記載のある呼吸器結核
 - 001. c その他の職業疾患有伴う呼吸器結核
- 002 肺結核
 - 002. a 肺結核（粟粒結核の記載のないもの）
 - 002. b 粟粒結核の記載のあるもの
 - 002. c その他の部位の結核を合併するもの
- 003 胸膜結核
 - 003.0 結核性と明示された胸膜炎
 - 003.1 原因の記載のない滲出性胸膜炎
- 004 症状を伴う結核初期変化群
- 005 症状を伴う気管支炎・腺結核
- 006 X線所見による活動性呼吸器結核（他の項に分類されないもの）
- 007 その他の呼吸器結核
- 008 部位不明の結核

その他の結核 (010—019)

- 010 脊膜および中枢神経系の結核
- 011 腸、腹膜および腸間膜リンパ腺の結核
 - 011. a 腸
 - 011. b 腹膜
 - 011. c その他
- 012 骨および関節の結核（活動性または詳細不明）
 - 012. a 脊椎結核（活動性または詳細不明）
 - 012. b 股結核（活動性または詳細不明）
 - 012. c 膝結核（活動性または詳細不明）
 - 012. d その他および詳細不明の骨結核（活動性または詳細不明）
 - 012. e その他および詳細不明の関節結核（活動性または詳細不明）
- 013 骨および関節の結核の後遺症
 - 013. a 脊椎結核の後遺症
 - 013. b 股結核の後遺症
 - 013. c 膝結核の後遺症
 - 013. d その他および詳細不明の骨結核の後遺症
 - 013. e その他および詳細不明の関節結核の後遺症
- 014 皮膚および皮下結合組織の結核
- 015 リンパ系の結核
- 016 性器系の結核
 - 016. a 性器の結核
 - 016. b 泌尿器の結核
- 017 副腎の結核
- 018 その他の臓器の結核
 - 018. 0 眼の結核
 - 018. 1 耳の結核
 - 018. 2 その他
- 019 播種結核
 - 019. 0 急性粟粒結核（肺以外と明示されたもの）
 - 019. 1 詳細不明の急性粟粒結核
 - 019. 2 その他の播種結核

INFECTIVE AND PARASITIC DISEASES

Tuberculosis of respiratory system

- Respiratory tuberculosis with mention of occupational disease of lung
 - Respiratory tuberculosis with mention of silicosis
 - Respiratory tuberculosis with mention of other pneumoconiosis
 - Respiratory tuberculosis with other occupational diseases of lung
- Pulmonary tuberculosis
 - Pulmonary tuberculosis without mention of miliary tuberculosis
 - Pulmonary tuberculosis with mention of miliary tuberculosis
 - Pulmonary tuberculosis complicated by tuberculosis of other sites
- Pleural tuberculosis
 - Pleurisy specified as tuberculosis
 - Pleurisy with effusion without mention of cause
- Primary tuberculosis complex with symptoms
- Tracheobronchial glandular tuberculosis with symptoms
- Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere
- Other respiratory tuberculosis
- Tuberculosis, unspecified site

Tuberculosis, other forms

- Tuberculosis of meninges and central nervous system
- Tuberculosis of intestines, peritoneum, and mesenteric glands
 - Tuberculosis of intestines
 - Tuberculosis of peritoneum
 - Other
- Tuberculosis of bones and joints, active or unspecified
 - Active or unspecified tuberculosis of vertebral column
 - Active or unspecified tuberculosis of hip
 - Active or unspecified tuberculosis of knee
 - Active or unspecified tuberculosis of other and unspecified bones
 - Active or unspecified tuberculosis of other and unspecified joints
- Late effects of tuberculosis of bones and joints
 - Late effects of tuberculosis of vertebral column
 - Late effects of tuberculosis of hip
 - Late effects of tuberculosis of knee
 - Late effects of tuberculosis of other and unspecified bones
 - Late effects of tuberculosis of other and unspecified joints
- Tuberculosis of skin and subcutaneous cellular tissue
- Tuberculosis of lymphatic system
- Tuberculosis of genito-urinary system
 - Tuberculosis of genital organs
 - Tuberculosis of urinary organs
- Tuberculosis of adrenal glands
- Tuberculosis of other organs
 - Tuberculosis of eye
 - Tuberculosis of ear
 - Other
- Disseminated tuberculosis
 - Acute military tuberculosis specified as non-pulmonary
 - Acute military tuberculosis, unspecified
 - Other forms of disseminated tuberculosis

梅毒およびその続発症 (020—029)

- 020 先天梅毒
- 021 早期梅毒
- 022 梅毒性大動脈瘤
- 023 その他の心臓血管梅毒
- 024 青筋病
- 025 進行麻痺
- 026 その他の中枢神経系の梅毒
- 027 その他の晚期梅毒
- 028 潜伏梅毒
- 029 分類不明の梅毒

淋菌感染およびその他の性病 (030—039)

- 030 急性または詳細不明の淋菌感染
- 031 性器系の慢性淋菌感染
- 032 関節の淋菌感染
- 033 眼の淋菌感染
- 034 その他の部位の淋菌感染
- 035 淋菌感染の後遺症
- 036 敏性下疳
- 037 そけいリンパ肉芽腫
- 038 性病性肉芽腫
- 039 その他および詳細不明の性病

腸管伝染病 (040—049)

- 040 腸チフス
- 041 パラチフス
- 042 その他のサルモネラ感染
- 043 コレラ
- 044 ブルセラ症（波状熱）
- 045 細菌性赤痢
 - 045. a 疫病症状を呈するもの
 - 045. b その他
- 046 アメーバ症
- 047 その他の原虫性赤痢
- 048 詳細不明の赤痢
- 049 食物中毒（感染および中毒）

その他の細菌性疾患 (050—064)

- 050 星紅熱
- 051 レンサ球菌性口咬炎
- 052 丹毒
- 053 敗血症および膿血症
- 054 細菌性毒血症
- 055 ジフテリア
- 056 百日咳
- 057 脳膜炎菌感染
- 058 ベスト
- 059 野兎病
- 060 瘰
 - 060. 0 結節瘻
 - 060. 1 神經瘻
 - 060. 2 混合瘻
 - 060. 3 詳細不明のもの
- 061 破傷風
- 062 炭疽
- 063 ガス壊疽
- 064 その他の細菌性疾患

スピロヘータ病（梅毒を除く） (070—074)

- 070 ワンサン感染
- 071 回帰熱
- 072 レブトスピラ症
 - 072. 0 黄疸出血性レブトスピラ症（ワイル病）
 - 072. 1 その他および詳細不明のもの
- 073 フランベシア
- 074 その他のスピロヘータ感染

Syphilis and sequelae

- Congenital syphilis
- Early syphilis
- Aneurysm of aorta
- Other cardiovascular syphilis
- Tabes dorsalis
- General paralysis of insane
- Other syphilis of central nervous system
- Other forms of late syphilis
- Latent syphilis
- Syphilis, unqualified

Gonococcal infection and other venereal diseases

- Acute or unspecified gonorrhoea
- Chronic gonococcal infection of genito-urinary system
- Gonococcal infection of joint
- Gonococcal infection of eye
- Gonococcal infection of other sites
- Late effects of gonococcal infection
- Chancroid
- Lymphogranuloma venereum
- Granuloma inguinale, venereal
- Other and unspecified venereal disease

Infectious diseases commonly arising in intestinal tract

- Typhoid fever
- Paratyphoid fever
- Other Salmonella infections
- Cholera
- Brucellosis (undulant fever)
- Bacillary dysentery
 - With Ekiri syndrome
 - Other
- Amoebiasis
- Other protozoal dysentery
- Unspecified forms of dysentery
- Food poisoning (infection and intoxication)

Other bacterial disease

- Scarlet fever
- Streptococcal sore throat
- Erysipelas
- Septicaemia and pyaemia
- Bacterial toxæmia
- Diphtheria
- Whooping cough
- Meningococcal infections
- Plague
- Tularaemia
- Leprosy
 - Lepromatous leprosy
 - Neuroleprosy
 - Mixed
 - Unspecified
- Tetanus
- Anthrax
- Gas gangrene
- Other bacterial diseases

Spirochaetal diseases, except syphilis

- Vincent's infection
- Relapsing fever
- Leptospirosis
 - Leptospirosis icterohaemorrhagica (Weil's disease)
 - Other and unspecified
- Yaws
- Other spirochaetal infections

ビールスによる疾患 (080—096)

- 080 急性灰白脳炎
 - 080.0 球型または灰白脳炎と明示されたもの
 - 080.1 その他の麻痺を伴うもの
 - 080.2 非麻痺性と明示されたもの
 - 080.3 詳細不明のもの
- 081 急性灰白脳炎の後遺症
- 082 急性伝染性脳炎
 - 082. a 日本脳炎
 - 082. b その他の節足動物の媒介による脳炎
 - 082. c リンパ球性脳膜炎
 - 082. d 嗜眠性脳炎
 - 082. e その他および詳細不明の伝染性脳炎
- 083 急性伝染性脳炎の後遺症
- 084 痢 痢
- 085 麻 疹
 - 085.0 肺炎の記載のないもの
 - 085.1 肺炎を伴うもの
- 086 風 疹
- 087 水 痘
- 088 带状疱疹
- 089 流行性耳下腺炎
- 090 デング熱
- 091 黄 热
- 092 伝染性肝炎
- 093 腺熱(伝染性单核細胞症)
- 094 狂犬病
- 095 トロコーマ
- 096 ビールスによるその他の疾患
 - 096. a オウム病およびハト病
 - 096. b 伝染性下痢症
 - 096. c その他の

発疹チフスおよびその他のリケッチャ病 (100—108)

- 100 シラミ媒介の流行性発疹チフス
- 101 発疹熱およびその他のノミ媒介の地方流行性発疹チフス様疾患(ネズミ系)
- 102 ブリル病(シラミまたはノミ媒介の発疹チフスとして特記されないもの)
- 103 メキシコ発疹チフス(ノミまたはシラミ媒介として特記されないもの)
- 104 ダニ媒介の発疹チフス様疾患
- 105 憎虫病およびその他のコダニ媒介の発疹チフス様疾患
- 106 壬 热
- 107 詳細不明の発疹チフス様疾患
- 108 その他のリケッチャ病

マラリア (110—117)

- 110 三日熱マラリア(良性三日熱)
- 111 四日熱マラリア(四日熱)
- 112 热帯熱マラリア(悪性三日熱)
- 113 卵形三日熱マラリア
- 114 混合感染マラリア
- 115 黒水熱
- 116 その他および詳細不明のマラリア
- 117 再発接種マラリア

その他の伝染病および寄生虫病 (120—138)

- 120 リーシュマニア症
- 121 トリパノソーマ症
- 122 その他の原虫症
- 123 住血吸虫症
 - 123. a 日本住血吸虫症
 - 123. b その他の
- 124 その他の吸虫症
 - 124. 0 肝吸虫症
 - 124. 1 肺吸虫症
 - 124. 2 その他の
- 125 胞虫症

Disease attributable to viruses

- Acute poliomyelitis
 - Specified as bulbar or polio-encephalitis
 - With other paralysis
 - Specified as non-paralytic
 - Unspecified
- Late effects of acute poliomyelitis
 - Acute infectious encephalitis
 - Japanese B encephalitis
 - Other arthropod-borne encephalitis
 - Lymphocytic choriomeningitis
 - Lethargic encephalitis
 - Other and unspecified infectious encephalitis
- Late effects of acute infectious encephalitis
 - Smallpox
 - Measles
 - Without mention of pneumonia
 - With pneumonia
 - Rubella (German measles)
 - Chickenpox
 - Herpes zoster
 - Mumps
 - Dengue
 - Yellow fever
 - Infectious hepatitis
 - Glandular fever (infectious mononucleosis)
 - Rabies
 - Trachoma
 - Other disease attributable to viruses
 - Psiittacosis and ornithosis
 - Infectious diarrhoea
 - Other

Typhus and other rickettsial diseases

- Louse-borne epidemic typhus
- Flea-borne endemic typhus (murine)
 - Brill's disease, not specified as louse- or flea-borne
- Tabardillo (Mexican typhus), not specified as louse- or flea-borne
- Tick-borne typhus
- Mite-borne typhus
- Volhynian fever (trench fever)
- Typhus, unspecified
- Other rickettsial diseases

Malaria

- Vivax malaria (benign tertian)
- Malariae malaria (quartan)
- Falciparum malaria (malignant tertian)
- Ovale malaria
- Mixed malarial infections
- Blackwater fever
- Other and unspecified forms of malaria
- Recurrent induced malaria

Other infective and parasitic diseases

- Leishmaniasis
- Trypanosomiasis
- Other protozoal diseases
- Schistosomiasis
 - Oriental schistosomiasis (*S. japonicum*)
 - Other
- Other trematode infestation
 - Clonorchiasis
 - Paragonimiasis
 - Other
- Hydatid disease

- 126 その他の条虫症
- 127 絲状虫症
- 128 施毛虫症
- 129 鉤虫症(十二指腸虫症)
- 130 その他の混合および詳細不明の蠕虫症
 - 130. 0 回虫症
 - 130. 1 蝶虫症
 - 130. 2 腸管内混合蠕虫症
 - 130. 3 その他の
- 131 皮膚真菌症
- 132 放線菌症
- 133 コクチジオイデス症
- 134 その他の真菌感染
 - 134. a カーフジダ症
 - 134. b その他の
- 135 痱 痒
- 136 シラミ症
- 137 その他の節足動物の寄生
- 138 その他の伝染病および寄生虫病
 - 138. a 泉熱
 - 138. b その他の

II 新 生 物

口腔および咽頭の悪性新生物 (140—148)

- 140 口唇の悪性新生物
- 141 舌の悪性新生物
- 142 唾液腺の悪性新生物
- 143 口底の悪性新生物
- 144 その他の部位および部位不明の口腔の悪性新生物
- 145 中部咽頭の悪性新生物
 - 145. a 扁桃
 - 145. b その他の
- 146 上部咽頭の悪性新生物
- 147 下部咽頭の悪性新生物
- 148 詳細不明の咽頭の悪性新生物

消化器および腹膜の悪性新生物 (150—159)

- 150 食道の悪性新生物
 - 150. a 上部
 - 150. b 中部
 - 150. c 下部
 - 150. d 多部位および部位不明
- 151 胃の悪性新生物
 - 151. a 噛門部
 - 151. b 胃門部
 - 151. c その他の
- 152 小腸の悪性新生物(十二指腸を除む)
 - 152. a 十二指腸
 - 152. b その他の
- 153 大腸の悪性新生物(直腸を除く)
 - 153. a 盲腸、虫垂および上行結腸
 - 153. b 横行結腸および下行結腸
 - 153. c S状結腸
 - 153. d 多部位および部位不明
 - 153. e 詳細不明の腸管
- 154 直腸の悪性新生物
- 155 胆路および原発と記載された肝臓の悪性新生物
 - 155. 0 肝臓
 - 155. 1 胆囊および肝外胆管(ファーテル乳頭を含む)
 - 155. 8 多部位
- 156 肝臓の悪性新生物(続発性および詳細不明)
- 157 脾臓の悪性新生物
- 158 腹膜の悪性新生物
- 159 詳細不明の消化器の悪性新生物

Other cestode infestation

- Filarisis
- Trichiniasis
- Ankylostomiasis
- Infestation with worms of other, mixed, and unspecified type

- Ascariasis
- Oxyuriasis
- Mixed intestinal helminth infestation
- Other

- Dermatophytosis
- Actinomycosis
- Coccidioidomycosis
- Other fungus infections

- Moniliasis
- Other

- Scabies

- Pediculosis

- Other arthropod infestation

- Other infective and parasitic diseases

- Izumi's fever

- Other

NEOPLASMS

Malignant neoplasm of buccal cavity and pharynx

- Malignant neoplasm of lip
- Malignant neoplasm of tongue
- Malignant neoplasm of salivary gland
- Malignant neoplasm of floor of mouth
- Malignant neoplasm of other parts of mouth, and of mouth, unspecified
- Malignant neoplasm of oral mesopharynx
 - Tonsil (excluding pillars)
 - Other
- Malignant neoplasm of nasopharynx
- Malignant neoplasm of hypopharynx
- Malignant neoplasm of pharynx, unspecified

Malignant neoplasm of digestive organs and peritoneum

- Malignant neoplasm of oesophagus
 - Upper part
 - Middle part
 - Lower part
 - Multiple part and part unspecified
- Malignant neoplasm of stomach
 - Cardia
 - Pylorus
 - Other
- Malignant neoplasm of small intestine, including duodenum
 - Duodenum
 - Other
- Malignant neoplasm of large intestine, except rectum
 - Caecum, appendix, and ascending colon
 - Transverse colon, including hepatic and splenic flexures, and descending colon
 - Sigmoid colon
 - Multiple sites and site unspecified
 - Intestinal tract, part unspecified
- Malignant neoplasm of rectum
- Malignant neoplasm of biliary passages and of liver (stated to be primary site)
 - Liver
 - Gallbladder and extrahepatic gall ducts, including ampulla of Vater
 - Multiple sites
- Malignant neoplasm of liver (secondary and unspecified)
 - Malignant neoplasm of pancreas
 - Malignant neoplasm of peritoneum
 - Malignant neoplasm of unspecified digestive organs

呼吸器系の悪性新生物 (160—165)

- 160 鼻、鼻腔、中耳および副鼻腔の悪性新生物
 - 160.0 鼻(内)および鼻腔
 - 160.1 耳管および中耳
 - 160.2 上頸 涡
 - 160.7 その他の副鼻腔
 - 160.8 多部位
 - 160.9 部位不明
- 161 喉頭の悪性新生物
- 162 気管および気管支ならびに原発と明示された肺の悪性新生物
 - 162.0 気 管
 - 162.1 气管支および肺
 - 162.2 胸 膜
 - 162.8 多 部 位
- 163 原発、統発の別不明の肺の悪性新生物
- 164 線隔の悪性新生物
- 165 胸部臓器の悪性新生物(統発性)

乳房および性尿器の悪性新生物 (170—181)

- 170 乳房の悪性新生物
- 171 子宮頸の悪性新生物
- 172 子宮体の悪性新生物
- 173 子宮のその他の部位の悪性新生物(絨毛上皮腫を含む)
 - 173. a 絨毛上皮腫
 - 173. b そ の 他
- 174 詳細不明の子宮の悪性新生物
- 175 卵巣、卵管および子宮広間膜の悪性新生物
 - 175. a 卵 巖
 - 175. b そ の 他
- 176 その他および詳細不明の女性性器の悪性新生物
 - 176. a 外 隆
 - 176. b そ の 他
- 177 前立腺の悪性新生物
- 178 睾丸の悪性新生物
- 179 その他および詳細不明の男性性器の悪性新生物
 - 179. a 陰 茎
 - 179. b そ の 他
- 180 腎臓の悪性新生物
- 181 膀胱およびその他の泌尿器の悪性新生物
 - 181. a 膀 腱
 - 181. b そ の 他

その他および部位不明の悪性新生物 (190—199)

- 190 皮膚の悪性黒色腫
- 191 他の皮膚の悪性新生物
 - 191. a 顔、頭および頸
 - 191. b 体 幹
 - 191. c 上 肢
 - 191. d 下 肢
 - 191. e 多部位および部位不明
- 192 眼の悪性新生物
- 193 脳およびその他の神経系の悪性新生物
 - 193. a 脳
 - 193. b 脊 髓
 - 193. c 鏛 膜
 - 193. d 末梢神経
 - 193. e 交感神経
 - 193. f 多部位および部位不明
- 194 甲状腺の悪性新生物
- 195 他の内分泌腺の悪性新生物
 - 195. a 副 腺
 - 195. b 胸 原
 - 195. c 下垂体および頭蓋咽頭管
 - 195. d 他の内分泌腺および多部位
- 196 骨の悪性新生物
 - 196. a 頭蓋骨および顎面骨
 - 196. b 下 頸 骨
 - 196. c 脊椎、肋骨、胸骨、鎖骨および骨盤骨

Malignant neoplasm of respiratory system

- Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses
 - Nose (internal) and nasal cavities
 - Eustachian tube and middle ear
 - Maxillary sinus
 - Other specified sinus (accessory)
 - Multiple sites
 - Site unspecified
- Malignant neoplasm of larynx
- Malignant neoplasm of bronchus and trachea, and of lung specified as primary
 - Trachea
 - Bronchus and lung
 - Pleura
 - Multiple sites
- Malignant neoplasm of lung, unspecified as to whether primary or secondary
- Malignant neoplasm of mediastinum
- Malignant neoplasm of thoracic organs (secondary)

Malignant neoplasm of breast and genito-urinary organs

- Malignant neoplasm of breast
- Malignant neoplasm of cervix uteri
- Malignant neoplasm of corpus uteri
- Malignant neoplasm of other parts of uterus, including chorionepithelioma
 - Chorionepithelioma
 - Other
- Malignant neoplasm of uterus, unspecified
- Malignant neoplasm of ovary, Fallopian tube, and broad ligament
 - Ovary
 - Other
- Malignant neoplasm of other and unspecified female genital organs
 - Vulva
 - Other
- Malignant neoplasm of prostate
- Malignant neoplasm of testis
- Malignant neoplasm of other and unspecified male genital organs
 - Penis
 - Other
- Malignant neoplasm of kidney
- Malignant neoplasm of bladder and other urinary organs
 - Bladder
 - Other urinary organs and multiple sites

Malignant neoplasm of other and unspecified sites

- Malignant melanoma of skin
- Other malignant neoplasm of skin
 - Face, head and neck
 - Trunk
 - Upper limb
 - Lower limb
 - Multiple sites and site unspecified
- Malignant neoplasm of eye
- Malignant neoplasm of brain and other parts of nervous system
 - Brain
 - Spinal cord
 - Meninges
 - Peripheral nerves
 - Sympathetic nervous system
 - Multiple sites and site unspecified
- Malignant neoplasm of thyroid gland
- Malignant neoplasm of other endocrine glands
 - Suprarenal gland
 - Thymus
 - Pituitary gland and craniopharyngeal duct
 - Other endocrine glands and multiple glands
- Malignant neoplasm of bone
 - Bones of the skull and face
 - Lower jaw bone
 - Vertebral column, ribs, sternum, clavicle and pelvic bones

- 196. d 上肢の骨および肩甲骨
- 196. e 下肢の骨
- 196. f 多部位および部位不明
- 197 結合組織の悪性新生物
- 198 リンパ節の統発性および詳細不明の悪性新生物
- 199 その他および部位不明の悪性新生物

リンパ組織および造血組織の新生物 (200—205)

- 200 リンパ内腫および細網肉腫
 - 200.0 細 網 肉 蕪
 - 200.1 リンパ 内 蕪
 - 200.2 その他の類リンパ組織の原発性悪性新生物
- 201 ホジキン病
- 202 その他のリンパ腫(細網症)
- 203 多発骨髓腫(形質細胞腫)
- 204 白血病および無白血病
 - 204.0 リンパ性白血病
 - 204.1 骨髓性白血病
 - 204.2 単球性白血病
 - 204.3 急性白血病
 - 204.4 その他および詳細不明の白血病
- 205 菌状息肉症

良性新生物 (210—229)

- 210 口腔および咽頭の良性新生物
- 211 その他の消化器系の良性新生物
- 212 呼吸器系の良性新生物
- 213 乳房の良性新生物
- 214 子宮線維筋腫
- 215 その他の子宮の良性新生物
- 216 卵巣の良性新生物
- 217 その他の女性性器の良性新生物
- 218 男性性器の良性新生物
- 219 腎臓およびその他の泌尿器の良性新生物
- 220 皮膚の良性黒色腫
- 221 毛嚢囊胞
- 222 その他の皮膚の良性新生物
- 223 脳およびその他の神経系の良性新生物
 - 223. a 脳
 - 223. b 脊 髓
 - 223. c 鏛 膜
 - 223. d そ の 他
- 224 内分泌腺の良性新生物
- 225 骨および軟骨の良性新生物
- 226 脂肪腫
- 227 その他の筋組織および結合組織の良性新生物
- 228 血管腫およびリンパ管腫
- 229 その他および詳細不明の臓器および組織の良性新生物

性質不詳の新生物 (230—239)

- 230 消化器の性質不詳の新生物
- 231 呼吸器の性質不詳の新生物
- 232 乳房の性質不詳の新生物
- 233 子宮の性質不詳の新生物
- 234 卵巣の性質不詳の新生物
- 235 その他の女性性器の性質不詳の新生物
- 236 その他の性器の性質不詳の新生物
- 237 脳およびその他の神経系の性質不詳の新生物
 - 237. a 脳
 - 237. b 脊 髓
 - 237. c 鏛 膜
 - 237. d そ の 他
- 238 皮膚および筋骨格系の性質不詳の新生物
- 239 その他および詳細不明の臓器の性質不詳の新生物

- Bones of upper limb, and scapula
- Bones of lower limb
- Multiple sites and site unspecified
- Malignant neoplasm of connective tissue
- Secondary and unspecified malignant neoplasm of lymph nodes
- Malignant neoplasm of other and unspecified sites

Neoplasm of lymphatic and haematopoietic tissue

- Lymphosarcoma and reticulosarcoma
 - Reticulum-cell sarcoma
 - Lymphosarcoma
 - Other primary malignant neoplasms of lymphoid tissue
 - Hodgkin's disease
 - Other forms of lymphoma (reticulosia)
 - Multiple myeloma (plasmacytoma)
 - Leukaemia and aleukaemia
 - Lymphatic leukaemia
 - Myeloid leukaemia
 - Monocytic leukaemia
 - Acute leukaemia
 - Other and unspecified leukaemia
 - Mycosis fungoides

Benign neoplasm

- Benign neoplasm of buccal cavity and pharynx
- Benign neoplasm of other parts of digestive system
- Benign neoplasm of respiratory system
- Benign neoplasm of breast
- Uterine fibromyoma
- Other benign neoplasm of uterus
- Benign neoplasm of ovary
- Benign neoplasm of other female genital organs
- Benign neoplasm of male genital organs
- Benign neoplasm of kidney and other urinary organs
- Benign melanoma of skin
- Pilonidal cyst
- Other benign neoplasm of skin
- Benign neoplasm of brain and other parts of nervous system
- Brain
- Spinal cord
- Meninges
- Other
- Benign neoplasm of endocrine glands
- Benign neoplasm of bone and cartilage
- Lipoma
- Other benign neoplasm of muscular and connective tissue
- Haemangioma and lymphangioma
- Benign neoplasm of other and unspecified organs and tissues

Neoplasm of unspecified nature

- Neoplasm of unspecified nature of digestive organs
- Neoplasm of unspecified nature of respiratory organs
- Neoplasm of unspecified nature of breast
- Neoplasm of unspecified nature of uterus
- Neoplasm of unspecified nature of ovary
- Neoplasm of unspecified nature of other female genital organs
- Neoplasm of unspecified nature of other genito-urinary organs
- Neoplasm of unspecified nature of brain and other parts of nervous system
- Brain
- Spinal cord
- Meninges
- Other
- Neoplasm of unspecified nature of skin and musculoskeletal system
- Neoplasm of unspecified nature of other and unspecified organs

III アレルギー性疾患、内分泌系の疾患、物質代謝および栄養の疾患

アレルギー性疾患 (240—245)

- 240 桂草熱
- 241 喘息
- 242 脈管神経性浮腫
- 243 草麻疹
- 244 アレルギー性湿疹
- 245 その他のアレルギー性疾患

甲状腺の疾患 (250—254)

- 250 単純性甲状腺腫
- 251 非中毒性結節性甲状腺腫
- 252 甲状腺腫を伴うまたは伴わない甲状腺中毒症
- 253 精液水腫およびクレチニン病
- 254 その他の甲状腺の疾患

糖尿病 (260)

- 260 糖尿病

その他の内分泌腺の疾患 (270—277)

- 270 腺臓内分泌の障害 (糖尿病以外のもの)
- 271 上皮小体の疾患
- 272 下垂体の疾患
- 273 胸腺の疾患
- 274 副腎の疾患
- 275 卵巣機能異常
- 276 睾丸機能異常
- 277 多臓性機能異常およびその他の内分泌腺の疾患

ビタミン欠乏症およびその他の物質代謝病

(280—289)

- 280 脚氣
- 281 ベラグラ
- 282 壊血病
- 283 活動性くる病
- 284 くる病の後遺症
- 285 骨軟化症
- 286 その他のビタミン欠乏症および栄養欠乏症
 - 286.a 栄養失調症 (1才以上)
 - 286.b その他
- 287 肥満症 (内分泌性と特記されないもの)
- 288 痛風
- 289 その他の物質代謝病

IV 血液および造血器の疾患

血液および造血器の疾患 (290—299)

- 290 慢性貧血およびその他の高色性貧血
- 291 鉄欠乏性貧血 (低色性貧血)
- 292 その他の型の貧血
- 293 詳細不明の貧血
- 294 多血球症
- 295 血友病
- 296 紫斑病およびその他の出血病
- 297 無顆粒球症
- 298 脾臓の疾患
- 299 その他の血液および造血器の疾患

V 精神病、精神神経症および人格異常

精神病 (300—309)

- 300 精神分裂病 (早発性痴呆)

ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES

Allergic disorders

- Hay fever
- Asthma
- Angioneurotic oedema
- Urticaria
- Allergic eczema
- Other allergic disorders

Diseases of thyroid gland

- Simple goitre
- Non-toxic nodular goitre
- Thyrotoxicosis with or without goitre
- Myxoedema and cretinism
- Other diseases of thyroid gland

Diabetes mellitus

- Diabetes mellitus

Diseases of other endocrine glands

- Disorders of pancreatic internal secretion other than diabetes mellitus
- Diseases of parathyroid gland
- Diseases of pituitary gland
- Diseases of thymus gland
- Diseases of adrenal glands
- Ovarian dysfunction
- Testicular dysfunction
- Polyglandular dysfunction and other diseases of endocrine glands

Avitaminoses and other metabolic diseases

- Beriberi
- Pellagra
- Scurvy
- Active rickets
- Late effects of rickets
- Osteomalacia
- Other avitaminoses and nutritional deficiency states
 - Malnutrition, unqualified (1 year of age and over)
 - Other
- Obesity, not specified as of endocrine origin
- Gout
- Other metabolic diseases

DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS

Diseases of blood and blood-forming organs

- Pernicious and other hyperchromic anaemias
- Iron deficiency anaemias (hypochromic anaemias)
- Other anaemias of specified type
- Anaemia of unspecified type
- Polycythaemia
- Haemophilia
- Purpura and other haemorrhagic conditions
- Agranulocytosis
- Diseases of spleen
- Other diseases of blood-forming organs

MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS

Psychoses

- Schizophrenic disorders (dementia praecox)

- 301 踵うつ病
- 302 退行期うつ病
- 303 偏執病および偏執状態
- 304 老年性精神病
- 305 初老期精神病
- 306 脳動脈硬化症に伴う精神病
- 307 アルコール性精神病
- 308 その他の原因を示す精神病
- 309 その他および詳細不明の精神病

精神神経症 (310—318)

- 310 身体症状の記載のない不安反応
- 311 不安反応の記載のないヒステリー反応
- 312 恐怖反応
- 313 強迫反応
- 314 神經症性抑うつ反応
- 315 循環器系をおかす身体症状 (身体化反応) を伴う精神神経症
- 316 消化器系をおかす身体症状 (身体化反応) を伴う精神神経症
- 317 その他の系統をおかす身体症状 (身体化反応) を伴う精神神経症
- 318 その他の型。混合型および型不詳の精神神経症

性格、行動および知能の異常 (320—326)

- 320 病的人格
- 321 未熟人格
- 322 アルコール中毒症
- 323 その他の薬品嗜癖
- 324 幼児の行動異常
- 325 精神薄弱
- 326 その他および分類不明の性格、行動、知能の異常

VI 神經系および感覚器の疾患

中枢神經系の血管損傷 (330—334)

- 330 蛛網膜下出血
- 331 脳出血
- 332 脳塞栓症および脳血栓症
- 333 脳動脈けいれん
- 334 その他および診断名不明確の中枢神經系の血管損傷

中枢神經系の炎症性疾患 (340—345)

- 340 頭膜炎 (髄膜炎菌性および結核性を除く)
- 341 頭蓋内靜脈洞の静脈炎および血栓性靜脈炎
- 342 頭蓋内および脊柱内膿瘍
- 343 脳炎、脊髓炎および脳脊髓炎 (急性伝染性を除く)
- 344 頭蓋内膿瘍または化膿性感染の後遺症
- 345 多発硬化症

その他の中枢神經系の疾患 (350—357)

- 350 振顛痙攣
- 351 脳性痙攣性小兒麻痺
- 352 その他の脳性麻痺
- 353 てんかん
- 354 片頭痛
- 355 その他の脳の疾患
- 356 運動神經元の疾患および筋萎縮
- 357 その他の骨髄の疾患

神經および末梢神經節の疾患 (360—369)

- 360 顔面神經麻痺
- 361 三叉神經痛
- 362 上腕神經炎
- 363 坐骨神經痛
- 364 多発神經炎および多発神經根炎
- 365 赤色浮腫性多発神經炎

- Manic-depressive reaction
- Involuntary melancholia
- Paranoia and paranoid states
- Senile psychosis
- Presenile psychosis
- Psychosis with cerebral arteriosclerosis
- Alcoholic psychosis
- Psychosis of other demonstrable etiology
- Other and unspecified psychoses

Psychoneurotic disorders

- Anxiety reaction without mention of somatic symptoms
- Hysterical reaction without mention of anxiety reaction
- Phobic reaction
- Obsessive compulsive reaction
- Neurotic-depressive reaction
- Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system
- Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system
- Psychoneurosis with somatic symptoms (somatization reaction) affecting other system
- Psychoneurotic disorders, other, mixed, and unspecified types

Disorders of character, behaviour, and intelligence

- Pathological personality
- Immature personality
- Alcoholism
- Other drug addiction
- Primary childhood behaviour disorders
- Mental deficiency
- Other and unspecified character, behaviour, and intelligence disorders

DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS

Vascular lesions affecting central nervous system

- Subarachnoid haemorrhage
- Cerebral haemorrhage
- Cerebral embolism and thrombosis
- Spasm of cerebral arteries
- Other and ill-defined vascular lesions affecting central nervous system

Inflammatory diseases of central nervous system

- Meningitis, except meningococcal and tuberculous
- Phlebitis and thrombophlebitis of intracranial venous sinuses
- Intracranial and intraspinal abscess
- Encephalitis, myelitis, and encephalomyelitis (except acute infections)
- Late effects of intracranial abscess or pyogenic infection
- Multiple sclerosis

Other diseases of central nervous system

- Paralysis agitans
- Cerebral spastic infantile paralysis
- Other cerebral palsy
- Epilepsy
- Migraine
- Other diseases of brain
- Motor neurone disease and muscular atrophy
- Other diseases of spinal cord

Diseases of nerves and peripheral ganglia

- Facial paralysis
- Trigeminal neuralgia
- Brachial neuritis
- Sciatica
- Polyneuritis and polyradiculitis
- Erythrodema polyneuritica

366 その他および詳細不明の神経痛および神經炎
367 その他の脳神經の疾患
368 その他の末梢神經の疾患(自律神經を除く)
369 末梢自律神經系の疾患

眼の炎症性疾患(370-379)

370 結膜炎および眼炎
371 眼瞼炎
372 麦粒腫(ものもらい)
373 虹彩炎
374 角膜炎
375 脈絡膜炎
376 その他のブドウ膜の炎症
377 視神經および網膜の炎症
378 涙腺および涙管の炎症
379 その他の眼の炎症性疾患

その他の眼の疾患および状態(380-389)

380 屈折異常
381 角膜潰瘍
382 角膜混濁
383 翼状片
384 斜視
385 白内障
386 網膜剥離
387 緑内障
388 その他の眼の疾患
389 盲

耳および乳様突起の疾患(390-398)

390 外耳炎
391 中耳炎(乳様突起炎の記載のないもの)
392 中耳炎(乳様突起炎を伴うもの)
393 乳様突起炎(中耳炎の記載のないもの)
394 その他の耳の炎症性疾患
395 メニエール病
396 その他の耳および乳様突起の疾患
397 壁壁
398 その他の壁

VII 循環器系の疾患

リューマチ熱(400-402)

400 心臓障害の記載のないリューマチ熱
401 心臓障害を伴うリューマチ熱
401.0 活動性リューマチ性心膜炎
401.1 活動性リューマチ性心内膜炎
401.2 活動性リューマチ性心筋炎
401.3 その他および多発性的心臓障害を伴う活動性リューマチ熱
402 舞踏病

慢性リューマチ性心臓疾患(410-416)

410 僧帽弁の疾患
411 リューマチ性と明示された大動脈弁の疾患
412 三尖弁の疾患
413 リューマチ性と明示された肺動脈弁の疾患
414 その他のリューマチ性と明示された心内膜炎
415 リューマチ性と明示された心筋炎
416 その他のリューマチ性と明示された心臓疾患

動脈硬化性および変性性心臓疾患(420-422)

420 動脈硬化性心臓疾患(冠状動脈疾患を含む)
420.0 動脈硬化性心臓疾患と記載されたもの
420.1 冠状動脈疾患の記載のある心臓疾患
420.2 冠状動脈疾患の記載のない狭心症
421 リューマチ性と明示されない慢性心内膜炎
421.0 僧帽弁(非リューマチ性と明示されたもの)
421.1 大動脈弁(リューマチ性と明示されないもの)

Other and unspecified forms of neuralgia and neuritis
Other diseases of cranial nerves
Other diseases of peripheral nerves except autonomic
Diseases of peripheral autonomic nervous system

Inflammatory diseases of eye

Conjunctivitis and ophthalmia
Blepharitis
Hordeolum (sty)

Iritis
Keratitis
Choroiditis
Other inflammation of uveal tract
Inflammation of optic nerve and retina
Inflammation of lachrymal glands and ducts
Other inflammatory diseases of eye

Other diseases and conditions of eye

Refractive errors
Corneal ulcer
Corneal opacity
Pterygium
Strabismus
Cataract
Detachment of retina
Glaucoma
Other diseases of eye
Blindness

Diseases of ear and mastoid process

Otitis externa
Otitis media without mention of mastoiditis
Otitis media with mastoiditis
Mastoiditis without mention of otitis media
Other inflammatory diseases of ear
Ménière's disease
Other diseases of ear and mastoid process
Deaf mutism
Other deafness

DISEASES OF THE CIRCULATORY SYSTEM

Rheumatic fever

Rheumatic fever without mention of heart involvement
Rheumatic fever with heart involvement
Active rheumatic pericarditis
Active rheumatic endocarditis
Active rheumatic myocarditis
Active rheumatic fever with other and multiple types of heart involvement
Chorea

Chronic rheumatic heart disease

Diseases of mitral valve
Diseases of aortic valve specified as rheumatic
Disease of tricuspid valve
Disease of pulmonary valve specified as rheumatic
Other endocarditis specified as rheumatic
Other myocarditis specified as rheumatic
Other heart diseases specified as rheumatic

Arteriosclerotic and degenerative heart diseases

Arteriosclerotic heart disease, including coronary disease
Arteriosclerotic heart disease so described
Heart disease specified as involving coronary arteries
Angina pectoris without mention of coronary disease
Chronic endocarditis not specified as rheumatic
Of mitral valve, specified as non-rheumatic
Of aortic valve, not specified as rheumatic

421.2 三尖弁(非リューマチ性と明示されたもの)
421.3 肺動脈弁(リューマチ性と明示されないもの)
421.4 その他および不詳(リューマチ性と明示されないもの)
422 その他的心筋変性

422.0 脂肪変性
422.1 動脈硬化症を伴うもの
422.2 その他

その他の心臓の疾患(430-434)

430 急性および亜急性心内膜炎
430.0 急性および亜急性細菌性心内膜炎
430.1 その他の急性心内膜炎
431 リューマチ性と明示されない急性心筋炎
432 非リューマチ性と明示された急性心膜炎
433 心臓の機能性疾患
434 その他および詳細不明の心臓疾患
434.0 脊椎後弯側弯性心臓疾患
434.1 うつ血性心不全
434.2 左心室不全
434.3 その他の心臓疾患
434.4 詳細不明の心臓疾患

高血圧性心臓疾患(440-443)

440 本態性良性高血圧性心臓疾患
441 本態性悪性高血圧性心臓疾患
442 細動脈性腎硬化症を伴う高血圧性心臓疾患
443 その他の良性、悪性の別不明の高血圧性心臓疾患

その他の高血圧性疾患(444-447)

444 本態性良性高血圧症
445 本態性悪性高血圧症
446 細動脈性腎硬化症を伴う高血圧症
447 心臓の記載のないその他の高血圧性疾患

動脈の疾患(450-456)

450 全身性動脈硬化症
451 非梅毒大動脈瘤および解離性動脈瘤
452 その他の動脈瘤(心臓瘤および大動脈瘤を除く)
453 末梢血管の疾患
453.a レイノー病
453.b 封塞性血栓血管炎
453.c その他
454 動脈塞栓症および血栓症
455 原因不明の壞死
456 その他の動脈の疾患

静脈の疾患およびその他の循環器系の疾患(460-468)

460 下肢の静脈瘤
461 痔核
462 その他の部位の静脈瘤
463 下肢の靜脈炎および血栓靜脈炎
464 その他の部位の静脈炎および血栓静脈炎
465 肺塞栓症および硬塞
466 その他の静脈塞栓症および血栓症
467 その他の循環器系の疾患
467.a 低血圧症
467.b その他
468 リンパ管およびリンパ管の疾患

VIII 呼吸器系の疾患

急性上気道感染(470-475)

470 急性鼻咽頭炎(かぜひき)
471 急性副鼻腔炎
472 急性咽頭炎
473 急性扁桃炎
474 急性喉頭炎および気管炎

Of tricuspid valve, specified as non-rheumatic
Of pulmonary valve, not specified as rheumatic
Other and ill-defined, not specified as rheumatic
Other myocardial degeneration
Fatty degeneration
With arteriosclerosis
Other

Other diseases of heart

Acute and subacute endocarditis
Acute and subacute bacterial endocarditis
Other acute endocarditis
Acute myocarditis not specified as rheumatic
Acute pericarditis specified as non-rheumatic
Functional disease of heart
Other and unspecified diseases of heart
Kyphoscoliotic heart disease
Congestive heart failure
Left ventricular failure
Other disease of heart
Unspecified disease of heart

Hypertensive heart diseases

Essential benign hypertensive heart disease
Essential malignant hypertensive heart disease
Hypertensive heart disease with arteriolar nephrosclerosis
Other and unspecified hypertensive heart disease

Other hypertensive diseases

Essential benign hypertension
Essential malignant hypertension
Hypertension with arteriolar neoplasclerosis
Other hypertensive disease without mention of heart

Diseases of arteries

General arteriosclerosis
Aortic aneurysm, non-syphilitic, and dissecting aneurysm
Other aneurysm, except of heart and aorta
Peripheral vascular disease
Raynaud's disease
Thrombo-angiitis obliterans
Other
Arterial embolism and thrombosis
Gangrene of unspecified cause
Other diseases of arteries

Diseases of veins and other diseases of circulatory system

Varicose veins of lower extremities
Haemorrhoids
Varicose veins of other specified sites
Phlebitis and thrombophlebitis of lower extremities
Phlebitis and thrombophlebitis of other sites
Pulmonary embolism and infarction
Other venous embolism and thrombosis
Other diseases of circulatory system
Hypotension
Other
Certain diseases of lymph nodes and lymph channels

DISEASES OF THE RESPIRATORY SYSTEM

Acute upper respiratory infections

Acute nasopharyngitis (common cold)
Acute sinusitis
Acute pharyngitis
Acute tonsillitis
Acute laryngitis and tracheitis

475 多発または部位不明の急性上気道感染

インフルエンザ (480—483)

480 肺炎を伴うインフルエンザ
481 その他の呼吸器症状を伴うおよび性質不明のインフルエンザ
482 消化器症状を伴う呼吸器症状を伴わないインフルエンザ
483 神経症状を伴う消化器および呼吸器の症状を伴わないインフルエンザ

肺 炎 (490—493)

490 大葉性肺炎 (生後4週以上)
491 気管支肺炎 (生後4週以上)
492 原発非定型肺炎 (生後4週以上)
493 その他および詳細不明の肺炎 (生後4週以上)

気管支炎 (500—502)

500 急性気管支炎
501 性質不明の気管支炎
502 慢性気管支炎

その他の呼吸器系の疾患 (510—527)

510 扁桃肥大およびアデノイド
511 扁桃周囲膿瘍
512 慢性咽頭炎および鼻咽頭炎
513 慢性副鼻腔炎
514 鼻中隔弯曲症
515 鼻たけ
516 慢性喉頭炎
517 その他の上気道の疾患
518 膽 胸
519 胸膜炎 (結核性以外および詳細不明のもの)
520 特発気胸
521 肺 膜 瘡
522 肺のうつ血および血液降下症
523 けい酸およびけい酸塩による塵肺症 (職業性)
523.a けい酸症
523.b その他
524 職業に起因する他の塵肺症および肺線維症
525 その他の慢性間質性肺炎
526 気管支拡張症
527 その他の肺および胸膜腔の疾患

IX 消化器系の疾患

口腔および食道の疾患 (530—539)

530 餅食症 (むしば)
531 歯牙支持組織の膿瘍
532 その他の歯牙支持組織の炎症性疾患
533 咬合、萌出および歯牙発育の異常
534 原因不明の歯痛
535 その他の歯牙および歯牙支持組織の疾患
536 口 内 炎
537 唾液腺の疾患
538 その他の口腔の疾患
539 食道の疾患

胃および十二指腸の疾患 (540—545)

540 胃 潰瘍
540.0 穿孔の記載のないもの
540.1 穿孔を伴うもの
541 十二指腸潰瘍
541.0 穿孔の記載のないもの
541.1 穿孔を伴うもの
542 胃空腸 潰瘍
543 胃炎および十二指腸炎
544 胃の機能異常
545 その他の胃および十二指腸の疾患

Acute upper respiratory infection of multiple or unspecified sites

Influenza

Influenza with pneumonia
Influenza with other respiratory manifestations, and influenza unqualified
Influenza with digestive manifestations, but without respiratory symptoms
Influenza with nervous manifestations, but without digestive or respiratory symptoms

Pneumonia

Lobar pneumonia
Bronchopneumonia
Primary typical pneumonia
Pneumonia, other and unspecified

Bronchitis

Acute bronchitis
Bronchitis, unqualified
Chronic bronchitis

Other diseases of respiratory system

Hypertrophy of tonsils and adenoids
Peritonsillar abscess (quinsy)
Chronic pharyngitis and nasopharyngitis
Chronic sinusitis
Deflected nasal septum
Nasal polyp
Chronic laryngitis
Other diseases of upper respiratory tract
Empyema
Pleurisy
Spontaneous pneumothorax
Abscess of lung
Pulmonary congestion and hypostasis
Pneumoconiosis due to silica and silicates (occupational)
Silicosis
Other
Other specified pneumoconiosis and pulmonary fibrosis of occupational origin
Other chronic interstitial pneumonia
Bronchiectasis
Other diseases of lung pleural cavity

DISEASES OF THE DIGESTIVE SYSTEM

Diseases of buccal cavity and oesophagus

Dental caries
Abscesses of supporting structures of teeth
Other inflammatory diseases of supporting structures of teeth
Disorders of occlusion, eruption, and tooth development
Toothache from unspecified cause
Other diseases of teeth and supporting structure
Stomatitis
Diseases of salivary glands
Other diseases of buccal cavity
Diseases of oesophagus

Diseases of stomach and duodenum

Ulcer of stomach
Without mention of perforation
With perforation
Ulcer of duodenum
Without mention of perforation
With perforation
Gastroduodenal ulcer
Gastritis and duodenitis
Disorders of function of stomach
Other diseases of stomach and duodenum

虫垂炎 (550—553)

550 急性虫垂炎
550.0 腹膜炎の記載のないもの
550.1 腹膜炎を伴うもの
551 性質不明の虫垂炎
552 その他の虫垂炎
553 その他の虫垂の疾患

腹腔ヘルニア (560—561)

560 閉塞の記載のない腹腔ヘルニア
561 閉塞を伴う腹腔ヘルニア

その他の腸および腹膜の疾患 (570—578)

570 腸閉塞 (ヘルニアの記載のないもの)
570.0 重 叠
570.1 麻痺性閉腸塞
570.2 腸間膜硬塞
570.3 軸捻および絞扼
570.4 腸充塞および異物による腸閉塞
570.5 そ の 他
571 胃腸炎および大腸炎 (潰瘍性を除く) (生後4週以上)
572 慢性腸炎および潰瘍性大腸炎
573 腸の機能異常
574 裂肛および痔瘻
575 肛門部および直腸部の膿瘍
576 腹 膜 炎
577 腹 膜 痢 着
578 その他の腸および腹膜の疾患

肝臓、胆嚢および脾臓の疾患 (580—587)

580 急性および亜急性黄色肝萎縮
581 肝 硬 变
582 化膿性肝炎および肝臓癌
583 その他の肝臓の疾患
584 胆 石 症
585 結石の記載のない胆囊炎および胆管炎
586 その他の胆囊および胆管の疾患
587 脾 臟 の 疾 患
587.0 急 性 脾 臟 炎
587.1 慢 性 脾 臟 炎
587.2 そ の 他 の 脾 臟 の 疾 患

X 性尿器系の疾患

腎炎およびネフローゼ (590—594)

590 急 性 腎 炎
591 浮腫を伴う腎炎 (ネフローゼを含む)
592 慢 性 腎 炎
593 急性、慢性の別不明の腎炎
594 そ の 他 の 腎 臟 の 硬 变

その他の泌尿器系の疾患 (600—609)

600 腎 臟 の 感 染
600.0 腎孟炎、腎盂膀胱炎および腎孟腎炎
600.1 腎臓および腎周囲組織の膿瘍
600.2 そ の 他
601 水 腎 症
602 腎 臓 より 尿 管 の 結 石
603 そ の 他 の 腎 臓 より 尿 管 の 疾 患
604 泌尿器系のその他の部位の結石
605 膀 胱 炎
606 そ の 他 の 膀 胱 の 疾 患
607 尿道炎 (性病性を除く)
608 尿 道 狹 捩
609 そ の 他 の 尿 道 の 疾 患

男性性器の疾患 (610—617)

610 前立腺肥大症

Appendicitis

Acute appendicitis
Without mention of peritonitis
With peritonitis
Appendicitis, unqualified
Other appendicitis
Other diseases of appendix

Hernia of abdominal cavity

Hernia of abdominal cavity without mention of obstruction
Hernia of abdominal cavity with obstruction

Other diseases of intestines and peritoneum

Intestinal obstruction without mention of hernia
Intussusception
Paralytic ileus
Mesenteric infarction
Volvulus
Impaction of intestine
Other

Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over
Chronic enteritis and ulcerative colitis
Functional disorders of intestines
Anal fissure and fistula
Abscess of anal and rectal regions
Peritonitis
Peritoneal adhesion
Other diseases of intestines and peritoneum

Diseases of liver, gallbladder, and pancreas

Acute and subacute yellow atrophy of liver
Cirrhosis of liver
Suppurative hepatitis and liver abscess
Other disease of liver
Cholelithiasis
Cholecystitis and cholangitis, without mention of calculi
Other diseases of gallbladder and biliary ducts
Diseases of pancreas
Acute pancreatitis
Chronic pancreatitis
Other diseases of pancreas

DISEASE OF THE GENITO-URINARY SYSTEM

Nephritis and nephrosis

Acute nephritis
Nephritis with oedema, including nephrosis
Chronic nephritis
Nephritis not specified as acute or chronic
Other renal sclerosis

Other diseases of urinary system

Infections of kidney
Pyelitis, pyelocystitis, and pyelonephritis
Abscess of kidney and perirenal tissue
Other
Hydronephrosis
Calculi of kidney and ureter
Other diseases of kidney and ureter
Calculi of other parts of urinary system
Cystitis
Other diseases of bladder
Urethritis (non-venerel)
Stricture of urethra
Other diseases of urethra

Diseases of male genital organs

Hyperplasia of prostate

611 前立腺炎
612 その他の前立腺の疾患
613 陰囊水瘤
614 睾丸炎および副睾丸炎
615 過長包皮および包茎
616 男性不妊症
617 その他の男性性器の疾患

乳房、卵巢、卵管および子宮傍結合組織の疾患
(620—626)

620 乳房の慢性囊胞性疾患
621 その他の乳房の疾患
622 急性卵管炎および卵巢炎
623 慢性卵管炎および卵巢炎
624 急性、慢性の別不明の卵管炎および卵巢炎
625 その他の卵管および卵巢の疾患
626 子宮傍結合組織および骨盤腹膜の疾患(女性)

子宮およびその他の女性性器の疾患(630—637)

630 子宮、陰および外陰の感染性疾患
631 子宮脱垂
632 子宮の位置および形態異常
633 その他の子宮の疾患
634 異常月経
635 経閉期症状
636 女性不妊症
637 その他の女性性器の疾患

XI 分娩ならびに妊娠、分娩および産褥の合併症

妊娠の合併症(640—649)

640 妊娠時の腎孟炎および腎盂腎炎
641 その他の妊娠時の性尿器の感染
642 妊娠時の妊娠中毒症
642.a 妊娠時の腎疾患および子癇前症
642.b 妊娠子癇
642.c 惡阻
642.d その他
643 前置胎盤(妊娠時)
644 その他の妊娠時出血
644.a 妊娠時の胎盤早期剥離
644.b その他
645 子宮外妊娠
645.0 敗血症の記載のないもの
645.1 敗血症を伴うもの
646 妊娠貧血
647 胎位および胎勢異常を伴う妊娠
648 その他の妊娠合併症
648.a 胚状奇胎
648.b その他
649 その他の障害を伴う妊娠

流産(650—652)

650 敗血症または妊娠中毒症の記載のない流産
650.a 自然または不詳の流産
650.b 医学的適応による人工流産
650.c 医学的適応以外の法律的適応による人工流産
650.d その他の理由による人工流産
650.e その他
651 敗血症を伴う流産
651.a 自然または不詳の流産
651.b 医学的適応による人工流産
651.c 医学的適応以外の法律的適応による人工流産
651.d その他の理由による人工流産
651.e その他
652 妊娠中毒症を伴う流産(敗血症の記載のないもの)

Prostatitis
Other diseases of prostates
Hydrocele
Orchitis and epididymitis
Redundant prepuce and phimosis
Sterility, male
Other diseases of male genital organs

Diseases of breast, ovary, Fallopian tube and parametrium

Chronic cystic disease of breast
Other diseases of breast
Acute salpingitis and oophoritis
Chronic salpingitis and oophoritis
Salpingitis and oophoritis, unqualified
Other diseases of ovary and Fallopian tube
Disease of parametrium and pelvic peritoneum (female)

Diseases of uterus and other female genital organs

Infective disease of uterus, vagina, and valva
Uterovaginal prolapse
Malposition of uterus
Other diseases of uterus
Disorders of menstruation
Menopausal symptom
Sterility, female
Other diseases of female genital organs

DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE Puerperium

Complications of pregnancy

Pyelitis and pyelonephritis of pregnancy
Other infections of genito-urinary tract during pregnancy
Toxaemias of pregnancy
Renal disease arising during pregnancy and pre-eclampsia of pregnancy
Eclampsia of pregnancy
Hyperemesis gravidarum
Other
Placenta praevia
Other haemorrhage of pregnancy
Premature separation of placenta during pregnancy
Other
Ectopic pregnancy
Without mention of sepsis
With sepsis
Anaemia of pregnancy
Pregnancy with malposition of foetus in uterus
Other complications arising from pregnancy
Hydatidiform mole
Other
Pregnancy associated with other conditions

Abortion

Abortion without mention of sepsis or toxæmia
Spontaneous or unspecified
Induced for medical indications
Induced for legal indications except medical indications
Induced for other reasons
Other
Abortion with sepsis
Spontaneous or unspecified
Induced for medical indications
Induced for legal indications except medical indications
Induced for other reasons
Other
Abortion with toxæmia, without mention of sepsis

652.a 自然または不詳の流産
652.b 医学的適応による人工流産
652.c 医学的適応以外の法律的適応による人工流産
652.d その他の理由による人工流産
652.e その他

合併症の記載のない分娩(660)

660 合併症の記載のない分娩

合併症の明記のある分娩(670—678)

670 前置胎盤または分娩前出血を合併する分娩
670.a 分娩開始後胎盤早期剥離
670.b 前置胎盤(分娩開始後)
670.c その他
671 停滞胎盤を合併する分娩
672 その他の分娩後出血を合併する分娩
672.a 弛緩出 bleed
672.b その他
673 骨盤異常を合併する分娩
674 骨盤と胎児との不釣合または胎位回旋異常を合併する分娩
675 その他の原因による遅延分娩
676 会陰裂傷を伴う分娩(その他の裂傷の記載のないもの)
677 その他の外傷を伴う分娩
677.a 子宮破裂
677.b その他
678 その他の合併症を伴う分娩

産褥の合併症(680—689)

680 その他の敗血症を伴わない産褥泌尿器感染
681 分娩中および産褥の敗血症
682 産褥静脈炎および血栓症
683 産褥時の原因不明の発熱
684 産褥肺塞栓症
685 分娩子癇および産褥子癇
685.a 子癇
685.b その他
686 その他の産褥時の妊娠中毒症
687 産褥における脳出血
688 その他および詳細不明の産褥の合併症
689 乳房炎およびその他の乳汁分泌異常

XII 皮膚および疎性結合組織の疾患

皮膚および皮下組織の感染(690—698)

690 ちょう(疔)およびよう(瘻)
691 手指および足指の蜂窓織炎
692 その他のリンパ管炎の記載のない蜂窓織炎および膿瘍
693 その他のリンパ管炎を伴う蜂窓織炎および膿瘍
694 急性リンパ管炎
695 膜瘻
696 伝染性いは
697 伝染性軟瘍
698 その他の皮膚および皮下組織の局所感染

その他の皮膚および皮下組織の疾患(700—716)

700 脂漏性皮膚炎
701 湿疹
702 職業皮膚炎
703 その他の皮膚炎
704 天疱瘡
705 紅斑症
706 乾癬および類似疾患
707 扁平苔癬
708 痒痒症およびその関連症
709 うおめおよびたこ
710 その他の皮膚肥大症および萎縮症
711 その他の皮膚症

Spotaneous or unspecified
Induced for medical indications
Induced for legal indications except medical indications
Induced for other reasons
Other

Delivery without mention of complication

Delivery without mention of complication

Delivery with specified complication

Delivery complicated by placenta praevia or antepartum haemorrhage
Premature separation of placenta complicating delivery
Placenta praevia complicating delivery
Other
Delivery complicated by retained placenta
Delivery complicated by other postpartum haemorrhage
Atonic bleeding
Other
Delivery complicated by abnormality of bony pelvis
Delivery complicated by disproportion or malposition of foetus
Delivery complicated by prolonged labour of other origin
Delivery with laceration of perineum, without mention of other laceration
Delivery with other trauma
Rupture of uterus
Other
Delivery with other complication of childbirth

Complications of the puerperium

Puerperal urinary infection without other sepsis
Sepsis of childbirth and the puerperium
Puerperal phlebitis and thrombosis
Pyrexia of unknown origin during the puerperium
Puerperal pulmonary embolism
Puerperal eclampsia
Eclampsia
Other
Other forms of puerperal toxæmia
Cerebral haemorrhage in the puerperium
Other and unspecified complications of the puerperium
Mastitis and other disorders of lactation

DISEASES OF THE SKIN AND CELLULAR TISSUE

Infections of skin and subcutaneous tissue

Boil and carbuncle
Cellulitis of finger and toe
Other cellulitis and abscess without mention of lymphangitis
Other cellulitis and abscess with lymphangitis
Acute lymphangitis
Impetigo
Infectious warts
Molluscum contagiosum
Other local infections of skin and subcutaneous tissue

Other diseases of skin and subcutaneous tissue

Seborrhoeic dermatitis
Eczema
Occupational dermatitis
Other dermatitis
Pemphigus
Erythematous conditions
Psoriasis and similar disorders
Lichen planus
Pruritus and related conditions
Corns and callosities
Other hypertrophic and atrophic conditions of skin
Other dermatoses

- 712 爪の疾患
713 毛髪および毛囊の疾患
714 汗腺および脂腺の疾患
715 皮膚の慢性潰瘍
716 その他の皮膚の疾患

XIII 骨および運動器の疾患

関節炎およびリューマチ(リューマチ熱を除く) (720—727)

- 720 化膿菌による急性関節炎
721 急性非化膿性関節炎
722 リューマチ様関節炎およびその類似症
723 骨関節症およびその類似症
724 その他の関節炎の特殊型
725 詳細不明の関節炎
726 筋肉リューマチ
727 詳細不明のリューマチ

骨髓炎およびその他の骨、関節の疾患(730—738)

- 730 骨髓炎および骨膜炎
730.0 急性骨髓炎
730.1 慢性骨髓炎
730.2 急性、慢性の別不明の骨髓炎
730.3 骨髓炎の記載のない骨膜炎
731 变形性骨炎
732 骨軟骨症
733 その他の骨の疾患
734 膝内障
735 崩間円板脱位
736 蔓腸関節の障害
737 関節の強直
738 その他の関節の疾患

その他の筋骨格系の疾患(740—749)

- 740 足母指球滑液囊炎
741 職業性の記載のない滑膜炎、滑液囊炎および腱滑膜炎
742 職業性の記載のある滑膜炎、滑液囊炎および腱滑膜炎
743 化膿性筋炎およびその他の腱ならびに筋膜の炎症性疾患
744 その他の筋、腱および筋膜の疾患
745 脊柱湾曲
746 扁平足
747 外反足母指および内反足母指
748 弯曲足
749 その他の変形

XIV 先天奇形

先天奇形(750—759)

- 750 奇形
751 二分脊椎および脳膜瘤
752 先天性水頭体
753 その他の神経系および感覚器の先天奇形
754 循環器系の先天奇形
755 口蓋裂および兔唇
756 消化器系の先天奇形
757 性尿器系の先天奇形
758 骨および関節の先天奇形
759 その他および詳細不明の先天奇形(他の項に分類されないもの)

XV 新生児の主要疾患

新生児の出生時の損傷、窒息および感染(760—769)

- 760 出生時における頭蓋内および脊柱内の損傷
760.0 未熟児の記載のないもの

- Diseases of nail
Diseases of hair and hair follicles
Diseases of sweat and sebaceous glands
Chronic ulcer of skin
Other diseases of skin

DISEASES OF THE BONES AND ORGANS OF MOVEMENT

Arthritis and rheumatism, except rheumatic fever

- Acute arthritis due to pyogenic organisms
Acute non-pyogenic arthritis
Rheumatoid arthritis and allied conditions
Osteo-arthritis (arthrosis) and allied conditions
Other specified forms of arthritis
Arthritis, unspecified
Muscular rheumatism
Rheumatism, unspecified

Osteomyelitis and other diseases of bone and joint

- Osteomyelitis and periostitis
Acute osteomyelitis
Chronic osteomyelitis
Unspecified osteomyelitis
Periostitis without mention of osteomyelitis
Osteitis deformans
Osteochondrosis
Other diseases of bone
Internal derangement of knee joint
Displacement of intervertebral disc
Affection of sacro-iliac joint
Ankylosis of joint
Other diseases of joint

Other diseases of musculoskeletal system

- Bunion
Synovitis, bursitis, and tenosynovitis without mention of occupational origin
Synovitis, bursitis, and tenosynovitis of occupational origin
Infective myositis and other inflammatory diseases of tendon and fascia
Other diseases of muscle, tendon, and fascia
Curvature of spine
Flat foot
Hallux valgus and varus
Clubfoot
Other deformities

CONGENITAL MALFORMATIONS

Congenital malformations

- Monstrosity
Spina bifida and meningocele
Congenital hydrocephalus
Other congenital malformations of nervous system and sense organs
Congenital malformations of circulatory system
Cleft palate and harelip
Congenital malformations of digestive system
Congenital malformations of genito-urinary system
Congenital malformations of bone and joint
Other and unspecified congenital malformations, not elsewhere classified

CERTAIN DISEASES OF EARLY INFANCY

Birth injuries, asphyxia, and infections of newborn

- Intracranial and spinal injury at birth
Without mention of immaturity

- 760.5 未熟児の記載のあるもの
761 その他の出生時の損傷
761.0 未熟児の記載のないもの
761.5 未熟児の記載のあるもの
762 分娩後窒息および肺不全拡張
762.0 未熟児の記載のないもの
762.5 未熟児の記載のあるもの
763 新生兒肺炎
763.0 未熟児の記載のないもの
763.5 未熟児の記載のあるもの
764 新生兒下痢
764.0 未熟児の記載のないもの
764.5 未熟児の記載のあるもの
765 新生兒眼炎
765.0 未熟児の記載のないもの
765.5 未熟児の記載のあるもの
766 新生兒天疱瘡
766.0 未熟児の記載のないもの
766.5 未熟児の記載のあるもの
767 脣敗血症
767.0 未熟児の記載のないもの
767.5 未熟児の記載のあるもの
768 その他の新生兒敗血症
768.0 未熟児の記載のないもの
768.5 未熟児の記載のあるもの
769 母の妊娠時の疾患による新生兒の障害
769.a 未熟児の記載のないもの
769.b 未熟児の記載のあるもの

その他の新生兒固有の疾患(770—776)

- 770 新生兒の溶血性疾患(赤芽球症)
770.a 未熟児の記載のないもの
770.b 未熟児の記載のあるもの
771 新生兒の出血性疾患
771.0 未熟児の記載のないもの
771.5 未熟児の記載のあるもの
772 乳児栄養失調症(1才未満)
772.0 未熟児の記載のないもの
772.5 未熟児の記載のあるもの
773 新生兒固有の疾患にして診断名不明確のもの
773.0 未熟児の記載のないもの
773.5 未熟児の記載のあるもの
774 その他の副次疾患の記載のある未熟児
775 その他の原因に附隨する未熟児
776 性質不明の未熟児

XVI 症状、老衰および診断名不明確の状態

系統または器官に関する原因不詳の症状(780—789)

- 780 神経系および特殊感覺に関する原因不詳の症状(その一)
780.a 全身けいれん
780.b ジャクソンてんかん
780.c その他の
781 神経系および特殊感覺に関する原因不詳の症状(その二)
782 心臓血管系およびリンパ系に関する原因不詳の症状
782.a 心臓麻痺
782.b その他の
783 呼吸器系に関する原因不詳の症状
784 上部消化管に関する原因不詳の症状
785 腹部および下部消化管に関する原因不詳の症状
785.a 黄疸
785.b 下痢(2才以上)
785.c その他の
786 性尿器系に関する原因不詳の症状
787 肢および背に関する原因不詳の症状
788 その他原因不詳の全身症状
789 原因不詳の尿成分異常

- With immaturity
Other birth injury
Without mention of immaturity
With immaturity
Postnatal asphyxia and atelectasis
Without mention of immaturity
With immaturity
Pneumonia of newborn
Without mention of immaturity
With immaturity
Diarrhoea of newborn
Without mention of immaturity
With immaturity
Ophthalmia neonatorum
Without mention of immaturity
With immaturity
Pemphigus neonatorum
Without mention of immaturity
With immaturity
Umbilical sepsis
Without mention of immaturity
With immaturity
Other sepsis of newborn
Without mention of immaturity
With immaturity
Neonatal disorders arising from certain diseases of the mother during pregnancy
Without mention of immaturity
With immaturity

Other diseases peculiar to early infancy

- Haemolytic disease of newborn (erythroblastosis)
Without mention of immaturity
With immaturity
Haemorrhagic disease of newborn
Without mention of immaturity
With immaturity
Nutritional maladjustment (under 1 year of age)
Without mention of immaturity
With immaturity
Ill-defined diseases peculiar to early infancy
Without mention of immaturity
With immaturity
Immaturity with mention of any other subsidiary condition
Immaturity subsidiary to some other cause
Immaturity, unqualified

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

Symptoms referable to systems or organs

- Certain symptoms referable to nervous system and special senses
Convulsions
Jacksonian epilepsy
Other
Other symptoms referable to nervous system and special senses
Symptoms referable to cardiovascular and lymphatic system
Acute heart failure, undefined
Other
Symptoms referable to respiratory system
Symptoms referable to upper gastro-intestinal tract
Symptoms referable to abdomen and lower gastro-intestinal tract
Jaundice
Diarrhoea (2 years of age and over)
Other
Symptoms referable to genito-urinary system
Symptoms referable to limbs and back
Other general symptoms
Abnormal urinary constituents of unspecified cause

老衰および診断名不明確の状態 (790—795)

- 790 神経過敏および鈍弱
- 791 頭 痛
- 792 尿 毒 症
- 792. a 急 性
- 792. b 慢 性
- 792. c そ の 他
- 793 医療の必要のない所見
- 794 精神病の記載のない老衰
- 795 診断名不明確ならびに不明の病因および死因
- 795. a 自 家 中 毒 症
- 795. b 頓死 (原因不明)
- 795. c 発見死体 (原因不明)
- 795. d そ の 他

XVII 不慮の事故、中毒および暴力

EXVII 不慮の事故、中毒および暴力の二重分類 (外因)

鉄道による不慮の事故 (E800—E802)

- E800 鉄道従業員の鉄道事故
- E801 旅客の鉄道事故
- E802 その他および詳細不明者の鉄道事故

自動車による交通事故 (E810—E825)

- E810 列車との衝突による自動車交通事故
- E811 市街電車との衝突による自動車交通事故
- E812 歩行者の自動車交通事故
- E813 自転車乗用者の自動車交通事故
- E814 自動自転車操縦者または乗員の自動車交通事故 (非自動的の車または物との衝突)
- E815 自動自転車操縦者または乗員の自動車交通事故 (他の自動車との衝突)
- E816 二台以上の自動車によるその他の自動車交通事故
- E817 歩行者または自転車との衝突による自動車乗員の自動車交通事故
- E818 動物または動物牽引車との衝突による自動車交通事故
- E819 静止物体または詳細不明の物体との衝突による自動車交通事故
- E820 乗車および降車時の自動車交通事故
- E821 衝突に起因しない自動自転車操縦者の自動車交通事故
- E822 街路上の転覆による自動車交通事故
- E823 街路よりの逸走による自動車交通事故
- E824 その他の衝突によらない自動車交通事故
- E825 詳細不明の自動車交通事故

自動車非交通事故 (E830—E835)

- E830 歩行者の自動車非交通事故
- E831 自転車乗用者の自動車非交通事故
- E832 自動自転車操縦者または乗員の自動車非交通事故
- E833 二台以上の自動車の自動車非交通事故
- E834 乗車および降車時の自動車非交通事故
- E835 その他および詳細不明の自動車非交通事故

その他の道路交通機関による不慮の事故

(E840—E845)

- E840 市街電車による歩行者の不慮の事故
- E841 市街電車によるその他の不慮の事故 (自動車との衝突を除く)
- E842 自転車による歩行者の不慮の事故
- E843 自動車の衝突と関係のない自転車乗用者の不慮の事故
- E844 自動車以外のその他の道路交通機関による歩行者の不慮の事故
- E845 自動車以外のその他の道路交通機関による不慮の事故

Senility and ill-defined diseases

- Nervousness and debility
- Headache
- Uraemia
- Acute
- Chronic
- Other
- Observation, without need for further medical care
- Senility without mention of psychosis
- Ill-defined and unknown causes of morbidity and mortality
- Auto-intoxication
- Sudden death (cause unknown)
- Found dead (cause unknown)
- Other

ACCIDENTS, POISONINGS, AND VIOLENCE

ALTERNATIVE CLASSIFICATION OF ACCIDENTS.

POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)

Railway accidents

- Railway accident involving railroad employee
- Railway accident involving passenger
- Railway accident involving other and unspecified person

Motor vehicle traffic accidents

- Motor vehicle traffic accident involving collision with railway train
- Motor vehicle traffic accident involving collision with street car
- Motor vehicle traffic accident to pedestrian
- Motor vehicle traffic accident to pedal cyclist
- Motor vehicle traffic accident to rider or passenger of motorcycle in collision with non-motor vehicle or object
- Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle
- Other motor vehicle traffic accident involving two or more motor vehicles
- Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle
- Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle
- Motor vehicle traffic accident involving collision with fixed or unspecified object
- Motor vehicle traffic accident while boarding and alighting
- Motor vehicle traffic accident to rider of motorcycle without antecedent collision
- Motor vehicle traffic accident involving overturning in roadway
- Motor vehicle traffic accident involving running off roadway
- Other non-collision motor vehicle traffic accident
- Motor vehicle traffic accident of unspecified nature

Motor vehicle non-traffic accidents

- Motor vehicle non-traffic accident to pedestrian
- Motor vehicle non-traffic accident to pedal cyclist
- Motor vehicle non-traffic accident to rider or passenger of motorcycle
- Other motor vehicle non-traffic accident involving two or more motor vehicles
- Motor vehicle non-traffic accident while boarding and alighting
- Motor vehicle non-traffic accident of other and unspecified nature

Other road vehicle accidents

- Street car accident to pedestrian
- Other street car accident, except collision with motor vehicle
- Accident to pedestrian caused by pedal cycle
- Accident to rider of pedal cycle not involving collision with motor vehicle
- Accident to pedestrian caused by other non-motor road vehicle
- Other non-motor road vehicle accident

水上交通機関による不慮の事故 (E850—E858)

- E850 小型ポート乗船者の入水
- E851 その他の水上交通機関における入水による傷害
- E852 水上交通機関における階段およびはしごよりの墜落
- E853 水上交通機関内のその他の場所よりの墜落
- E854 水上交通機関の同一面における転倒
- E855 水上交通機関における詳細不明の墜落
- E856 水上交通機関内の機械による不慮の事故
- E857 水上交通機関におけるその他の不慮の事故
- E858 水上交通機関における詳細不明の原因による不慮の事故

航空機による不慮の事故 (E860—E866)

- E860 軍用航空機における人員の不慮の事故
- E861 商業用輸送機事故による搭乗者の傷害
- E862 商業用輸送機におけるその他の傷害
- E863 その他の明示された航空機事故による搭乗者の傷害
- E864 航空機搭乗者以外の者の飛行場における航空機による不慮の事故
- E865 航空機搭乗者以外の者のその他の場所における航空機による不慮の事故
- E866 その他および詳細不明の航空機による不慮の事故

固体および液体物質による不慮の中毒 (E870—E888)

- E870 モルヒネおよびその他のアヘン誘導体による不慮の中毒
- E871 パルビツール酸およびその誘導体による不慮の中毒
- E872 アスピリンおよびサリチル酸誘導体による不慮の中毒
- E873 臭化物による不慮の中毒
- E874 その他の鎮痛薬および催眠薬による不慮の中毒
- E875 スルホンアミド薬による不慮の中毒
- E876 スリキニーネによる不慮の中毒
- E877 ベラドンナ、ヒヨスチンおよびアトロピンによる不慮の中毒
- E878 その他および詳細不明の医薬品による不慮の中毒
- E879 有毒食物による不慮の中毒
- E880 アルコールによる不慮の中毒
- E881 石油製品による不慮の中毒
- E882 工業溶媒による不慮の中毒
- E883 腐食性化合物、酸およびカセイアルカリによる不慮の中毒
- E884 水銀およびその化合物による不慮の中毒
- E885 鉛およびその化合物による不慮の中毒
- E886 ヒ素、アンチモンおよびその化合物による不慮の中毒
- E887 フッ化物による不慮の中毒
- E888 その他および詳細不明の固体および液体物質による不慮の中毒
- E888. a シアン化物
- E888. b 農薬用有機リン製剤
- E888. c その他のリン製剤
- E888. d その他および詳細不明の固体および液体物質

ガスおよび蒸気による不慮の中毒 (E890—E895)

- E890 石炭ガス (光熱用) による不慮の中毒
- E891 自動車排出ガスによる不慮の中毒
- E892 その他の一酸化炭素ガスによる不慮の中毒
- E893 シアン化物ガスによる不慮の中毒
- E894 その他のガスおよび蒸気による不慮の中毒
- E895 詳細不明のガスおよび蒸気による不慮の中毒

不慮の墜落 (E900—E904)

- E900 階段よりの墜落
- E901 はしごよりの墜落
- E902 その他の高所よりの墜落
- E903 同一面上における転倒
- E904 詳細不明の墜落

その他の不慮の事故 (E910—E914)

- E910 落下物、投射物および飛来物による打撲
- E911 車による不慮の事故
- E912 機械による不慮の事故
- E913 刃器および刺器による不慮の事故
- E914 電気による不慮の事故

Water transport accidents

- Submersion of occupant of small boat
- Other water transport injury by submersion
- Fall on stairs and ladders in water transport
- Other falls from one level to another in water transport
- Falls on same level in water transport
- Unspecified falls in water transport
- Machinery accident in water transport
- Other specified accidents in water transport
- Water transport accident of unspecified cause

Aircraft accidents

- Accident to personnel in military aircraft
- Injury to occupant by accident to commercial "transport" aircraft
- Other injury in commercial "transport" aircraft
- Injury to occupant by accident to other specified aircraft
- Aircraft accident at airfield to person not in aircraft
- Aircraft accident elsewhere to person not in aircraft

Other and unspecified aircraft accidents

Accidental poisoning by solid and liquid substances

- Accidental poisoning by morphine and other opium derivatives
- Accidental poisoning by barbituric acid and derivatives
- Accidental poisoning by aspirin and salicylates
- Accidental poisoning by bromides
- Accidental poisoning by other analgesic and soporific drugs
- Accidental poisoning by sulfonamides
- Accidental poisoning by strichnine
- Accidental poisoning by belladonna, hyoscine, and atropine
- Accidental poisoning by other and unspecified drugs
- Accidental poisoning by noxious foodstuffs
- Accidental poisoning by alcohol
- Accidental poisoning by petroleum products
- Accidental poisoning by industrial solvents
- Accidental poisoning by corrosive aromatics, acids, and caustic alkalies
- Accidental poisoning by mercury and its compounds
- Accidental poisoning by lead and its compounds
- Accidental poisoning by arsenic and antimony, and their compounds
- Accidental poisoning by fluorides
- Accidental poisoning by other and unspecified solid and liquid substances
- Cyanide compounds
- Organic phosphorus preparations for agricultural chemicals
- Other phosphorus preparations
- Other and unspecified solid and liquid substances

Accidental poisoning by gases and vapours

- Accidental poisoning by utility (illuminating) gas
- Accidental poisoning by motor vehicle exhaust gas
- Accidental poisoning by other carbon monoxide gas
- Accidental poisoning by cyanide gas
- Accidental poisoning by other specified gases and vapours
- Accidental poisoning by unspecified gases and vapours

Accidental falls

- Fall on stairs
- Fall from ladders
- Other falls from one level to another
- Fall on same level
- Unspecified falls

Other accidents

- Blow from falling or projected object or missile
- Accident caused by vehicle
- Accident caused by machinery
- Accident caused by cutting and piercing instruments
- Accident caused by electric current

E915 高圧機関の爆発による不慮の事故
 E916 火および可燃物の爆発による不慮の事故
 E917 高熱物体、腐食性液体および水蒸気による不慮の事故
 E918 放射線による不慮の事故
 E918. a X線によるもの
 E918. b その他の放射線によるもの
 E919 銃器による不慮の事故
 E920 眼および附属器への異物侵入
 E921 閉塞または窒息の原因となる食物の吸入および嘔下
 E922 閉塞または窒息の原因となるその他の物体の吸入および嘔下
 E923 その他の孔口への異物侵入
 E924 寝台および搖籃における不慮の機械的窒息
 E925 その他および詳細不明の状態における不慮の機械的窒息
 E926 乳児の養育不注意（1才未満）
 E927 有毒動物および昆虫の咬傷および刺傷による不慮の傷害
 E928 その他の動物による不慮の傷害
 E929 不慮の溺死および溺水
 E930 高圧および低圧
 E931 過度の高温および日射病
 E932 過度の低温
 E933 飢、渴および不良天候曝露
 E934 天災
 E934. a 地震
 E934. b 暴風雨および洪水
 E934. c その他
 E935 雷撃
 E936 その他および詳細不明の不慮の事故

治療目的以外の内外科的処置による合併症 (E940—E946)

E940 種痘後汎発性牛痘疹
 E941 種痘後脳炎
 E942 その他の種痘による合併症
 E943 免疫接種後黄疸および肝炎
 E944 その他の予防接種による合併症
 E945 治療目的以外の麻酔の合併症
 E946 その他の治療目的以外の内外科的処置による合併症

治療上の事故および治療処置後の合併症 (E950—E959)

E950 外科的処置における治療上の事故
 E951 注入または輸血における治療上の事故
 E952 局所手当における治療上の事故
 E953 薬剤または生物学的製剤の投与における治療上の事故
 E954 麻酔における治療上の事故
 E955 その他および詳細不明の治療上の事故
 E956 外科手術の後発合併症
 E957 切断部の後発合併症
 E958 光線療法の後発合併症
 E959 その他の処置の後発合併症

傷害および中毒の後遺症 (E960—E965)

E960 自動車事故の後遺症
 E961 不慮の中毒の後遺症
 E962 その他の不慮の事故の後遺症
 E963 目傷の後遺症
 E964 他人による故意の加害の後遺症（戦争行為を除く）
 E965 戦争行為による傷害の後遺症

自殺および自傷 (E970—E979)

E970 鎮痛薬および催眠薬による自殺および自為中毒
 E970. a モルヒネおよびその他のアヘン誘導体
 E970. b パルビツール酸およびその誘導体
 E970. c 臭化物
 E970. d その他および詳細不明の鎮痛薬および催眠薬
 E971 その他の固体および液体物質による自殺および自為中毒
 E971. a シアン化物
 E971. b 農業用有機リン製剤
 E971. c その他のリン製剤

Accident caused by explosion of pressure vessel
 Accident caused by fire and explosion of combustible material
 Accident caused by hot substance, corrosive liquid, and steam
 Accident caused by radiation
 Caused by X-ray
 Caused by other radiation
 Accident caused by firearm
 Foreign body entering eye and adnexa
 Inhalation and ingestion of food causing obstruction or suffocation
 Inhalation and ingestion of other object causing obstruction or suffocation
 Foreign body entering other orifice
 Accidental mechanical suffocation in bed and cradle
 Accidental mechanical suffocation in other and unspecified circumstances
 Lack of care of infants under 1 year of age
 Accidents caused by bites and stings of venomous animals and insects
 Other accidents caused by animals
 Accidental drowning and submersion
 High and low air pressure
 Excessive heat and insolation
 Excessive cold
 Hunger, thirst, and exposure
 Cataclysm
 Earthquake
 Storm and flood
 Other
 Lightning
 Other and unspecified accidents

Complications due to non-therapeutic medical and surgical procedures

Generalized vaccinia following vaccination
 Postvaccinal encephalitis
 Other complications of smallpox vaccination
 Post-immunization jaundice and hepatitis
 Other complications of prophylactic inoculation
 Complications of anaesthesia for non-therapeutic purpose
 Other complications due to non-therapeutic medical and surgical procedures

Therapeutic misadventure and late complications of therapeutic procedures

Therapeutic misadventure in surgical treatment
 Therapeutic misadventure in infusion or transfusion
 Therapeutic misadventure in local applications
 Therapeutic misadventure in administration of drugs or biologicals
 Therapeutic misadventure in anaesthesia
 Other and unspecified therapeutic misadventure
 Late complication of surgical operation
 Late complication of amputation stump
 Late complication of irradiation
 Late complications of other forms of treatment

Late effects of injury and poisoning

Late effect of motor vehicle accident
 Late effect of accidental poisoning
 Late effect of other accidental injury
 Late effect of self-inflicted injury
 Late effect of injury purposely inflicted by another person (not in war)
 Late effects of injuries due to war operations

Suicide and self-inflicted injury

Suicide and self-inflicted poisoning by analgesic and soporific substances
 Morphine and other opium derivatives
 Barbiturate and its derivatives
 Bromide
 Other and unspecified analgesic and soporific substances
 Suicide and self-inflicted poisoning by other solid and liquid substances
 Cyanide compounds
 Organic phosphorus preparations for agricultural chemicals
 Other phosphorus preparations

E971. d その他および詳細不明の固体および液体物質
 E972 家事用ガスによる自殺および自為中毒
 E973 その他のガスによる自殺および自為中毒
 E974 縄首および絞首による自殺および自傷
 E975 入水による自殺および自傷
 E976 銃器および爆発物による自殺および自傷
 E977 刃器および刺器による自殺および自傷
 E978 高所よりの墜落による自殺および自傷
 E979 その他および詳細不明の手段による自殺および自傷
 E979. a 跳躍
 E979. b その他および詳細不明の手段

他殺および他人の加害による傷害（戦争行為を除く）(E980—E985)

E980 他人による故意の中毒
 E981 銃器および爆発物による加害
 E982 刃器および刺器による加害
 E983 その他の手段による加害
 E984 警察干与の傷害
 E985 処刑

戦争行為による傷害 (E990—E999)

E990 戦争行為に基くガスおよび化学薬品による傷害
 E991 戦争行為に基く銃傷
 E992 戦争行為に基く手榴弾および地雷による傷害
 E993 戦争行為に基く爆撃による傷害
 E994 戦争行為に基く機雷、爆雷および水雷による傷害
 E995 戦争行為に基く砲弾による傷害
 E996 戦争行為に基く詳細不明の爆発による傷害
 E997 戦争行為に基く航空機の破壊による傷害
 E998 戦争行為に基くその他および詳細不明の手段による傷害
 E999 戦争行為に基く交戦状態停止後発生の傷害

NXVII 不慮の事故、中毒および暴力の二重分類（傷害の性質）

頭蓋、脊柱および体幹の骨折 (N800—N809)

N800 頭蓋骨骨折
 N801 頭蓋底の骨折
 N802 頭面骨の骨折
 N803 その他および性質不明の頭蓋骨折
 N804 その他の骨を含む頭蓋または顔の多発骨折
 N805 脊椎の骨折および骨折脱臼（脊髄損傷の記載のないもの）
 N806 脊椎の骨折および骨折脱臼（脊髄損傷を伴うもの）
 N807 助骨、胸骨および喉頭の骨折
 N808 骨盤の骨折
 N809 体幹の多発および不詳の骨折

上肢の骨折 (N810—N819)

N810 鎖骨骨折
 N811 肩甲骨骨折
 N812 上腕骨骨折
 N813 捻骨および尺骨骨折
 N814 手根骨骨折
 N815 中手骨骨折
 N816 手指節骨骨折（単発または多発）
 N817 手の骨の多発骨折
 N818 その他、多発および不詳の上肢骨折
 N819 両側上肢および肋骨、胸骨を含む上肢の多発骨折

下肢の骨折 (N820—N829)

N820 大腿骨頸骨折
 N821 その他および部位不明の大腿骨骨折
 N822 膝蓋骨骨折
 N823 脛骨および腓骨骨折

Other and unspecified solid and liquid substances
 Suicide and self-inflicted poisoning by gases in domestic use
 Suicide and self-inflicted poisoning by other gases
 Suicide and self-inflicted injury hanging and strangulation
 Suicide and self-inflicted injury by submersion (drowning)
 Suicide and self-inflicted injury firearms and explosives
 Suicide and self-inflicted injury by cutting and piercing instruments
 Suicide and self-inflicted injury by jumping from high place
 Suicide and self-inflicted injury by other and unspecified means
 Jumping before train or vehicle
 Other and unspecified means

Homicide and injury purposely inflicted by other persons (not in war)

Non accidental poisoning by another person
 Assault by firearm and explosive
 Assault by cutting and piercing instruments
 Assault by other means
 Injury by intervention of police
 Execution

Injury resulting from operations of war

Injury due to war operations by gas and chemicals
 Injury due to war operations by gunshot
 Injury due to war operations by grenade and land mine
 Injury due to war operations by bomb
 Injury due to war operations by marine mine, depth charge, and torpedo
 Injury due to war operations by explosion of artillery shell
 Injury due to war operations by explosion of undetermined origin
 Injury due to war operations by aircraft destruction
 Injury due to war operations by other and unspecified means
 Injury due to war operations but occurring after cessation of hostilities

ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)

Fracture of skull, spine, and trunk

Fracture of vault of skull
 Fracture of base of skull
 Fracture of face bones
 Other and unqualified skull fracture
 Multiple fracture involving skull or face with other bones
 Fracture and fracture dislocation of vertebral column, without mention of spinal cord lesion
 Fracture and fracture dislocation of vertebral column with spinal cord lesion
 Fracture of rib(s), sternum, and larynx
 Fracture of pelvis
 Multiple and ill-defined fractures or trunk

Fracture of upper limb

Fracture of clavicle
 Fracture of scapula
 Fracture of humerus
 Fracture of radius and ulna
 Fracture of carpal bone(s)
 Fracture of metacarpal bone(s)
 Fracture of one or more phalanges of hand
 Multiple fractures of hand bones
 Other, multiple, and ill-defined fractures of upper limb
 Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum

Fracture of lower limb

Fracture of neck of femur
 Fracture of other and unspecified parts of femur
 Fracture of patella
 Fracture of tibia and fibula

N824 足首の骨折
 N825 足根骨および中足骨の骨折(単発または多発)
 N826 足指節骨骨折(単発または多発)
 N827 その他、多発および不詳の下肢骨折
 N828 両側下肢、上肢を含む下肢、肋骨および胸骨を含む下肢の多発骨折
 N829 詳細不明の骨の骨折

骨折を伴わない関節脱臼 (N830—N839)

N830 頸関節脱臼
 N831 肩関節脱臼
 N832 肘関節脱臼
 N833 手首の関節脱臼
 N834 手指の関節脱臼
 N835 股関節脱臼
 N836 膝関節脱臼
 N837 足首の関節脱臼
 N838 足の関節脱臼
 N839 その他、多発および不詳の関節脱臼

関節の捻挫および隣接筋の筋違い (N840—N848)

N840 肩および上腕の捻挫
 N841 肘および前腕の捻挫
 N842 手首および手の捻挫
 N843 股および大腿の捻挫
 N844 膝および下腿の捻挫
 N845 足首および足の捻挫
 N846 腹脇部の捻挫
 N847 その他および詳細不明の背部の捻挫
 N848 その他および不詳の捻挫

頭部の損傷(頭蓋骨折を除く) (N850—N856)

N850 頭皮の開放創
 N851 頭皮の挫傷および血腫
 N852 脳振盪
 N853 脳の挫傷および裂傷
 N854 損傷に続発する蛛網膜下、硬膜下および硬膜外出血(脳の挫傷および裂傷の記載のないもの)
 N855 損傷に続発するその他および詳細不明の頭蓋内出血(脳の挫傷および裂傷の記載のないもの)
 N856 その他および詳細不明の頭部損傷

胸、腹および骨盤腔の内部損傷 (N860—N869)

N860 外傷性気胸および血胸
 N861 心臓および肺の損傷
 N862 その他および詳細不明の胸腔内臓器の損傷
 N863 胃腸管の損傷
 N864 肝臓の損傷
 N865 脾臓の損傷
 N866 肾臓の損傷
 N867 骨盤腔内臓器の損傷
 N868 その他および詳細不明の腹腔内臓器の損傷
 N869 詳細不明または腹腔内臓器を含む胸腔の内部損傷

顔、頸および体幹の裂傷および開放創(N870—N879)

N870 眼および眼窩の開放創
 N871 眼球の脱出
 N872 耳の開放創
 N873 その他および詳細不明の顔面裂傷
 N874 頸の開放創
 N875 胸の開放創
 N876 背の開放創
 N877 殿の開放創
 N878 性器の開放創(外傷性切開を含む)
 N879 顔、頸および体幹の多発および詳細不明の開放創

上肢の裂傷および開放創 (N880—N888)

N880 肩および上腕の開放創

Fracture of ankle
 Fracture of one or more tarsal and metatarsal bones
 Fracture of one or more phalanges of foot
 Other, multiple, and ill-defined fractures of lower limb
 Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s), with rib(s) and sternum
 Fracture of unspecified bones

Dislocation without Fracture

Dislocation of jaw
 Dislocation of shoulder
 Dislocation of elbow
 Dislocation of wrist
 Dislocation of finger
 Dislocation of hip
 Dislocation of knee
 Dislocation of ankle
 Dislocation of foot
 Other, multiple, and ill-defined dislocations

Sprains and strains of joints and adjacent muscles

Sprains and strains of shoulder and upper arm
 Sprains and strains of elbow and forearm
 Sprains and strains of wrist and hand
 Sprains and strains of hip and thigh
 Sprains and strains of knee and leg
 Sprains and strains of ankle and foot
 Sprains and strains of sacro-iliac region
 Sprains and strains of other and unspecified parts of back
 Other all ill-defined sprains and strains

Head injury (excluding skull fracture)

Open wound of scalp
 Contusion and haematoma of scalp
 Concussion
 Cerebral laceration and contusion
 Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or contusion)
 Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)
 Head injury of other and unspecified nature

Internal injury of chest, abdomen, and pelvis

Traumatic pneumothorax and haemothorax
 Injury to heart and lung
 Injury to other and unspecified intrathoracic organs
 Injury to gastro-intestinal tract
 Injury to liver
 Injury to spleen
 Injury to kidney
 Injury to pelvic organs
 Injury to other and unspecified intra-abdominal organs
 Internal injury, unspecified or involving intrathoracic with intra-abdominal organs

Laceration and open wound of face, neck, and trunk

Open wound of eye and orbit
 Enucleation of eye
 Open wound of ear
 Other and unspecified laceration of face
 Open wound of neck
 Open wound of chest
 Open wound of back
 Open wound of buttock
 Open wound of genital organs, including traumatic amputation
 Multiple and unspecified open wounds of face, neck, and trunk

Laceration and open wound of upper limb

Open wound of shoulder and upper arm

N881 肘、前腕および手首の開放創(腱を除く)
 N882 手首の開放創(腱を含む)
 N883 手の開放創(手指のみを除く)
 N884 手指の開放創
 N885 片側上肢の多発および詳細不明の開放創
 N886 手母指の外傷性切開
 N887 その他の手指の外傷性切開
 N888 腕および手の外傷性切開

下肢の裂傷および開放創 (N890—N898)

N890 股および大腿の開放創
 N891 膝、下腿および足首(腱を除く)の開放創
 N892 足首(腱を含む)の開放創
 N893 足の開放創(足指のみを除く)
 N894 足指の開放創
 N895 片側下肢の多発および詳細不明の開放創
 N896 足指の外傷性切開
 N897 足の外傷性切開
 N898 脚の外傷性切開

多箇所にわたる裂傷および開放創 (N900—N908)

N900 両側上肢の多発開放創
 N901 両側下肢の多発開放創
 N902 体幹の多発開放創
 N903 両手の多発開放創
 N904 頭および体幹の多発開放創
 N905 頭および体幹の多発開放創
 N906 体幹および体幹の多発開放創
 N907 その他の部位を伴う頭の多発開放創
 N908 その他および部位不明の多発開放創

表在損傷 (N910—N918)

N910 頭および頸の表在損傷
 N911 体幹の表在損傷
 N912 肩および上腕の表在損傷
 N913 肘、前腕および手首の表在損傷
 N914 手の表在損傷(手指のみを除く)
 N915 手指の表在損傷
 N916 股、大腿、下腿および足首の表在損傷
 N917 足および足指の表在損傷
 N918 その他、多発および部位不明の表在損傷

挫傷および破碎(皮膚表面に損傷のないもの) (N920—N929)

N920 頭および頸の挫傷(眼を除く)
 N921 眼および眼窩の挫傷
 N922 体幹の挫傷
 N923 肩および上腕の挫傷
 N924 肘、前腕および手首の挫傷
 N925 手の挫傷(手指のみを除く)
 N926 手指の挫傷
 N927 股、大腿、下腿および足首の挫傷
 N928 足および足指の挫傷
 N929 その他、多発および部位不明の挫傷

孔口への異物侵入 (N930—N936)

N930 眼および附属器の異物
 N931 耳の異物
 N932 鼻の異物
 N933 咽頭および喉頭の異物
 N934 気管支および肺の異物
 N935 消化管の異物
 N936 性器尿路の異物

熱傷 (N940—N949)

N940 眼の熱傷
 N941 頭、頸および頸の熱傷
 N942 体幹の熱傷

Open wound of elbow and forearm, and of wrist not involving tendons
 Open wound of wrist involving tendon(s)
 Open wound of hand, except finger(s) alone
 Open wound of finger(s)
 Multiple and unspecified open wound of one upper limb
 Traumatic amputation of thumb(s)
 Traumatic amputation of other finger(s)
 Traumatic amputation of arm and hand

Laceration and open wound of lower limb

Open wound of hip and thigh
 Open wound of knee and leg (except thigh), and of ankle not involving tendons
 Open wound of ankle involving tendon(s)
 Open wound of foot, except toe(s) alone
 Open wound of toe(s)
 Multiple and unspecified open wounds of one lower limb
 Traumatic amputation of toe(s)
 Traumatic amputation of foot
 Traumatic amputation of leg

Laceration and open wounds of multiple location

Multiple open wounds of both upper limbs
 Multiple open wounds of both lower limbs
 Multiple open wounds of both upper and lower limb(s)
 Multiple open wounds of both hands
 Multiple open wounds of both head and limb(s)
 Multiple open wounds of both head and trunk
 Multiple open wounds of both trunk and limb(s)
 Multiple open wounds of face with other sites
 Multiple open wounds of other and unspecified locations

Superficial injury

Superficial injury of face and neck
 Superficial injury of trunk
 Superficial injury of shoulder and upper arm
 Superficial injury of elbow, forearm, and wrist
 Superficial injury of hand(s), except finger(s) alone
 Superficial injury of finger(s)
 Superficial injury of hip, thigh, leg, and ankle
 Superficial injury of foot and toe(s)
 Superficial injury of other, multiple, and unspecified sites

Contusion and crushing with intact skin surface

Contusion of face and neck, except eye(s)
 Contusion of eye and orbit
 Contusion of trunk
 Contusion of shoulder and upper arm
 Contusion of elbow, forearm, and wrist
 Contusion of hand(s), except finger(s) alone
 Contusion of finger(s)
 Contusion of hip, thigh, leg and ankle
 Contusion of foot and toe(s)
 Contusion of other, multiple, and unspecified sites

Effects of foreign body entering through orifice

Foreign body in eye and adnexa
 Foreign body in ear
 Foreign body in nose
 Foreign body in pharynx and larynx
 Foreign body in bronchus and lung
 Foreign body in digestive tract
 Foreign body in genito-urinary tract

Burns

Burn confined to eye
 Burn confined to face, head, and neck
 Burn confined to trunk

N943 上肢の熱傷 (手首および手を除く)
 N944 手首および手の熱傷
 N945 下肢の熱傷
 N946 体幹とともに頭、頸および頸におよぶ熱傷
 N947 体幹および体幹におよぶ熱傷
 N948 頭、頸、頸、体幹および体幹におよぶ熱傷
 N949 その他および部位不明の熱傷

骨の損傷を伴わない神経および脊髄の損傷 (N950—N959)

N950 視神経損傷
 N951 その他の脳神経損傷
 N952 上腕の神経損傷
 N953 前腕の神経損傷
 N954 手首および手の神経損傷
 N955 大腿の神経損傷
 N956 下腿の神経損傷
 N957 足首および足の神経損傷
 N958 脊椎骨損傷の形跡のない脊髄損傷
 N959 その他の神経損傷 (数箇所の神経損傷を含む)

毒物の作用 (N960—N979)

N960 有毒食物による中毒
 N961 アルコール中毒
 N962 石油製品による中毒
 N963 工業溶媒による中毒
 N964 腐食性化合物、酸およびカセイアルカリによる中毒
 N965 水銀およびその化合物による中毒
 N966 鉛およびその化合物による中毒
 N967 ヒ素、アンチモンおよびその化合物による中毒
 N968 一酸化炭素中毒
 N969 その他のガスおよび蒸気による中毒
 N970 モルヒネおよびその他のアヘン誘導体による中毒
 N971 バルビツール酸およびその誘導体による中毒
 N972 アスピリンおよびサリチル酸化合物による中毒
 N973 噴火による中毒
 N974 その他の鎮痛薬および催眠薬による中毒
 N975 スルホンアミドによる中毒
 N976 ストリキニーネによる中毒
 N977 ベラドンナ、ヒヨクチンおよびアトロピンによる中毒
 N978 有毒動物による中毒
 N979 その他および詳細不明の物質による中毒

天候、不良環境などの作用 (N980—N989)

N980 低温の作用
 N981 热および日射の作用
 N982 高所の作用
 N983 潜在病
 N984 雷撃の作用
 N985 飢餓
 N986 渴
 N987 その他の不良環境曝露 (他の項に分類されないもの)
 N988 過労
 N989 動搖病

その他および詳細不明の損傷および反応 (N990—N999)

N990 溺死および死に至らない溺水
 N991 窒息および絞首
 N992 電撃死および死に至らない電撃傷
 N993 放射線による損傷 (日焼けを除く)
 N994 その他の外因による損傷
 N995 外傷の早期合併症
 N996 その他および詳細不明の損傷
 N997 治療目的以外の内外科的処置による反応および合併症
 N998 治療のための注射、注入および輸血に対する異常反応
 N999 その他の治療処置に対する異常反応

Burn confined to upper limb(s), except wrist and hand
 Burn confined to wrist(s) and hand(s)
 Burn confined to lower limb(s)
 Burn involving face, head, and neck, with limb(s)
 Burn involving trunk with limb(s)
 Burn involving face, head, and neck, with trunk and limb(s)
 Burn involving other and unspecified parts

Injury to nerves and spinal cord without bone injury

Injury to optic nerve(s)
 Injury to other cranial nerve(s)
 Injury to nerve(s) in upper arm
 Injury to nerve(s) in forearm
 Injury to nerve(s) in wrist and hand
 Injury to nerve(s) in thigh
 Injury to nerve(s) in lower leg
 Injury to nerve(s) in ankle and foot
 Spinal cord lesion without evidence of spinal bone injury
 Other nerve injury, including nerve injury in several parts

Effects of poisons

Poisoning by noxious foodstuffs
 Poisoning by alcohol
 Poisoning by petroleum products
 Poisoning by industrial solvents
 Poisoning by corrosive aromatic, acids, and caustic alkalis
 Poisoning by mercury and its compounds
 Poisoning by lead and its compounds
 Poisoning by arsenic and antimony, and their compounds
 Poisoning by carbon monoxide
 Poisoning by other gases and vapours
 Poisoning by morphine and other opium derivatives
 Poisoning by barbituric acid and derivatives
 Poisoning by aspirin and salicylates
 Poisoning by bromides
 Poisoning by other analgesic and suporific drugs
 Poisoning by sulfonamides
 Poisoning by strychnine
 Poisoning by belladonna, hyoscine, and atropine
 Poisoning by venom
 Poisoning by other and unspecified substances

Effects of weather, exposure, and related conditions

Effects of reduced temperature
 Effects of heat and insolation
 Effects of high altitude
 Caisson disease
 Effects of lightning
 Effects of hunger
 Effects of thirst
 Effects of exposure, not elsewhere classified
 Effects of excessive exertion
 Motion (travel) sickness

Other and unspecified injuries and reactions

Drowning and non-fatal submersion
 Asphyxia and strangulation
 Electrocution and non-fatal effects of electric currents
 Injury due to radiation, except sunburn
 Other general effects of external causes
 Certain early complications of trauma
 Injury of other and unspecified nature
 Reactions and complications due to non-therapeutic medical and surgical procedures
 Adverse reaction to injections, infusions, and transfusions for therapeutic purposes
 Adverse reaction to other therapeutic procedures

2 50項目死因簡単分類表 (本分類表は厚生省大臣官房統計調査部で使用しているものである) ABBREVIATED LIST OF 50 CAUSES FOR TABULATION OF MORTALITY; B list (This is the list prepared for the specific use of the Health and Welfare Statistics Division, Minister's Secretariat, Ministry of Health and Welfare.)

基本分類番号 Detailed List Numbers

| | | |
|------------------------------------|---|--|
| B 1 呼吸器系の結核 | 001—008 | Tuberculosis of respiratory system |
| B 2 その他の結核 | 010—019 | Tuberculosis, other forms |
| B 3 梅毒およびその続発症 | 020—029 | Syphilis and its sequelae |
| B 4 腸チフス | 040 | Typhoid fever |
| B 5 コレラ | 043 | Cholera |
| B 6 赤痢 | 045—048 | Dysentery, all forms |
| B 6.a 細菌性赤痢 (疫病症状を呈するもの) | 045.a | Bacillary dysentery (with Ekiri syndrome) |
| B 6.b 細菌性赤痢 (その他) | 045.b | Bacillary dysentery (other) |
| B 6.c アメバ症 | 046 | Amebiasis |
| B 6.d その他の原虫性および詳細不明の赤痢 | 047, 048 | Other protozoal and unspecified dysenteries |
| B 7 猩紅熱およびレンサ球菌性口炎炎 | 050, 051 | Scarlet fever and streptococcal sore throat |
| B 7.a 猩紅熱 | 050 | Scarlet fever |
| B 7.b レンサ球菌性口炎炎 | 051 | Streptococcal sore throat |
| B 8 ジフテリア | 056 | Diphtheria |
| B 9 百日咳 | 057 | Whooping cough |
| B 10 頭膜炎菌感染 | 058 | Meningococcal infections |
| B 11 ペスト | 080 | Plague |
| B 12 急性灰白脳炎 | 084 | Acute poliomyelitis |
| B 13 痘瘡 | 085 | Smallpox |
| B 14 麻疹 | 085 | Measles |
| B 15 発疹チフスおよびその他のリケッチャ病 | 100—108 | Typhus and other rickettsial diseases |
| B 15.a シラミ媒介の流行性発疹チフス | 100 | Louse-borne epidemic typhus |
| B 15.b 蟻虫病およびその他のコダニ媒介の発疹チフス様疾患 | 105 | Mite-borne typhus |
| B 15.c その他 | 101—104, 106—108 | Other |
| B 16 マラリア | 110—117 | Malaria |
| B 17 伝染性および寄生性として分類された その他の疾患 | {030—039, 041, 042, 044, 049, 052—054, 059—074, 081—083, 086—096, 120—138} | All other diseases classified as infective and parasitic |
| B 17.a パラチフス | 041 | Paratyphoid fever |
| B 17.b 獄 | 060 | Leprosy |
| B 17.c 破傷風 | 061 | Tetanus |
| B 17.d 炭疽 | 062 | Anthrax |
| B 17.e 回帰熱 | 071 | Relapsing fever |
| B 17.f 日本脳炎 | 082.a | Japanese B encephalitis |
| B 17.g 黄熱 | 091 | Yellow fever |
| B 17.h 狂犬病 | 094 | Rabies |
| B 17.i 伝染性下痢症 | 096.b | Infectious diarrhoea |
| B 17.j 日本住血吸虫症 | 123.a | Oriental schistosomiasis (S. Japonicum) |
| B 17.k 糜状虫症 | 127 | Filariasis |
| B 17.l その他の伝染性および寄生性として分類された 疾患 | {030—039, 042, 044, 049, 052—054, 059, 063, 064, 070, 072—074, 081, 082.b—082.e, 083, 086—090, 092, 093, 095, 096.a, 096.c, 120—122, 123.b, 124—126, 128—138} | Other |
| B 18 悪性新生物 (リンパ組織および造血組織の新生物を含む) | 140—205 | Malignant neoplasms, including neoplasms of lymphatic and haemopoietic tissues |
| B 18.a 胃の悪性新生物 | 151 | Malignant neoplasm of stomach |
| B 18.b 気管、気管支および肺の悪性新生物 | 162, 163 | Malignant neoplasms of trachea, bronchus and lung |
| B 18.c 乳房の悪性新生物 | 170 | Malignant neoplasm of breast |
| B 18.d 子宮の悪性新生物 | 171—174 | Malignant neoplasm of uterus |
| B 18.e 白血病および無白血病 | 201 | Leukaemia and aleukaemia |
| B 18.f その他 | {140—150, 152—161 164, 165, 175—203, 205} | Other |
| B 19 良性および性質不詳の新生物 | 210—239 | Benign neoplasms and neoplasms of unspecified nature |
| B 20 糖尿病 | 260 | Diabetes mellitus |
| B 21 貧血 | 290—293 | Anaemias |
| B 22 中枢神経系の血管損傷 | 330—334 | Vascular lesions affecting central nervous system |
| B 23 脳膜炎 (脳膜炎菌性および結核性を除く) | 340 | Non-meningococcal meningitis |
| B 24 リューマチ熱 | 400—402 | Rheumatic fever |
| B 25 慢性リューマチ性心臓疾患 | 410—416 | Chronic rheumatic heart disease |
| B 26 動脈硬化性および変性性心臓疾患 | 420—422 | Arteriosclerotic and degenerative heart disease |
| B 26.a 動脈硬化性心臓疾患 (冠状動脈疾患を含む) | 420 | Arteriosclerotic heart disease, including coronary disease |
| B 26.b リューマチ性と明示されない慢性心内膜炎 | 421 | Chronic endocarditis not specified as rheumatic |
| B 26.c その他の心筋変性 | 422 | Other myocardial degeneration |

| | | |
|---|-------------------------------|---|
| B 27 | その他の心臓疾患 | 430—4 |
| B 28 | 高血圧性心臓疾患 | 440—4 |
| B 29 | その他の高血圧性疾患 | 444—4 |
| B 30 | インフルエンザ | 480—4 |
| B 31 | 肺炎(新生児肺炎を除く) | 490—4 |
| B 32 | 気管支炎 | 500—5 |
| B 33 | 胃および十二指腸の潰瘍 | 540, 5 |
| B 34 | 虫垂炎 | 550—5 |
| B 35 | 腸閉塞およびヘルニア | 560, 561, 5 |
| B 36 | 胃炎, 十二指腸炎, 腸炎および大腸炎(新生児下痢を除く) | 543, 571, 5 |
| B 36. a | 胃炎および十二指腸炎 | 543 |
| B 36. b | 胃腸炎, 腸炎および大腸炎 | 571, 57 |
| B 37 | 肝硬変 | 58 |
| B 38 | 腎炎およびネフローゼ | 590—59 |
| B 38. a | 急性腎炎およびネフローゼ | 590, 55 |
| B 38. b | その他の腎炎 | 592—59 |
| B 39 | 前立腺肥大症 | 61 |
| B 40 | 妊娠, 分娩および産褥の合併症 | 640—68 |
| B 41 | 先天奇形 | 750—75 |
| B 42 | 出生時の損傷, 分娩後窒息および肺不全拡張 | 760—76 |
| B 43 | 新生児の感染 | 763—76 |
| B 43. a | 新生児肺炎 | 76 |
| B 43. b | 新生児下痢 | 76 |
| B 43. c | その他の新生児の感染 | 765—76 |
| B 44 | その他の新生児固有の疾患および性質不明の未熟兒 | 769—77 |
| B 45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 | 780—79 |
| B 45. a | 精神病の記載のない老衰 | 79 |
| B 45. b | その他の診断名不明確および不明の原因 | 780—793, 795 |
| B 46 | その他のすべての疾患 | 001—795の残りの項目全部 |
| B 46. a | その他の循環器系の疾患(先天性を除く) | 450—468 |
| B 46. b | その他のすべての疾患 | 残りの項目全部 |
| “E”符号 不慮の事故, 中毒および暴力の二重分類(外因) (E800—E999) | | |
| BE 47 | 自動車事故 | E810—E835 |
| BE 48 | その他の不慮の事故 | E800—E802, E840—E962 |
| BE 48. a | 自動車以外の交通事故 | E800—E802, E840—E866 |
| BE 48. b | 不慮の墜落 | E900—E904 |
| BE 48. c | 不慮の溺死および溺水 | E929 |
| BE 48. d | 天災 | E934 |
| BE 48. e | その他の | {E870—E895, E910—E928 E930—E933, E935—E962} |
| BE 49 | 自殺および自傷 | E963, E970, E979 |
| BE 50 | 他殺および戦争行為 | E964, E965, E980—E999 |
| BE 50. a | 他殺 | E964, E980—E984 |
| BE 50. b | 処刑および戦争行為 | E965, E985—E999 |
| “N”符号 不慮の事故, 中毒および暴力の二重分類 (傷害の性質)(N800—N999) | | |
| BN 47 | 骨折, 頭部損傷および内部損傷 | N800—N829, N850—N869 |
| BN 47. a | 頭蓋骨折 | N800—N804 |
| BN 47. b | その他の骨の骨折 | N805—N829 |
| BN 47. c | 頭部の損傷(骨折を除く) | N850—N856 |
| BN 47. d | 胸, 腹, 骨盤腔の内部損傷 | N860—N869 |
| BN 48 | 熱傷 | N940—N949 |
| BN 49 | 毒物の作用 | N960—N979 |
| BN 50 | その他の損傷 | {N830—N848, N870—N936 N950—N959, N980—N999} |
| BN 50. a | 裂傷および開放創 | N870—N908 |
| BN 50. b | 溺死および死にいたらない溺水 | N990 |
| BN 50. c | 窒息および絞首 | N991 |
| BN 50. d | その他の | {N830—N848, N910—N936 N950—N959, N980—N989 N992—N999} |

- Other diseases of heart
- Hypertensive heart disease
- Other hypertensive disease
- Influenza
- Pneumonia
- Bronchitis
- Ulcer of stomach and duodenum
- Appendicitis
- Intestinal obstruction and hernia
- Gastritis, duodenitis, enteritis, and colitis, except diarrhoea of the newborn
 - Gastritis and duodenitis
 - Gastro-enteritis and colitis
- Cirrhosis of liver
- Nephritis and nephrosis
 - Acute nephritis and nephrosis
 - Other
- Hyperplasia of prostate
- Deliveries and complications of pregnancy, childbirth, and the puerperium
- Congenital malformations
- Birth injuries, postnatal asphyxia and atelectasis
- Infections of the newborn
 - Pneumonia of the newborn
 - Diarrhoea of the newborn
 - Other infections of the newborn
- Other diseases peculiar to early infancy, and immaturity unclassified

“E”符号 不慮の事故、中毒および暴力の二重分類（外因） (E800—E999)

"E" Code. Alternative classification of accidents, poisonings, and violence (external cause)

- Motor vehicle accidents**
- All other accidents**
 - Non-motor transport accidents**
 - Accidental falls**
 - Accidental drowning and submersion**
 - Cataclysm**
 - Other**
- Suicide and self-inflicted injury**
- Homicide and operations of war**
 - Homicide**
 - Execution and operation of war**

“N”符号 不慮の事故、中毒および暴力の二重分類 (傷害の性質) (N800—N999)

"N" Code. Alternative classification of accidents, poisonings, and violence (nature of injury)

- Fractures, head injuries, and internal injuries
 - Fracture of skull
 - Fracture of other bones
 - Head injury (excluding skull fracture)
 - Internal injury of chest, abdomen, and pelvis
- Burns
- Effects of poisons
- All other injuries
 - Laceration and open wound
 - Drowning and non-fatal submersion
 - Asphyxia and strangulation
 - Other

本分類表における特殊細分類項と国際分類との対照上の注意

Explanatory notes on the special subcategories referred to the international detailed list

B 6. a 本項は国際分類の045.0—045.4の疾患で疫病症状を呈するもの。
B 6. b 本項は国際分類045.0—045.4の内容で疫病症状を呈するものを含まない。
B 17. f 本項は国際分類の082.0のうち「日本脳炎」のみに該当する。
B 17. i 本項は国際分類の096.9の一部に該当する。
B 17. j 本項は国際分類の123.2に該当する。
B 17. l 本項に含まれる082. bは国際分類の082.0のうち日本脳炎を含まないものであり、082. c、082. d、082. eは各々国際分類の082.1、082.2、082.3に該当し、096. aは国際分類の096.2に、096. cは国際分類の096のうち096.2および096.9の一部（伝染性下痢症を除いたもの）であり、123. bは国際分類の123.0、123.1、123.3に該当する。

B 6.a Those with Ekiri syndrom in 045.0—045.4
 B 6.b Those without Ekiri syndrom in 045.0—045.4
 B 17. f Only Japanese B encephalitis in 082
 B 17. i A part of 096.9
 B 17. j 123.2
 B 17.1 082.b included in this sub-category contains those in 082.0 except Japanese B encephalitis, 082.c, 082.d and 082.e corresponds to 082.1, 082.2, and 082.3 respectively, 096.a corresponds to 096.2, 096.c contains those in 096 except 096.2, and a part (excluding infectious diarrhoea) of 096.9, and 123.b corresponds to 123.0, 123.1 and 123.3.

統計表一覽

出生

| 統計表番号 | 地域 | | | | 性 | 月 | 父の年齢 | | 母の年齢 | | 職業(中分類) | | 出産順位 | 出生順位 | 施設 | 立会者 | 結婚年次 | 結婚期間 | 出生の年 | 単産・複産 | 備考 | |
|-------|----|------|----|----|---|----|------|------|------|------|---------|---|------|------|----|-----|------|------|------|-------|----|--------------|
| | 全国 | 都道府県 | 市部 | 郡部 | | | 各才 | 5才階級 | 各才 | 5才階級 | 父 | 母 | | | | | | | | | | |
| 1 | x | x | x | x | x | x | | | | | | | | | | | | | | | | |
| 2 | x | x | x | x | | | | | | | | | | | | | | | | | | 発生地による |
| 3 | x | x | x | x | | | | | | | | | | | | | x | x | | | | |
| 4 | x | x | | | x | x | x | | | | | | | | | | | | | | | |
| 5 | x | x | | | x | x | | | | | | | | x | | | | | | | | |
| 6 | x | x | | | x | | | | | | | | x | | | | | | | | | |
| 7 | x | | | | x | | | | | | x | | x | | | | | | | | | |
| 8 | x | | | | x | | | | | | x | | | | x | | | | | | | |
| 9 | x | | | | | x- | x | | | | | | | x | | | | | | | | 嫡出出生児数、父母相互 |
| 10 | x | | | | x | | | x | | | | | | | | | | | | | | 非嫡出出生児数 |
| 11 | x | | | | | | | x | | | | | x | | | x | | x | | | | 嫡出出生児数 |
| 12 | x | | | | | | | | x | | | | x | | | x | | | x | | | 嫡出出生児数 |
| 13 | x | | | | | | | x | | x | | | | | | | | | | | | 嫡出出生児数 |
| 14 | x | | | | x | | | | x | | | | | | | | | | x | | | 分娩件数(出生・死産別) |
| 付録 1 | x | x | x | x | x | | | | | | | | | | | | | x | | | | 棄児数(発生地による) |
| 付録 2 | x | x | x | x | x | | | | | | | | | | | | x | | | | | 届出遅れ(発生地による) |

統計表一覽 (つきひょう)

死 産

| 統 計 表 番 号 | 客体 | | 地 域 | | | 性 | 月 | 自然 ・人 工 の 別 | 妊娠 期間 | | 母の 年齢 | | 出 産 順 位 | 死 産 原 因 | 施 設 | 立 会 者 | 単 産 ・ 複 産 の 別 | 備 考 |
|-----------------------|-------------|------------------|--------|------------------|--------|---|---|-------------------------|----------|--------|----------|------------------|------------------|------------------|--------|-------------|---------------------------------|---------------|
| | 全 死 産 | 後 期 死 産 | 全 国 | 都 道 府 県 | 市 部 | | | | 各 月 | 階 級 | 各 才 | 5 才 階 級 | | | | | | |
| 1 | x | | x | x | x | x | | x | | | | | | | | | | |
| 2 | x | | x | x | x | x | | x | | | | | | | | | | 発生地による |
| 15 | x | | x | x | x | x | | | | | | | | | | x | x | |
| 16 | x | x | x | x | x | x | | x | | | | | | | | x | | 市一郡部別は全国のみ |
| 17 | x | | x | x | | x | | x | x | | | | | | | | | |
| 18 | x | | x | x | x | x | | x | x | | | | | | | | | 性別、市一郡部別は全国のみ |
| 19 | x | | x | | | | | x | x | | | | | x | | | | |
| 20 | | x | x | x | | x | x | | | | | | | | | | | |
| 21 | | x | x | x | | x | | | | | | | | x | | | | |
| 22 | x | x | | | | x | | | | x | | | | x | | | | |
| 23 | x | x | | | | x | x | | | x | | | | x | | | | |
| 24 | x | | x | | | x | | x | x | | | | | x | | | | 医師の立会による死産 |
| 14 | | x | | | | x | | | x | | | | | x | | | x | 分娩件数(出産・死産別) |
| 特 1 | x | x | x | x | x | x | | x | | | | | | | | x | | 性別は全国のみ |
| 特 2 | x | | x | x | x | x | x | x | x | | | | | | | | | 医師の立会による死産 |
| 特 3 | x | | x | | | x | x | x | x | | | | | x | | | | |

死 亡

| 統 計 表 番 号 | 客 体 | | 地 域 | | | 性 | 月 | 年 齢 | | | | 配 偶 | 職 業 (中 分 類) | 死 因 | 施 | 傷 害 発 生 の 場 所 | 従 業 中 死 亡 | 死 亡 | 傷 害 の 性 質 | 出 生 | 備 考 | | |
|-----------------------|-------------|------------------|-----------------------|-----------------------------|--------|------------------|-------------|------------------|------------------|-----------------------|------------------|-------------|---------------------------------|--------|------------------|---------------------------------|-----------------------|--------|-----------------------|--------|--------|--|--|
| | 全 死 亡 | 乳 児 死 亡 | 新 生 兒 死 亡 | 15 才 以 上 死 亡 | 全 国 | 都 道 府 県 | 市 部 郡 | 七 大 都 市 | 各 才 階 級 | 5 才 定 階 級 | 特 定 階 級 | 生 年 齡 | 日 齢 | 月 齢 | 基 本 分 類 | 簡 単 分 類 | 設 | | | | | | |
| 1 | x | x | x | x | x | x | x | x | | | | | | | | | | | | | | | |
| 2 | x | | | | x | x | x | x | | | | | | | | | | | | | | | |
| 25 | x | x | x | x | x | x | x | x | | | | | | | | | | x | | | | | |
| 26 | x | | | | x | x | x | x | x | | | | | | | | | | | | | | |
| 27 | x | | | | x | x | x | x | | x | | | | | | | | | | | | | |
| 28 | x | | | | x | x | x | x | x | | | | | | | | | | | | | | |
| 29 | | | x | x | | | | | x | | | x | | | | | | | | | | | |
| 30 | x | | | x | | | | | x | x | x | | x | | | x | | | | | | | |
| 31 | | x | x | | | | | | x | | x | | | | | x | | | | | | | |
| 32 | | x | x | | | | | | x | | x | | | | | x | | | | | | | |
| 33 | | x | x | | x | x | x | x | x | | | | | | | | | | | | | | |
| 34 | x | | | x | | | | x | x | | | | | x | | | | | | | | | |
| 35 | x | | x | x | | x | x | | | | | | | | | | | | | | | | |
| 52 | x | | | x | | | | x | | x | | | | | | x | | | | | | | |
| 53 | x | | | x | | | | x | | x | | | | | | x | | | | | | | |
| 54 | x | | | x | | | | x | x | | | | | | | x | | | | | | | |
| 55 | x | | x | x | | x | x | | | | | | | | | x | | | | | | | |
| 56 | x | | | x | | | | x | | | | | | | | x | x | | | | | | |
| 57 | x | | x | | | x | x | | | | x | | | | | x | | | | | | | |
| 58 | x | | x | | | x | | | | | x | | | | | x | | | | | | | |
| 59 | x | | x | x | | x | x | | | | | | | | | x | | | | | | | |
| 60 | | | x | x | | | | x | | | | | | | | x | | x | | | | | |
| 61 | | | x | x | | | x | | | | | | | | | x | | x | | | | | |
| 62 | x | | | x | | | x | | | x | | | | | | x | | x | | | | | |
| 63 | | | x | x | | | x | | | x | | | | | | x | | x | x | | | | |
| 64 | x | | | x | | | x | | | x | | | | | | x | | | | x | | | |
| 付録 3 | x | | x | x | x | x | | | | | | | | | | | | | | x | | | |
| 付録 6 | x | | | | | | x | | | | | | | | | | | | x | | | | |
| 特 5 | x | | x | x | x | x | | | | | | | | | | x | | | | | | | |
| 特 6 | x | | x | x | x | x | | x | | | | | | | | x | | | | | | | |
| 特 7 | x | | x | x | x | x | x | | | | | | | | | x | | | | | | | |
| 特 8 | x | | x | | x | | x | | | x | | | | | | x | x | | | | | | |
| 特 9 | x | | x | x | x | x | x | x | | | | | | | | x | | | | | | | |

婚姻

離 婚

| 統 計 表 番 号 | 地 域 | | 届 式 の 年 出 年 | 夫 | | | 妻 | | | 国 籍 | 備 考 |
|-----------------------|-----------------------|------------------|----------------------------|------------------|-----------------------|----------------------------|------------------|-----------------------|----------------------------|--------|-----------------------------|
| | 全 都 道 府 県 | 市 部 都 市 | | 年 齢 各 才 | 初 婚 ・ 再 婚 | 前 婚 解 消 の 年 | 年 齢 各 才 | 初 婚 ・ 再 婚 | 前 婚 解 消 の 年 | | |
| | 都 市 部 | 七 大 都 市 | | 5 才 階 級 | 5 才 階 級 | 5 才 階 級 | 5 才 階 級 | 5 才 階 級 | 5 才 階 級 | | |
| 1 | x | x | x | x | | | | | | | |
| 36 | x | x | | x | x | | | | | | |
| 37 | x | | x | x | x | | | | | | 七大都市の計(再掲) |
| 38 | x | x | x | | | x | | | x | | 夫妻相互 |
| 39 | x | | | | | | | | | x | 夫妻相互 |
| 40 | x | | | | x | x | x | x | | | 夫妻相互 昭和41年挙式 届出のもの |
| 41 | x | x | x | | x | x | x | x | | | 平均婚姻年齢 昭和41年 挙式届出のもの |
| 42 | x | | | | x | x | x | x | x | | 夫・妻の再婚者数 昭和 41年挙式届出のもの |
| 特4 | x | x | x | | x | x | x | x | x | | 平均婚姻年齢 届出総数 について届出の年齢による |

| 統 計 表 番 号 | 地 域 | | 離 婚 の 種 類 | 年 齢 | 親 権 を お こ な う 子 の 数 | 備 考 | |
|-----------------------|------------------|------------------|-----------------------|--------|--|------------------|---------------------|
| | 同 居 期 間 | | | | 夫 | 妻 | |
| | 全 国 | 都 道 府 県 | 都 市 部 郡 市 | | 各 才 才 | 5 才 階 級 | |
| 1 | x | x | x | x | | | |
| 43 | x | x | | x | | | |
| 44 | x | | | x | | | |
| 45 | x | | | | x | x | 夫妻相互、昭和41年同居停止届出のもの |
| 46 | x | x | x | | x | | |
| 47 | x | | | x | x | | |
| 48 | x | | | x | | x | 昭和41年同居停止届出のもの |
| 49 | x | | | | | | 夫妻相互 |
| 50 | x | | | | | | 夫妻相互、昭和41年同居停止届出のもの |
| 51 | x | | | x | | | 昭和41年同居停止届出のもの |

注：1) 統計表番号欄に特とあるものは本年報に掲載されてない特別製表である。

2) この「統計表一覧」に示した以外に日本における外国人および外国における日本人の人口動態(死因を含む。)について、目次に示すような製表を行ない、本年報に付録として掲載した。

本年報に掲載しない特別製表一覧

特第 1 表 死産胎数、後期(妊娠第 8 月以後)死産胎数、施設・自然一人工・都道府県・市一郡部一七大都市(再掲)別

特第 2 表 死産胎数、性(全国)・自然一人工・妊娠期間(各月)・都道府県・市一郡部一七大都市(再掲)別

特第 3 表 医師の立会による死産胎数、性・妊娠期間・自然一人工・原因別

特第 4 表 平均婚姻年齢、初婚一再婚者別; 初婚一再婚者数、夫妻の年齢(各才)別; 都道府県一七大都市(再掲)別 — 届出総数について届出時の年齢による

特第 5 表 死亡者数、性・死因(基本分類)・都道府県一七大都市(再掲)別

特第 6 表 死亡者数、性・年齢(5 才階級)・死因(簡単分類)・都道府県一七大都市(再掲)別

特第 7 表 死亡者数、性・月・死因(簡単分類)・都道府県一七大都市(再掲)別

特第 8 表 死亡者数、性・施設・年齢(特定階級)・死因(簡単分類)別

特第 9 表 乳児(1 才未満)死亡者数、性・月・死因(簡単分類)・都道府県一七大都市(再掲)別

52 表 (86—1)

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死 因 ・ 性 Cause of death and sex | 総 数 Total | 0 才 Year of age | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 |
|--|---------------------------------------|--------------------|---------------------------|----------------|--------------|------------|------------|------------------|---------------|----------------|----------------|----------------|
| | | | | | | | | | | | | |
| | 総 数 Total | 670 342 | 26 217 | 3 388 | 2 065 | 1 574 | 1 341 | 34 585 | 4 429 | 3 402 | 8 148 | 9 862 |
| | 男 M. 女 F. | 363 356 306 986 | 15 024 11 193 | 1 843 1 545 | 1 188 877 | 926 648 | 795 546 | 19 776 14 809 | 2784 1 645 | 2 059 1 343 | 5 566 3 536 | 6 326 3 536 |
| I | 伝染病および寄生虫病 | 25 997 | 552 | 252 | 134 | 103 | 107 | 1 148 | 272 | 159 | 253 | 376 |
| | 男 M. 女 F. | 16 521 9 476 | 294 258 | 130 122 | 65 69 | 55 48 | 60 47 | 604 544 | 137 135 | 84 75 | 141 112 | 170 206 |
| (001-008) | 呼吸器系の結核 | 18 896 | 10 | 10 | 4 | — | 5 | 29 | 6 | 16 | 77 | 189 |
| | 男 M. 女 F. | 12 642 6 254 | 8 2 | 6 4 | 1 3 | — | 4 1 | 19 10 | 6 — | 6 10 | 36 41 | 77 112 |
| 001 | 肺の職業疾患の記載のある呼吸器結核 | 276 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 271 5 | — | — | — | — | — | — | — | — | — | — |
| 001.a | けい肺症の記載のある呼吸器結核 | 244 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 240 4 | — | — | — | — | — | — | — | — | — | — |
| 001.b | その他の塵肺症の記載のある呼吸器結核 | 32 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 31 1 | — | — | — | — | — | — | — | — | — | — |
| 001.c | その他の職業疾患を伴う呼吸器結核 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — | — | — | — | — | — | — | — | — | — |
| 002 | 肺 結 核 | 18 042 | 9 | 10 | 3 | — | 4 | 26 | 4 | 15 | 72 | 182 |
| | 男 M. 女 F. | 12 016 6 026 | 7 2 | 6 4 | 1 2 | — | 3 1 | 17 9 | 4 — | 6 9 | 32 40 | 73 109 |
| 002.a | 肺結核(粟粒結核の記載のないもの) | 16 995 | 4 | 4 | 1 | — | 1 | 10 | 3 | 11 | 61 | 167 |
| | 男 M. 女 F. | 11 318 5 677 | 4 — | 2 2 | — 1 | — | 1 — | 7 3 | 3 — | 5 6 | 24 37 | 67 100 |
| 002.b | 粟粒結核の記載のあるもの | 45 | — | — | — | — | — | — | — | — | 1 | — |
| | 男 M. 女 F. | 23 22 | — | — | — | — | — | — | — | — | 1 | — |
| 002.c | その他の部位の結核を合併するもの | 1 002 | 5 | 6 | 2 | — | 3 | 16 | 1 | 3 | 11 | 12 |
| | 男 M. 女 F. | 675 327 | 3 2 | 4 2 | 1 | — | 2 1 | 10 6 | 1 — | 1 2 | 8 3 | 5 7 |
| 003 | 胸 膜 結 核 | 564 | — | — | 1 | — | — | 1 | 2 | 1 | 5 | 6 |
| | 男 M. 女 F. | 345 219 | — | — | 1 | — | — | — | — | — | 4 1 | 4 2 |
| 003.0 | 結核性と明示された胸膜炎 | 128 | — | — | 1 | — | — | 1 | — | — | 3 — | 1 — |
| | 男 M. 女 F. | 85 43 | — | — | — | — | — | — | — | — | 2 — | 1 — |
| 003.1 | 原因の記載のない滲出性胸膜炎 | 436 | — | — | — | — | — | — | 2 | 1 | 2 | 5 |
| | 男 M. 女 F. | 260 176 | — | — | — | — | — | — | 2 — | 1 | 2 — | 3 2 |
| 004 | 症状を伴う結核初期変化群 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — | — | — | — | — | — | — | — | — | — |
| 005 | 症状を伴う気管支リンパ腺結核 | 6 | — | — | — | — | — | 1 | 1 | — | — | — |
| | 男 M. 女 F. | 4 2 | — | — | — | — | — | 1 — | 1 — | — | — | — |

注：本年報には掲載していないが、年齢（5才階級）別のかわりに都道府県—七大都市（再掲）別に集計した特別製表がある。

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

Note; Special tabulation computed by prefecture-seven largest cities (secondary mention) instead of classifying by age (5 years of age groups) was reported in this annual report, but it is prepared otherwise.

52表(86-2)

第52表 死亡者数
TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|---|---------------------|-------------------|----------------|--------------|-------------|-------------|----------------|---------------|----------------|----------------|----------------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 006 | X線所見による活動性呼吸器結核(他の項に分類されないもの) 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 007 | その他の呼吸器結核 男 M. 女 F. | 5 5 | 1 1 | - | - | - | - | 1 1 | - | - | - | - | - |
| 008 | 部位不明の結核 男 M. 女 F. | 3 1 2 | - - - | - | - | - | - | - | - | - | 1 1 | - | - |
| (010-019) | その他の結核 男 M. 女 F. | 1 168 562 606 | 22 13 9 | 27 15 12 | 11 5 6 | 8 5 3 | 7 5 2 | 75 43 32 | 20 14 6 | 23 10 13 | 52 28 24 | 48 21 27 | - |
| 010 | 腎臓および中枢神経系の結核 男 M. 女 F. | 278 138 140 | 17 9 8 | 26 15 11 | 11 5 6 | 7 4 3 | 7 5 2 | 68 38 30 | 15 10 5 | 15 6 9 | 22 11 11 | 16 7 9 | - |
| 011 | 腸、腹膜および腸間膜リンパ腺の結核 男 M. 女 F. | 267 103 164 | - - - | - | - | - | - | 3 2 1 | 1 1 1 | 6 1 5 | 4 1 3 | - | - |
| 011.a | 腸 男 M. 女 F. | 70 37 33 | - - - | - | - | - | - | 1 1 1 | - - - | 1 1 1 | 2 1 1 | - | - |
| 011.b | 腹 膜 男 M. 女 F. | 196 65 131 | - - - | - | - | - | - | 2 2 1 | 1 1 1 | 5 1 4 | 2 - 2 | - | - |
| 011.c | そ の 他 男 M. 女 F. | 1 1 | - - | - | - | - | - | - - - | - - - | - - - | - - - | - | - |
| 012 | 骨および関節の結核(活動性または詳細不明) 男 M. 女 F. | 199 99 100 | - - - | - | - | - | - | 2 2 1 | 2 1 1 | 8 4 4 | 7 2 5 | - | - |
| 012.a | 脊椎結核(活動性または詳細不明) 男 M. 女 F. | 169 85 84 | - - - | - | - | - | - | 2 2 1 | 2 1 1 | 6 3 3 | 7 5 5 | - | - |
| 012.b | 股結核(活動性または詳細不明) 男 M. 女 F. | 11 5 6 | - - - | - | - | - | - | - - - | 1 1 1 | - - - | - - - | - | - |
| 012.c | 膝結核(活動性または詳細不明) 男 M. 女 F. | 4 1 3 | - - - | - | - | - | - | - - - | - - - | - - - | - - - | - | - |
| 012.d | その他および詳細不明の骨結核(活動性または詳細不明) 男 M. 女 F. | 13 8 5 | - - - | - | - | - | - | - - - | - - - | 1 1 1 | 1 1 1 | 2 2 2 | - |
| 012.e | その他および詳細不明の関節結核(活動性または詳細不明) 男 M. 女 F. | 2 2 | - - | - | - | - | - | - - - | - - - | 1 1 | - - | - - | - |
| 013 | 骨および関節の結核の後遺症 男 M. 女 F. | - - | - - | - | - | - | - | - - - | - - - | - - - | - - | - - | - |

性・年齢(5才階級)・死因(基本分類)別
BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|----------------|----------------|----------------|-----------------|-----------------|-----------------|----------------|----------------|-----------------|----------------|----------------|--------------|-------------|-------------|-------|------|---------------|--|
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 006 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 007 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 008 |
| 61 24 37 | 65 28 37 | 84 47 53 | 105 52 53 | 100 47 48 | 107 44 34 | 93 45 52 | 75 49 37 | 101 52 30 | 72 35 17 | 56 26 17 | 24 7 1 | 6 1 5 | 1 1 1 | - | - | (010-019) | |
| 20 13 | 22 11 | 17 7 | 11 4 | 20 8 | 14 7 | 15 6 | 9 4 | 8 3 | 4 1 | 2 - - | - | - | - | - | - | - | 010 |
| 10 6 | 9 6 | 17 9 | 23 12 | 28 8 | 21 7 | 27 14 | 20 13 | 25 12 | 30 18 | 23 16 | 13 11 | 6 1 5 | 1 1 1 | - | - | - | 011 |
| 2 1 | 2 2 | 9 5 | 6 3 | 9 4 | 7 5 | 13 5 | 3 2 | 7 1 | 5 2 | 3 1 | - | - | - | - | - | - | 011.a |
| 8 3 | 7 3 | 7 2 | 17 9 | 19 8 | 14 5 | 14 6 | 17 8 | 18 7 | 25 11 | 20 15 | 13 11 | 6 1 | 1 1 | - | - | - | 011.b |
| - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 011.c |
| 4 1 | 7 3 | 12 6 | 12 6 | 14 9 | 18 11 | 17 9 | 18 9 | 33 21 | 19 12 | 19 7 | 7 2 | - | - | - | - | - | 012 |
| 3 2 | 4 3 | 11 6 | 11 5 | 14 9 | 17 11 | 15 7 | 15 8 | 30 19 | 15 6 | 14 6 | 3 3 | - | - | - | - | - | 012.a |
| 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | - | - | - | - | - | 012.b |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 012.c |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 012.d |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 012.e |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 013 |

52表(86-3)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------------------------------|-------------------|-------------------|-------------|---|-------------|---|-------------|-------------|---------------|--------------|-------------|-------------|---------------|---------------|----------------|----------------|----------------|----------------|----------------|--------------|---------------|--------------|-------------|-------------|-------|-------|------|---------------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown |
| 013.a | 脊椎結核の後遺症 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 013.a | | |
| 013.b | 股結核の後遺症 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 013.b | | |
| 013.c | 膝結核の後遺症 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 013.c | | |
| 013.d | その他および詳細不明の骨結核の後遺症 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 013.d | | |
| 013.e | その他および詳細不明の関節結核の後遺症 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 013.e | | |
| 014 | 皮膚および皮下腺性結合組織の結核 男 M. 女 F. | 3 1 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 1 | - | 1 1 | - | - | - | 1 1 | - | - | - | - | 014 | | |
| 015 | リンパ系の結核 男 M. 女 F. | 6 2 4 | - | - | - | - | - | - | - | - | 1 1 | - | - | - | - | - | 1 1 | - | 2 1 | - | 1 1 | - | 1 1 | - | - | - | 015 | | |
| 016 | 性尿器系の結核 男 M. 女 F. | 310 160 150 | - | - | - | - | - | - | 4 3 1 | 12 10 2 | 15 7 8 | - | - | 20 7 13 | 22 8 14 | 31 21 10 | 52 25 27 | 28 16 12 | 39 14 25 | 28 14 14 | 14 8 6 | 23 14 9 | 12 6 6 | 7 5 2 | 3 2 1 | - | - | - | 016 |
| 016.a | 性器の結核 男 M. 女 F. | 4 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 1 | - | 1 1 | - | - | 1 1 | - | - | - | - | - | 016.a | | |
| 016.b | 泌尿器の結核 男 M. 女 F. | 306 160 146 | - | - | - | - | - | - | 4 3 1 | 12 10 2 | 15 7 8 | - | - | 20 7 13 | 21 8 13 | 31 21 10 | 52 25 27 | 27 16 11 | 39 14 25 | 28 14 14 | 14 8 6 | 22 14 8 | 11 6 5 | 7 5 2 | 3 2 1 | - | - | - | 016.b |
| 017 | 副腎の結核 男 M. 女 F. | 2 1 1 | - | - | - | - | - | - | - | - | 1 1 | - | - | - | - | - | - | - | 1 1 | - | - | - | - | - | - | - | 017 | | |
| 018 | その他の臓器の結核 男 M. 女 F. | 8 5 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 1 | 2 1 | 1 1 | 1 1 | - | 1 1 | - | - | - | - | - | 018 | | |
| 018.0 | 眼の結核 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 018.0 | | |
| 018.1 | 耳の結核 男 M. 女 F. | 1 1 - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 1 | - | 1 1 | - | - | - | - | - | - | - | - | 018.1 | | |
| 018.2 | その他 男 M. 女 F. | 7 4 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 1 | 1 1 | 1 1 | 1 1 | - | 1 1 | - | - | - | - | - | 018.2 | | |
| 019 | 播種結核 男 M. 女 F. | 95 53 42 | 5 4 1 | 1 1 1 | - | 1 1 - | - | 7 5 2 | - | 1 1 - | 3 2 1 | 5 3 2 | 5 3 2 | 7 5 2 | 4 2 2 | 5 4 1 | 8 5 3 | 12 5 7 | 6 1 5 | 11 9 2 | 6 1 5 | 3 1 2 | 1 1 - | - | - | 019 | | | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 013.a |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 013.b |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 013.c |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 013.d |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 013.e |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 014 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 015 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 016 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 016.a |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 016.b |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 017 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 018 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 018.0 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 018.1 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 018.2 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 019 |

52 表 (86—4)

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 | International detailed list number |
|-------------|---------------|----------------|----------------|-----------------|------------------|------------------|------------------|------------------|-----------------|-----------------|----------------|--------------|-------------|-------|------|---------|------------------------------------|
| | | | | | | | | | | | | | | | | Unknown | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 019.0 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 019.1 |
| - | - | I | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 019.2 |
| 7 5 2 | 4 3 2 | 4 3 1 | 5 3 2 | 7 5 2 | 12 5 7 | 6 1 5 | 11 9 2 | 11 5 6 | 6 2 4 | 3 1 2 | 1 1 - | - | - | - | - | - | (020~029) |
| 4 2 2 | 16 10 6 | 38 28 10 | 59 47 12 | 102 73 29 | 170 123 47 | 231 174 57 | 229 177 52 | 205 153 52 | 148 97 51 | 113 60 53 | 30 17 13 | 15 7 8 | 2 1 1 | - | - | - | 020 |
| 2 1 1 | 1 - 1 | - | - | - | 1 1 | - | - | - | - | 1 - 1 | - | - | - | - | - | - | 021 |
| - | - | - | - | - | 1 1 | - | - | - | 1 - 1 | - | - | - | - | - | - | - | 022 |
| - | 4 3 1 | 3 3 - | 5 3 2 | 19 14 5 | 18 16 2 | 40 32 8 | 39 29 10 | 51 39 12 | 39 22 17 | 29 14 15 | 10 5 5 | 5 2 3 | 2 1 1 | - | - | - | 023 |
| - | 5 2 3 | 4 1 3 | 5 4 1 | 6 3 3 | 23 14 9 | 38 30 8 | 33 24 9 | 40 27 13 | 31 20 11 | 25 16 9 | 4 2 2 | 4 1 3 | - | - | - | - | 024 |
| - | - | 2 1 1 | 1 - 1 | 4 3 1 | 11 8 3 | 15 11 4 | 35 27 8 | 19 16 3 | 24 19 5 | 15 9 6 | 3 2 1 | 1 - 1 | - | - | - | - | 025 |
| 2 1 1 | 3 3 - | 23 19 4 | 45 37 8 | 62 44 18 | 88 62 26 | 109 80 29 | 89 72 17 | 68 53 15 | 34 24 10 | 17 10 7 | 7 3 4 | 4 3 1 | - | - | - | - | 026 |
| - | 2 1 1 | 6 4 2 | 3 3 - | 8 7 1 | 23 16 7 | 17 14 3 | 21 16 5 | 13 11 2 | 12 7 5 | 10 3 7 | 3 2 1 | - | - | - | - | - | 027 |
| - | - | - | - | 1 | 2 | 3 | 9 | 7 | 3 | 4 | 2 | 2 | - | - | - | - | 028 |
| - | - | - | - | 1 | 1 | 1 | 2 | 5 | 4 | 3 | 1 | 2 | - | - | - | - | 029 |
| - | 1 1 - | - | - | 1 | 3 | 8 | 1 | 1 | 1 | 9 | 1 | 1 | - | - | - | - | (030~039) |
| - | - | - | - | 1 | 1 | - | 2 | - | 1 | 1 | 1 | 1 | - | - | - | - | 030 |

52 表 (86—5)

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死 因 - 性 Cause of death and sex | 総 数 Total | 0 才 Year of age | | | | | | | | | | |
|--|---------------------------------------|-------------------|---------------------------|---------------|----------------|----------------|----------------|-----------------|----------------|--------------|-------------|-------------|--|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 031 | 性尿器系の慢性淋菌感染..... 男 M. 女 F. | 1 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 032 | 関節の淋菌感染..... 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 033 | 眼の淋菌感染..... 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 034 | その他の部位の淋菌感染..... 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 035 | 淋菌感染の後遺症..... 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 036 | 軟性下疳..... 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 037 | そけいリンバ肉芽腫..... 男 M. 女 F. | 1 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 038 | 性病性肉芽腫..... 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 039 | その他および詳細不明の性病..... 男 M. 女 F. | 1 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| (040-049) | 腸管伝染病..... 男 M. 女 F. | 331 144 187 | 21 9 12 | 15 4 11 | 22 12 10 | 28 14 14 | 26 11 15 | 112 50 62 | 52 23 29 | 14 7 7 | 3 1 2 | 1 1 1 | |
| 040 | 腸チフス..... 男 M. 女 F. | 13 6 7 | - - | - - | - - | - - | - - | - - | - - | 1 1 | - - | - - | |
| 041 | バラチフス..... 男 M. 女 F. | 6 2 4 | - - | - - | - - | - - | - - | - - | - - | 1 1 | - - | - - | |
| 042 | その他のサルモネラ感染..... 男 M. 女 F. | 1 1 - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 043 | コレラ..... 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 044 | ブルセラ症(波状熱)..... 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 045 | 細菌性赤痢..... 男 M. 女 F. | 264 115 149 | 21 9 12 | 15 4 11 | 22 12 10 | 28 14 14 | 25 10 15 | 111 49 62 | 50 23 27 | 13 7 6 | 3 1 2 | - - | |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE: FOR ALL JAPAN

昭和 41 年
1966

| | | | | | | | | | | | | | | | | | | 国際基本 分類番号 |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | International detailed list number |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | n71 |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 032 |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 033 |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 034 |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 035 |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 036 |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 037 |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 038 |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 039 |
| | 6 | 6 | 4 | 7 | 13 | 10 | 23 | 12 | 17 | 23 | 10 | 8 | 4 | - | - | - | - | (040~049) |
| | 3 | 3 | 2 | 3 | 7 | 6 | 6 | 12 | 6 | 12 | 10 | 3 | 1 | - | - | - | - | 040 |
| | 3 | 3 | 2 | 4 | 6 | 4 | 11 | 11 | 13 | 13 | 7 | 7 | 4 | - | - | - | - | 041 |
| | 2 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | - | - | 1 | - | - | - | - | - | 041 |
| | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - | 042 |
| | - | - | 1 | 1 | - | 2 | 2 | - | - | - | - | - | - | - | - | - | - | 043 |
| | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | 044 |
| | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 045 |
| | 2 | 3 | 1 | 1 | 2 | 5 | 6 | 15 | 9 | 11 | 14 | 7 | 4 | - | - | - | - | 045 |
| | 1 | 1 | 1 | 1 | 1 | 4 | 4 | 9 | 5 | 3 | 5 | 2 | 1 | - | - | - | - | 045 |
| | 1 | 2 | - | 1 | 1 | 1 | 1 | 2 | 6 | 8 | 9 | 5 | 6 | - | - | - | - | 045 |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 0~24 | | | | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|----------|----------|----------|--------|-----------|----------|----------|----------|----------|---|---|---|---|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | | | | | |
| 045.a | 疫病症状を呈するもの | 140 | 18 | 15 | 21 | 23 | 19 | 96 | 36 | 7 | - | - | - | - | - | - | - |
| | 男 M. 女 F. | 62 78 | 6 12 | 4 11 | 11 10 | 13 10 | 12 | 41 55 | 16 20 | 4 3 | - | - | - | - | - | - | - |
| 045.b | その他 | 124 | 3 | - | 1 | 5 | 6 | 15 | 14 | 6 | 3 | 2 | - | - | - | - | - |
| | 男 M. 女 F. | 53 71 | 3 - | - | 1 | 1 | 3 | 8 7 | 7 7 | 3 3 | 1 2 | - | - | - | - | - | - |
| 046 | アメーバ症 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 047 | その他の原虫性赤痢 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 048 | 詳細不明の赤痢 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 049 | 食物中毒(感染および中毒) | 46 | - | - | - | - | 1 | 1 | - | 1 | - | - | 1 | - | - | - | - |
| | 男 M. 女 F. | 20 26 | - | - | - | - | 1 | 1 | - | 1 | - | - | 1 | - | - | - | - |
| (050-064) | その他の細菌性疾患 | 1 059 | 110 | 25 | 21 | 11 | 6 | 173 | 49 | 36 | 45 | 45 | - | - | - | - | - |
| | 男 M. 女 F. | 568 491 | 67 43 | 11 14 | 12 9 | 8 3 | 5 1 | 103 70 | 24 25 | 22 14 | 29 16 | 20 25 | - | - | - | - | - |
| 050 | 猩紅熱 | 15 | - | - | - | - | - | 3 | 1 | 2 | 1 | 1 | - | - | - | - | - |
| | 男 M. 女 F. | 4 11 | - | - | - | - | - | 3 | 1 | 1 | 1 | 1 | - | - | - | - | - |
| 051 | レンサ球菌性口炎炎 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 052 | 丹毒 | 51 | 9 | 1 | - | - | - | 10 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | 27 24 | 3 6 | 1 | - | - | - | 3 7 | - | - | - | - | - | - | - | - | - |
| 053 | 敗血症および膿血症 | 589 | 58 | 12 | 9 | 4 | 3 | 86 | 19 | 14 | 25 | 29 | - | - | - | - | - |
| | 男 M. 女 F. | 278 311 | 33 25 | 5 7 | 3 6 | 4 1 | 2 1 | 47 39 | 7 12 | 7 7 | 13 19 | 10 19 | - | - | - | - | - |
| 054 | 細菌性毒血症 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 055 | ジフテリア | 22 | 2 | 6 | 3 | - | - | 11 | 2 | 2 | 1 | 2 | - | - | - | - | - |
| | 男 M. 女 F. | 10 12 | 2 - | 3 3 | 3 - | - | - | 8 3 | 2 2 | 2 2 | 1 1 | 2 2 | - | - | - | - | - |
| 056 | 百日咳 | 15 | 9 | 3 | 1 | - | - | 1 | 1 | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | 11 4 | 7 2 | 2 1 | 1 | - | - | 14 3 | 11 1 | 10 1 | - | - | - | - | - | - | - |
| 057 | 結膜炎菌感染 | 33 | 3 | 2 | 1 | 1 | - | 7 | 1 | 1 | 2 | 1 | - | - | - | - | - |
| | 男 M. 女 F. | 19 14 | 1 2 | 1 1 | 1 | - | - | 3 4 | 1 1 | 1 1 | 2 2 | 1 1 | - | - | - | - | - |
| 058 | ベスト | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number | |
|-------|--------|--------|--------|--------|--------|--------|---------|--------|---------|---------|--------|--------|-------|-------|------|---------------|--|-----|
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 045.a | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 045.b | |
| - | 2 1 | 3 1 | 1 2 | 1 1 | 4 3 | 6 4 | 15 9 | 9 5 | 11 3 | 14 5 | 7 2 | 4 1 | - | - | - | - | - | 046 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 047 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 048 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 049 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | (050-064) | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 050 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 051 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 052 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 053 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 054 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 055 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 056 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 057 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 058 | |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|---|---|---|---|-----|-----|-------|-------|-------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 059 | 野兎病 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 060 | 瘧 | 4 | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | 2 | - | - | - | - | - | - | - | - | - | - | - |
| 060.0 | 結節瘧 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 060.1 | 神經瘧 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 060.2 | 混合瘧 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 060.3 | 詳細不明のもの | 3 | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | 1 | - | - | - | - | - | - | - | - | - | - | - |
| | | 2 | - | - | - | - | - | - | - | - | - | - | - |
| 061 | 破傷風 | 318 | 28 | 1 | 6 | 7 | 2 | 44 | 23 | 18 | 15 | 12 | - |
| | 男女 M.F. | 207 | 20 | 1 | 4 | 4 | 2 | 30 | 16 | 14 | 14 | 10 | - |
| | | 111 | 8 | 1 | 2 | 3 | - | 14 | 7 | 4 | 1 | 2 | - |
| 062 | 炭疽 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 063 | ガス巣疽 | 12 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| | 男女 M.F. | 10 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| | | 2 | - | - | - | - | - | - | - | - | - | - | - |
| 064 | その他の細菌性疾患 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - | - |
| (070-074) | スピロヘータ病(梅毒を除く) | 85 | 1 | - | - | - | - | 1 | - | 2 | 2 | 5 | - |
| | 男女 M.F. | 72 | 1 | - | - | - | - | 1 | - | 1 | 1 | 4 | - |
| | | 13 | 1 | - | - | - | - | - | 1 | 1 | 1 | 1 | - |
| 070 | ワクサン感染 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | 1 | - | - | - | - | - | - | - | - | - | - | - |
| 071 | 回帰熱 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 072 | レブトスピラ症 | 84 | 1 | - | - | - | - | 1 | - | 2 | 2 | 5 | - |
| | 男女 M.F. | 72 | 1 | - | - | - | - | 1 | - | 1 | 1 | 4 | - |
| | | 12 | 1 | - | - | - | - | - | 1 | 1 | 1 | 1 | - |
| 072.0 | 黄疸出血性レブトスピラ症(ワイル病) | 83 | 1 | - | - | - | - | 1 | - | 2 | 2 | 5 | - |
| | 男女 M.F. | 71 | 1 | - | - | - | - | 1 | - | 1 | 1 | 4 | - |
| | | 12 | 1 | - | - | - | - | - | 1 | 1 | 1 | 1 | - |
| 072.1 | その他および詳細不明のもの | 1 | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | 1 | - | - | - | - | - | - | - | - | - | - | - |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|--|---------------|--|
| 059 | - | 059 |
| 060 | - | 060 |
| 060.0 | - | 060.0 |
| 060.1 | - | 060.1 |
| 060.2 | - | 060.2 |
| 060.3 | - | 060.3 |
| 061 | - | 061 |
| 062 | - | 062 |
| 063 | - | 063 |
| 064 | - | 064 |
| (070-074) | - | (070-074) |
| 070 | - | 070 |
| 071 | - | 071 |
| 072 | - | 072 |
| 072.0 | - | 072.0 |
| 072.1 | - | 072.1 |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|--------------------------------|----------------------|-------------------|-----------------|----------------|----------------|----------------|-------------------|-----------------|----------------|----------------|----------------|-------------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 073 | フランペシア | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 074 | その他のスピロヘータ感染 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| (080-096) | ビールスによる疾患 | 2760 1370 1390 | 357 179 178 | 172 92 80 | 75 35 40 | 55 28 27 | 63 35 28 | 722 369 353 | 143 69 74 | 60 35 25 | 71 45 26 | 73 40 33 | - |
| 080 | 急性灰白髄炎 | 17 14 3 | - - - | - 2 - | - - - | - 2 - | - 2 - | - - - | - - - | 2 2 - | - - - | - - - | - |
| 080.0 | 球型または灰白髄炎と明示されたもの | 1 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| 080.1 | その他の麻痺を伴うもの | 2 2 | - - | - 1 | - 1 | - - | - 1 | - 1 | - - | - - | - - | - - | - |
| 080.2 | 非麻痺性と明示されたもの | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| 080.3 | 詳細不明のもの | 14 11 3 | - - - | - 1 - | - 1 - | - - | - 1 - | - 1 - | - 2 - | - 2 - | - 2 - | - - - | - |
| 081 | 急性灰白髄炎の後遺症 | 53 29 24 | - - - | - - - | - 4 2 | - 2 2 | - 2 2 | - 5 3 | - 6 6 | 12 6 6 | 9 5 4 | - - - | - |
| 082 | 急性伝染性脳炎 | 1745 848 897 | 31 12 19 | 26 12 14 | 15 7 8 | 20 9 11 | 20 14 6 | 112 54 58 | 43 24 19 | 30 21 9 | 42 27 15 | 56 31 25 | - |
| 082.a | 日本脳炎 | 1500 724 776 | 2 3 2 | 7 4 4 | 7 5 3 | 12 5 7 | 11 8 3 | 39 20 19 | 28 16 12 | 18 12 6 | 32 20 12 | 42 20 22 | - |
| 082.b | その他の節足動物の媒介による脳炎 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| 082.c | リンパ球性脈絡膜炎 | 164 78 86 | 14 4 10 | 10 4 6 | 5 1 4 | 3 2 1 | 6 4 2 | 38 15 23 | 8 5 3 | 4 3 1 | 8 5 3 | 12 9 3 | - |
| 082.d | 嗜眠性脳炎 | 10 7 3 | 1 1 - | 2 1 - | - - - | - - - | 3 2 1 | - - | 1 1 - | - - - | - - - | - - - | - |
| 082.e | その他および詳細不明の伝染性脳炎 | 71 39 32 | 14 7 7 | 7 4 3 | 3 2 1 | 5 2 3 | 3 2 1 | 32 17 15 | 7 3 4 | 8 6 2 | 1 1 - | 2 1 - | - |
| 083 | 急性伝染性脳炎の後遺症 | 52 25 27 | - - - | - 1 - | 1 1 - | 1 1 - | - 2 - | 2 1 1 | 1 1 - | 4 2 2 | 4 2 2 | 4 3 3 | 1 1 - |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|----------------|----------------|----------------|----------------|----------------|----------------|-----------------|------------------|-------------------|-------------------|-------------------|-----------------|---------------|--------------|-------------|-------------|---------------|--|
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 073 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 074 | |
| 56 30 26 | 80 42 38 | 75 43 32 | 48 23 25 | 65 32 33 | 89 41 48 | 126 64 62 | 173 95 78 | 238 131 107 | 270 125 145 | 256 152 139 | 152 12 38 | 50 12 8 | 12 4 8 | - | - | (080-096) | |
| 1 1 - | 3 1 2 | 2 2 - | - - - | 1 1 - | 2 2 - | 2 2 - | 2 1 - | 2 1 - | 2 1 - | 2 1 - | 2 1 - | 2 1 - | 2 1 - | 2 1 - | 2 1 - | 080 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 080.0 | |
| 1 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 080.1 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 080.2 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 080.3 | |
| 7 3 4 | 4 2 2 | 4 3 1 | 2 1 1 | 1 1 - | 1 1 - | 1 1 - | 1 1 - | 1 1 - | 2 2 - | 2 1 - | 2 1 - | 2 1 - | 2 1 - | 2 1 - | 2 1 - | 081 | |
| 42 23 19 | 68 38 30 | 61 33 28 | 41 20 21 | 50 19 31 | 74 33 41 | 110 57 71 | 155 84 100 | 217 117 100 | 237 107 130 | 225 122 122 | 127 43 84 | 43 9 34 | 11 4 7 | - | - | 082 | |
| 40 23 17 | 52 29 23 | 50 16 24 | 35 16 19 | 39 16 23 | 56 28 28 | 105 54 51 | 141 76 65 | 209 97 97 | 225 123 114 | 212 102 82 | 125 43 32 | 40 8 7 | 11 4 7 | - | - | 082.a | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 082.b | |
| 2 - 2 | 11 5 6 | 9 5 4 | 5 3 2 | 8 2 6 | 17 5 12 | 2 2 - | 11 6 5 | 7 5 2 | 9 4 5 | 9 3 6 | 2 1 2 | 2 1 1 | 2 1 1 | 2 1 1 | 2 1 1 | 082.c | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 082.d | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 082.e | |
| 1 1 | 2 - 2 | 1 - 1 | 2 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 083 | |

52表(86-9)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因数 | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|--------|----|----|-----|-----|-----|-------|-------|-------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 084 | 痘瘡 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 085 | 麻疹 | 671 | 311 | 139 | 49 | 32 | 37 | 568 | 76 | 15 | 5 | 3 | - |
| | 男女 M.F. | 336 | 159 | 74 | 23 | 16 | 19 | 291 | 30 | 7 | 4 | 1 | - |
| | | 335 | 152 | 65 | 26 | 16 | 18 | 277 | 46 | 8 | 1 | 2 | - |
| 085.0 | 肺炎の記載のないもの | 264 | 100 | 59 | 12 | 27 | 210 | 41 | 4 | 4 | 2 | 1 | - |
| | 男女 M.F. | 135 | 49 | 37 | 7 | 9 | 14 | 110 | 16 | 3 | 1 | 1 | - |
| | | 129 | 51 | 22 | 5 | 13 | 100 | 25 | 2 | 1 | 1 | 1 | - |
| 085.1 | 肺炎を伴うもの | 407 | 211 | 80 | 37 | 20 | 10 | 358 | 35 | 11 | 1 | 1 | - |
| | 男女 M.F. | 201 | 110 | 37 | 16 | 13 | 5 | 181 | 14 | 5 | 1 | 1 | - |
| | | 206 | 101 | 43 | 7 | 5 | 177 | 21 | 6 | - | 1 | 1 | - |
| 086 | 風疹 | 13 | 3 | 1 | 1 | 1 | 1 | 5 | 6 | 1 | 1 | - | - |
| | 男女 M.F. | 9 | 3 | 1 | 1 | 1 | 1 | 3 | 3 | - | - | - | - |
| | | 4 | - | - | - | - | - | - | - | - | - | - | - |
| 087 | 水痘 | 19 | 5 | 3 | 4 | 1 | 1 | 13 | 4 | 1 | 1 | - | - |
| | 男女 M.F. | 9 | 2 | 3 | 4 | 1 | 1 | 6 | 2 | 1 | 1 | - | - |
| | | 10 | 3 | - | 4 | - | - | 7 | 2 | - | - | - | - |
| 088 | 帯状疱疹 | 19 | - | - | - | - | - | - | - | 1 | - | - | - |
| | 男女 M.F. | 10 | - | - | - | - | - | - | - | 1 | - | - | - |
| | | 9 | - | - | - | - | - | - | - | 1 | - | - | - |
| 089 | 流行性耳下腺炎 | 10 | - | 1 | - | 1 | - | 2 | 4 | 1 | - | - | - |
| | 男女 M.F. | 4 | - | 1 | - | 1 | - | 2 | 2 | 1 | - | - | - |
| | | 6 | - | - | - | - | - | - | 2 | - | - | - | - |
| 090 | テング熱 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 091 | 黄熱 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 092 | 伝染性肝炎 | 137 | 3 | 1 | 1 | 1 | 1 | 6 | 5 | 6 | 3 | 1 | - |
| | 男女 M.F. | 74 | 3 | 1 | 1 | 1 | 1 | 5 | 4 | 3 | 2 | 1 | - |
| | | 63 | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | - |
| 093 | 腺熱(伝染性單核細胞症) | 5 | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | 5 | - | - | - | - | - | - | - | - | - | - | - |
| 094 | 狂犬病 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 095 | トラコーマ | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 096 | ビールスによるその他の疾患 | 19 | 4 | 1 | 2 | - | 1 | 8 | - | 1 | 1 | - | - |
| | 男女 M.F. | 7 | 4 | 1 | 2 | - | 1 | 8 | - | 1 | 1 | - | - |
| | | 12 | 4 | - | - | - | - | - | - | - | - | - | - |
| 096.a | オウム病およびハト病 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - | - |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 084 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 085 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 085.0 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 085.1 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 086 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 087 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 088 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 089 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 090 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 091 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 092 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 093 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 094 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 095 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 096 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 096.a |

52 表 (86—10)

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

52 表 (86—11)

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

52 表 (86-12)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|---|---|---|---|---------|-----|-------|-------|-------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 125 | 胞虫症 | 7 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 3 4 | — | — | — | — | — | — | — | — | — | — | — |
| 126 | その他の条虫症 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — 1 | — | — | — | — | — | — | — | — | — | — | — |
| 127 | 糸状虫症 | 28 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 20 8 | — | — | — | — | — | — | — | — | — | — | — |
| 128 | 旋毛虫症 | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — | — | — | — | — | — | — | — | — | — | — |
| 129 | 鉤虫症(十二指腸鉤虫症) | 19 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 9 10 | — | — | — | — | — | — | — | — | — | — | — |
| 130 | その他の混合および詳細不明の蠕虫症 | 34 | — | — | 1 | — | — | 1 | 1 | 3 | — | — | — |
| | 男 M. 女 F. | 18 16 | — | — | 1 | — | — | 1 | 1 | 1 | — | — | — |
| 130.0 | 回虫症 | 28 | — | — | 1 | — | — | 1 | 1 | 3 | — | — | — |
| | 男 M. 女 F. | 13 15 | — | — | 1 | — | — | 1 | 1 | 1 | — | — | — |
| 130.1 | 蟇虫症 | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — | — | — | — | — | — | — | — | — | — | — |
| 130.2 | 腸管内混合蠕虫症 | 3 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 2 1 | — | — | — | — | — | — | — | — | — | — | — |
| 130.3 | その他 | 3 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 3 — | — | — | — | — | — | — | — | — | — | — | — |
| 131 | 皮膚真菌症 | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — | — | — | — | — | — | — | — | — | — | — |
| 132 | 放線菌症 | 9 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 5 4 | — | — | — | — | — | — | — | — | — | — | — |
| 133 | コクチジオイデス症 | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — | — | — | — | — | — | — | — | — | — | — |
| 134 | その他の真菌感染 | 112 | 14 | 2 | — | — | — | 16 | 1 | 1 | 1 | 4 | — |
| | 男 M. 女 F. | 66 46 | 4 10 | 1 | — | — | — | 5 11 | 1 | — | 1 | 2 | — |
| 134.a | カンジダ症 | 57 | 12 | 1 | — | — | — | 13 | 1 | — | — | 2 | — |
| | 男 M. 女 F. | 29 28 | 2 10 | 1 | — | — | — | 2 11 | 1 | — | — | 2 | — |
| 134.b | その他 | 55 | 2 | 1 | — | — | — | 3 | — | 1 | 1 | 2 | — |
| | 男 M. 女 F. | 37 18 | 2 — | 1 | — | — | — | 3 | — | 1 | 1 | 2 | — |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------------|-------|-------|--------|--------|-------|-------|-------------|-------------|-------------|-------------|-------------|-------|-------|------|---------------|--|
| — | 3 2 1 | — | — | 1 1 | 1 1 | — | — | 1 1 | — | — | 1 1 | — | — | — | — | — | 125 |
| — | — | — | — | 1 1 | — | — | — | — | — | — | — | — | — | — | — | — | 126 |
| — | — | — | — | — | — | — | — | 6 3 3 | 7 6 1 | 5 5 — | 4 2 2 | 4 3 1 | — | — | — | — | 127 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 128 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 129 |
| — | — | — | — | — | — | — | — | 3 3 — | 3 2 1 | 2 2 — | 3 3 — | 1 1 | — | — | — | — | 130 |
| — | — | — | — | — | — | — | — | 5 3 2 | 7 4 3 | 5 2 3 | 5 2 3 | 1 1 | — | — | — | — | 130.0 |
| — | — | — | — | — | — | — | — | 5 3 2 | 6 3 3 | 5 2 3 | 5 2 3 | 1 1 | — | — | — | — | 130.1 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 130.2 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 130.3 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 131 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 132 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 133 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 134 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 134.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 134.b |

52 表 (86—13)

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因別性別割合 | | | | | | | | |
|--|------------------------------------|------------------|----------------------|------------|-----------|-----------|----------|------------|------------|------------|------------|------------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~ |
| 135 | 疥 痒 | 1 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 1 — | — | — | — | — | — | — | — | — | — | — |
| 136 | シラミ症 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — | — | — | — | — | — | — | — | — | — |
| 137 | その他の節足動物の寄生 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — | — | — | — | — | — | — | — | — | — |
| 138 | その他の伝染病および寄生虫病 | 56 | 3 | — | — | — | — | — | 3 | — | 2 | — |
| | 男 M. 女 F. | 29 27 | 2 1 | — | — | — | — | — | 2 | — | 1 | — |
| 138.a | 泉 熱 | 17 | — | — | — | — | — | — | — | — | 2 | — |
| | 男 M. 女 F. | 5 12 | — | — | — | — | — | — | — | — | 1 | — |
| 138.b | そ の 他 | 39 | 3 | — | — | — | — | — | 3 | — | — | — |
| | 男 M. 女 F. | 24 15 | 2 1 | — | — | — | — | — | 2 | — | — | — |
| II | 新 生 物 | 115 263 | 165 | 163 | 180 | 169 | 145 | 822 | 497 | 528 | 862 | 830 |
| | 男 M. 女 F. | 63 664 51 599 | 79 86 | 88 75 | 108 72 | 101 68 | 75 70 | 451 371 | 297 200 | 273 255 | 464 398 | 420 400 |
| (140~148) | 口腔および咽頭の悪性新生物 | 900 | — | — | 1 | — | — | 1 | 2 | 5 | 7 | — |
| | 男 M. 女 F. | 579 321 | — — | — — | 1 | — — | — — | 1 | 2 | 3 | 5 | 2 |
| 140 | 口腔の悪性新生物 | 22 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 12 10 | — — | — — | — | — — | — — | — | — | — | — | — |
| 141 | 舌の悪性新生物 | 332 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 213 119 | — — | — — | — | — — | — — | — | — | — | — | — |
| 142 | 唾液腺の悪性新生物 | 98 | — | — | 1 | — | — | — | 1 | 1 | 2 | 1 |
| | 男 M. 女 F. | 55 43 | — — | — — | 1 | — — | — — | — | 1 | 1 | 2 | — |
| 143 | 口底の悪性新生物 | 18 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 13 5 | — — | — — | — | — — | — — | — | — | — | — | — |
| 144 | その他の部位および部位不明の口腔の悪性新生物 | 129 | — | — | — | — | — | — | — | 1 | — | 1 |
| | 男 M. 女 F. | 83 46 | — — | — — | — | — — | — — | — | — | 1 | — | 1 |
| 145 | 中部咽頭の悪性新生物 | 44 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 30 14 | — — | — — | — | — — | — — | — | — | — | — | — |
| 145.a | 扁 桃 | 38 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 24 14 | — — | — — | — | — — | — — | — | — | — | — | — |
| 145.b | そ の 他 | 6 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 6 — | — | — | — | — — | — — | — | — | — | — | — |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE: FOR ALL JAPAN

昭和 41 年
1966

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

| | | | | | | | | | | | | | | | | | 不詳 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|-------|-------|-------|-------|-------|------|---------|--|
| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | Unknown | |
| 3 | 2 | 5 | 6 | 6 | 14 | 9 | 5 | 7 | 2 | 2 | 1 | — | — | — | — | — | 146 |
| 2 | 1 | 4 | 5 | 5 | 8 | 7 | 3 | 7 | 1 | 1 | — | — | — | — | — | — | — |
| 1 | 1 | 1 | 1 | 1 | 6 | 2 | 2 | — | 1 | 1 | — | — | — | — | — | — | — |
| — | — | — | 2 | 5 | 8 | 7 | 11 | 4 | 7 | 5 | 1 | — | — | — | — | — | 147 |
| — | — | — | 2 | 3 | 5 | 3 | 7 | 3 | 4 | 2 | — | — | — | — | — | — | — |
| — | — | — | — | 2 | 3 | 4 | 4 | 1 | 3 | 3 | — | — | — | — | — | — | — |
| 3 | 1 | 1 | 4 | 4 | 7 | 16 | 27 | 34 | 20 | 9 | 4 | 2 | — | — | — | — | 148 |
| 1 | 1 | 1 | — | 1 | 5 | 13 | 21 | 25 | 12 | 4 | 1 | 1 | — | — | — | — | — |
| 2 | — | 4 | 3 | 2 | 3 | 6 | 9 | 8 | 3 | 3 | 1 | — | — | — | — | — | — |
| 533 | 1 092 | 1 844 | 2 668 | 3 692 | 5 995 | 8 827 | 11 572 | 13 211 | 11 983 | 8 180 | 3 620 | 1 019 | 153 | 7 | — | 1 | (150-159) |
| 246 | 504 | 936 | 1 351 | 1 968 | 3 521 | 5 589 | 7 628 | 8 573 | 7 384 | 4 634 | 1 774 | 416 | 62 | — | — | — | — |
| 287 | 588 | 908 | 1 317 | 1 724 | 2 474 | 3 238 | 3 944 | 4 638 | 4 599 | 3 546 | 1 846 | 603 | 91 | 5 | — | — | — |
| 1 | 9 | 27 | 65 | 95 | 236 | 480 | 697 | 887 | 751 | 570 | 272 | 65 | 10 | 1 | — | — | 150 |
| 1 | 5 | 18 | 44 | 62 | 179 | 377 | 548 | 685 | 567 | 385 | 164 | 38 | 3 | — | — | — | — |
| — | 4 | 9 | 21 | 33 | 57 | 103 | 149 | 202 | 184 | 185 | 108 | 27 | 7 | 1 | — | — | — |
| — | — | 1 | 6 | 1 | 14 | 25 | 18 | 35 | 28 | 24 | 6 | 2 | — | — | — | — | 150.a |
| — | — | 1 | 4 | — | 8 | 14 | 12 | 19 | 20 | 20 | 4 | 1 | — | — | — | — | — |
| — | — | — | 2 | 1 | 6 | 11 | 6 | 16 | 8 | 4 | 2 | 1 | — | — | — | — | — |
| — | — | 2 | 9 | 13 | 24 | 56 | 60 | 78 | 41 | 20 | 10 | 3 | — | — | — | — | 150.b |
| — | — | 1 | 8 | 12 | 21 | 45 | 49 | 66 | 34 | 16 | 5 | 1 | — | — | — | — | — |
| — | — | 1 | 1 | 1 | 3 | 11 | 11 | 12 | 7 | 4 | 5 | 2 | — | — | — | — | — |
| 1 | 5 | 5 | 8 | 22 | 29 | 77 | 71 | 88 | 52 | 39 | 16 | 1 | — | — | — | — | 150.c |
| 1 | 2 | 4 | 6 | 8 | 22 | 65 | 63 | 69 | 38 | 29 | 9 | 1 | — | — | — | — | — |
| — | 3 | 1 | 2 | 14 | 7 | 12 | 8 | 19 | 14 | 10 | 7 | — | — | — | — | — | — |
| — | 4 | 19 | 42 | 59 | 169 | 322 | 548 | 686 | 630 | 487 | 240 | 59 | 10 | 1 | — | — | 150.d |
| — | 3 | 12 | 26 | 42 | 128 | 253 | 424 | 531 | 475 | 320 | 146 | 35 | 3 | — | — | — | — |
| — | 1 | 7 | 16 | 17 | 41 | 69 | 124 | 155 | 155 | 167 | 94 | 24 | 7 | 1 | — | — | — |
| 333 | 745 | 1 300 | 1 742 | 2 362 | 3 758 | 5 456 | 7 267 | 8 254 | 7 524 | 5 017 | 2 152 | 588 | 92 | 5 | — | — | 151 |
| 152 | 315 | 624 | 857 | 1 269 | 2 246 | 3 595 | 5 009 | 5 604 | 4 833 | 2 968 | 1 088 | 246 | 39 | 2 | — | — | — |
| 181 | 430 | 676 | 885 | 1 093 | 1 512 | 1 861 | 2 258 | 2 650 | 2 691 | 2 049 | 1 064 | 342 | 53 | 3 | — | — | — |
| 14 | 40 | 53 | 71 | 97 | 158 | 220 | 293 | 300 | 257 | 158 | 55 | 25 | 3 | — | — | — | 151.a |
| 9 | 15 | 27 | 35 | 56 | 104 | 161 | 223 | 221 | 179 | 107 | 24 | 13 | 1 | — | — | — | — |
| 5 | 25 | 26 | 36 | 41 | 54 | 59 | 70 | 79 | 78 | 51 | 31 | 12 | 2 | — | — | — | — |
| 26 | 61 | 102 | 181 | 264 | 410 | 601 | 811 | 992 | 836 | 523 | 228 | 61 | 12 | — | — | — | 151.b |
| 10 | 25 | 54 | 98 | 154 | 256 | 403 | 542 | 660 | 519 | 289 | 120 | 19 | 5 | — | — | — | — |
| 16 | 36 | 48 | 83 | 110 | 154 | 198 | 269 | 332 | 317 | 234 | 108 | 42 | 7 | — | — | — | — |
| 293 | 644 | 1 145 | 1 490 | 2 001 | 3 190 | 4 635 | 6 163 | 6 962 | 6 431 | 4 336 | 1 869 | 502 | 77 | 5 | — | — | 151.c |
| 133 | 275 | 543 | 724 | 1 059 | 1 886 | 3 031 | 4 244 | 4 723 | 4 135 | 2 572 | 944 | 214 | 33 | 2 | — | — | — |
| 160 | 369 | 602 | 766 | 942 | 1 304 | 1 604 | 1 919 | 2 239 | 2 296 | 1 764 | 925 | 288 | 44 | 3 | — | — | — |
| 2 | 2 | 3 | 12 | 17 | 13 | 29 | 36 | 53 | 33 | 28 | 12 | 4 | — | — | — | — | 152 |
| — | 2 | 2 | 8 | 6 | 8 | 13 | 24 | 28 | 21 | 19 | 5 | — | — | — | — | — | — |
| 2 | — | 1 | 4 | 11 | 5 | 16 | 12 | 25 | 12 | 9. | 7 | 4 | — | — | — | — | — |
| 1 | 1 | 3 | 6 | 10 | 7 | 21 | 19 | 29 | 18 | 22 | 7 | 1 | — | — | — | — | 152.a |
| 1 | 1 | 2 | 3 | 3 | 7 | 11 | 10 | 5 | 11 | 7 | 6 | 3 | 1 | — | — | — | — |
| 1 | — | 1 | 3 | 7 | — | 10 | 5 | 11 | 7 | 6 | 3 | 4 | 3 | — | — | — | 152.b |
| 1 | 1 | — | 6 | 7 | 6 | 8 | 17 | 24 | 15 | 6 | 5 | 3 | — | — | — | — | — |
| 1 | — | — | 5 | 3 | 1 | 2 | 10 | 10 | 10 | 5 | 3 | 4 | 3 | — | — | — | — |
| 1 | — | — | 1 | 4 | 5 | 6 | 7 | 14 | 5 | 3 | 4 | 3 | — | — | — | — | — |

52 表 (86-15)

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因 | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|-------|---|---|---|-----|-----|-------|-------|-------|--|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 153 | 大腸の悪性新生物(直腸を除く)… | 3 003 | — | 1 | — | — | — | 1 | — | 2 | 12 | 25 | |
| | 男 M. | 1 349 | — | 1 | — | — | — | 1 | — | 2 | 6 | 15 | |
| | 女 F. | 1 654 | — | — | — | — | — | — | — | — | 6 | 12 | |
| 153.a | 盲腸、虫垂および上行結腸… | 776 | — | — | — | — | — | — | 1 | 3 | 4 | | |
| | 男 M. | 339 | — | — | — | — | — | — | 1 | 1 | 3 | | |
| | 女 F. | 437 | — | — | — | — | — | — | — | 2 | 1 | | |
| 153.b | 横行結腸および下行結腸… | 357 | — | — | — | — | — | — | — | 2 | 3 | | |
| | 男 M. | 176 | — | — | — | — | — | — | — | 1 | 2 | | |
| | 女 F. | 181 | — | — | — | — | — | — | — | 1 | 1 | | |
| 153.c | S.状結腸… | 365 | — | — | — | — | — | — | 1 | 1 | 4 | | |
| | 男 M. | 190 | — | — | — | — | — | — | 1 | 1 | 3 | | |
| | 女 F. | 175 | — | — | — | — | — | — | — | — | 1 | | |
| 153.d | 多部位および部位不明… | 987 | — | — | — | — | — | — | — | 4 | 12 | | |
| | 男 M. | 446 | — | — | — | — | — | — | — | 2 | 5 | | |
| | 女 F. | 541 | — | — | — | — | — | — | — | 2 | 7 | | |
| 153.e | 詳細不明の腸管… | 518 | — | 1 | — | — | — | 1 | — | — | 2 | 2 | |
| | 男 M. | 198 | — | 1 | — | — | — | 1 | — | — | 1 | 2 | |
| | 女 F. | 320 | — | — | — | — | — | — | — | 1 | 1 | | |
| 154 | 直腸の悪性新生物… | 3 840 | — | — | — | — | — | — | — | 7 | 41 | | |
| | 男 M. | 1 961 | — | — | — | — | — | — | — | 3 | 19 | | |
| | 女 F. | 1 879 | — | — | — | — | — | — | — | 4 | 22 | | |
| 155 | 胆嚢および原発と記載された肝臓の悪性新生物… | 3 438 | 6 | 2 | 1 | — | — | 3 | 12 | — | 1 | 7 | |
| | 男 M. | 1 722 | 3 | 1 | 1 | — | — | 2 | 7 | — | 1 | 4 | |
| | 女 F. | 1 716 | 3 | 1 | — | — | — | 1 | 5 | — | 1 | 3 | |
| 155.0 | 肝臓… | 1 173 | 6 | 2 | 1 | — | — | 3 | 12 | — | 1 | 5 | |
| | 男 M. | 729 | 3 | 1 | 1 | — | — | 2 | 7 | — | 1 | 3 | |
| | 女 F. | 444 | 3 | 1 | — | — | — | 1 | 5 | — | 1 | 2 | |
| 155.1 | 胆嚢および肝外胆管(ファーテル乳頭を含む)… | 2 264 | — | — | — | — | — | — | — | — | 2 | 2 | |
| | 男 M. | 993 | — | — | — | — | — | — | — | — | 1 | 1 | |
| | 女 F. | 1 271 | — | — | — | — | — | — | — | — | 1 | 1 | |
| 155.8 | 多部位… | 1 | — | — | — | — | — | — | — | — | — | — | |
| | 男 M. | — | — | — | — | — | — | — | — | — | — | — | |
| | 女 F. | 1 | — | — | — | — | — | — | — | — | — | — | |
| 156 | 肝臓の悪性新生物(続発性および詳細不明)… | 7 734 | 2 | 4 | 3 | 1 | 1 | 11 | 5 | — | 15 | 14 | |
| | 男 M. | 4 612 | 1 | 3 | 2 | 1 | 1 | 7 | 3 | — | 8 | 8 | |
| | 女 F. | 3 122 | 1 | 1 | 1 | 1 | — | 4 | 2 | — | 7 | 6 | |
| 157 | 脾臓の悪性新生物… | 3 255 | — | — | — | — | — | — | 2 | 2 | 3 | 10 | |
| | 男 M. | 1 845 | — | — | — | — | — | — | 1 | 1 | 2 | 5 | |
| | 女 F. | 1 410 | — | — | — | — | — | — | 1 | — | 2 | 5 | |
| 158 | 腹膜の悪性新生物… | 1 427 | 2 | 7 | 2 | 2 | — | 13 | 3 | 6 | 6 | 16 | |
| | 男 M. | 591 | 1 | 5 | 1 | 1 | — | 8 | 2 | 1 | 4 | 7 | |
| | 女 F. | 836 | 1 | 2 | 1 | 1 | — | 5 | 1 | 5 | 2 | 9 | |
| 159 | 詳細不明の消化器の悪性新生物… | 917 | — | — | — | — | — | — | — | 1 | 6 | | |
| | 男 M. | 564 | — | — | — | — | — | — | — | 1 | 1 | | |
| | 女 F. | 353 | — | — | — | — | — | — | — | — | 5 | | |
| (160-165) | 呼吸器系の悪性新生物… | 10 490 | 1 | 2 | — | 2 | 1 | 6 | 1 | 6 | 18 | 23 | |
| | 男 M. | 7 300 | 1 | — | 2 | — | 2 | 1 | 3 | 1 | 13 | 14 | |
| | 女 F. | 3 190 | — | 2 | — | — | — | 1 | 3 | — | 5 | 9 | |

性・年齢(5才階級)・死因(基本分類)別
BY SEX AND AGE; FOR ALL JAPAN昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| 38 | 60 | 77 | 126 | 142 | 230 | 317 | 383 | 467 | 456 | 401 | 193 | 66 | 7 | — | — | — | 153 |
| 21 | 33 | 43 | 61 | 64 | 115 | 148 | 183 | 220 | 193 | 151 | 76 | 17 | 2 | — | — | — | 153.a |
| 17 | 27 | 34 | 65 | 78 | 115 | 169 | 200 | 247 | 263 | 250 | 117 | 49 | 5 | — | — | — | 153.b |
| 4 | 14 | 22 | 32 | 42 | 57 | 62 | 99 | 124 | 122 | 122 | 50 | 17 | 1 | — | — | — | 153.c |
| 2 | 11 | 12 | 14 | 23 | 30 | 32 | 35 | 57 | 52 | 70 | 44 | 14 | — | — | — | — | 153.d |
| 2 | 3 | 10 | 18 | 19 | 27 | 37 | 46 | 53 | 59 | 39 | 20 | 3 | — | — | — | — | 153.e |
| 11 | 12 | 12 | 22 | 26 | 32 | 37 | 46 | 53 | 59 | 31 | 15 | 4 | — | — | — | — | 154 |
| 5 | 7 | 9 | 13 | 12 | 15 | 21 | 25 | 28 | 30 | 27 | 19 | 3 | — | — | — | — | 155 |
| 10 | 16 | 27 | 37 | 36 | 73 | 106 | 130 | 172 | 162 | 115 | 61 | 23 | 3 | — | — | — | 155.0 |
| 5 | 7 | 10 | 16 | 20 | 36 | 37 | 48 | 63 | 74 | 67 | 26 | 17 | 2 | — | — | — | 155.1 |
| 64 | 81 | 98 | 136 | 201 | 292 | 372 | 493 | 563 | 650 | 502 | 243 | 84 | 12 | — | — | — | 155.8 |
| 38 | 41 | 46 | 59 | 81 | 132 | 171 | 252 | 336 | 355 | 274 | 112 | 35 | 6 | — | — | — | 156 |
| 26 | 40 | 52 | 77 | 120 | 160 | 201 | 241 | 227 | 295 | 228 | 131 | 49 | 6 | — | — | — | 157 |
| 11 | 39 | 56 | 84 | 159 | 263 | 437 | 578 | 625 | 556 | 3 | | | | | | | |

52表(86-16)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|---|-------------------------|-------------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|-------------|--|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 160 | 鼻、鼻腔、中耳および副鼻腔の悪性新生物 男 M. 女 F. | 1 024 596 428 | — — — | 1 1 1 | — — — | 1 1 1 | — — — | 2 1 1 | 1 1 — | — — — | 3 2 1 | 5 3 2 | |
| 160.0 | 鼻(内)および鼻腔 男 M. 女 F. | 30 16 14 | — — — | 1 1 1 | — — — | — — — | — — — | 1 1 1 | — — — | — — — | — — — | — — — | |
| 160.1 | 耳管および中耳 男 M. 女 F. | 14 11 3 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| 160.2 | 上顎洞 男 M. 女 F. | 933 542 391 | — — — | — — — | — — — | — — — | — — — | 1 1 1 | 1 1 — | — — — | 1 3 2 | 5 2 2 | |
| 160.7 | その他の副鼻腔 男 M. 女 F. | 19 12 7 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| 160.8 | 多部位 男 M. 女 F. | 9 6 3 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| 160.9 | 部位不明 男 M. 女 F. | 19 9 10 | — — — | — — — | 1 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| 161 | 喉頭の悪性新生物 男 M. 女 F. | 833 665 168 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| 162 | 気管および気管支ならびに原発と明示された肺の悪性新生物 男 M. 女 F. | 1 042 731 311 | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 1 | 2 1 1 | — — — | — — — | |
| 162.0 | 気管 男 M. 女 F. | 2 2 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| 162.1 | 気管支および肺 男 M. 女 F. | 1 033 724 309 | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 1 | 2 1 1 | — — — | — — — | |
| 162.2 | 胸膜 男 M. 女 F. | 7 5 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| 162.8 | 多部位 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| 163 | 原発、統発の別不明の肺の悪性新生物 男 M. 女 F. | 7 323 5 126 2 197 | — — — | — — — | — — — | 1 1 — | — — — | 1 1 — | 3 3 — | 10 7 3 | 10 6 4 | — — — | |
| 164 | 縫隔の悪性新生物 男 M. 女 F. | 201 137 64 | 1 1 — | 1 1 — | — — — | 1 1 — | 3 2 — | — — — | 2 2 — | 4 3 1 | 5 4 1 | — — — | |
| 165 | 胸部臓器の悪性新生物(統発性) 男 M. 女 F. | 67 45 22 | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|----------------|----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------------|---------------------|---------------------|-------------------|------------------|----------------|-------------|-------------|-------------|---------------|--|
| 6 5 1 | 10 3 7 | 31 13 18 | 56 35 21 | 91 46 45 | 106 65 41 | 116 75 41 | 176 108 68 | 145 90 55 | 117 75 42 | 94 51 43 | 49 15 34 | 14 7 7 | 2 1 1 | — — — | — — — | 160 | |
| 1 1 | 1 — | — — | 1 2 — | 4 3 1 | 1 — — | 5 3 2 | 3 — — | 3 2 1 | 3 1 — | 1 — — | 1 — — | 1 — — | 2 1 — | — — — | — — — | 160.0 | |
| — — — | — — — | — — — | 1 1 — | 2 2 — | 1 1 — | 1 1 — | 2 1 — | 2 1 — | 2 2 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | 160.1 | |
| 4 3 1 | 8 2 6 | 30 13 17 | 52 42 20 | 86 44 36 | 96 60 38 | 111 73 38 | 164 103 61 | 132 84 48 | 105 65 40 | 82 42 40 | 42 12 30 | 12 5 7 | 2 1 1 | — — — | — — — | 160.2 | |
| 1 1 | — — | — — | — — | 1 1 — | 1 2 — | 1 — — | 1 1 — | 1 2 — | 1 1 — | 2 1 — | 3 2 — | 2 1 — | 1 1 — | — — — | — — — | 160.7 | |
| — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 160.8 | |
| — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 160.9 | |
| — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 161 | |
| 6 3 3 | 6 4 2 | 22 13 9 | 18 10 8 | 48 25 23 | 92 56 36 | 131 91 40 | 212 150 62 | 199 159 40 | 182 140 42 | 80 50 30 | 31 22 9 | 11 5 6 | 1 1 — | — — — | — — — | — — — | 162 |
| — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 162.0 | |
| 6 3 3 | 6 4 2 | 21 12 9 | 16 9 7 | 48 25 23 | 92 56 36 | 129 90 39 | 211 149 62 | 198 158 40 | 181 139 42 | 79 49 30 | 31 22 9 | 11 5 6 | 1 1 — | — — — | — — — | — — — | 162.1 |
| — — — | — — — | — — — | — — — | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 162.2 | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 162.8 | |
| 25 12 13 | 63 29 34 | 114 67 47 | 179 149 73 | 260 351 204 | 555 661 263 | 924 963 334 | 1 297 1 065 1 237 | 1 440 955 366 | 1 321 546 237 | 783 546 237 | 271 173 98 | 60 30 30 | | | | | |

52 表 (86—17)

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死 因 - 性 Cause of death and sex | 総 数 Total | 0 才 Year of age | | | | | | | | | | |
|--|---------------------------------------|------------------|---------------------------|----|----|----|----|-----|-----|-------|-------|-------|----|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| (170-181) | 乳房および性尿器の悪性新生物----- | 12 997 | 7 | 12 | 15 | 15 | 14 | 63 | 16 | 22 | 52 | 84 | |
| | 男 M. | 2 349 | 6 | 6 | 11 | 8 | 9 | 40 | 10 | 7 | 12 | 21 | |
| | 女 F. | 10 648 | 1 | 6 | 4 | 7 | 5 | 23 | 6 | 15 | 40 | 63 | |
| 170 | 乳房の悪性新生物----- | 2 129 | - | - | - | - | - | - | - | - | 1 | 5 | |
| | 男 M. | 29 | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | 2 100 | - | - | - | - | - | - | - | - | 1 | 5 | |
| 171 | 子宮頸の悪性新生物----- | 1 698 | - | - | - | - | - | - | - | - | - | 2 | |
| | 男 M. | . | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | 1 698 | - | - | - | - | - | - | - | - | - | 2 | |
| 172 | 子宮体の悪性新生物----- | 361 | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | . | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | 361 | - | - | - | - | - | - | - | - | - | - | |
| 173 | 子宮のその他の部位の悪性新生物(絨毛上皮腫を含む)----- | 229 | - | - | - | - | - | - | - | - | 4 | 21 | |
| | 男 M. | . | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | 229 | - | - | - | - | - | - | - | - | 4 | 21 | |
| 173.a | 絨毛上皮腫----- | 225 | - | - | - | - | - | - | - | - | 4 | 21 | |
| | 男 M. | . | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | 225 | - | - | - | - | - | - | - | - | 4 | 21 | |
| 173.b | その他----- | 4 | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | . | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | 4 | - | - | - | - | - | - | - | - | - | - | |
| 174 | 詳細不明の子宮の悪性新生物----- | 4 379 | - | - | - | - | - | - | - | - | 2 | 3 | |
| | 男 M. | . | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | 4 379 | - | - | - | - | - | - | - | - | 2 | 3 | |
| 175 | 卵巣、卵管および子宮広間膜の悪性新生物----- | 967 | - | - | - | - | - | - | - | 2 | 12 | 30 | 32 |
| | 男 M. | . | - | - | - | - | - | - | - | 2 | 12 | 30 | 32 |
| | 女 F. | 967 | - | - | - | - | - | - | - | 2 | 12 | 30 | 32 |
| 175.a | 卵 巢----- | 935 | - | - | - | - | - | - | - | 2 | 12 | 30 | 32 |
| | 男 M. | . | - | - | - | - | - | - | - | 2 | 12 | 30 | 32 |
| | 女 F. | 935 | - | - | - | - | - | - | - | 2 | 12 | 30 | 32 |
| 175.b | その他----- | 32 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | . | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | 32 | - | - | - | - | - | - | - | - | - | - | - |
| 176 | その他および詳細不明の女性性器の悪性新生物----- | 139 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| | 男 M. | . | - | - | 1 | - | - | - | 1 | - | - | - | - |
| | 女 F. | 139 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| 176.a | 外 脇----- | 74 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | . | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | 74 | - | - | - | - | - | - | - | - | - | - | - |
| 176.b | その他----- | 65 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| | 男 M. | . | - | - | 1 | - | - | - | 1 | - | - | - | - |
| | 女 F. | 65 | - | - | 1 | - | - | - | 1 | - | - | - | - |
| 177 | 前立腺の悪性新生物----- | 717 | - | - | - | - | - | 1 | 1 | 1 | 2 | 1 | - |
| | 男 M. | . | - | - | - | - | - | 1 | 1 | 1 | 2 | 1 | - |
| | 女 F. | 717 | - | - | - | - | - | 1 | 1 | 1 | 2 | 1 | - |
| 178 | 睪丸の悪性新生物----- | 176 | - | 2 | 9 | 3 | 4 | 18 | 5 | 1 | 8 | 15 | - |
| | 男 M. | . | - | 2 | 9 | 3 | 4 | 18 | 5 | 1 | 8 | 15 | - |
| | 女 F. | 176 | - | 2 | 9 | 3 | 4 | 18 | 5 | 1 | 8 | 15 | - |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE: FOR ALL JAPAN

昭和 41 年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本 分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| | | | | | | | | | | | | | | | | | 1 (170-181) |
| 154 | 297 | 576 | 861 | 1 166 | 1 508 | 1 649 | 1 666 | 1 645 | 1 391 | 1 058 | 520 | 223 | 40 | 5 | — | — | |
| 32 | 33 | 53 | 34 | 43 | 106 | 185 | 290 | 424 | 433 | 344 | 196 | 67 | 18 | 1 | — | — | |
| 122 | 264 | 523 | 827 | 1 123 | 1 402 | 1 464 | 1 376 | 1 221 | 958 | 714 | 324 | 156 | 22 | 4 | — | 1 | |
| 26 | 75 | 145 | 247 | 276 | 314 | 297 | 224 | 169 | 127 | 112 | 56 | 47 | 7 | 1 | — | — | |
| 26 | — | 75 | 145 | 247 | 274 | 313 | 290 | 221 | 162 | 122 | 108 | 56 | 47 | 7 | — | — | |
| 13 | 37 | 90 | 135 | 184 | 256 | 274 | 238 | 195 | 145 | 82 | 27 | 16 | 3 | — | — | 170 | |
| 13 | 37 | 90 | 135 | 184 | 256 | 274 | 238 | 195 | 145 | 82 | 27 | 16 | 3 | — | — | 171 | |
| — | 5 | 10 | 21 | 27 | 39 | 46 | 48 | 54 | 50 | 41 | 14 | 5 | 1 | — | — | 172 | |
| — | — | 5 | 10 | 21 | 27 | 39 | 46 | 48 | 54 | 50 | 41 | 14 | 5 | 1 | — | — | |
| 36 | 29 | 31 | 31 | 47 | 22 | 6 | 1 | — | — | — | — | — | 1 | — | — | — | |
| 36 | 29 | 31 | 31 | 47 | 22 | 6 | 1 | — | — | — | — | — | 1 | — | — | — | |
| 36 | 29 | 31 | 31 | 45 | 20 | 6 | 1 | — | — | — | — | — | 1 | — | — | — | |
| 36 | 29 | 31 | 31 | 45 | 20 | 6 | 1 | — | — | — | — | — | 1 | — | — | — | |
| — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — | — | 173.a | |
| — | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — | — | — | |
| 10 | 71 | 168 | 273 | 419 | 570 | 648 | 652 | 581 | 449 | 319 | 148 | 60 | 4 | 2 | — | — | |
| 10 | 71 | 168 | 273 | 419 | 570 | 648 | 652 | 581 | 449 | 319 | 148 | 60 | 4 | 2 | — | — | |
| 33 | 41 | 64 | 100 | 138 | 129 | 112 | 99 | 86 | 41 | 35 | 10 | 3 | — | — | — | — | |
| 33 | 41 | 64 | 100 | 138 | 129 | 112 | 99 | 86 | 41 | 35 | 10 | 3 | — | — | — | — | |
| 32 | 40 | 62 | 98 | 134 | 128 | 104 | 96 | 83 | 39 | 30 | 10 | 3 | — | — | — | — | |
| 32 | 40 | 62 | 98 | 134 | 128 | 104 | 96 | 83 | 39 | 30 | 10 | 3 | — | — | — | — | |
| 1 | 1 | 2 | 2 | 4 | 1 | 8 | 3 | 3 | 2 | 5 | — | — | — | — | — | — | |
| 1 | 1 | 2 | 2 | 4 | 1 | 8 | 3 | 3 | 2 | 5 | — | — | — | — | — | — | |
| — | 4 | 4 | 4 | 11 | 14 | 20 | 11 | 15 | 19 | 18 | 11 | 5 | 2 | — | — | — | |
| — | — | 4 | 4 | 4 | 11 | 14 | 20 | 11 | 15 | 19 | 18 | 11 | 5 | 2 | — | — | |
| — | 2 | 3 | — | 6 | 6 | 11 | 8 | 8 | 10 | 10 | 7 | 3 | — | — | — | — | |
| — | — | 2 | 3 | — | 6 | 6 | 11 | 8 | 8 | 10 | 10 | 7 | 3 | — | — | — | |
| — | 2 | 1 | 4 | 5 | 8 | 9 | 3 | 7 | 9 | 8 | 4 | 2 | 2 | — | — | — | |
| — | — | 2 | 1 | 4 | 5 | 8 | 9 | 3 | 7 | 9 | 8 | 4 | 2 | 2 | — | — | |
| — | — | 1 | 1 | 4 | 14 | 29 | 80 | 132 | 157 | 154 | 93 | 39 | 7 | 1 | — | — | |
| — | — | 1 | 1 | 4 | 14 | 29 | 80 | 132 | 157 | 154 | 93 | 39 | 7 | 1 | — | — | |
| 29 | 27 | 22 | 10 | 6 | 5 | 8 | 7 | 4 | 4 | 6 | 1 | — | — | — | — | — | |
| 29 | 27 | 22 | 10 | 6 | 5 | 8 | 7 | 4 | 4 | 6 | 1 | — | — | — | — | — | |

52 表 (86—18)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別割合 | | | | | | | | |
|--|---------------------------------------|-------------------------|----------------------|----------------|----------------|----------------|---------------|-----------------|----------------|----------------|-----------------|----------------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 |
| 179 | その他および詳細不明の男性性器の悪性新生物 男 M. 女 F. | 90 90 | — — | — — | — — | 1 1 | — — | 1 1 | — — | — — | — — | — — |
| 179.a | 陰茎 男 M. 女 F. | 84 84 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| 179.b | その他 男 M. 女 F. | 6 6 | — — | — — | — — | 1 1 | — — | 1 1 | — — | — — | — — | — — |
| 180 | 腎臓の悪性新生物 男 M. 女 F. | 582 361 221 | 7 6 1 | 10 4 6 | 5 2 3 | 11 4 7 | 8 4 4 | 41 20 21 | 7 3 4 | 7 4 3 | 5 3 2 | 2 2 — |
| 181 | 膀胱およびその他の泌尿器の悪性新生物 男 M. 女 F. | 1 530 976 554 | — — — | — — — | — — — | — — — | 1 — 1 | 1 — 1 | 1 — — | — — — | 1 4 — | 4 4 — |
| 181.a | 膀胱 男 M. 女 F. | 1 435 929 506 | — — — | — — — | — — — | — — — | 1 — 1 | 1 — 1 | 1 — — | — — — | 1 4 — | 4 4 — |
| 181.b | その他の泌尿器および多部位 男 M. 女 F. | 95 47 48 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| (190-199) | その他および部位不明の悪性新生物 男 M. 女 F. | 5 118 2 590 2 528 | 19 9 10 | 27 13 14 | 43 27 16 | 35 20 15 | 19 7 12 | 143 76 67 | 67 37 30 | 85 41 44 | 159 92 67 | 90 53 37 |
| 190 | 皮膚の悪性黒色腫 男 M. 女 F. | 89 55 34 | — — — | — — — | — — — | 1 1 — | — — — | 1 1 — | — — — | — — — | 1 — 1 | 2 2 — |
| 191 | その他の皮膚の悪性新生物 男 M. 女 F. | 537 265 272 | 1 — 1 | — — — | — — — | 1 — 1 | — — — | 2 — 2 | 2 — — | 4 3 1 | 5 2 3 | 4 2 2 |
| 191.a | 顔、頭および頸 男 M. 女 F. | 206 107 99 | — — — | — — — | — — — | — — — | — — — | — — — | 2 — — | 1 1 — | 1 1 — | 1 1 — |
| 191.b | 体幹 男 M. 女 F. | 132 53 79 | 1 — 1 | — — — | — — — | — — — | — — — | — — — | 1 — 1 | — — — | 1 — 1 | 2 1 1 |
| 191.c | 上肢 男 M. 女 F. | 10 5 5 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| 191.d | 下肢 男 M. 女 F. | 54 27 27 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 — 1 |
| 191.e | 多部位および部位不明 男 M. 女 F. | 135 73 62 | — — — | — — — | — — — | 1 — 1 | — — — | 1 — 1 | — — — | 2 2 — | 4 1 3 | — — — |
| 192 | 眼の悪性新生物 男 M. 女 F. | 37 20 17 | — — — | 1 — 1 | 10 6 4 | 7 4 3 | 2 — 2 | 20 10 10 | 5 2 3 | — — — | — — — | — — — |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

| | | | | | | | | | | | | | | | 不詳 Unknown | 国際基本 分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------------|--|
| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | |
| - | - | 4 | 1 | - | 12 | 9 | 14 | 10 | 13 | 15 | 6 | 2 | 3 | - | - | 179 |
| - | - | 4 | 1 | - | 12 | 9 | 14 | 10 | 13 | 15 | 6 | 2 | 3 | - | - | - |
| - | - | 3 | 1 | - | 11 | 8 | 14 | 9 | 13 | 14 | 6 | 2 | 3 | - | - | 179.a |
| - | - | 3 | 1 | - | 11 | 8 | 14 | 9 | 13 | 14 | 6 | 2 | 3 | - | - | - |
| - | - | 1 | 1 | - | 1 | 1 | - | 1 | - | 1 | - | - | - | - | - | 179.b |
| - | - | 1 | 1 | - | 1 | 1 | - | 1 | 1 | - | - | - | - | - | - | - |
| 5 | 5 | 17 | 14 | 24 | 46 | 77 | 100 | 89 | 83 | 38 | 16 | 5 | 1 | - | - | 180 |
| 1 | 5 | 12 | 6 | 15 | 27 | 51 | 62 | 59 | 55 | 25 | 8 | 2 | 1 | - | - | - |
| 4 | - | 5 | 8 | 9 | 19 | 26 | 38 | 30 | 28 | 13 | 8 | 3 | - | - | - | - |
| 2 | 3 | 20 | 24 | 30 | 87 | 123 | 192 | 310 | 303 | 238 | 138 | 40 | 12 | - | - | 181 |
| 2 | 1 | 14 | 16 | 16 | 47 | 81 | 124 | 212 | 199 | 140 | 88 | 24 | 7 | - | - | - |
| - | 2 | 6 | 8 | 14 | 40 | 42 | 68 | 98 | 104 | 98 | 50 | 16 | 5 | 1 | - | - |
| 2 | 2 | 19 | 22 | 24 | 79 | 107 | 180 | 291 | 289 | 230 | 131 | 39 | 12 | - | - | 181.a |
| 2 | 1 | 13 | 15 | 14 | 45 | 72 | 120 | 202 | 191 | 135 | 83 | 24 | 7 | - | - | - |
| - | 1 | 6 | 7 | 10 | 34 | 35 | 60 | 89 | 98 | 95 | 48 | 15 | 5 | 1 | - | - |
| - | - | 1 | 1 | 2 | 6 | 8 | 12 | 19 | 14 | 8 | 7 | 1 | - | - | - | 181.b |
| - | - | 1 | 1 | 2 | 2 | 2 | 4 | 10 | 8 | 5 | 5 | 2 | 1 | - | - | - |
| - | - | 1 | - | 1 | 4 | 6 | 7 | 8 | 9 | 6 | 3 | 2 | 1 | - | - | - |
| 78 | 111 | 159 | 193 | 273 | 390 | 491 | 681 | 708 | 600 | 475 | 274 | 111 | 29 | 1 | - | (190-199) |
| 37 | 63 | 83 | 68 | 121 | 178 | 247 | 389 | 374 | 325 | 230 | 121 | 44 | 11 | - | - | - |
| 41 | 48 | 76 | 125 | 152 | 212 | 244 | 292 | 334 | 275 | 245 | 153 | 67 | 18 | 1 | - | - |
| 2 | 2 | 5 | 6 | 3 | 11 | 9 | 9 | 17 | 12 | 7 | 1 | 1 | - | - | - | 190 |
| 2 | 2 | 4 | 3 | 3 | 7 | 4 | 7 | 12 | 7 | 3 | - | - | - | - | - | - |
| - | 2 | 1 | 3 | - | 4 | 5 | 2 | 5 | 5 | 4 | 1 | 1 | - | - | - | - |
| 4 | 8 | 11 | 13 | 21 | 33 | 39 | 60 | 72 | 62 | 78 | 67 | 40 | 12 | - | - | 191 |
| 1 | 4 | 6 | 6 | 7 | 20 | 22 | 36 | 38 | 27 | 37 | 30 | 17 | 5 | - | - | - |
| 3 | 4 | 5 | 7 | 14 | 13 | 17 | 24 | 34 | 35 | 41 | 37 | 23 | 7 | - | - | - |
| 1 | 2 | 6 | 4 | 6 | 10 | 13 | 18 | 22 | 22 | 33 | 37 | 21 | 6 | - | - | 191.a |
| - | 1 | 3 | 3 | 3 | 5 | 5 | 4 | 9 | 11 | 19 | 14 | 11 | 3 | - | - | - |
| 1 | 2 | 1 | 2 | 3 | 8 | 12 | 18 | 24 | 14 | 17 | 9 | 8 | 4 | - | - | 191.b |
| - | 1 | 1 | 1 | 1 | 5 | 2 | 4 | 10 | 8 | 13 | 10 | 3 | 6 | 3 | - | - |
| - | - | 1 | - | - | - | - | - | 3 | 1 | 1 | 1 | 1 | 2 | - | - | 191.c |
| - | - | 1 | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - |
| 2 | 1 | 1 | 3 | 1 | 4 | 2 | 6 | 10 | 5 | 8 | 2 | - | - | - | - | 191.d |
| 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 6 | 7 | 1 | 4 | 1 | - | - | - | - |
| 1 | 1 | 1 | 2 | 1 | 3 | 1 | 1 | 3 | 4 | 5 | 4 | 1 | - | - | - | 191.e |
| - | 2 | 3 | 4 | 6 | 11 | 12 | 15 | 15 | 20 | 19 | 12 | 7 | 2 | - | - | - |
| - | 1 | 2 | 1 | 1 | 8 | 8 | 10 | 9 | 9 | 13 | 5 | 2 | 1 | - | - | - |
| - | 1 | 1 | 3 | 5 | 3 | 4 | 5 | 6 | 11 | 6 | 7 | 5 | 1 | - | - | - |
| - | 1 | 1 | 1 | - | 1 | - | - | 2 | 3 | - | 2 | 2 | 1 | - | - | 192 |
| - | 1 | 1 | - | - | 1 | - | - | 1 | 2 | - | 2 | 1 | - | - | - | - |
| - | 1 | - | - | - | - | - | - | 1 | 1 | - | - | 1 | - | - | - | - |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因数 Age別死因数 | | | | | | | | | | 国際基本分類番号 International detailed list number | | | | | | | | | | | | | | | | |
|--|---|-------------|-------------------|-------------------|--------------|---------------|-------------|----------------|----------------|----------------|----------------|---------------|--------------|--|---------------|----------------|----------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|----------------|----------------|--------------|-------------|-------------|---------------|-----|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | |
| 193 | 脳および他の神経系の悪性新生物 Malignant neoplasms of the nervous system | 373 | 5 M 2 F | 15 9 6 | 17 9 8 | 19 10 9 | 9 2 7 | 65 33 32 | 31 17 14 | 22 10 12 | 22 13 9 | 10 6 4 | 11 4 7 | 15 11 4 | 10 5 5 | 29 15 14 | 28 10 18 | 28 16 12 | 25 16 9 | 34 20 14 | 22 15 7 | 10 4 6 | 3 3 1 | 2 1 1 | — — — | — — — | — — — | — — — | — — — | 193 |
| 193.a | 脳 Malignant neoplasm of the brain | 201 | 1 M 1 F | 2 1 1 | 3 2 1 | 4 1 3 | — — — | 10 5 5 | 18 11 7 | 18 8 10 | 15 10 5 | 5 4 1 | 9 2 7 | 10 9 1 | 10 8 2 | 24 11 13 | 20 6 14 | 16 8 4 | 10 6 4 | 21 11 10 | 11 9 2 | 2 — 2 | 1 1 — | — — — | — — — | — — — | — — — | — — — | 193.a | |
| 193.b | 脊 髓 Malignant neoplasm of the spinal cord | 63 | — M — F | — 2 1 | 2 1 1 | 1 — 1 | — — — | — 3 2 | — — — | — — — | 3 1 2 | 1 — — | 1 1 — | 1 — — | 2 2 — | 4 3 1 | 3 1 2 | 8 6 2 | 12 8 4 | 10 7 3 | 6 1 5 | 5 2 3 | 2 — — | 1 1 — | — — — | — — — | — — — | 193.b | | |
| 193.c | 髄 膜 Malignant neoplasm of the meninges | 9 | — M — F | — 7 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | 1 — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 193.c | | | | | |
| 193.d | 末梢神経 Malignant neoplasm of the peripheral nerve | 3 | — M — F | — 3 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 193.d | | | | | |
| 193.e | 交感神経 Malignant neoplasm of the sympathetic nervous system | 55 | 3 M 2 F | 8 1 4 | 8 4 4 | 13 9 4 | 5 1 4 | 37 18 19 | 10 4 6 | — — — | 1 1 — | 1 — 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 193.e | | | | | |
| 193.f | 多部位および部位不明 Multiple or unknown site | 42 | 1 M 1 F | 3 2 — | 5 4 1 | 2 — 2 | 4 1 3 | 15 9 6 | 3 2 1 | 4 2 2 | 3 1 2 | 3 1 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 193.f | | | | |
| 194 | 甲状腺の悪性新生物 Malignant neoplasm of the thyroid gland | 418 | — M — F | — 139 279 | — — — | — — — | — — — | — — — | — — — | 1 — 1 | — — — | 1 — 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 194 | | | | | |
| 195 | その他の内分泌腺の悪性新生物 Malignant neoplasm of other endocrine glands | 58 | — M — F | — 31 27 | 1 — 1 | 1 — — | — — — | — — — | 1 — 1 | 3 2 1 | 3 2 1 | 1 — 2 | 3 1 2 | 4 2 2 | 3 1 2 | 5 4 1 | 5 4 1 | 5 4 1 | 7 6 5 | 7 6 5 | 7 6 5 | 1 1 — | 3 2 1 | 2 1 — | — — — | — — — | 195 | | | |
| 195.a | 副腎 Malignant neoplasm of the adrenals | 26 | — M — F | — 10 16 | 1 — 1 | 1 — — | — — — | — — — | 2 1 1 | 1 — 1 | 1 — 1 | 1 — 1 | — — — | — — — | 2 1 1 | 2 1 1 | 2 1 1 | 4 4 3 | 4 4 3 | 2 2 — | — — — | 3 2 1 | 2 1 — | — — — | — — — | — — — | 195.a | | | |
| 195.b | 胸腺 Malignant neoplasm of the thymus | 20 | — M — F | — 16 4 | — — — | — — — | — — — | — — — | 1 — 1 | 1 — 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 5 3 2 | — — — | 3 3 — | 1 — — | 4 4 — | 1 — — | — — — | — — — | 195.b | | | | |
| 195.c | 下垂体および頭蓋咽頭管 Malignant neoplasm of the pituitary and craniovertebral canal | 9 | — M — F | — 3 6 | — — — | — — — | — — — | — — — | 1 — 1 | 1 — 1 | — — — | 2 1 1 | 2 1 1 | 1 — 1 | 1 — 1 | 1 — 1 | 1 — 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 195.c | | | | |
| 195.d | その他の内分泌腺および多部位 Malignant neoplasm of other endocrine glands and multiple sites | 3 | — M — F | — 2 1 | — — — | — — — | — — — | — — — | 1 — 1 | 1 — 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 195.d | | | | |
| 196 | 骨の悪性新生物 Malignant neoplasm of bone | 977 | 4 M 1 F | 1 — 1 | 1 — 1 | — — — | 2 1 1 | 8 3 5 | 10 7 3 | 42 22 20 | 85 56 29 | 33 24 9 | — — — | 15 10 5 | 21 12 9 | 33 20 13 | 34 18 16 | 50 37 30 | 67 50 49 | 99 50 39 | 116 47 48 | 118 71 43 | 117 69 29 | 72 43 21 | 42 21 21 | 13 5 8 | 2 — — | — — — | 196 | |
| 196.a | 頭蓋骨および顔面骨 Malignant neoplasm of the skull and facial bones | 212 | 1 M 1 F | — 114 98 | — — — | — — — | — — — | 1 — 1 | 3 — 1 | 3 — 1 | — — — | 1 — 1 | 2 — — | 4 2 — | 6 5 — | 13 8 7 | 15 8 7 | 17 8 9 | 34 23 17 | 33 22 16 | 26 23 15 | 23 13 10 | 17 8 4 | 7 1 4 | — — — | — — — | — — — | 196.a | | |
| 196.b | 下頸骨 Malignant neoplasm of the mandible | 130 | — M — F | — 87 43 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 — 1 | 1 — — | 2 — — | 4 2 — | 6 5 1 | 18 9 1 | 18 9 9 | 24 18 6 | 22 13 9 | 18 14 4 | 14 10 4 | 12 8 4 | 1 1 2 | — — — | — — — | — — — | 196.b | |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|----|----|----|----|-----|-----|-------|-------|-------|-----|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 196.c | 脊椎、肋骨、胸骨、鎖骨および骨盤骨…… | 264 | 2 | 1 | — | — | — | — | 3 | — | 2 | 9 | 6 |
| | 男 M. | 141 | 2 | 1 | — | — | — | — | 3 | — | 2 | 6 | 3 |
| | 女 F. | 123 | 2 | 1 | — | — | — | — | 3 | — | — | 3 | 3 |
| 196.d | 上肢の骨および肩甲骨…… | 39 | — | — | — | — | — | 1 | 1 | — | 1 | 6 | 1 |
| | 男 M. | 26 | — | — | — | — | — | 1 | 1 | — | 1 | 4 | 1 |
| | 女 F. | 13 | — | — | — | — | — | 1 | 1 | — | — | 2 | 1 |
| 196.e | 下肢の骨…… | 189 | — | — | 1 | — | — | — | 1 | 3 | 27 | 44 | 20 |
| | 男 M. | 120 | — | — | 1 | — | — | — | 1 | 13 | 29 | 16 | 16 |
| | 女 F. | 69 | — | — | — | — | — | — | 3 | 14 | 15 | 4 | 4 |
| 196.f | 多部位および部位不明…… | 143 | 1 | — | — | — | — | 1 | 2 | 4 | 9 | 25 | 5 |
| | 男 M. | 77 | — | — | — | — | — | 1 | — | 4 | 4 | 16 | 4 |
| | 女 F. | 66 | 1 | — | — | — | — | 1 | — | 2 | 5 | 9 | 1 |
| 197 | 結合組織の悪性新生物…… | 103 | — | — | 3 | 1 | — | 4 | 1 | — | 8 | 4 | 4 |
| | 男 M. | 71 | — | — | 3 | 1 | — | 4 | 1 | — | 4 | 2 | 2 |
| | 女 F. | 32 | — | — | — | — | — | — | 1 | — | 4 | 4 | 2 |
| 198 | リンパ節の続発性および詳細不明の悪性新生物…… | 159 | 1 | — | — | — | — | 1 | 2 | — | 3 | — | — |
| | 男 M. | 92 | — | — | — | — | — | — | 1 | 1 | 2 | — | — |
| | 女 F. | 67 | 1 | — | — | — | — | — | 1 | — | 1 | — | — |
| 199 | その他および部位不明の悪性新生物…… | 2367 | 8 | 9 | 11 | 6 | 5 | 39 | 13 | 15 | 32 | 32 | 32 |
| | 男 M. | 1148 | 5 | 4 | 7 | 4 | 3 | 23 | 7 | 6 | 14 | 14 | 14 |
| | 女 F. | 1219 | 3 | 5 | 4 | 2 | 2 | 16 | 6 | 9 | 18 | 18 | 18 |
| (200-205) | リンパ組織および造血組織の新生物…… | 5502 | 61 | 80 | 73 | 83 | 82 | 379 | 280 | 272 | 378 | 249 | 249 |
| | 男 M. | 3205 | 31 | 43 | 41 | 49 | 46 | 210 | 171 | 139 | 213 | 146 | 146 |
| | 女 F. | 2297 | 30 | 37 | 32 | 34 | 36 | 169 | 109 | 133 | 165 | 103 | 103 |
| 200 | リンパ肉腫および細網肉腫…… | 1224 | 5 | 1 | 10 | 2 | 4 | 22 | 26 | 32 | 39 | 42 | 42 |
| | 男 M. | 791 | 3 | — | 4 | 1 | — | 10 | 12 | 18 | 23 | 26 | 24 |
| | 女 F. | 433 | 2 | 1 | 6 | 1 | — | — | 8 | 9 | 13 | 18 | 18 |
| 200.0 | 細網肉腫…… | 686 | 2 | 1 | 7 | — | 2 | 12 | 9 | 16 | 18 | 27 | 27 |
| | 男 M. | 449 | 2 | — | 2 | — | — | 6 | 6 | 12 | 10 | 14 | 13 |
| | 女 F. | 237 | — | 1 | 5 | — | — | 6 | 3 | 4 | 8 | 13 | 13 |
| 200.1 | リンパ肉腫…… | 391 | 1 | — | — | 1 | 2 | 4 | 13 | 9 | 14 | 12 | 7 |
| | 男 M. | 246 | — | — | — | 1 | — | 2 | 2 | 3 | 7 | 5 | 5 |
| | 女 F. | 145 | 1 | — | — | — | — | — | 2 | 2 | 4 | 5 | 5 |
| 200.2 | その他の類リンパ組織の原発性悪性新生物…… | 147 | 2 | — | 3 | 1 | — | 6 | 4 | 7 | 7 | 3 | 3 |
| | 男 M. | 96 | 1 | — | 2 | 1 | — | 2 | 2 | 3 | 1 | — | — |
| | 女 F. | 51 | 1 | — | 1 | — | — | 2 | 2 | 3 | 1 | — | — |
| 201 | ホジキン病…… | 594 | 1 | 2 | 1 | — | 2 | 6 | 13 | 13 | 17 | 9 | 9 |
| | 男 M. | 382 | — | 2 | 1 | — | — | 1 | 8 | 9 | 11 | 12 | 12 |
| | 女 F. | 212 | 1 | — | — | — | — | 1 | 4 | 5 | 6 | 6 | 6 |
| 202 | その他のリンパ腫(細網症)…… | 67 | 9 | 9 | — | 1 | 1 | 20 | 1 | — | 1 | 2 | 1 |
| | 男 M. | 36 | 4 | 2 | — | 1 | 1 | 8 | 1 | — | 3 | 1 | — |
| | 女 F. | 31 | 5 | 7 | — | — | — | 12 | — | — | 1 | 2 | 1 |
| 203 | 多発骨髓腫(形質細胞腫)…… | 335 | — | — | — | 1 | — | 1 | — | — | 1 | 4 | 4 |
| | 男 M. | 189 | — | — | — | 1 | — | — | 1 | — | 1 | 4 | 4 |
| | 女 F. | 146 | — | — | — | 1 | — | — | — | — | — | — | — |
| 204 | 白血病および無白血病…… | 3266 | 46 | 68 | 62 | 79 | 75 | 330 | 240 | 227 | 320 | 192 | 192 |
| | 男 M. | 1801 | 24 | 41 | 36 | 47 | 40 | 188 | 144 | 107 | 174 | 112 | 112 |
| | 女 F. | 1465 | 22 | 27 | 26 | 32 | 35 | 142 | 96 | 120 | 146 | 80 | 80 |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|----------------|----------------|----------------|----------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-----------------|-----------------|--------------|-------------|-------------|-------------|---------------|--|
| 5 3 2 | 5 2 3 | 13 6 7 | 10 8 2 | 21 11 10 | 30 12 18 | 35 17 16 | 31 21 15 | 30 21 9 | 36 21 10 | 19 4 3 | 7 1 1 | — — — | — — — | — — — | — — — | 196.c | |
| 1 1 — | 1 — 1 | — — — | 1 — 1 | 2 1 — | 1 1 2 | 3 1 2 | 6 5 1 | 3 1 2 | 6 5 1 | 4 3 1 | 2 1 1 | — — — | — — — | — — — | — — — | 196.d | |
| 5 4 1 | 5 4 1 | 4 1 3 | 5 3 2 | 3 1 — | 6 3 3 | 14 9 5 | 15 10 5 | 13 8 5 | 18 12 6 | 4 3 1 | 1 — — | — — — | — — — | — — — | — — — | 196.e | |
| 1 — 1 | 5 3 2 | 8 7 1 | 7 3 4 | 7 1 6 | 9 1 8 | 12 5 7 | 6 6 7 | 17 11 6 | 13 6 7 | 8 5 3 | 2 1 1 | — — — | — — — | — — — | — — — | 196.f | |
| 5 3 2 | 5 5 — | 5 4 1 | 5 4 1 | 2 1 1 | 8 1 3 | 13 8 5 | 10 9 4 | 9 5 3 | 6 3 2 | 7 4 3 | 3 2 1 | — — — | — — — | — — — | — — — | 197 | |
| — — — | 6 4 2 | 2 1 1 | 2 1 1 | 4 2 2 | 10 8 6 | 14 8 6 | 20 12 8 | 29 18 11 | 24 15 9 | 21 10 11 | 10 7 3 | 7 1 6 | — — — | — — — | — — — | — — — | 198 |
| 34 14 20 | 48 24 20 | 78 32 13 | 92 56 80 | 136 78 115 | 193 121 119 | 240 188 162 | 350 189 174 | 363 176 131 | 307 114 111 | 225 51 71 | 122 18 20 | 38 9 5 | 9 4 1 | — — — | — — — | — — | |

52表(86-21)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 0~24 | | | | | | | | | | 不詳 Unknown | 国際基本分類番号 International detailed list number | | |
|--|--------------------------------|--------------|-------------------|----------|----------|----------|----------|----------|------------|----------|------------|----------|----------|---------------|--|-----------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | | | | | |
| 204.0 | リンパ性白血病 | 108 | 2 | 2 | 2 | 1 | 1 | 4 | 3 | 13 | 9 | 5 | 6 | 4 | 204.0 | | |
| | 男 M. 女 F. | 61 47 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 3 1 | 3 1 | 6 7 | 5 4 | 5 — | 1 1 | 3 1 | — | — | |
| 204.1 | 骨髄性白血病 | 444 | 1 | 6 | 4 | 3 | 1 | 3 | 15 | 16 | 23 | 32 | 26 | 19 | — | 204.1 | |
| | 男 M. 女 F. | 261 183 | — 1 | 4 2 | 3 1 | 1 — | 1 2 | 9 6 | 8 8 | 7 16 | 16 | 16 | 19 | 7 | — | — | |
| 204.2 | 単球性白血病 | 93 | — | 2 | — | — | — | 2 | 5 | 2 | 6 | 3 | 5 | 6 | — | 204.2 | |
| | 男 M. 女 F. | 45 48 | — | 2 | — | — | — | 2 | 3 | 1 | 3 | 3 | 5 | 1 | — | — | |
| 204.3 | 急性白血病 | 2,098 | 27 | 38 | 45 | 63 | 56 | 229 | 172 | 166 | 240 | 126 | 126 | 126 | — | 204.3 | |
| | 男 M. 女 F. | 1,157 941 | 16 11 | 24 14 | 24 21 | 36 27 | 31 25 | 56 98 | 131 101 | 81 71 | 129 111 | 69 57 | 69 57 | 69 57 | 69 57 | — | — |
| 204.4 | その他および詳細不明の白血病 | 523 | 16 | 20 | 11 | 13 | 71 | 38 | 31 | 36 | 30 | — | — | — | — | 204.4 | |
| | 男 M. 女 F. | 277 246 | 7 9 | 10 10 | 8 3 | 7 4 | 8 5 | 40 31 | 27 11 | 13 18 | 21 15 | 16 14 | 16 14 | 16 14 | 16 14 | — | — |
| 205 | 菌状息肉症 | 16 | — | — | — | — | — | — | — | — | — | — | — | — | — | 205 | |
| | 男 M. 女 F. | 6 10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| (210-229) | 良性新生物 | 656 | 20 | 5 | 2 | 1 | 30 | 14 | 9 | 20 | 19 | — | — | — | — | (210-229) | |
| | 男 M. 女 F. | 206 450 | 8 12 | 4 1 | 1 1 | — 1 | 15 | 8 6 | 2 7 | 9 11 | 8 11 | 8 8 | 8 8 | 8 8 | 8 8 | — | — |
| 210 | 口腔および咽頭の良性新生物 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | 210 | |
| | 男 M. 女 F. | 2 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| 211 | その他の消化器系の良性新生物 | 132 | 6 | 1 | — | — | 1 | 8 | 1 | 1 | 1 | 3 | — | — | — | 211 | |
| | 男 M. 女 F. | 62 70 | 3 3 | 1 — | — | — | 1 | 4 4 | — 1 | 1 1 | 1 1 | 3 | — | — | — | — | |
| 212 | 呼吸器系の良性新生物 | 16 | 1 | 1 | — | 1 | — | 3 | 1 | 1 | — | — | — | — | — | 212 | |
| | 男 M. 女 F. | 12 4 | — 1 | — — | — | 1 | — | 2 1 | 1 | 1 | — | — | — | — | — | — | |
| 213 | 乳房の良性新生物 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 213 | |
| | 男 M. 女 F. | — — | — — | — — | — | — | — | — | — | — | — | — | — | — | — | — | |
| 214 | 子宮線維筋腫 | 123 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 214 | |
| | 男 M. 女 F. | 123 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — 1 | — | — | — | — | |
| 215 | その他の子宮の良性新生物 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | 215 | |
| | 男 M. 女 F. | 2 2 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — | — | — | — | |
| 216 | 卵巣の良性新生物 | 109 | — | — | — | — | — | — | 1 | 1 | 1 | 2 | — | — | — | 216 | |
| | 男 M. 女 F. | 109 | — — | — — | — — | — — | — — | — — | — 1 | 1 1 | 1 1 | 2 | — | — | — | — | |
| 217 | その他の女性性器の良性新生物 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 217 | |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — | — | — | — | |
| 218 | 男性性器の良性新生物 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | 218 | |
| | 男 M. 女 F. | 1 — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — | — | — | — | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| 2 | 4 | 5 | 4 | 6 | 11 | 9 | 15 | 7 | 5 | 3 | — | — | — | — | — | — | 204.0 |
| 1 | 2 | 3 | 1 | 3 | 5 | 3 | 8 | 4 | 2 | 1 | — | — | — | — | — | — | 204.1 |
| 36 | 33 | 36 | 35 | 41 | 29 | 26 | 31 | 22 | 5 | 1 | — | — | — | — | — | — | 204.2 |
| 21 | 22 | 22 | 24 | 23 | 17 | 14 | 12 | 11 | 2 | 2 | — | — | — | — | — | — | 204.3 |
| 10 | 8 | 10 | 10 | 8 | 6 | 5 | 8 | 7 | 5 | 3 | — | — | — | — | — | — | 204.4 |
| 69 | 77 | 93 | 70 | 99 | 122 | 96 | 91 | 53 | 19 | 4 | — | — | — | — | — | — | 205 |
| 54 | 82 | 55 | 57 | 44 | 66 | 57 | 39 | 44 | 10 | 1 | — | — | — | — | — | — | (210-229) |
| 34 | 40 | 45 | 27 | 35 | 32 | 31 | 36 | 29 | 13 | 2 | 1 | — | — | — | — | — | 210 |
| 20 | 19 | 15 | 14 | 13 | 15 | 16 | 18 | 18 | 16 | 4 | 6 | 12 | 15 | 2 | 1 | — | 211 |
| 17 | 35 | 48 | 45 | 56 | 50 | 57 | 42 | 62 | 47 | 50 | 37 | 15 | 2 | 1 | — | — | |
| 5 | 11 | 9 | 13 | 13 | 14 | 39 | 36 | 30 | 32 | 34 | 38 | 14 | 12 | 8 | 2 | — | 212 |
| 12 | 24 | 32 | 39 | 43 | 36 | 34 | 30 | 32 | 34 | 36 | 38 | 29 | 29 | 14 | 2 | — | 213 |
| 2 | 4 | 3 | 2 | 1 | 1 | 9 | 22 | 11 | 19 | 17 | 12 | 5 | 2 | 1 | — | — | 214 |
| 1 | 2 | 1 | 2 | 1 | 1 | 5 | 22 | 11 | 19 | 17 | 12 | 3 | 2 | 1 | — | — | 215 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 216 |
| 3 | 11 | 10 | 15 | 18 | 16 | 8 | | | | | | | | | | | |

52 表 (86-22)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|-------------------------|-------------------|----------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|----------------|---------------|------|-----------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | |
| 219 | 腎臓およびその他の泌尿器の良性新生物 男 M. 女 F. | 33 13 20 | — | — | — | — | — | — | 1 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 219 | | |
| 220 | 皮膚の良性黒色腫 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 220 | | |
| 221 | 毛嚢囊胞 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 221 | | |
| 222 | その他の皮膚の良性新生物 男 M. 女 F. | 1 1 — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 222 | | | |
| 223 | 脳およびその他の神経系の良性新生物 男 M. 女 F. | 98 48 50 | 3 2 1 | 1 1 — | — | — | — | — | 5 4 1 | 5 4 1 | 1 1 — | 9 3 6 | 3 6 3 | 13 7 6 | 7 3 4 | 12 6 3 | 6 4 2 | 8 5 3 | 4 4 2 | 1 1 1 | 3 2 1 | — | — | 1 1 — | — | 223 | | | |
| 223.a | 脳 男 M. 女 F. | 47 26 21 | 3 2 1 | — | — | — | — | — | 3 2 1 | 3 2 1 | — | 6 2 4 | 2 2 4 | 9 6 3 | 4 2 2 | 4 1 3 | 3 2 1 | 1 1 — | 2 1 1 | 1 1 — | — | — | — | — | — | 223.a | | | |
| 223.b | 脊 體 男 M. 女 F. | 5 3 2 | — | — | — | — | — | — | — | 1 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 223.b | | | |
| 223.c | 髓 膜 男 M. 女 F. | 23 6 17 | — | 1 1 — | — | — | — | — | 1 1 — | 1 1 — | — | 1 1 — | 1 1 — | 3 — 3 | 3 — 3 | 1 1 — | 5 3 2 | 1 1 — | 2 — 2 | 3 — 3 | — | — | — | — | — | 223.c | | | |
| 223.d | そ の 他 男 M. 女 F. | 23 13 10 | — | — | 1 1 — | — | — | — | 1 1 — | 1 1 — | — | 2 — 2 | — | 3 — 2 | 1 1 — | 2 — 2 | 2 1 1 | 2 — 1 | 2 — 1 | — | — | 1 1 — | — | — | — | 223.d | | | |
| 224 | 内分泌腺の良性新生物 男 M. 女 F. | 69 39 30 | 1 1 — | — | — | — | — | — | 1 1 2 | 4 2 2 | 3 1 2 | 8 6 2 | 6 5 1 | 7 2 1 | 10 3 7 | 5 3 2 | 3 2 1 | 5 2 1 | 4 2 2 | 5 3 2 | 2 1 1 | — | — | — | — | 224 | | | |
| 225 | 骨および軟骨の良性新生物 男 M. 女 F. | 17 6 11 | — | — | — | — | — | — | — | — | — | — | 3 2 1 | 1 1 — | 2 — 2 | — | — | 2 — 2 | 1 — 1 | 1 — 1 | 2 1 1 | 3 2 1 | 1 1 — | — | — | 225 | | | |
| 226 | 脂 肪 脊 男 M. 女 F. | 1 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 226 | | | |
| 227 | その他の筋組織および結合組織の良性新生物 男 M. 女 F. | 12 7 5 | — | — | — | 1 1 — | — | 1 1 — | — | — | — | — | — | — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 2 1 1 | — | — | — | — | 227 | | | |
| 228 | 血管腫およびリンパ管腫 男 M. 女 F. | 24 11 13 | 7 2 5 | 2 1 1 | 1 — | — | — | 10 3 7 | 1 1 — | — | — | — | — | — | 1 1 — | 2 1 1 | 1 1 — | 1 1 — | 1 1 — | 4 3 1 | 1 1 — | — | — | — | 228 | | | | |
| 229 | その他および詳細不明の臓器および組織の... 良性新生物 男 M. 女 F. | 15 4 11 | 2 — 2 | — | — | — | — | 2 — 2 | — | 2 — 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 229 | | | |
| (230-239) | 性質不詳の新生物 男 M. 女 F. | 4 802 2 655 2 147 | 47 19 28 | 23 12 11 | 40 24 16 | 28 18 10 | 24 10 14 | 162 79 45 | 107 46 46 | 114 80 62 | 142 80 62 | 105 63 42 | — | 116 63 53 | 156 80 76 | 198 110 88 | 227 104 123 | 245 121 124 | 328 182 146 | 465 282 183 | 530 322 208 | 597 364 233 | 517 320 197 | 441 235 197 | 235 99 235 | 95 37 11 | 20 9 11 | — | (230-239) |

性・年齢(5才階級)・死因(基本分類)別
BY SEX AND AGE; FOR ALL JAPAN昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 219 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 220 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 221 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 222 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 223 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 223.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 223.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 223.c |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 223.d |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 224 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 225 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 226 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 227 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 228 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 229 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | (230-239) |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|----|----|----|----|-----|-----|-------|-------|-------|---|---|---|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | | | | |
| 230 | 消化器の性質不詳の新生物 | 1 131 | 11 | 1 | 4 | 5 | — | 21 | 2 | 1 | 12 | 7 | 8 | | | |
| | 男 M. | 643 | 4 | — | 1 | 3 | 1 | — | 12 | 2 | — | 5 | — | | | |
| | 女 F. | 488 | 7 | 1 | — | — | — | — | — | — | — | — | — | | | |
| 231 | 呼吸器の性質不詳の新生物 | 763 | 4 | — | 2 | — | 1 | 7 | 7 | 5 | 10 | 10 | 6 | | | |
| | 男 M. | 506 | 3 | — | — | — | 1 | 4 | 3 | 2 | 7 | 7 | 4 | | | |
| | 女 F. | 257 | 1 | — | 2 | — | — | — | 3 | 2 | 3 | 3 | 4 | | | |
| 232 | 乳房の性質不詳の新生物 | 7 | — | — | — | — | — | — | — | — | — | — | — | | | |
| | 男 M. | 1 | — | — | — | — | — | — | — | — | — | — | — | | | |
| | 女 F. | 6 | — | — | — | — | — | — | — | — | — | — | — | | | |
| 233 | 子宮の性質不詳の新生物 | 15 | — | — | — | — | — | — | — | — | — | 1 | — | | | |
| | 男 M. | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| | 女 F. | 15 | — | — | — | — | — | — | — | — | — | — | — | | | |
| 234 | 卵巣の性質不詳の新生物 | 47 | — | — | — | — | — | — | — | — | — | 1 | — | | | |
| | 男 M. | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| | 女 F. | 47 | — | — | — | — | — | — | — | — | — | — | — | | | |
| 235 | その他の女性性器の性質不詳の新生物 | 7 | — | — | — | — | — | — | — | — | — | — | — | | | |
| | 男 M. | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| | 女 F. | 7 | — | — | — | — | — | — | — | — | — | — | — | | | |
| 236 | その他の性尿器の性質不詳の新生物 | 464 | 2 | — | 2 | 1 | 1 | 6 | — | — | 1 | 3 | 2 | | | |
| | 男 M. | 283 | 1 | — | 2 | 1 | — | 4 | — | — | 1 | 2 | 1 | | | |
| | 女 F. | 181 | 1 | — | — | — | 1 | 2 | — | — | — | 1 | 1 | | | |
| 237 | 脳およびその他の神経系の性質不詳の新生物 | 1 688 | 15 | 20 | 31 | 21 | 20 | 107 | 92 | 103 | 103 | 75 | — | | | |
| | 男 M. | 906 | 6 | 11 | 13 | 13 | 8 | 59 | 51 | 61 | 55 | 41 | — | | | |
| | 女 F. | 782 | 9 | 9 | 10 | 8 | 12 | 48 | 41 | 42 | 48 | 34 | — | | | |
| 237.a | 脳 | 1 507 | 14 | 20 | 29 | 21 | 19 | 103 | 92 | 99 | 101 | 70 | — | | | |
| | 男 M. | 801 | 6 | 11 | 13 | 8 | 11 | 58 | 51 | 58 | 54 | 39 | — | | | |
| | 女 F. | 706 | 8 | 9 | 9 | 8 | 11 | 45 | 41 | 41 | 47 | 31 | — | | | |
| 237.b | 脊 髓 | 168 | — | — | 1 | — | 1 | 2 | — | 4 | 2 | 4 | — | | | |
| | 男 M. | 97 | — | — | 1 | — | 1 | 1 | — | 1 | 1 | 2 | — | | | |
| | 女 F. | 71 | — | — | — | — | — | — | — | — | — | — | — | | | |
| 237.c | 髓 膜 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 女 F. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 237.d | その 他 | 12 | 1 | — | 1 | — | — | 2 | — | — | — | 1 | — | — | — | — |
| | 男 M. | 7 | — | — | 1 | — | — | 2 | — | — | — | 1 | — | — | — | — |
| | 女 F. | 5 | 1 | — | 1 | — | — | 2 | — | — | — | 1 | — | — | — | — |
| 238 | 皮膚および筋骨格系の性質不詳の新生物 | 111 | — | — | — | — | — | — | 1 | 3 | 2 | — | — | | | |
| | 男 M. | 64 | — | — | — | — | — | — | 1 | 1 | 2 | — | — | | | |
| | 女 F. | 47 | — | — | — | — | — | — | — | 2 | — | — | — | | | |
| 239 | その他および詳細不明の臓器の性質不詳の新生物 | 569 | 15 | 2 | 1 | 1 | 2 | 21 | 6 | 4 | 13 | 5 | — | | | |
| | 男 M. | 252 | 5 | 1 | — | 1 | 1 | 7 | 6 | 2 | 9 | 4 | — | | | |
| | 女 F. | 317 | 10 | 1 | 1 | 1 | 1 | 14 | — | 2 | 4 | 1 | — | | | |
| III | アレルギー性疾患、内分泌系の疾患、物質代謝および栄養の疾患 | 16 190 | 96 | 83 | 48 | 25 | 20 | 272 | 68 | 102 | 132 | 163 | — | | | |
| | 男 M. | 8 813 | 60 | 46 | 16 | 12 | 7 | 141 | 28 | 65 | 65 | 73 | — | | | |
| | 女 F. | 7 377 | 36 | 37 | 32 | 13 | 13 | 131 | 40 | 37 | 67 | 90 | — | | | |
| (240-245) | アレルギー性疾患 | 9 131 | 42 | 61 | 38 | 18 | 14 | 173 | 40 | 74 | 65 | 85 | — | | | |
| | 男 M. | 5 521 | 28 | 35 | 12 | 9 | 5 | 89 | 20 | 49 | 39 | 51 | — | | | |
| | 女 F. | 3 610 | 14 | 26 | 26 | 9 | 9 | 84 | 20 | 25 | 26 | 34 | — | | | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------------|---------------|---------------|----------------|----------------|----------------|-----------------|-----------------|------------------|-----------------|-----------------|----------------|----------------|-------------|-------------|-------------|---------------|--|
| 7 3 4 | 17 11 6 | 22 13 9 | 34 14 20 | 46 28 18 | 71 39 32 | 129 89 40 | 146 91 55 | 183 111 72 | 156 91 65 | 162 78 84 | 72 35 37 | 33 13 20 | 7 2 5 | 2 — 2 | — — — | 230 | |
| 8 6 2 | 12 7 5 | 17 9 8 | 20 12 13 | 27 31 12 | 43 64 24 | 88 117 51 | 146 89 29 | 118 43 35 | 78 22 13 | 35 22 8 | 32 12 8 | 3 2 1 | — — — | — — — | — — — | 231 | |
| — — — | — — — | 1 — 1 | 1 — 1 | — — — | — — — | 1 — 1 | — — — | — — — | — — — | — — — | 2 — 2 | 2 1 1 | — — — | — — — | — — — | 232 | |
| — — — | — — — | 2 — 2 | 1 — 1 | 2 — 2 | — — — | 2 1 1 | — — — | 3 — 1 | 2 — 1 | 1 — 1 | — — — | — — — | — — — | — — — | — — — | 233 | |
| 2 2 | 3 3 | 1 1 | 5 5 | 1 1 | 5 | | | | | | | | | | | | |

52 表 (86-24)

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------------------------|-------------------------|-------------------|----------------|----------------|--------------|---------------|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-------------------|-------------------|-------------------|---------------------|---------------------|-------------------|-------------------|----------------|--------------|-----|-------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | | | | | | | | | | | | | | | | |
| 240 | 枯草熱 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | |
| 241 | 喘息 | 9 113 5 512 3 601 | 41 27 14 | 61 35 26 | 38 12 26 | 18 9 9 | 14 5 84 | 172 88 20 | 40 20 24 | 73 49 24 | 65 30 15 | 84 51 33 | - | - | - | - | | | | | | | | | | | | |
| 242 | 脈管神経性浮腫 | 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | | | | | |
| 243 | 蕁麻疹 | 8 5 3 | - | - | - | - | - | - | - | 1 1 | - | - | - | 2 1 | - | - | | | | | | | | | | | | |
| 244 | アレルギー性湿疹 | 2 1 1 | - | - | - | - | - | 1 1 | - | - | - | - | - | 1 1 | - | - | | | | | | | | | | | | |
| 245 | その他のアレルギー性疾患 | 7 2 5 | - | - | - | - | - | - | - | - | 1 1 | - | 1 1 | 2 1 | - | - | | | | | | | | | | | | |
| (250-254) | 甲状腺の疾患 | 221 45 176 | 1 1 1 | 3 1 2 | 1 1 1 | - | 1 2 4 | 6 2 1 | 1 2 4 | 4 - 4 | 6 - 6 | - | - | - | - | (250-254) | | | | | | | | | | | | |
| 250 | 単純性甲状腺腫 | 27 4 23 | - | - | - | - | - | - | - | - | - | - | - | 1 1 | - | - | | | | | | | | | | | | |
| 251 | 非中毒性結節性甲状腺腫 | 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 1 | - | | | | | | | | | | | | |
| 252 | 甲状腺腫を伴うまたは伴わない甲状腺中毒症 | 149 31 118 | - | - | - | - | - | - | - | 2 2 | 3 3 | 6 6 | - | - | - | - | | | | | | | | | | | | |
| 253 | 粘液水腫およびクレチニ病 | 35 10 25 | 1 1 1 | 3 1 2 | 1 1 1 | - | 1 2 4 | 6 2 1 | - | 1 - 1 | 3 1 3 | - | - | 4 1 2 | - | - | | | | | | | | | | | | |
| 254 | その他の甲状腺の疾患 | 9 9 | - | - | - | - | - | - | - | - | - | - | - | 2 - 2 | - | - | | | | | | | | | | | | |
| (260) | 糖尿病 | 5 750 2 735 3 015 | 1 1 - | - | - | - | 2 2 | 3 2 | 3 2 | 10 5 | 28 11 | 41 11 | 88 40 48 | 83 32 51 | 108 62 46 | 114 59 55 | 160 70 90 | 301 163 138 | 551 271 280 | 871 438 433 | 1 153 537 616 | 1 052 472 402 | 768 366 402 | 323 154 169 | 78 34 44 | 14 7 7 | - | (260) |
| 260 | 糖尿病 | 5 750 2 735 3 015 | 1 1 - | - | - | - | 2 2 | 3 2 | 3 2 | 10 5 | 28 11 | 41 11 | 88 40 48 | 83 32 51 | 108 62 46 | 114 59 55 | 160 70 90 | 301 163 138 | 551 271 280 | 871 438 433 | 1 153 537 616 | 1 052 472 402 | 768 366 402 | 323 154 169 | 78 34 44 | 14 7 7 | - | 260 |
| (270-277) | その他の内分泌腺の疾患 | 297 132 165 | 22 12 10 | 4 2 2 | 1 1 1 | 2 1 1 | - | 29 15 14 | 8 7 7 | 6 4 2 | 11 5 6 | 15 6 9 | 26 8 18 | 24 13 11 | 25 14 15 | 26 11 15 | 22 7 12 | 18 5 13 | 28 14 14 | 13 7 12 | 16 9 6 | 8 5 3 | 2 1 1 | 2 1 1 | - | (270-277) | | |
| 270 | 脾臓内分泌の障害(糖尿病以外のもの) | 19 9 10 | - | - | - | - | - | - | - | - | - | - | 1 1 | - | 3 3 | - | - | 2 - 2 | 3 1 1 | 2 1 1 | 2 1 1 | - | - | - | - | - | 270 | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-----------------|-----------------|-----------------|-----------------|------------------|-------------------|-------------------|-------------------|---------------------|-----------------------|-----------------------|---------------------|-------------------|-----------------|--------------|-------------|---------------|--|
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 240 |
| 121 73 48 | 157 84 73 | 188 98 90 | 157 78 79 | 214 124 90 | 305 190 115 | 482 314 168 | 759 514 245 | 1 114 775 339 | 1 517 1 023 494 | 1 642 1 007 635 | 1 253 657 596 | 626 272 354 | 128 51 77 | 14 5 9 | 2 - 2 | - | 241 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 242 |
| 1 1 | - | 1 1 | 1 1 | 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | 243 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 244 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 245 |
| 8 1 7 | 19 7 12 | 22 3 19 | 23 6 17 | 25 4 21 | 25 5 20 | 24 4 13 | 20 7 15 | 16 1 8 | 9 1 7 | 4 1 4 | 4 2 2 | 2 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | - | (250-254) |
| 1 - 1 | - | 2 - 2 | 2 1 1 | 1 - 1 | 3 - 2 | 4 1 3 | 5 - 3 | 3 - 3 | 3 - 3 | 3 - 3 | 3 - 3 | 2 - 2 | 1 - 1 | 1 - 1 | 1 - 1 | - | 250 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 251 |
| 5 1 4 | 17 7 10 | 18 3 15 | 18 5 13 | 22 4 18 | 21 5 16 | 13 3 10 | 11 3 8 | 7 - 7 | 4 - 4 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | - | 252 |
| 1 - 1 | 2 - 2 | 1 - 1 | 3 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | - | 253 |
| 1 - 1 | 2 - 2 | 1 - 1 | 3 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | 1 - 1 | - | 254 |
| 88 40 48 | 83 32 51 | 108 62 46 | 114 59 55 | 160 70 90 | 301 163 138 | 551 271 280 | 871 438 433 | 1 153 537 616 | 1 052 472 402 | 768 366 402 | 323 154 169 | 78 34 44 | 14 7 7 | 1 1 1 | - | (260) | |
| 88 40 48 | 83 32 51 | 108 62 46 | 114 59 55 | 160 70 90 | 301 163 138 | 551 271 280 | 871 438 433 | 1 153 537 616 | 1 052 472 402 | 768 366 402 | 323 154 169 | 78 34 44 | 14 7 7 | 1 1 1 | - | 260 | |
| 26 8 18 | 24 13 11 | 25 14 11 | 26 11 15 | 22 7 12 | 18 5 13 | 28 14 14 | 13 7 12 | 16 9 6 | 8 5 3 | 2 - 2 | 3 1 1 | 2 - 2 | 1 - 1 | 1 - 1 | - | (270-277) | |
| 1 - 1 | - | 3 - 3 | - | - | 2 - 2 | 3 - 3 | - | - | 2 - 2 | 3 1 1 | 2 - 2 | 1 - 1 | 1 - 1 | 1 - 1 | - | - | 270 |

52 表 (86—25)

第52表 死亡者 数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因別統計表 Statistical table of cause of death by age group | | | | | | | | |
|--|------------------------------------|-------------|----------------------|---|-----|-----|-----|-------|------|-------|-------|-------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 |
| 271 | 上皮小体の疾患 | 4 | — | — | — | — | — | — | — | — | — | — |
| | 男女 M.F. | 2 2 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| 272 | 下垂体の疾患 | 66 | — | — | — | — | — | — | — | 2 | 2 | 4 |
| | 男女 M.F. | 18 48 | — — | — — | — — | — — | — — | — — | — — | 2 2 | 1 1 | 3 3 |
| 273 | 胸腺の疾患 | 18 | 5 | 3 | — | — | — | — | 8 | 2 | 3 | — |
| | 男女 M.F. | 11 7 | 2 3 | 2 1 | — — | — — | — — | — — | 4 4 | 1 1 | 2 1 | — |
| 274 | 副腎の疾患 | 179 | 17 | 1 | 1 | 1 | — | — | 20 | 2 | — | 7 |
| | 男女 M.F. | 89 90 | 10 7 | 1 1 | — — | — — | — — | — — | 11 9 | — 2 | — — | 4 3 |
| 275 | 卵巣機能異常 | 1 | — | — | — | — | — | — | — | — | — | — |
| | 男女 M.F. | — 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| 276 | 睪丸機能異常 | — | — | — | — | — | — | — | — | — | — | — |
| | 男女 M.F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| 277 | 多腺性機能異常およびその他の内分泌腺の疾患 | 10 | — | — | — | 1 | — | — | 1 | 2 | 1 | — |
| | 男女 M.F. | 3 7 | — — | — — | — — | 1 | — — | — — | 1 | — 2 | — — | — — |
| (280~289) | ビタミン欠乏症およびその他の物質代謝病 | 791 | 30 | 15 | 8 | 5 | 3 | 61 | 16 | 10 | 24 | 16 |
| | 男女 M.F. | 380 411 | 18 12 | 8 7 | 4 4 | 2 3 | 1 | 34 27 | 5 11 | 7 3 | 10 14 | 10 11 |
| 280 | 脚 気 | 67 | 11 | — | — | — | — | — | 11 | — | — | 4 |
| | 男女 M.F. | 42 25 | 8 3 | — — | — — | — — | — — | — — | 8 3 | — — | — — | 1 3 |
| 281 | ペラ グラ | 6 | — | — | — | — | — | — | — | — | — | 1 |
| | 男女 M.F. | 2 4 | — — | — — | — — | — — | — — | — — | — — | — — | — — | 1 |
| 282 | 壞 血 病 | 5 | 1 | — | — | — | — | — | — | 1 | — | 1 |
| | 男女 M.F. | 3 2 | 1 — | — — | — — | — — | — — | — — | — — | 1 | — — | — — |
| 283 | 活動性くる病 | 3 | 3 | — | — | — | — | — | — | 3 | — | — |
| | 男女 M.F. | 1 2 | 1 2 | — — | — — | — — | — — | — — | — — | 1 2 | — — | — — |
| 284 | くる病の後遺症 | 8 | — | — | — | — | — | — | — | 2 | 2 | — |
| | 男女 M.F. | 6 2 | — — | — — | — — | — — | — — | — — | — — | 2 | 2 | — |
| 285 | 骨軟化症 | 4 | 1 | — | — | — | — | — | — | — | — | — |
| | 男女 M.F. | 1 3 | 1 — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| 286 | その他のビタミン欠乏症および栄養欠乏症 | 502 | 6 | 11 | 7 | 3 | — | 27 | 8 | 6 | 7 | 6 |
| | 男女 M.F. | 249 253 | 4 2 | 7 4 | 3 4 | — 3 | — — | 14 13 | 2 6 | 4 2 | 5 2 | 4 2 |
| 286.a | 栄養失調症(1才以上) | 443 | — | 11 | 7 | 2 | — | 20 | 7 | 5 | 7 | 6 |
| | 男女 M.F. | 221 222 | — — | 7 4 | 3 4 | — 2 | — — | 10 10 | 2 5 | 3 2 | 5 2 | 4 2 |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

52表(86-26)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 0~24 | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|------|----|----|----|-----|-----|-------|-------|-------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 286.b | その他 | 59 | 6 | — | — | 1 | — | 7 | 1 | 1 | — | — | — |
| | 男 M. | 28 | 4 | — | — | — | — | 4 | 3 | 1 | — | — | — |
| | 女 F. | 31 | 2 | — | — | 1 | — | — | — | — | — | — | — |
| 287 | 肥満症(内分泌と特記されないもの) | 4 | — | — | — | — | — | 1 | 1 | — | — | — | — |
| | 男 M. | 2 | — | — | — | — | — | — | 1 | — | — | — | — |
| | 女 F. | 2 | — | — | — | — | — | — | 1 | — | — | — | — |
| 288 | 痛風 | 19 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. | 13 | — | — | — | — | — | — | — | — | — | — | — |
| | 女 F. | 6 | — | — | — | — | — | — | — | — | — | — | — |
| 289 | その他の物質代謝病 | 173 | 8 | 4 | 1 | 2 | 3 | 18 | 5 | — | 12 | 10 | — |
| | 男 M. | 61 | 3 | 1 | 1 | 2 | 2 | 9 | 3 | — | 4 | 1 | — |
| | 女 F. | 112 | 5 | 3 | — | — | 1 | 9 | 2 | — | 8 | 9 | — |
| IV | 血液および造血器の疾患 | 2484 | 53 | 26 | 16 | 16 | 16 | 127 | 65 | 101 | 131 | 92 | — |
| | 男 M. | 1108 | 37 | 10 | 10 | 10 | 10 | 77 | 44 | 50 | 59 | 37 | — |
| | 女 F. | 1376 | 16 | 16 | 6 | 6 | 6 | 50 | 21 | 51 | 72 | 55 | — |
| (290-299) | 血液および造血器の疾患 | 2484 | 53 | 26 | 16 | 16 | 16 | 127 | 65 | 101 | 131 | 92 | — |
| | 男 M. | 1108 | 37 | 10 | 10 | 10 | 10 | 77 | 44 | 50 | 59 | 37 | — |
| | 女 F. | 1376 | 16 | 16 | 6 | 6 | 6 | 50 | 21 | 51 | 72 | 55 | — |
| 290 | 悪性貧血およびその他の高色性貧血 | 185 | — | 1 | 1 | — | — | 1 | 3 | 1 | 6 | 7 | — |
| | 男 M. | 77 | — | — | 1 | — | — | — | 1 | — | 3 | 2 | — |
| | 女 F. | 108 | — | — | 1 | — | — | — | 1 | — | 3 | 5 | — |
| 291 | 鉄欠乏性貧血(低色性貧血) | 56 | 1 | — | — | — | — | 1 | 2 | — | 1 | 1 | — |
| | 男 M. | 19 | 1 | — | — | — | — | 1 | 1 | — | 1 | 1 | — |
| | 女 F. | 37 | — | — | — | — | — | 1 | 1 | — | 1 | 1 | — |
| 292 | その他の型の貧血 | 843 | 15 | 7 | 3 | 3 | 4 | 32 | 25 | 54 | 54 | 39 | — |
| | 男 M. | 401 | 10 | 2 | 2 | 1 | 3 | 18 | 13 | 29 | 24 | 21 | — |
| | 女 F. | 442 | 5 | 5 | 1 | 2 | 1 | 14 | 12 | 25 | 30 | 18 | — |
| 293 | 詳細不明の貧血 | 289 | 5 | 1 | 1 | — | — | 7 | — | 3 | 5 | 1 | — |
| | 男 M. | 119 | 3 | 1 | 1 | — | — | — | 2 | — | 2 | — | — |
| | 女 F. | 170 | 2 | — | — | — | — | 2 | — | 2 | — | — | — |
| 294 | 多血球症 | 8 | 1 | — | — | — | — | 1 | — | — | — | — | — |
| | 男 M. | 5 | — | — | — | — | — | — | — | — | — | — | — |
| | 女 F. | 3 | 1 | — | — | — | — | — | — | — | — | — | — |
| 295 | 血友病 | 28 | 2 | 1 | — | — | 1 | 2 | 6 | 3 | 5 | 3 | 2 |
| | 男 M. | 24 | 2 | 1 | — | — | — | — | 6 | 3 | 3 | 2 | 1 |
| | 女 F. | 4 | — | — | — | — | — | — | 6 | 2 | — | — | — |
| 296 | 紫斑病およびその他の出血病 | 529 | 24 | 10 | 9 | 8 | 8 | 59 | 29 | 27 | 33 | 22 | — |
| | 男 M. | 239 | 17 | 4 | 4 | 6 | 5 | 36 | 22 | 14 | 14 | 4 | — |
| | 女 F. | 290 | 7 | 6 | 5 | 2 | 3 | 23 | 7 | 13 | 19 | 18 | — |
| 297 | 無顆粒球症 | 163 | 1 | 3 | 2 | 1 | — | 7 | 3 | 3 | 14 | 13 | — |
| | 男 M. | 77 | 1 | — | 3 | 2 | 1 | — | 4 | 3 | 7 | 5 | — |
| | 女 F. | 86 | — | — | — | — | — | 3 | — | 2 | — | 3 | — |
| 298 | 脾臓の疾患 | 371 | 3 | 2 | — | 1 | — | 6 | 4 | 7 | 13 | 7 | — |
| | 男 M. | 142 | 3 | 2 | — | — | — | 1 | 1 | 6 | 8 | 4 | — |
| | 女 F. | 229 | — | — | — | — | — | 1 | 1 | 6 | 5 | 3 | — |
| 299 | その他の血液および造血器の疾患 | 12 | 1 | 1 | — | — | 2 | — | 4 | — | 2 | — | — |
| | 男 M. | 5 | 1 | 1 | — | — | 1 | — | 1 | — | 1 | — | — |
| | 女 F. | 7 | — | — | — | — | — | 3 | — | 1 | — | 1 | — |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|--------------|------------|------------|------------|-----------|----------|--------------|-------------|-------------|-------------|---------------|--|
| 1 — | 2 — | 3 — | 1 — | 2 — | — — | 6 — | 1 — | 9 — | 2 — | 9 — | 2 — | 4 — | 1 — | — — | — — | — — | 286.b |
| — — | 2 — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | 287 |
| 1 — | 3 — | — — | 1 — | 1 — | 1 — | 2 — | 2 — | 4 — | 3 — | 1 — | — — | — — | — — | — — | — — | — — | 288 |
| 17 16 | 13 11 | 11 5 | 10 6 | 11 6 | 10 6 | 12 6 | 13 6 | 11 8 | 12 6 | 11 6 | 12 6 | 4 3 | 1 1 | — — | — — | — — | 289 |
| 108 49 59 | 115 46 69 | 131 52 79 | 135 50 94 | 137 43 94 | 177 122 | 204 114 | 212 115 | 258 125 | 210 118 | 159 82 | 93 51 | 22 10 | 7 4 | — — | — — | IV | |
| 108 49 59 | 115 46 69 | 131 52 79 | 135 50 94 | 137 43 94 | 177 122 | 204 114 | 212 115 | 258 125 | 210 118 | 159 82 | 93 51 | 22 10 | 7 4 | — — | — — | (290-299) | |
| 5 1 4 | 4 1 3 | 4 1 4 | 4 1 4 | 8 3 5 | 11 3 10 | 14 8 6 | 16 11 | 19 9 | 35 19 | 26 16 | 26 16 | 14 8 6 | 8 5 3 | 3 3 — | — — — | 290 | |
| — — | 2 1 | 1 — | 3 2 | 1 — | 3 2 | 1 — | 4 2 | 3 2 | 5 2 | 10 7 | 9 6 | 10 7 | 1 — | — — | — — | — — | 291 |
| 42 26 16 | 38 17 21 | 45 19 26 | 41 12 29 | 41 13 30 | 54 42 41 | 82 40 | 80 39 | 100 52 | 54 29 | 43 17 | 30 22 | 8 6 | 3 2 | 2 1 | — — | 292 | |
| 7 — | 6 — | | | | | | | | | | | | | | | | |

52 表 (86—27)

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE: FOR ALL JAPAN

昭和 41 年
1966

52表(86-28)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------------------------|------------------|-------------------|-----------|----------|----------|----------|------------|------------|------------|------------|------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 |
| 313 | 強迫反応 | 28 | - | - | - | - | - | - | - | - | - | 2 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 15 13 | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 314 | 神経症性抑うつ反応 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 2 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 315 | 循環器系をおかす身体症状(身体化反応)を伴う精神神経症 | 23 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 7 16 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 316 | 消化器系をおかす身体症状(身体化反応)を伴う精神特経症 | 18 | - | 1 | - | 1 | 1 | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 5 13 | - | 1 | - | 1 | 1 | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 317 | その他の系統をおかす身体症状(身体化反応)を伴う精神神経症 | 34 | - | - | - | - | - | - | - | - | - | 1 | 1 | 3 | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 16 18 | - | - | - | - | - | - | - | - | - | 1 | 1 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 318 | その他の型、混合型および型不詳の精神神経症 | 136 | - | - | - | 1 | - | 1 | 1 | 1 | - | 4 | 1 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 54 82 | - | - | - | 1 | - | 1 | 1 | 1 | - | 3 | 1 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | |
| (320-326) | 性格、行動および知能の異常 | 770 | 14 | 4 | 2 | 3 | - | 23 | 2 | 5 | 15 | 28 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 673 97 | 10 4 | 1 3 | 1 1 | - | - | 15 8 | 2 - | 5 - | 11 4 | 17 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 320 | 病的人格 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 321 | 未熟人格 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 322 | アルコール中毒症 | 621 | - | - | - | - | - | - | - | - | 2 | 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 586 35 | - | - | - | - | - | - | - | - | 1 | 10 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 323 | その他の薬品嗜癖 | 15 | - | - | - | - | - | - | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 11 4 | - | - | - | - | - | - | - | - | 1 | 2 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 324 | 幼児の行動異常 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 325 | 精神薄弱 | 132 | 14 | 4 | 2 | 3 | - | 23 | 2 | 5 | 13 | 14 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 75 57 | 10 4 | 1 3 | 1 1 | - | - | 15 8 | 2 - | 5 - | 10 3 | 6 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 326 | その他および分類不明の性格、行動、知能の異常 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| VI | 神経系および感覚器の疾患 | 179 308 | 392 | 191 | 113 | 79 | 98 | 873 | 337 | 319 | 530 | 482 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 95 801 83 507 | 213 179 | 107 84 | 48 65 | 50 29 | 56 42 | 474 399 | 191 146 | 183 136 | 337 193 | 260 222 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (330-334) | 中枢神経系の血管損傷 | 172 186 | 57 | 12 | 17 | 3 | 4 | 93 | 25 | 48 | 121 | 165 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 92 066 80 120 | 29 28 | 7 | 8 | 2 | 3 | 49 | 16 | 31 | 72 | 80 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| - | 1 | 3 | 2 | 2 | 1 | 3 | 3 | 2 | 2 | 1 | 3 | 2 | - | - | - | - | 313 |
| - | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - | - | 314 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 315 |
| - | 3 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 316 |
| - | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 317 |
| - | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 318 |
| - | 30 | 72 | 88 | 81 | 66 | 91 | 85 | 68 | 52</ | | | | | | | | |

52 表 (86—29)

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因性 Cause of death and sex | 総数 Total | 0才 Year of age | 0 | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 |
|--|----------------------------------|-------------|----------------------|----|--------|----|----|-----|-----|-----|-------|-------|-------|
| | | | | 才 | 年 齢 | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 |
| 330 | 細胞膜下出血----- | 4 708 | 4 | 5 | — | — | 1 | 1 | 11 | 11 | 20 | 53 | 6 |
| | 男 M. | 2 390 | 3 | 3 | — | — | 1 | 1 | 7 | 7 | 13 | 28 | 3 |
| | 女 F. | 2 318 | 1 | 2 | — | — | — | — | 4 | 4 | 7 | 25 | 3 |
| 331 | 脳出血----- | 98 340 | 48 | 6 | 12 | — | — | 2 | 68 | 4 | 22 | 47 | 5 |
| | 男 M. | 53 147 | 23 | 3 | 6 | — | — | 2 | 34 | 3 | 14 | 36 | 2 |
| | 女 F. | 45 193 | 25 | 3 | 6 | — | — | — | 34 | 1 | 8 | 11 | 3 |
| 332 | 脳塞栓症および脳血栓症----- | 46 279 | — | 1 | 1 | 2 | — | — | 4 | 4 | 5 | 13 | 2 |
| | 男 M. | 24 181 | — | 1 | 1 | 2 | — | — | 4 | 3 | 3 | 4 | 1 |
| | 女 F. | 22 098 | — | — | — | — | — | — | — | 1 | 2 | 9 | 1 |
| 333 | 脳動脈けいれん----- | 23 | — | — | 1 | — | — | — | 1 | 1 | — | — | — |
| | 男 M. | 11 | — | — | 1 | — | — | — | 1 | 1 | — | — | — |
| | 女 F. | 12 | — | — | — | — | — | — | — | 1 | — | — | — |
| 334 | その他および診断名不明確の中枢神経系の... 血管損傷 | 22 836 | 5 | — | 3 | — | — | 1 | 9 | 5 | 1 | 8 | 1 |
| | 男 M. | 12 337 | 3 | — | — | — | — | — | 3 | 3 | 1 | 4 | 4 |
| | 女 F. | 10 499 | 2 | — | 3 | — | — | 1 | 6 | 2 | — | 4 | 4 |
| (340-345) | 中枢神経系の炎症性疾患----- | 1 714 | 188 | 85 | 38 | 22 | 21 | 354 | 91 | 68 | 81 | 7 | |
| | 男 M. | 911 | 102 | 49 | 14 | 14 | 12 | 191 | 46 | 34 | 47 | 4 | |
| | 女 F. | 803 | 86 | 36 | 24 | 8 | 9 | 163 | 45 | 34 | 34 | 3 | |
| 340 | 髓膜炎(髓膜炎菌性および結核性を除く)--- | 814 | 157 | 47 | 22 | 12 | 14 | 252 | 39 | 37 | 45 | 4 | |
| | 男 M. | 432 | 86 | 25 | 7 | 8 | 8 | 134 | 16 | 16 | 27 | 2 | |
| | 女 F. | 382 | 71 | 22 | 15 | 4 | 6 | 118 | 23 | 21 | 18 | 1 | |
| 341 | 頭蓋内静脈洞の静脈炎および血栓静脈炎----- | 2 | — | — | — | — | — | — | — | 1 | — | — | — |
| | 男 M. | 2 | — | — | — | — | — | — | — | 1 | — | — | — |
| | 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 342 | 頭蓋内および脊柱内膿瘍----- | 83 | 6 | 2 | 3 | 2 | 1 | 14 | 7 | 10 | 3 | 2 | |
| | 男 M. | 55 | 3 | 1 | 1 | 2 | — | 7 | 4 | 7 | 2 | 1 | |
| | 女 F. | 28 | 3 | 1 | 2 | — | 1 | 7 | 3 | 3 | 3 | 1 | |
| 343 | 脳炎、脊髄炎および脳脊髄炎(急性伝染性... を除く) | 437 | 19 | 23 | 9 | 7 | 3 | 61 | 23 | 7 | 14 | 1 | |
| | 男 M. | 222 | 9 | 13 | 4 | 4 | 2 | 32 | 13 | 3 | 7 | 7 | |
| | 女 F. | 215 | 10 | 10 | 5 | 3 | 1 | 29 | 10 | 4 | 7 | 7 | |
| 344 | 頭蓋内膿瘍または化膿性感染の後遺症----- | 295 | 6 | 13 | 4 | 1 | 3 | 27 | 19 | 13 | 14 | 1 | |
| | 男 M. | 157 | 4 | 10 | 2 | 2 | 2 | 18 | 11 | 8 | 8 | 6 | |
| | 女 F. | 138 | 2 | 3 | 2 | 1 | 1 | 9 | 8 | 5 | 5 | 6 | |
| 345 | 多発硬化症----- | 83 | — | — | — | — | — | — | — | 2 | 1 | 5 | |
| | 男 M. | 43 | — | — | — | — | — | — | — | 1 | — | 3 | |
| | 女 F. | 40 | — | — | — | — | — | — | — | 1 | 1 | 2 | |
| (350-357) | その他の中枢神経系の疾患----- | 4 477 | 133 | 91 | 56 | 52 | 72 | 404 | 213 | 193 | 312 | 22 | |
| | 男 M. | 2 461 | 74 | 50 | 25 | 33 | 41 | 223 | 124 | 109 | 206 | 12 | |
| | 女 F. | 2 016 | 59 | 41 | 31 | 19 | 31 | 181 | 89 | 84 | 106 | 9 | |
| 350 | 振顛麻痺----- | 501 | — | — | — | — | — | — | — | — | — | — | |
| | 男 M. | 224 | — | — | — | — | — | — | — | — | — | — | |
| | 女 F. | 277 | — | — | — | — | — | — | — | — | — | — | |
| 351 | 脳性痙攣小兒麻痺----- | 822 | 112 | 70 | 47 | 45 | 54 | 328 | 156 | 99 | 76 | 4 | |
| | 男 M. | 458 | 62 | 39 | 22 | 30 | 31 | 184 | 90 | 50 | 46 | 2 | |
| | 女 F. | 364 | 50 | 31 | 25 | 15 | 23 | 144 | 66 | 49 | 30 | 2 | |
| 352 | その他の脳性麻痺----- | 798 | — | 1 | — | — | — | — | 1 | 1 | 1 | 3 | |
| | 男 M. | 387 | — | — | — | — | — | — | 1 | 1 | — | 2 | |
| | 女 F. | 411 | — | 1 | — | — | — | — | 1 | — | 1 | 1 | |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE: FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 | | 国際基本 分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|-------|-------|-------|------|---------|---|--|
| | | | | | | | | | | | | | | | | Unknown | — | |
| 93 | 178 | 235 | 343 | 384 | 513 | 596 | 623 | 620 | 444 | 329 | 125 | 48 | 13 | — | — | — | — | 330 |
| 61 | 116 | 150 | 209 | 209 | 275 | 315 | 317 | 291 | 174 | 117 | 45 | 15 | 3 | — | — | — | — | — |
| 32 | 62 | 85 | 134 | 175 | 238 | 281 | 306 | 329 | 270 | 212 | 80 | 33 | 10 | — | — | — | — | — |
| 112 | 332 | 844 | 1 558 | 2 633 | 5 108 | 8 519 | 12 148 | 16 289 | 18 291 | 16 711 | 10 355 | 4 360 | 883 | 82 | 6 | 2 | 2 | 331 |
| 77 | 247 | 647 | 1 069 | 1 572 | 3 064 | 5 362 | 7 632 | 9 629 | 9 900 | 7 940 | 4 126 | 1 486 | 257 | 25 | 1 | 2 | — | — |
| 35 | 85 | 197 | 489 | 1 061 | 2 044 | 3 157 | 4 516 | 6 660 | 8 301 | 8 771 | 6 229 | 2 874 | 626 | 57 | — | 5 | — | — |
| 40 | 66 | 100 | 156 | 299 | 728 | 1 693 | 3 560 | 6 544 | 9 707 | 10 823 | 7 798 | 3 728 | 853 | 124 | 6 | 2 | — | 332 |
| 14 | 41 | 50 | 79 | 141 | 371 | 1 030 | 2 243 | 3 989 | 5 612 | 5 516 | 3 407 | 1 375 | 261 | 25 | 2 | 4 | — | — |
| 26 | 25 | 50 | 77 | 158 | 357 | 663 | 1 317 | 2 555 | 4 095 | 5 307 | 4 391 | 2 353 | 592 | 99 | — | 4 | — | — |
| — | — | — | — | — | 2 | 1 | 1 | 1 | 3 | 6 | 3 | 3 | — | — | — | — | — | 333 |
| — | — | — | — | — | 1 | 1 | — | — | 1 | 4 | 1 | 1 | — | — | — | — | — | — |
| — | — | — | — | — | 1 | — | 1 | 2 | 2 | 2 | 2 | — | — | — | — | — | — | — |
| 28 | 61 | 148 | 248 | 415 | 896 | 1 510 | 2 338 | 3 473 | 4 340 | 4 407 | 3 089 | 1 466 | 337 | 43 | 1 | 1 | 1 | 334 |
| 17 | 41 | 110 | 175 | 241 | 560 | 993 | 1 499 | 2 106 | 2 476 | 2 186 | 1 286 | 523 | 94 | 11 | — | — | — | — |
| 11 | 20 | 38 | 73 | 174 | 336 | 517 | 839 | 1 367 | 1 864 | 2 221 | 1 803 | 943 | 243 | 32 | — | 1 | — | — |
| 77 | 85 | 86 | 69 | 94 | 96 | 109 | 118 | 102 | 92 | 65 | 35 | 12 | 1 | — | — | — | — | (340-345) |
| 36 | 47 | 45 | 37 | 39 | 53 | 55 | 43 | 43 | 42 | 40 | 36 | 20 | 10 | — | — | — | — | — |
| 41 | 38 | 41 | 32 | 55 | 43 | 54 | 43 | 42 | 40 | 39 | 29 | 20 | 10 | — | — | — | — | — |
| 47 | 42 | 39 | 30 | 46 | 40 | 38 | 35 | 24 | 22 | 23 | 10 | 4 | — | — | — | — | — | 340 |
| 24 | 21 | 24 | 21 | 16 | 27 | 18 | 22 | 18 | 12 | 13 | 1 | 4 | — | — | — | — | — | — |
| 23 | 21 | 15 | 9 | 30 | 13 | 20 | 13 | 6 | 10 | 10 | 9 | — | — | — | — | — | — | 341 |
| — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| — | 4 | 7 | 6 | 2 | 6 | 2 | 6 | 2 | 2 | 6 | 5 | 1 | — | — | — | — | — | 342 |
| — | 3 | 5 | 2 | 2 | 5 | 2 | 2 | 2 | 4 | 4 | 1 | — | — | — | — | — | — | — |
| — | 1 | 2 | 4 | — | 1 | — | — | 2 | 1 | — | — | — | — | — | — | — | — | — |
| 17 | 13 | 18 | 10 | 25 | 28 | 37 | 44 | 44 | 36 | 24 | 16 | 5 | 1 | — | — | — | — | 343 |
| 5 | 7 | 6 | 5 | 12 | 13 | 17 | 29 | 25 | 23 | 9 | 9 | 2 | 1 | — | — | — | — | — |
| 12 | 6 | 12 | 5 | 13 | 15 | 20 | 15 | 19 | 13 | 15 | 7 | 3 | — | — | — | — | — | — |
| 10 | 19 | 19 | 18 | 16 | 19 | 24 | 26 | 19 | 23 | 11 | 6 | 2 | — | — | — | — | — | 344 |
| 5 | 13 | 7 | 9 | 5 | 7 | 13 | 11 | 16 | 8 | 9 | 4 | 2 | 2 | — | — | — | — | — |
| 5 | 6 | 12 | 9 | 11 | 12 | 11 | 10 | 11 | 14 | 2 | 2 | 2 | 2 | — | — | — | — | 345 |
| 3 | 7 | 3 | 5 | 5 | 3 | 8 | 10 | 9 | 6 | 6 | 3 | 1 | — | — | — | — | — | — |
| 2 | 3 | 3 | — | 4 | 1 | 5 | 5 | 5 | 4 | 4 | 2 | 2 | 1 | — | — | — | — | — |
| 1 | 4 | — | 5 | 1 | 2 | 3 | 5 | 4 | 2 | 2 | 2 | 1 | — | — | — | — | — | — |
| 186 | 178 | 196 | 191 | 174 | 186 | 279 | 364 | 379 | 358 | 335 | 211 | 76 | 19 | 1 | — | — | — | (350-357) |
| 107 | 103 | 105 | 104 | 94 | 100 | 163 | 212 | 204 | 195 | 165 | 86 | 26 | 6 | 1 | — | — | — | — |
| 79 | 75 | 91 | 87 | 80 | 86 | 116 | 152 | 175 | 163 | 170 | 125 | 50 | 13 | — | — | — | — | — |
| 2 | 2 | 3 | 4 | 23 | 26 | 64 | 86 | 104 | 89 | 75 | 15 | 8 | — | — | — | — | — | 350 |
| 2 | 1 | 3 | 2 | 13 | 14 | 29 | 45 | 42 | 40 | 25 | 5 | 3 | — | — | — | — | — | — |
| — | 1 | — | 2 | 10 | 12 | 35 | 41 | 62 | 49 | 50 | 10 | 5 | — | — | — | — | — | — |
| 26 | 16 | 23 | 24 | 8 | 2 | 5 | 6 | 4 | 3 | — | 3 | 1 | — | — | — | — | — | 351 |
| 14 | 9 | 11 | 14 | 3 | 1 | 3 | 2 | 1 | — | 2 | 1 | — | — | — | — | — | — | — |
| 12 | 7 | 12 | 10 | 5 | 1 | 2 | 2 | 1 | — | — | — | — | — | — | — | — | — | — |
| 1 | 1 | 5 | 5 | 8 | 12 | 25 | 59 | 101 | 154 | 191 | 158 | 53 | 17 | 1 | — | — | — | 352 |
| — | 1 | 2 | 2 | 3 | 6 | 14 | 34 | 56 | 85 | 97 | 62 | 16 | 5 | 1 | — | — | — | — |
| — | 1 | 2 | 3 | 5 | 6 | 11 | 25 | 45 | 69 | 94 | 96 | 37 | 12 | — | — | — | — | — |

52 表 (86—30)

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因 | | | | | 年齢別死因 | | | | 年齢別死因 | |
|--|--------------------------------|-------------|----------------------|-------|---|---|----|-----|-------|-------|-------|-----|-------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~ | | |
| 353 | てんかん | 1 235 | 12 | 12 | 5 | 5 | 14 | 48 | 36 | 68 | 155 | 159 | | |
| | 男 M. | 705 | 8 | 8 | 2 | 3 | 7 | 28 | 22 | 47 | 95 | 60 | | |
| | 女 F. | 530 | 4 | 4 | 3 | 2 | 7 | 20 | 14 | 21 | | | | |
| 354 | 片頭痛 | 3 | — | — | — | — | — | — | — | — | — | — | — | |
| | 男 M. | — | — | — | — | — | — | — | — | — | — | — | — | |
| | 女 F. | 3 | — | — | — | — | — | — | — | — | — | — | — | |
| 355 | その他の脳の疾患 | 208 | 4 | 5 | 3 | — | 1 | 13 | 8 | 12 | 16 | | | |
| | 男 M. | 104 | 2 | 2 | — | — | 1 | 5 | 5 | 4 | 11 | | | |
| | 女 F. | 104 | 2 | 3 | 3 | — | — | 8 | 3 | 8 | 5 | | | |
| 356 | 運動神経元の疾患および筋萎縮 | 733 | 4 | 2 | 1 | 2 | 2 | 11 | 9 | 10 | 56 | | | |
| | 男 M. | 473 | 1 | 1 | 1 | — | 1 | 4 | 4 | 6 | 48 | | | |
| | 女 F. | 260 | 3 | 1 | — | 2 | 1 | 7 | 5 | 4 | 8 | | | |
| 357 | その他の脊髄の疾患 | 177 | 1 | 1 | — | — | 1 | 3 | 3 | 3 | 6 | | | |
| | 男 M. | 110 | 1 | — | — | — | 1 | 2 | 2 | 2 | 4 | | | |
| | 女 F. | 67 | — | 1 | — | — | — | 1 | 1 | 1 | 2 | | | |
| (360-369) | 神経および末梢神経節の疾患 | 777 | 2 | 2 | 1 | 2 | — | 7 | 3 | 4 | 5 | | | |
| | 男 M. | 288 | 1 | 1 | — | 1 | — | 3 | 1 | 4 | 4 | | | |
| | 女 F. | 489 | 1 | 1 | 1 | 1 | — | 4 | 2 | — | 1 | | | |
| 360 | 顔面神経麻痺 | 8 | — | — | — | — | — | — | — | — | — | — | — | |
| | 男 M. | 4 | — | — | — | — | — | — | — | — | — | — | — | |
| | 女 F. | 4 | — | — | — | — | — | — | — | — | — | — | — | |
| 361 | 三叉神経痛 | 17 | — | — | — | — | — | — | — | — | — | — | — | |
| | 男 M. | 3 | — | — | — | — | — | — | — | — | — | — | — | |
| | 女 F. | 14 | — | — | — | — | — | — | — | — | — | — | — | |
| 362 | 上腕神経炎 | 8 | — | — | — | — | — | — | — | — | — | — | — | |
| | 男 M. | 3 | — | — | — | — | — | — | — | — | — | — | — | |
| | 女 F. | 5 | — | — | — | — | — | — | — | — | — | — | — | |
| 363 | 坐骨神経痛 | 272 | — | — | — | — | — | — | — | — | — | — | — | |
| | 男 M. | 94 | — | — | — | — | — | — | — | — | — | — | — | |
| | 女 F. | 178 | — | — | — | — | — | — | — | — | — | — | — | |
| 364 | 多発神経炎および多発神経根炎 | 163 | 1 | 1 | 1 | 1 | — | 4 | 3 | 3 | 2 | 2 | 2 | |
| | 男 M. | 69 | — | 1 | — | 1 | — | 2 | 1 | 3 | 3 | 2 | 2 | |
| | 女 F. | 94 | 1 | — | — | 1 | — | 2 | 2 | 2 | — | — | — | |
| 365 | 赤色浮腫性多発神経炎 | — | — | — | — | — | — | — | — | — | — | — | — | |
| | 男 M. | — | — | — | — | — | — | — | — | — | — | — | — | |
| | 女 F. | — | — | — | — | — | — | — | — | — | — | — | — | |
| 366 | その他および詳細不明の神経痛および神経炎 | 211 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| | 男 M. | 65 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| | 女 F. | 146 | — | — | — | — | — | — | — | — | — | — | — | — |
| 367 | その他の脳神経の疾患 | 22 | — | 1 | — | 1 | — | 2 | — | 1 | 1 | 1 | 1 | |
| | 男 M. | 7 | — | — | — | — | — | — | — | — | — | — | — | |
| | 女 F. | 15 | — | 1 | — | 1 | — | 2 | — | — | — | — | — | |
| 368 | その他の末梢神経の疾患(自律神経を除く) | 60 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| | 男 M. | 35 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| | 女 F. | 25 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| 369 | 末梢自律神経系の疾患 | 16 | 1 | — | — | — | — | — | 1 | — | — | — | — | 1 |
| | 男 M. | 8 | 1 | — | — | — | — | — | 1 | — | — | — | — | 1 |
| | 女 F. | 8 | — | — | — | — | — | — | 1 | — | — | — | — | 1 |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本 分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----------|---------------|--|
| | | | | | | | | | | | | | | | | | 353 |
| 137 | 124 | 123 | 97 | 79 | 60 | 45 | 44 | 35 | 16 | 8 | 7 | 2 | — | — | — | — | 353 |
| 80 | 75 | 63 | 50 | 41 | 34 | 24 | 19 | 16 | 10 | 6 | 4 | 1 | — | — | — | — | — |
| 57 | 49 | 60 | 47 | 38 | 26 | 21 | 25 | 19 | 6 | 2 | 3 | 1 | — | — | — | — | — |
| — | — | — | — | — | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — | 354 |
| — | — | — | — | — | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — | — |
| 6 | 8 | 10 | 12 | 12 | 12 | 22 | 20 | 21 | 16 | 5 | 6 | 4 | 2 | — | — | — | 355 |
| 2 | 4 | 8 | 8 | 6 | 4 | 12 | 13 | 8 | 8 | 2 | 1 | 1 | 1 | — | — | — | — |
| 4 | 4 | 2 | 4 | 6 | 8 | 10 | 7 | 13 | 8 | 3 | 5 | 2 | 1 | — | — | — | — |
| 9 | 22 | 27 | 37 | 37 | 65 | 99 | 130 | 84 | 59 | 38 | 17 | 6 | — | — | — | — | 356 |
| 5 | 10 | 16 | 22 | 23 | 35 | 65 | 87 | 57 | 42 | 23 | 12 | 3 | — | — | — | — | — |
| 4 | 12 | 11 | 15 | 14 | 30 | 34 | 43 | 27 | 17 | 15 | 5 | 3 | — | — | — | — | — |
| 5 | 5 | 5 | 12 | 7 | 9 | 18 | 19 | 30 | 23 | 15 | 6 | 2 | — | — | — | — | 357 |
| 4 | 2 | 6 | 5 | 6 | 16 | 10 | 22 | 10 | 11 | 11 | 2 | — | — | — | — | — | — |
| 1 | 1 | 3 | 6 | 2 | 3 | 2 | 9 | 8 | 13 | 4 | 4 | 2 | — | — | — | — | — |
| 7 | 8 | 11 | 13 | 11 | 12 | 36 | 31 | 65 | 105 | 151 | 156 | 105 | 37 | 1 | (360-369) | — | — |
| 2 | 5 | 7 | 4 | 7 | 19 | 11 | 34 | 37 | 37 | 66 | 52 | 19 | 6 | — | — | — | — |
| 5 | 6 | 6 | 7 | 5 | 17 | 20 | 31 | 68 | 85 | 104 | 86 | 31 | 3 | 1 | 1 | — | — |
| — | — | — | — | — | — | 1 | — | 2 | — | 1 | 1 | 2 | — | — | — | — | 360 |
| — | — | — | — | — | — | 1 | — | 2 | — | 1 | 1 | 1 | 2 | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 361 |
| — | — | 1 | — | 1 | — | — | 2 | 1 | 3 | 3 | 4 | 1 | 1 | — | — | — | — |
| — | — | 1 | — | — | — | — | 2 | — | 3 | 2 | 4 | — | 1 | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | 3 | 1 | — | — | — | — | 362 |
| — | — | — | — | — | — | — | — | — | — | 1 | 1 | 2 | 1 | — | — | — | — |
| — | 2 | 2 | 1 | 1 | 3 | 5 | 9 | 17 | 35 | 59 | 75 | 49 | 13 | — | 1 | — | 363 |
| 1 | 1 | 1 | 1 | — | 1 | 1 | 3 | 10 | 12 | 24 | 30 | 8 | 2 | — | — | — | — |
| — | 1 | 1 | 1 | — | 2 | 4 | 6 | 7 | 23 | 35 | 45 | 41 | 11 | — | — | — | — |
| 5 | 2 | 3 | 5 | 4 | 5 | 10 | 6 | 17 | 24 | 30 | 20 | 11 | 5 | — | — | — | 364 |
| 2 | 1 | 2 | 3 | 1 | 3 | 7 | 2 | 9 | 6 | 14 | 6 | 1 | 4 | — | — | — | — |
| 3 | 1 | 1 | 2 | 3 | 2 | 3 | 4 | 8 | 18 | 16 | 14 | 10 | 4 | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 365 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1 | 2 | 1 | 1 | — | 2 | 7 | 4 | 17 | 35 | 48 | 40 | 36 | 13 | 3 | — | — | 366 |
| — | 1 | 2 | 1 | — | 2 | 4 | 2 | 2 | 15 | 20 | 21 | 6 | 10 | 1 | — | — | — |
| — | 2 | 3 | 1 | 1 | — | — | 3 | 1 | 2 | 1 | 2 | 1 | 1 | — | — | — | 367 |
| — | 2 | 2 | 1 | 1 | — | — | 2 | — | — | 2 | 1 | 1 | 1 | — | — | — | — |
| 1 | — | 1 | 4 | 4 | 1 | 9 | 7 | 9 | 3 | 6 | 8 | 4 | 4 | — | — | — | 368 |
| — | — | 1 | 1 | 1 | 2 | 1 | 6 | 8 | 1 | 2 | 3 | 5 | 3 | — | — | — | — |
| — | — | — | 1 | — | — | 1 | 4 | — | — | 3 | 2 | 2 | — | 1 | — | — | 369 |
| — | — | — | 1 | — | — | 1 | 1 | 1 | — | 1 | 1 | 2 | 1 | — | 1 | — | — |
| — | — | — | 1 | — | — | 1 | 3 | 4 | — | 2 | 1 | 1 | — | 1 | — | — | — |

52 表 (86-31)

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|---|---|---|---|-----|-----|-------|-------|-------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| (370-379) | 眼の炎症性疾患 | 12 | 1 | - | - | - | - | 1 | - | - | 1 | - | - |
| | 男 M. 女 F. | 6 | 1 | - | - | - | - | 1 | - | - | 1 | - | - |
| 370 | 結膜炎および眼炎 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 371 | 眼瞼炎 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 372 | 麦粒腫(ものもらい) | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| | 男 M. 女 F. | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| 373 | 虹彩炎 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 374 | 角膜炎 | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| | 男 M. 女 F. | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| 375 | 脈絡膜炎 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 376 | その他のブドウ膜の炎症 | 2 | - | - | - | - | - | - | - | - | 1 | - | - |
| | 男 M. 女 F. | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| 377 | 視神経および網膜の炎症 | 4 | - | - | - | - | - | - | - | 1 | - | - | - |
| | 男 M. 女 F. | 1 | - | - | - | - | - | - | - | 1 | - | - | - |
| 378 | 涙腺および涙管の炎症 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 379 | その他の眼の炎症性疾患 | 4 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| | 男 M. 女 F. | 3 | 1 | - | - | - | - | 1 | - | - | - | - | - |
| (380-389) | その他の眼の疾患および状態 | 24 | - | - | - | - | - | - | - | - | 2 | 3 | 4 |
| | 男 M. 女 F. | 8 | - | - | - | - | - | - | - | - | 1 | 1 | 1 |
| 380 | 屈折異常 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 381 | 角膜潰瘍 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 382 | 角膜混濁 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| 383 | 翼状片 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|--------|-------|--------|-------|-------|--------|-------|--------|--------|--------|--------|-------|-------|-------|-------|------|---------------|--|
| 1 1 | - | 1 1 | - | - | 2 2 | - | 1 1 | 1 1 | 1 1 | 1 1 | - | - | - | - | - | - | (370-379) |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 370 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 371 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 372 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 373 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 374 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 375 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 376 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 377 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 378 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 379 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | (380-389) |
| - | - | - | - | - | 1 1 | - | - | - | - | - | - | - | - | - | - | - | 380 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 381 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 382 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 383 |

52表(86-32)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|--------|--------|--------|--------|---------|--------|--------|---------|---------|---|-------------|-------------|-------------|-------------|--------------|--------------|-------------|-------------|-------------|---|---|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | | | | | | | | | | | | | |
| 384 | 斜視 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 384 | | | | | | | | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | | |
| 385 | 白内障 | 6 | - | - | - | - | - | - | - | - | - | - | - | 1 | 2 | 1 | 2 | 385 | | | | | | | |
| | 男 M. 女 F. | - | 6 | - | - | - | - | - | - | - | - | - | - | 1 | 2 | 1 | 2 | - | | | | | | | |
| 386 | 網膜剥離 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 386 | | | | | | | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | |
| 387 | 緑内障 | 13 | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 387 | | | | | | | |
| | 男 M. 女 F. | 5 8 | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | - | | | | | | | |
| 388 | その他の眼の疾患 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 388 | | | | | | | |
| | 男 M. 女 F. | 3 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | |
| 389 | 盲 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 389 | | | | | | | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | | | | |
| (390-398) | 耳および乳様突起の疾患 | 118 | 11 | 1 | 1 | 1 | 1 | 14 8 | 5 4 | 6 5 | 10 8 | 10 7 | 3 | - | - | - | - | (390-398) | | | | | | | |
| | 男 M. 女 F. | 61 57 | 7 4 | 1 1 | 1 1 | 1 1 | 1 1 | 14 8 | 5 4 | 6 5 | 10 8 | 10 7 | 3 | 4 1 3 | 5 4 1 | 6 5 1 | 2 2 1 | 10 3 7 | 14 1 5 | 8 4 4 | 4 2 2 | 1 1 | - | - | |
| 390 | 外耳炎 | 4 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 390 | | | | | | | |
| | 男 M. 女 F. | 1 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 391 | 中耳炎(乳様突起炎の記載のないもの) | 85 | 8 | 1 | 1 | 1 | 1 | 11 7 | 5 4 | 5 4 | 9 8 | 9 7 | 2 | - | - | - | - | 391 | | | | | | | |
| | 男 M. 女 F. | 51 34 | 6 2 | 1 | 1 | 1 | 1 | 11 7 | 5 4 | 5 4 | 9 8 | 9 7 | 2 | 3 2 | 3 2 | 4 4 | 1 1 | 4 3 1 | 2 | 5 1 4 | 6 3 3 | 3 1 2 | - | - | - |
| 392 | 中耳炎(乳様突起炎を伴うもの) | 5 | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 1 | 1 | - | 392 | | | | | | |
| | 男 M. 女 F. | 3 2 | - | - | - | - | - | - | - | 1 | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - | - | |
| 393 | 乳様突起炎(中耳炎の記載のないもの) | 2 | 1 | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | 393 | | | | | | |
| | 男 M. 女 F. | - 2 | 1 | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 394 | その他の耳の炎症性疾患 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | 394 | | | | | | |
| | 男 M. 女 F. | 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - | - | - | - | - | |
| 395 | メニエール病 | 16 | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 395 | | | | | | | |
| | 男 M. 女 F. | 3 13 | - | - | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | - | |
| 396 | その他の耳および乳様突起の疾患 | 4 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | 396 | | | | | | | |
| | 男 M. 女 F. | 2 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | |
| 397 | 聾啞 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 397 | | | | | | | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 398 | その他の聾 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 398 | | | | | | | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 384 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 385 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 386 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 387 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 388 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 389 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | (390-398) |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 390 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 391 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 392 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 393 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 394 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 395 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 396 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 397 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 398 |

52表(86-33)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | |
|--|--------------------------------|------------------|-------------------|----------|---------|---------|--------|------------|----------|-----------|------------|------------|--|--|--|--|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | | | | |
| VII | 循環器系の疾患 | 95 558 | 236 | 36 | 21 | 20 | 10 | 323 | 93 | 202 | 463 | 572 | | | | |
| | 男 M. 女 F. | 48 334 47 224 | 124 112 | 19 17 | 9 12 | 7 13 | 3 7 | 162 161 | 52 41 | 96 106 | 261 202 | 298 274 | | | | |
| (400-402) | リューマチ熱 | 592 | 3 | 1 | 1 | 1 | 2 | 8 | 20 | 44 | 28 | 36 | | | | |
| | 男 M. 女 F. | 208 384 | 2 1 | 2 1 | 1 1 | 1 1 | 2 | 5 | 10 | 15 | 13 | 11 | | | | |
| 400 | 心臓障害の記載のないリューマチ熱 | 148 | 3 | - | - | 1 | 1 | 5 | 3 | 6 | 5 | 9 | | | | |
| | 男 M. 女 F. | 48 100 | 2 1 | - | - | 1 | 1 | 2 | 1 | 2 | 3 | 6 | | | | |
| 401 | 心臓障害を伴うリューマチ熱 | 429 | - | 1 | 1 | - | 1 | 3 | 17 | 38 | 22 | 27 | | | | |
| | 男 M. 女 F. | 154 275 | - | 1 | 1 | - | 1 | 2 | 9 | 13 | 11 | 8 | | | | |
| 401.0 | 活動性リューマチ性心膜炎 | 45 | - | - | 1 | - | - | 1 | - | 3 | 3 | 1 | | | | |
| | 男 M. 女 F. | 20 25 | - | - | 1 | - | - | 1 | - | 2 | 2 | 1 | | | | |
| 401.1 | 活動性リューマチ性心内膜炎 | 187 | - | - | - | - | - | - | 7 | 17 | 9 | 15 | | | | |
| | 男 M. 女 F. | 59 128 | - | - | - | - | - | - | 3 | 2 | 4 | 5 | | | | |
| 401.2 | 活動性リューマチ性心筋炎 | 83 | - | - | - | - | - | - | 1 | 2 | 2 | 4 | | | | |
| | 男 M. 女 F. | 35 48 | - | - | - | - | - | - | 1 | 1 | 1 | 2 | | | | |
| 401.3 | その他および多発性の心臓障害を伴う活動性リューマチ熱 | 114 | - | 1 | - | - | 1 | 2 | 9 | 16 | 8 | 7 | | | | |
| | 男 M. 女 F. | 40 74 | - | 1 | - | - | 1 | 1 | 5 | 8 | 4 | 6 | | | | |
| 402 | 舞踏病 | 15 | - | - | - | - | - | - | - | 1 | - | - | | | | |
| | 男 M. 女 F. | 6 9 | - | - | - | - | - | - | - | 1 | - | - | | | | |
| (410-416) | 慢性リューマチ性心臓疾患 | 4 606 | - | - | 1 | 1 | - | 2 | 8 | 43 | 95 | 92 | | | | |
| | 男 M. 女 F. | 1 617 2 989 | - | - | 1 | 1 | - | 2 | 7 | 20 | 42 | 38 | | | | |
| 410 | 僧帽弁の疾患 | 2 892 | - | - | - | - | - | - | 5 | 28 | 68 | 77 | | | | |
| | 男 M. 女 F. | 1 138 1 754 | - | - | - | - | - | - | 4 | 13 | 30 | 33 | | | | |
| 411 | リューマチ性と明示された大動脈弁の疾患 | 18 | - | - | - | - | - | - | 1 | 2 | 1 | - | | | | |
| | 男 M. 女 F. | 6 12 | - | - | - | - | - | - | 1 | 1 | 1 | - | | | | |
| 412 | 三尖弁の疾患 | 19 | - | - | 1 | 1 | - | 2 | - | 2 | - | - | | | | |
| | 男 M. 女 F. | 7 12 | - | - | 1 | 1 | - | 2 | - | 1 | - | - | | | | |
| 413 | リューマチ性と明示された肺動脈弁の疾患 | 2 | - | - | - | - | - | - | - | - | - | - | | | | |
| | 男 M. 女 F. | 2 - | - | - | - | - | - | - | - | - | - | - | | | | |
| 414 | その他のリューマチ性と明示された心内膜炎 | 520 | - | - | - | - | - | - | 5 | 12 | 7 | | | | | |
| | 男 M. 女 F. | 143 377 | - | - | - | - | - | - | 2 | 6 | 4 | | | | | |
| 415 | リューマチ性と明示された心筋炎 | 160 | - | - | - | - | - | - | 1 | - | 2 | 1 | | | | |
| | 男 M. 女 F. | 50 110 | - | - | - | - | - | - | 1 | - | 2 | 1 | | | | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------------------|---------------------|---------------------|---------------------|-------------------------|-------------------------|-------------------------|-------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|-----------------------|------------------|---------------|---------------|--|
| 759 407 352 | 1 107 626 481 | 1 493 876 617 | 1 823 972 851 | 2 292 1 213 1 079 | 3 718 2 149 1 569 | 5 667 3 391 2 276 | 8 332 5 066 4 963 | 11 837 6 874 6 977 | 15 079 8 102 8 784 | 17 160 8 376 8 342 | 14 324 5 982 5 170 | 7 921 2 751 1 515 | 2 130 615 1 515 | 246 61 185 | 15 3 12 | 2 1 1 | VII |
| 13 3 10 | 22 7 15 | 22 8 14 | 29 7 22 | 22 11 23 | 30 7 22 | 38 16 20 | 47 24 41 | 65 48 29 | 55 22 33 | 48 10 38 | 14 5 9 | 3 3 3 | - - - | - - - | - - - | (400-402) | |
| 5 - 5 | 4 - 4 | 4 1 3 | 1 - 1 | 1 2 2 | 3 1 2 | 9 4 5 | 9 3 6 | 16 11 11 | 15 9 10 | 21 6 15 | 17 2 4 | 6 2 1 | 3 2 2 | - - - | - - - | 400 | |
| 8 3 5 | 16 7 9 | 18 7 11 | 26 7 19 | 15 6 9 | 25 4 21 | 28 11 17 | 37 14 23 | 45 16 29 | 33 10 23 | 33 17 22 | 30 8 5 | 8 3 5 | - - - | - - - | - - - | 401 | |
| 1 - 1 | 2 1 1 | 3 1 2 | 2 - - | 6 1 5 | 2 1 2 | 1 - - | 1 1 1 | 5 3 2 | 5 3 2 | 3 2 1 | 4 2 2 | 2 1 1 | - - - | - - - | - - - | 401.0 | |
| 3 1 2 | 7 3 4 | 7 2 5 | 15 3 12 | 5 3 2 | 5 1 6 | 15 10 10 | 11 8 8 | 24 14 14 | 14 11 11 | 16 10 10 | 15 10 10 | - - - | - - - | - - - | - - - | 401.1 | |
| 2 2 | 1 1 | 2 1 | 2 - - | 5 2 3 | 3 1 2 | 7 1 5 | 6 1 4 | 12 6 6 | 8 2 6 | 9 4 5 | 10 5 4 | 5 4 4 | - - - | - - - | - - - | - - - | 401.2 |
| 2 - 2 | 6 2 4 | 6 2 4 | 4 - - | 1 1 1 | 1 1 1 | 10 8 8 | 5 3 2 | 13 5 7 | 8 1 1 | 5 3 1 | 4 2 6 | 6 2 2 | - - - | - - - | - - - | - - - | 401.3 |
| - - - | 2 - 2 | - - - | 2 - - | - - - | 2 - - | 1 - - | 2 - - | 1 - - | 1 - - | 1 - - | 1 - - | 1 - - | - - - | - - - | - - - | 402 | |
| 130 43 87 | 177 65 112 | 217 96 121 | 248 78 184 | 269 85 217 | 306 137 240 | 377 132 335 | 418 202 261 | 537 570 350 | 570 532 343 | 532 369 268 | 369 165 128 | 49 41 41 | 2 1 1 | - - - | - - - | - - - | (410-416) |
| 111 37 74 | 147 58 89 | 181 82 99 | 211 68 143 | 226 79 147 | 223 73 150 | 256 106 141 | 257 116 165 | 283 118 141 | 275 125 143 | 250 182 119 | 182 86 65 | 18 | | | | | |

52表 (86-34)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|----|----|----|---|-----|-----|-------|-------|-------|-----|--|--|--|--|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | | | | | |
| 416 | その他のリューマチ性と明示された心臓疾患 | 995 | - | - | - | - | - | - | 2 | 7 | 11 | 7 | | | | | |
| | 男 M. | 271 | - | - | - | - | - | - | 2 | 3 | 5 | 1 | | | | | |
| | 女 F. | 724 | - | - | - | - | - | - | 4 | 6 | 6 | 6 | | | | | |
| (420-422) | 動脈硬化性および変性性心臓疾患 | 55 102 | 194 | 29 | 15 | 14 | 5 | 1 | 257 | 42 | 80 | 228 | 318 | | | | |
| | 男 M. | 28 970 | 105 | 14 | 7 | 5 | 1 | 132 | 22 | 39 | 138 | 173 | | | | | |
| | 女 F. | 26 132 | 89 | 15 | 8 | 9 | 4 | 125 | 20 | 41 | 90 | 145 | | | | | |
| 420 | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 28 016 | 2 | - | - | - | - | - | 2 | - | 13 | 41 | 72 | | | | |
| | 男 M. | 16 663 | 1 | - | - | - | - | - | 1 | - | 6 | 26 | 46 | | | | |
| | 女 F. | 11 353 | 1 | - | - | - | - | - | 1 | - | 7 | 15 | 26 | | | | |
| 420.0 | 動脈硬化性心臓疾患と記載されたもの | 446 | - | - | - | - | - | - | - | - | - | - | - | | | | |
| | 男 M. | 245 | - | - | - | - | - | - | - | - | - | - | - | | | | |
| | 女 F. | 201 | - | - | - | - | - | - | - | - | - | - | - | | | | |
| 420.1 | 冠状動脈疾患の記載のある心臓疾患 | 22 363 | 1 | - | - | - | - | - | 1 | - | 10 | 27 | 45 | | | | |
| | 男 M. | 13 221 | - | - | - | - | - | - | 1 | - | 5 | 19 | 27 | | | | |
| | 女 F. | 9 142 | 1 | - | - | - | - | - | 1 | - | 5 | 8 | 18 | | | | |
| 420.2 | 冠状動脈疾患の記載のない狭心症 | 5 207 | 1 | - | - | - | - | - | 1 | - | 3 | 14 | 27 | | | | |
| | 男 M. | 3 197 | 1 | - | - | - | - | - | 1 | - | 1 | 7 | 19 | | | | |
| | 女 F. | 2 010 | - | - | - | - | - | - | 1 | - | 2 | 7 | 8 | | | | |
| 421 | リューマチ性と明示されない慢性心内膜炎 | 6 509 | 2 | 7 | 2 | 3 | 3 | 17 | 18 | 30 | 94 | 103 | | | | | |
| | 男 M. | 2 651 | - | 2 | 1 | 1 | 1 | 17 | 9 | 12 | 54 | 41 | | | | | |
| | 女 F. | 3 858 | 2 | 5 | 2 | 2 | 3 | 14 | 9 | 18 | 40 | 62 | | | | | |
| 421.0 | 僧帽弁(非リューマチ性と明示されたもの) | 23 | - | - | - | - | - | - | - | - | - | - | - | | | | |
| | 男 M. | 6 | - | - | - | - | - | - | - | - | - | - | - | | | | |
| | 女 F. | 17 | - | - | - | - | - | - | - | - | - | - | - | | | | |
| 421.1 | 大動脈弁(リューマチ性と明示されないもの) | 704 | - | - | - | - | - | 1 | 1 | - | 2 | 16 | 11 | | | | |
| | 男 M. | 398 | - | - | - | - | - | 1 | 1 | - | 1 | 12 | 6 | | | | |
| | 女 F. | 306 | - | - | - | - | - | 1 | 1 | - | 1 | 4 | 5 | | | | |
| 421.2 | 三尖弁(非リューマチ性と明示されたもの) | 1 | - | - | - | - | - | - | 1 | - | - | - | - | | | | |
| | 男 M. | - | - | - | - | - | - | - | 1 | - | - | - | - | | | | |
| | 女 F. | 1 | - | - | - | - | - | - | 1 | - | - | - | - | | | | |
| 421.3 | 肺動脈弁(リューマチ性と明示されないもの) | 19 | - | - | - | - | - | - | 1 | 1 | 2 | 1 | 1 | | | | |
| | 男 M. | 7 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | | | | |
| | 女 F. | 12 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | 1 | | | | |
| 421.4 | その他および不詳(リューマチ性と明示されないもの) | 5 762 | 2 | 7 | 2 | 3 | 2 | 16 | 16 | 27 | 76 | 91 | | | | | |
| | 男 M. | 2 240 | - | 2 | 1 | 1 | 1 | 13 | 8 | 11 | 41 | 35 | | | | | |
| | 女 F. | 3 522 | 2 | 5 | 2 | 2 | 2 | 13 | 8 | 16 | 35 | 56 | | | | | |
| 422 | その他の心筋変性 | 20 577 | 190 | 22 | 13 | 11 | 2 | 238 | 24 | 37 | 93 | 143 | | | | | |
| | 男 M. | 9 656 | 104 | 12 | 7 | 4 | 1 | 128 | 13 | 21 | 58 | 86 | | | | | |
| | 女 F. | 10 921 | 86 | 10 | 6 | 7 | 1 | 110 | 11 | 16 | 35 | 57 | | | | | |
| 422.0 | 脂肪変性 | 9 | - | - | - | - | - | - | - | - | - | - | - | | | | |
| | 男 M. | 5 | - | - | - | - | - | - | - | - | - | - | - | | | | |
| | 女 F. | 4 | - | - | - | - | - | - | - | - | - | - | - | | | | |
| 422.1 | 動脈硬化症を伴うもの | 1 664 | - | - | - | - | - | - | - | - | - | - | - | | | | |
| | 男 M. | 822 | - | - | - | - | - | - | - | - | - | - | - | | | | |
| | 女 F. | 842 | - | - | - | - | - | - | - | - | - | - | - | | | | |
| 422.2 | その他 | 18 904 | 190 | 22 | 13 | 11 | 2 | 238 | 24 | 37 | 93 | 143 | | | | | |
| | 男 M. | 8 829 | 104 | 12 | 7 | 4 | 1 | 128 | 13 | 21 | 58 | 86 | | | | | |
| | 女 F. | 10 075 | 86 | 10 | 6 | 7 | 1 | 110 | 11 | 16 | 35 | 57 | | | | | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| 9 | 9 | 11 | 17 | 23 | 45 | 68 | 78 | 158 | 193 | 175 | 113 | 51 | 17 | 1 | - | - | 416 |
| 1 | 1 | 5 | 4 | 2 | 10 | 17 | 22 | 53 | 70 | 46 | 18 | 10 | 1 | - | - | - | (420-422) |
| 8 | 8 | 6 | 13 | 21 | 35 | 51 | 56 | 105 | 123 | 95 | 41 | 16 | 1 | - | - | - | |
| 461 | 658 | 891 | 1 134 | 1 399 | 2 398 | 3 664 | 5 352 | 7 125 | 8 610 | 9 268 | 7 547 | 4 315 | 1 201 | 141 | 11 | 2 | (420-422) |
| 278 | 398 | 555 | 655 | 798 | 1 474 | 2 286 | 3 338 | 4 233 | 4 708 | 4 639 | 3 227 | 1 492 | 1 348 | 133 | 8 | 1 | |
| 183 | 260 | 336 | 479 | 601 | 924 | 1 378 | 2 014 | 2 892 | 3 902 | 4 629 | 4 320 | 2 823 | 853 | 108 | - | - | |
| 124 | 231 | 377 | 506 | 742 | 1 445 | 2 402 | 3 480 | 4 461 | 4 881 | 4 464 | 2 984 | 1 417 | 329 | 41 | 2 | | |

52 表 (86—35)

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本 分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| | | | | | | | | | | | | | | | | | |
| 71 | 128 | 183 | 197 | 257 | 352 | 547 | 845 | 1 284 | 1 823 | 2 189 | 1 933 | 1 085 | 312 | 39 | 1 | — | (430-434) |
| 30 | 79 | 105 | 109 | 137 | 201 | 334 | 519 | 790 | 1 060 | 1 103 | 891 | 424 | 91 | 12 | 1 | — | — |
| 41 | 49 | 78 | 88 | 120 | 151 | 213 | 326 | 494 | 763 | 1 086 | 1 042 | 661 | 221 | 27 | — | — | — |
| 9 | 17 | 19 | 11 | 18 | 15 | 18 | 12 | 13 | 14 | 16 | 5 | 6 | 2 | 1 | — | — | 430 |
| 1 | 9 | 9 | 7 | 9 | 12 | 13 | 5 | 3 | 6 | 7 | — | — | 1 | — | — | — | — |
| 8 | 8 | 10 | 4 | 9 | 3 | 5 | 7 | 10 | 8 | 9 | 5 | 6 | 2 | — | — | — | — |
| 7 | 14 | 12 | 10 | 15 | 7 | 12 | 6 | 8 | 10 | 5 | 2 | 3 | 1 | — | — | — | 430.0 |
| 1 | 9 | 5 | 6 | 7 | 4 | 3 | 5 | 2 | 6 | 1 | — | — | 1 | — | — | — | — |
| 6 | 5 | 7 | 4 | 8 | 3 | 5 | 4 | 6 | 4 | 4 | 2 | 3 | 1 | — | — | — | — |
| 2 | 3 | 7 | 1 | 3 | 8 | 6 | 6 | 5 | 4 | 11 | 3 | 3 | 1 | 1 | — | — | 430.1 |
| — | — | 4 | 1 | 2 | 8 | 6 | 3 | 1 | 4 | 6 | — | — | 1 | — | — | — | — |
| — | — | 3 | — | 1 | — | — | — | 3 | 1 | 5 | 2 | 2 | — | — | — | — | 431 |
| — | — | 2 | 1 | — | 1 | 1 | 3 | 4 | 1 | 1 | 2 | 2 | — | — | — | — | — |
| — | — | 1 | 3 | — | — | — | 3 | 2 | 3 | 13 | 2 | 3 | 2 | — | — | — | — |
| — | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | — | — | — | 432 |
| — | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 | 21 | 30 | 18 | 44 | 47 | 84 | 110 | 147 | 162 | 168 | 110 | 56 | 19 | — | — | — | 433 |
| 2 | 16 | 18 | 12 | 26 | 19 | 52 | 67 | 82 | 99 | 83 | 54 | 21 | 8 | — | — | — | — |
| 4 | 5 | 12 | 6 | 18 | 28 | 32 | 43 | 65 | 63 | 85 | 56 | 35 | 11 | — | — | — | — |
| 56 | 90 | 131 | 164 | 194 | 289 | 444 | 717 | 1 118 | 1 643 | 1 989 | 1 814 | 1 018 | 289 | 38 | 1 | — | 434 |
| 27 | 54 | 76 | 89 | 101 | 169 | 268 | 444 | 701 | 954 | 1 010 | 835 | 401 | 83 | 11 | — | — | — |
| 29 | 36 | 55 | 75 | 93 | 120 | 176 | 273 | 417 | 689 | 979 | 979 | 617 | 206 | 27 | 1 | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 434.0 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 | 13 | 22 | 29 | 39 | 57 | 92 | 128 | 212 | 295 | 380 | 399 | 252 | 74 | 5 | 1 | — | 434.1 |
| 4 | 6 | 7 | 7 | 20 | 30 | 47 | 72 | 129 | 149 | 171 | 160 | 82 | 18 | — | — | — | — |
| 6 | 7 | 15 | 22 | 19 | 27 | 45 | 56 | 83 | 146 | 209 | 239 | 170 | 56 | 5 | 1 | — | — |
| 21 | 27 | 43 | 72 | 95 | 133 | 258 | 469 | 754 | 1 154 | 1 398 | 1 259 | 673 | 184 | 29 | — | — | 434.2 |
| 6 | 15 | 21 | 37 | 46 | 78 | 164 | 298 | 485 | 700 | 727 | 598 | 277 | 56 | 10 | — | — | — |
| 15 | 12 | 22 | 35 | 49 | 55 | 94 | 171 | 269 | 454 | 671 | 661 | 396 | 128 | 19 | — | — | — |
| 9 | 12 | 18 | 3 | 10 | 23 | 23 | 30 | 34 | 56 | 66 | 59 | 45 | 19 | 3 | — | — | 434.3 |
| 4 | 5 | 11 | 7 | 4 | 13 | 13 | 16 | 20 | 25 | 31 | 29 | 17 | 6 | — | — | — | — |
| 5 | 7 | 7 | 3 | 6 | 10 | 10 | 14 | 14 | 31 | 35 | 30 | 28 | 13 | 3 | — | — | — |
| 16 | 38 | 48 | 60 | 50 | 76 | 71 | 90 | 118 | 138 | 145 | 97 | 48 | 12 | 1 | — | — | 434.4 |
| 13 | 37 | 45 | 45 | 31 | 48 | 44 | 58 | 67 | 80 | 81 | 48 | 25 | 3 | 1 | — | — | — |
| 3 | 10 | 11 | 15 | 19 | 28 | 27 | 32 | 51 | 58 | 64 | 49 | 23 | 9 | — | — | — | — |
| 19 | 25 | 43 | 70 | 110 | 251 | 486 | 774 | 1 420 | 2 027 | 2 402 | 1 876 | 924 | 167 | 16 | 1 | — | (440-443) |
| 12 | 16 | 24 | 37 | 54 | 142 | 272 | 472 | 811 | 1 037 | 1 096 | 767 | 300 | 52 | 4 | — | — | — |
| 7 | 9 | 19 | 33 | 56 | 109 | 214 | 302 | 609 | 990 | 1 306 | 1 109 | 624 | 115 | 12 | 1 | — | — |
| 1 | 1 | — | 1 | — | 1 | 4 | 6 | 10 | 26 | 21 | 49 | 37 | 19 | 1 | 1 | — | 440 |
| — | — | — | 1 | — | 1 | 2 | 6 | 9 | 17 | 5 | 17 | 13 | — | — | — | — | — |
| 4 | 2 | 3 | 8 | 3 | 13 | 20 | 24 | 37 | 51 | 38 | 36 | 16 | 3 | — | — | — | 441 |
| 3 | 1 | 2 | 6 | 1 | 11 | 13 | 18 | 11 | 27 | 14 | 13 | 6 | 1 | — | — | — | — |
| 1 | 1 | 1 | 2 | 2 | 7 | 6 | 26 | 24 | 24 | 23 | 10 | 2 | — | — | — | — | — |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|---|---|---|---|-----|-----|-------|-------|-------|--|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 442 | 細動脈性腎硬化症を伴う高血圧性心臓疾患… | 665 | - | - | - | - | - | - | - | - | - | 5 | |
| | 男 M. | 342 | - | - | - | - | - | - | - | - | - | 3 | |
| | 女 F. | 323 | - | - | - | - | - | - | - | - | - | 2 | |
| 443 | その他の良性、悪性の別不明の高血圧性心臓疾患 | 9 525 | - | - | - | - | - | - | - | - | 2 | 5 | |
| | 男 M. | 4 567 | - | - | - | - | - | - | - | - | 1 | 3 | |
| | 女 F. | 4 958 | - | - | - | - | - | - | - | - | 1 | 2 | |
| (444-447) | その他の高血圧性疾患… | 7 779 | - | - | - | - | - | - | - | - | 15 | 27 | |
| | 男 M. | 3 706 | - | - | - | - | - | - | - | - | 11 | 17 | |
| | 女 F. | 4 073 | - | - | - | - | - | - | - | - | 4 | 10 | |
| 444 | 本態性良性高血圧症… | 3 683 | - | - | - | - | - | - | - | - | 2 | 3 | |
| | 男 M. | 1 588 | - | - | - | - | - | - | - | - | 2 | 3 | |
| | 女 F. | 2 095 | - | - | - | - | - | - | - | - | 1 | - | |
| 445 | 本態性悪性高血圧症… | 1 204 | - | - | - | - | - | - | - | - | 3 | 8 | |
| | 男 M. | 698 | - | - | - | - | - | - | - | - | 2 | 4 | |
| | 女 F. | 506 | - | - | - | - | - | - | - | - | 1 | 4 | |
| 446 | 細動脈性腎硬化症を伴う高血圧症… | 2 195 | - | - | - | - | - | - | - | - | 9 | 15 | |
| | 男 M. | 1 085 | - | - | - | - | - | - | - | - | 6 | 10 | |
| | 女 F. | 1 110 | - | - | - | - | - | - | - | - | 3 | 5 | |
| 447 | 心臓の記載のないその他の高血圧性疾患… | 697 | - | - | - | - | - | - | - | - | 1 | 1 | |
| | 男 M. | 335 | - | - | - | - | - | - | - | - | 1 | - | |
| | 女 F. | 362 | - | - | - | - | - | - | - | - | 1 | - | |
| (450-456) | 動脈の疾患… | 4 544 | - | - | - | - | - | 1 | 1 | 1 | 4 | 8 | |
| | 男 M. | 2 268 | - | - | - | - | - | 1 | 1 | 1 | 3 | 4 | |
| | 女 F. | 2 276 | - | - | - | - | - | 1 | 1 | 1 | 3 | 4 | |
| 450 | 全身性動脈硬化症… | 3 706 | - | - | - | - | - | - | - | - | 1 | 1 | |
| | 男 M. | 1 760 | - | - | - | - | - | - | - | - | 1 | 1 | |
| | 女 F. | 1 946 | - | - | - | - | - | - | - | - | 1 | - | |
| 451 | 非梅毒性大動脈瘤および解離性動脈瘤… | 430 | - | - | - | - | - | - | - | - | 1 | 1 | |
| | 男 M. | 280 | - | - | - | - | - | - | - | - | 1 | - | |
| | 女 F. | 150 | - | - | - | - | - | - | - | - | 1 | - | |
| 452 | その他の動脈瘤(心臓瘤および大動脈瘤を除く) | 89 | - | - | - | - | - | - | - | - | 3 | 2 | |
| | 男 M. | 50 | - | - | - | - | - | - | - | - | 2 | 1 | |
| | 女 F. | 39 | - | - | - | - | - | - | - | - | 1 | 1 | |
| 453 | 末梢血管の疾患… | 107 | - | - | - | - | - | - | - | - | 1 | 2 | |
| | 男 M. | 55 | - | - | - | - | - | - | - | - | 1 | 2 | |
| | 女 F. | 52 | - | - | - | - | - | - | - | - | 1 | 2 | |
| 453.a | レイノー病… | 30 | - | - | - | - | - | - | - | - | 1 | 1 | |
| | 男 M. | 12 | - | - | - | - | - | - | - | - | 1 | 1 | |
| | 女 F. | 18 | - | - | - | - | - | - | - | - | 1 | 1 | |
| 453.b | 閉塞性血栓血管炎… | 75 | - | - | - | - | - | - | - | - | 1 | 1 | |
| | 男 M. | 42 | - | - | - | - | - | - | - | - | 1 | 1 | |
| | 女 F. | 33 | - | - | - | - | - | - | - | - | 1 | 1 | |
| 453.c | その他… | 2 | - | - | - | - | - | - | - | - | 1 | 1 | |
| | 男 M. | 1 | - | - | - | - | - | - | - | - | 1 | 1 | |
| | 女 F. | 1 | - | - | - | - | - | - | - | - | 1 | 1 | |
| 454 | 動脈塞栓症および血栓症… | 89 | - | - | - | - | - | 1 | 1 | - | - | - | |
| | 男 M. | 59 | - | - | - | - | - | 1 | 1 | - | - | - | |
| | 女 F. | 30 | - | - | - | - | - | 1 | 1 | - | - | - | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|---------------|----------------|----------------|-----------------|------------------|-------------------|-------------------|-------------------|---------------------|---------------------|-------------------------|-----------------------|-------------------|-------------------|---------------|-------------|---------------|--|
| 6 3 3 | 10 5 5 | 15 6 9 | 18 11 7 | 21 12 9 | 28 13 15 | 54 26 25 | 61 36 46 | 95 49 49 | 108 53 54 | 107 53 54 | 80 43 37 | 41 14 27 | 15 7 8 | - - - | 1 1 1 | 442 | |
| 8 6 2 | 12 10 2 | 25 16 9 | 43 20 23 | 86 41 45 | 208 117 91 | 406 227 179 | 679 414 265 | 1 262 734 528 | 1 847 946 901 | 2 208 1 012 1 196 | 1 723 698 1 025 | 848 274 574 | 148 104 104 | 15 4 11 | - - - | 443 | |
| 34 27 7 | 55 35 20 | 79 56 39 | 103 64 78 | 177 99 105 | 277 172 152 | 385 233 401 | 583 356 849 | 903 502 601 | 1 194 593 849 | 1 564 715 924 | 1 461 537 494 | 730 124 494 | 175 124 124 | 16 2 14 | - - - | (444-447) | |
| 2 2 - | 5 4 1 | 14 12 2 | 24 18 6 | 33 19 14 | 75 53 44 | 119 75 44 | 210 120 90 | 363 187 176 | 535 252 283 | 871 375 496 | 898 308 590 | 417 126 291 | 102 31 71 | 10 1 9 | - - - | 444 | |
| 13 12 1 | 21 17 4 | 30 27 3 | 31 21 10 | 49 29 37 | 96 59 38 | 99 61 48 | 144 96 82 | 186 104 82 | 202 113 89 | 164 84 80 | 98 49 49 | 53 36 36 | 7 4 4 | - - - | 445 | | |
| 19 13 6 | 29 14 15 | 34 24 23 | 47 49 43 | 92 82 65 | 101 58 77 | 147 82 77 | 191 114 120 | 283 163 164 | 329 172 189 | 361 118 185 | 303 118 109 | 177 68 40 | 52 12 5 | 1 1 1 | - - - | 446 | |
| - - | - - | 1 1 | 1 1 | 3 2 1 | 5 2 3 | 20 15 5 | 38 26 12 | 71 48 23 | 128 63 65 | 168 84 84 | 162 100 100 | 83 58 58 | 14 9 9 | 1 1 1 | - - - | 447 | |
| 17 10 | 14 7 | 27 15 5 | 17 12 17 | 28 11 25 | 66 41 31 | 106 75 75 | 234 159 160 | 415 255 288 | 695 407 481 | 1 030 549 481 | 987 409 578 | 645 238 407 | 206 144 144 | 31 8 23 | 1 1 1 | - - - | (450-456) |
| - - | 2 1 | 5 4 | 1 1 | 6 5 8 | 23 15 13 | 43 30 46 | 130 172 114 | 286 320 235 | 555 468 431 | 899 37 | | | | | | | |

52表(86-37)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|-----|-----|-----|-----|-------|-----|-------|-------|-------|---|---|---|---|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | | | | | |
| 455 | 原因不明の疾患 | 52 | - | - | - | - | - | - | - | - | 1 | - | | | | | |
| | 男 M. | 34 | - | - | - | - | - | - | - | - | 1 | - | | | | | |
| | 女 F. | 18 | - | - | - | - | - | - | - | - | 1 | - | | | | | |
| 456 | その他の動脈の疾患 | 71 | - | - | - | - | - | - | 1 | 3 | 7 | 3 | | | | | |
| | 男 M. | 30 | - | - | - | - | - | - | 1 | 2 | 2 | 5 | | | | | |
| | 女 F. | 41 | - | - | - | - | - | - | 1 | 1 | 5 | 3 | | | | | |
| (460-468) | 静脈の疾患および他の循環器系の疾患 | 829 | 5 | 1 | 1 | 1 | 1 | 9 | 3 | 6 | 14 | 4 | | | | | |
| | 男 M. | 439 | 2 | 1 | 1 | 1 | 1 | 4 | 3 | 3 | 7 | 1 | | | | | |
| | 女 F. | 390 | 3 | 1 | 1 | 1 | 1 | 5 | - | 3 | 7 | 3 | | | | | |
| 460 | 下肢の静脈瘤 | 3 | - | - | - | - | - | - | - | - | - | - | | | | | |
| | 男 M. | 1 | - | - | - | - | - | - | - | - | - | - | | | | | |
| | 女 F. | 2 | - | - | - | - | - | - | - | - | - | - | | | | | |
| 461 | 痔核 | 34 | - | - | - | - | - | - | - | - | - | - | | | | | |
| | 男 M. | 22 | - | - | - | - | - | - | - | - | - | - | | | | | |
| | 女 F. | 12 | - | - | - | - | - | - | - | - | - | - | | | | | |
| 462 | その他の部位の静脈瘤 | 145 | - | - | - | - | - | - | 1 | 1 | 2 | 1 | | | | | |
| | 男 M. | 94 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | | | | | |
| | 女 F. | 51 | - | - | - | - | - | - | 1 | 1 | 1 | 1 | | | | | |
| 463 | 下肢の静脈炎および血栓静脉炎 | 19 | - | - | - | - | - | - | - | - | - | - | | | | | |
| | 男 M. | 7 | - | - | - | - | - | - | - | - | - | - | | | | | |
| | 女 F. | 12 | - | - | - | - | - | - | - | - | - | - | | | | | |
| 464 | その他の部位の静脈炎および血栓静脉炎 | 14 | - | - | - | - | - | - | - | - | 1 | - | | | | | |
| | 男 M. | 7 | - | - | - | - | - | - | - | - | 1 | - | | | | | |
| | 女 F. | 7 | - | - | - | - | - | - | - | - | 1 | - | | | | | |
| 465 | 肺塞栓症および硬塞 | 59 | 1 | - | 1 | - | 1 | - | 2 | - | 1 | - | - | - | - | - | - |
| | 男 M. | 36 | - | 1 | - | 1 | - | 1 | - | 2 | - | 1 | - | - | - | - | - |
| | 女 F. | 23 | 1 | - | 1 | - | 1 | - | 2 | - | 1 | - | - | - | - | - | - |
| 466 | その他の静脈塞栓症および血栓症 | 11 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| | 男 M. | 9 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| | 女 F. | 2 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| 467 | その他の循環器系の疾患 | 517 | 1 | 1 | 1 | 1 | 1 | 4 | - | 2 | 10 | 3 | | | | | |
| | 男 M. | 252 | 1 | 1 | 1 | 1 | 1 | 3 | - | 1 | 5 | 1 | | | | | |
| | 女 F. | 265 | - | - | - | - | - | 1 | - | 1 | 5 | 2 | | | | | |
| 467.a | 低血圧症 | 289 | - | - | - | - | - | - | - | - | 2 | 1 | | | | | |
| | 男 M. | 145 | - | - | - | - | - | - | - | - | 2 | 1 | | | | | |
| | 女 F. | 144 | - | - | - | - | - | - | - | - | 2 | 1 | | | | | |
| 467.b | その他 | 228 | 1 | 1 | 1 | 1 | 1 | 4 | 3 | 2 | 8 | 2 | | | | | |
| | 男 M. | 107 | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 1 | 5 | 3 | | | | | |
| | 女 F. | 121 | - | - | - | - | - | 1 | - | 1 | 3 | 2 | | | | | |
| 468 | リンパ節およびリンパ管の疾患 | 27 | 3 | - | - | - | - | - | 3 | 2 | 2 | 1 | | | | | |
| | 男 M. | 11 | 1 | - | - | - | - | - | 1 | 2 | 1 | 1 | | | | | |
| | 女 F. | 16 | 2 | - | - | - | - | - | 2 | 1 | 2 | 1 | | | | | |
| VIII | 呼吸器系の疾患 | 33 014 | 3 467 | 575 | 267 | 146 | 118 | 4 573 | 351 | 196 | 305 | 241 | | | | | |
| | 男 M. | 17 938 | 1 972 | 293 | 146 | 69 | 55 | 2 535 | 193 | 106 | 168 | 127 | | | | | |
| | 女 F. | 15 076 | 1 495 | 282 | 121 | 77 | 63 | 2 038 | 158 | 90 | 137 | 114 | | | | | |
| (470-475) | 急性上気道感染 | 2 107 | 199 | 50 | 22 | 13 | 10 | 294 | 37 | 17 | 29 | 17 | | | | | |
| | 男 M. | 902 | 113 | 17 | 14 | 5 | 9 | 150 | 21 | 6 | 15 | 11 | | | | | |
| | 女 F. | 1 205 | 86 | 33 | 8 | 8 | 9 | 144 | 16 | 11 | 14 | 6 | | | | | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|--------------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|----------------|---------------|-------------|-------------|---------------|--|
| - | - | 2 | 1 | - | 1 | 1 | 2 | 8 | 11 | 8 | 7 | 7 | 3 | 1 | - | - | 455 |
| - | - | 6 | 4 | 3 | 2 | 3 | 7 | 5 | 3 | 7 | - | - | - | - | - | - | 456 |
| 10 4 6 | 6 6 6 | 5 1 4 | 4 3 1 | 4 3 1 | 2 1 1 | 3 2 3 | 79 48 31 | 88 57 31 | 112 58 54 | 120 63 57 | 103 40 24 | 43 19 14 | 17 3 14 | 1 1 - | - | - | (460-468) |
| 14 7 7 | 28 19 9 | 31 17 14 | 25 10 15 | 30 18 12 | 38 23 15 | 64 38 26 | 79 57 31 | 88 57 31 | 112 58 54 | 120 63 57 | 103 40 24 | 43 19 14 | 17 3 14 | - | - | - | 460 |
| - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | 461 |
| 2 1 1 | 2 1 1 | 2 1 1 | 2 1 1 | 2 1 1 | 2 1 1 | 3 2 1 | 2 1 1 | 2 1 1 | 2 1 1 | 6 3 3 | 3 2 2 | 3 2 2 | 3 2 2 | 3 2 2 | 3 2 2 | - | 462 |
| 2 1 1 | 5 5 4 | 7 3 4 | 4 3 1 | 8 7 1 | 14 11 3 | 18 11 7 | 15 12 3 | 20 16 4 | 17 10 7 | 12 6 6 | 12 10 7 | 7 4 3 | 7 4 3 | 7 4 3 | 7 4 3 | - | 463 |
| - | - | - | 2 | 1 | 1 | 1 | | | | | | | | | | | |

52表(86-38)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------------------------------|---------------|-------------------|------------|-----------|----------|----------|--------------|------------|----------|-----------|----------|--------|--------|----------|----------|----------|-----------|------------|------------|------------|------------|------------|-------------|--------------|--------------|--------------|--------------|---------------|-----------|-----------|--------|-----------|-----|---|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | | | | | | | |
| 470 | 急性鼻咽頭炎(かぜひき) | 1748 | 137 | 28 | 10 | 8 | 3 | 4 | 187 | 13 | 9 | 18 | 9 | 18 | 22 | 38 | 81 | 161 | 276 | 406 | 327 | 124 | 18 | 3 | — | — | 470 | | | | | | | | | |
| | 男 M. 女 F. | 728 1020 | 76 61 | 12 16 | 8 2 | 3 5 | 4 | — 88 | 99 8 | 5 8 | 3 6 | 10 | 8 3 | 6 3 | 24 11 | 37 14 | 44 37 | 80 | 155 | 254 | 224 | 103 | 35 | 5 | 13 | 2 | — | — | | | | | | | | |
| 471 | 急性副鼻腔炎 | 5 | 2 | — | — | — | — | — | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 471 | | | | | | | | |
| | 男 M. 女 F. | 2 3 | 1 1 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | |
| 472 | 急性咽頭炎 | 75 | 11 | 3 | — | — | — | 2 | 16 | 2 | — | — | — | — | — | 2 | 1 | 3 | 7 | 11 | 9 | 2 | — | — | — | — | — | — | 472 | | | | | | | |
| | 男 M. 女 F. | 36 39 | 7 4 | — 3 | — | — | — | — | 7 9 | 1 1 | — | — | — | — | — | 3 1 | 1 1 | 3 3 | 2 2 | 3 4 | 5 4 | 5 3 | 4 | — | — | — | — | — | — | — | | | | | | |
| 473 | 急性扁桃炎 | 123 | 17 | 6 | 3 | 3 | 1 | 2 | 31 | 13 | 5 | 8 | 5 | 3 | 2 | — | — | 6 | 3 | 5 | 5 | 4 | — | — | — | — | — | — | 473 | | | | | | | |
| | 男 M. 女 F. | 56 67 | 8 9 | — 6 | 2 | 1 | 2 | 1 | 11 | 9 | 3 | 2 | 3 | 2 | 2 | — | — | 3 1 | 2 1 | 2 1 | 3 4 | 5 4 | 4 | — | — | — | — | — | — | — | | | | | | |
| 474 | 急性喉頭炎および気管炎 | 57 | 7 | 5 | 6 | 1 | 2 | 2 | 21 | 5 | 1 | 2 | 1 | 1 | — | — | — | 2 | 1 | 5 | 6 | 6 | 2 | — | — | — | — | — | — | 474 | | | | | | |
| | 男 M. 女 F. | 34 23 | 4 3 | 3 2 | 3 | 1 | — | 2 | 10 | 4 | 1 | 1 | 1 | 1 | — | — | — | 2 | 1 | 3 | 3 | 2 | 2 | — | — | — | — | — | — | — | | | | | | |
| 475 | 多発または部位不明の急性上気道感染 | 99 | 25 | 8 | 3 | 1 | — | — | 37 | 4 | 2 | — | — | — | — | — | — | 1 | 2 | 1 | 5 | 7 | 10 | 17 | 5 | 2 | 1 | — | — | 475 | | | | | | |
| | 男 M. 女 F. | 46 53 | 17 8 | 2 6 | 2 | 1 | — | — | 21 | 2 | — | 2 | — | — | — | — | — | 1 | 1 | 1 | 4 | 1 | 2 | 5 | 4 | 2 | 1 | — | — | — | | | | | | |
| (480-483) | インフルエンザ | 383 | 47 | 7 | 4 | 5 | — | — | 63 | 5 | 4 | 4 | 4 | 3 | 4 | — | 6 | 2 | 4 | 13 | 18 | 26 | 45 | 58 | 51 | 52 | 12 | 2 | — | — | (480-483) | | | | | |
| | 男 M. 女 F. | 199 184 | 26 21 | 4 3 | 2 | 2 | 3 | — | 34 | 2 | 2 | 3 | 2 | 3 | 1 | — | 5 | 1 | 3 | 7 | 12 | 18 | 24 | 31 | 23 | 9 | 2 | — | — | — | | | | | | |
| 480 | 肺炎を伴うインフルエンザ | 113 | 10 | 3 | 1 | 1 | — | — | 15 | 9 | — | 1 | 2 | 1 | — | — | 3 | 2 | 1 | 2 | 1 | 13 | 13 | 22 | 16 | 13 | 2 | — | — | — | 480 | | | | | |
| | 男 M. 女 F. | 64 49 | 7 3 | 1 2 | 1 | — | — | — | 6 | — | 1 | — | 2 | — | — | — | 2 | 1 | 1 | 4 | 2 | 10 | 9 | 3 | 8 | 1 | — | — | — | — | | | | | | |
| 481 | その他の呼吸器症状を伴うおよび性質不明のインフルエンザ | 238 | 27 | 3 | 1 | 4 | — | — | 35 | 3 | 3 | 1 | 3 | 2 | 1 | — | 2 | 2 | 3 | 8 | 11 | 13 | 30 | 35 | 36 | 10 | 2 | — | — | 481 | | | | | | |
| | 男 M. 女 F. | 117 121 | 12 15 | 2 1 | 1 | 3 | — | — | 20 | 2 | 1 | — | 1 | 1 | 1 | — | 2 | 1 | 1 | 4 | 6 | 8 | 11 | 13 | 17 | 22 | 8 | 2 | — | — | — | | | | | |
| 482 | 消化器症状を伴い呼吸器症状を伴わない、インフルエンザ | 22 | 7 | — | 1 | 1 | — | — | 8 | 1 | — | — | — | — | — | — | 1 | — | 1 | 1 | 1 | 1 | 6 | — | 3 | 2 | 1 | — | — | 482 | | | | | | |
| | 男 M. 女 F. | 13 9 | 5 2 | — | 1 | — | — | — | 6 | 1 | — | — | — | — | — | — | 1 | — | 1 | 1 | 1 | 1 | 4 | — | 1 | — | — | — | — | — | | | | | | |
| 483 | 神経症状を伴い消化器および呼吸器の症状を伴わないインフルエンザ | 10 | 3 | 1 | 1 | — | — | — | 5 | 1 | — | 1 | — | 1 | — | — | — | — | 1 | — | 1 | 1 | 1 | — | — | — | — | — | — | 483 | | | | | | |
| | 男 M. 女 F. | 5 5 | 2 1 | — | — | — | — | — | 4 | — | — | — | — | — | — | — | — | — | 1 | — | 1 | 1 | 1 | — | — | — | — | — | — | — | | | | | | |
| (490-493) | 肺 炎 | 21140 | 2898 | 469 | 215 | 106 | 91 | 3779 | 260 | 141 | 208 | 165 | — | — | — | — | 187 | 186 | 241 | 277 | 246 | 390 | 618 | 1113 | 1716 | 2643 | 3402 | 3128 | 1802 | 570 | 61 | — | (490-493) | | | |
| | 男 M. 女 F. | 11343 9797 | 1640 1258 | 245 224 | 116 99 | 50 56 | 48 43 | 2099 1680 | 146 114 | 82 59 | 112 96 | 80 85 | — | — | — | — | 85 89 | 97 108 | 133 130 | 147 108 | 138 171 | 219 229 | 738 375 | 1044 672 | 1573 1070 | 1816 1586 | 1444 1684 | 1444 1033 | 213 357 | 61 43 | 18 6 | — | — | | | |
| 490 | 大葉性肺炎(生後4週以上) | 11681 | 1547 | 263 | 125 | 60 | 49 | 2044 | 144 | 86 | 123 | 122 | — | — | — | — | 120 | 129 | 165 | 172 | 160 | 262 | 699 | 1036 | 1530 | 1842 | 1533 | 827 | 253 | 25 | 4 | — | 490 | | | |
| | 男 M. 女 F. | 6346 5335 | 874 673 | 136 127 | 70 55 | 29 31 | 24 25 | 1133 911 | 75 69 | 52 34 | 69 54 | 60 62 | — | — | — | — | 56 64 | 68 61 | 93 72 | 92 80 | 88 72 | 144 118 | 260 224 | 475 414 | 927 849 | 993 841 | 452 479 | 452 479 | 699 160 | 213 19 | 218 4 | 4 | — | — | — | |
| 491 | 気管支肺炎(生後4週以上) | 5737 | 930 | 152 | 65 | 33 | 28 | 1208 | 82 | 43 | 54 | 26 | — | — | — | — | 49 | 32 | 41 | 61 | 44 | 67 | 106 | 228 | 377 | 627 | 945 | 932 | 604 | 188 | 21 | 2 | — | 491 | | |
| | 男 M. 女 F. | 3079 2658 | 527 403 | 94 58 | 32 33 | 17 16 | 11 | 521 | 48 | 23 | 26 | 12 | — | — | — | — | 23 26 | 15 17 | 25 16 | 34 34 | 15 15 | 41 43 | 63 43 | 151 147 | 230 250 | 377 450 | 495 480 | 452 480 | 452 480 | 69 119 | 9 12 | 9 1 | — | — | — | — |
| 492 | 原発非定型肺炎(生後4週以上) | 107 | 23 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|----|----|----|----|-----|-----|-------|-------|-------|----|---|---|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | | | | |
| (500-502) | 気管支炎 | 5 288 | 257 | 37 | 21 | 17 | 10 | 342 | 37 | 15 | 27 | 16 | 12 | 4 | — | — |
| | 男 M. | 2 728 | 149 | 19 | 11 | 9 | 3 | 191 | 18 | 5 | 16 | 12 | 4 | — | — | — |
| | 女 F. | 2 560 | 108 | 18 | 10 | 8 | 7 | 151 | 19 | 10 | 11 | 4 | — | — | — | — |
| 500 | 急性気管支炎 | 2 237 | 166 | 17 | 14 | 8 | 6 | 211 | 20 | 10 | 17 | 9 | — | — | — | — |
| | 男 M. | 1 069 | 101 | 12 | 7 | 3 | 2 | 125 | 11 | 4 | 10 | 7 | 2 | — | — | — |
| | 女 F. | 1 168 | 65 | 5 | 7 | 5 | 4 | 86 | 9 | 6 | 7 | 2 | — | — | — | — |
| 501 | 性質不明の気管支炎 | 1 334 | 90 | 18 | 6 | 9 | 4 | 127 | 15 | 5 | 9 | 3 | 2 | 1 | — | — |
| | 男 M. | 674 | 48 | 7 | 4 | 6 | 1 | 66 | 6 | 1 | 6 | 2 | 1 | — | — | — |
| | 女 F. | 660 | 42 | 11 | 2 | 3 | 3 | 61 | 9 | 4 | 3 | 1 | — | — | — | — |
| 502 | 慢性気管支炎 | 1 717 | 1 | 2 | 1 | — | — | 4 | 2 | — | 1 | 4 | 3 | 1 | — | — |
| | 男 M. | 985 | — | — | — | — | — | 4 | 1 | — | 1 | 3 | 1 | — | — | — |
| | 女 F. | 732 | — | 2 | 1 | — | — | 4 | 1 | — | 1 | 1 | — | — | — | — |
| (510-527) | その他の呼吸器系の疾患 | 4 096 | 66 | 12 | 5 | 5 | 7 | 95 | 12 | 19 | 37 | 39 | — | — | — | — |
| | 男 M. | 2 766 | 44 | 8 | 3 | 3 | 3 | 61 | 6 | 11 | 24 | 21 | — | — | — | — |
| | 女 F. | 1 330 | 22 | 4 | 2 | 2 | 4 | 34 | 6 | 8 | 13 | 18 | — | — | — | — |
| 510 | 扁桃肥大およびアデノイド | 9 | — | — | — | 1 | — | 1 | 4 | 3 | — | 1 | — | — | — | — |
| | 男 M. | 4 | — | — | — | 1 | — | 1 | 2 | 1 | — | 1 | — | — | — | — |
| | 女 F. | 5 | — | — | — | — | — | 1 | 2 | 2 | — | — | — | — | — | — |
| 511 | 扁桃周囲膿瘍 | 16 | — | — | — | 1 | — | 1 | — | — | 2 | 1 | 1 | — | — | — |
| | 男 M. | 5 | — | — | — | 1 | — | 1 | — | — | 1 | 1 | — | — | — | — |
| | 女 F. | 11 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| 512 | 慢性咽頭炎および鼻咽頭炎 | 33 | — | — | — | — | — | — | — | — | 1 | 2 | 1 | — | — | — |
| | 男 M. | 23 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — |
| | 女 F. | 10 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — |
| 513 | 慢性副鼻腔炎 | 25 | — | — | — | — | — | — | — | 4 | 8 | 3 | 2 | — | — | — |
| | 男 M. | 16 | — | — | — | — | — | — | — | 4 | 4 | 1 | 2 | — | — | — |
| | 女 F. | 9 | — | — | — | — | — | — | — | 4 | 4 | 2 | 1 | — | — | — |
| 514 | 鼻中隔弯曲症 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 515 | 鼻たけ | 4 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — |
| | 男 M. | 3 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — |
| | 女 F. | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 516 | 慢性喉頭炎 | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 女 F. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 517 | その他の上気道の疾患 | 82 | 7 | 5 | 2 | 1 | 1 | 16 | — | 3 | 3 | 2 | — | — | — | — |
| | 男 M. | 57 | 5 | 5 | 1 | 1 | 1 | 12 | — | 1 | 3 | 1 | — | — | — | — |
| | 女 F. | 25 | 2 | — | 1 | — | — | 4 | — | 2 | — | 1 | — | — | — | — |
| 518 | 脛 胸 | 205 | 37 | 4 | 1 | 1 | 1 | 44 | — | 1 | 1 | 4 | 2 | — | — | — |
| | 男 M. | 141 | 24 | 1 | 1 | 1 | 1 | 26 | — | 1 | — | 2 | — | — | — | — |
| | 女 F. | 64 | 13 | 3 | 1 | — | — | 18 | — | — | 1 | 2 | — | — | — | — |
| 519 | 胸膜炎(結核性以外および詳細不明のももの) | 240 | 3 | — | — | — | — | 3 | 2 | — | 4 | 1 | — | — | — | — |
| | 男 M. | 152 | 2 | — | — | — | — | 2 | 1 | — | 2 | — | — | — | — | — |
| | 女 F. | 88 | 1 | — | — | — | — | 1 | 1 | — | 2 | — | — | — | — | — |
| 520 | 特発性胸 | 77 | — | — | — | 1 | — | 1 | 1 | — | 2 | 1 | — | — | — | — |
| | 男 M. | 54 | — | — | — | 1 | — | 1 | 1 | — | 2 | — | — | — | — | — |
| | 女 F. | 23 | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — | — |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|---------------|--------------|----------------|----------------|----------------|----------------|-----------------|-------------------|-------------------|-------------------|---------------------|---------------------|------------------|----------------|-------------|------|---------------|--|
| 13 10 3 | 14 7 7 | 28 14 14 | 26 12 14 | 33 23 35 | 58 58 36 | 94 125 84 | 209 256 137 | 393 393 290 | 658 603 445 | 1 048 555 493 | 1 161 606 311 | 804 270 93 | 270 38 7 | 4 1 3 | — | (500-502) | |
| 8 6 2 | 7 3 4 | 17 9 8 | 10 4 6 | 12 5 7 | 22 9 13 | 24 12 12 | 61 30 40 | 117 108 93 | 201 220 173 | 393 220 251 | 511 164 111 | 405 18 17 | 18 — — | — | 500 | | |
| 5 4 1 | 5 3 2 | 5 3 2 | 7 4 3 | 12 5 7 | 12 5 7 | 27 19 8 | 46 28 33 | 89 56 54 | 155 101 110 | 243 133 212 | 267 220 156 | 68 74 45 | 12 5 7 | 2 — — | 501 | | |
| — — — | 2 1 1 | 6 2 4 | 9 4 5 | 9 6 3 | 24 27 15 | 43 27 16 | 102 67 35 | 187 123 64 | 302 250 162 | 412 383 177 | 160 91 69 | 34 | | | | | |

52 表 (86—40)

第52表 死亡者數

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

52表 (86-41)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|---|---|---|---|-----|-----|-------|-------|-------|---|----|----|----|----|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | | | | | |
| 535 | その他の歯牙および歯牙支持組織の疾患 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 536 | 口内炎 | 58 | 3 | 3 | 2 | 1 | 1 | 1 | 9 | 1 | - | 2 | 2 | 10 | 10 | 6 | 1 |
| | 男 M. | 22 | 2 | 2 | 1 | 1 | 1 | 1 | 5 | 1 | - | 1 | 1 | 4 | 2 | 1 | - |
| | 女 F. | 36 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | - | 1 | 1 | 6 | 8 | 5 | 1 |
| 537 | 唾液腺の疾患 | 25 | 5 | 1 | - | 1 | 1 | - | 7 | 1 | - | - | - | 2 | 4 | 4 | 1 |
| | 男 M. | 14 | 5 | 1 | - | 1 | 1 | - | 6 | 1 | - | - | - | 1 | 1 | 2 | - |
| | 女 F. | 11 | - | 1 | - | - | - | - | 1 | - | - | - | - | 1 | 1 | 3 | - |
| 538 | その他の口腔の疾患 | 17 | 1 | - | - | - | 1 | 2 | 2 | - | - | 2 | - | 1 | 1 | - | - |
| | 男 M. | 11 | 1 | - | - | - | 1 | 1 | 2 | 2 | - | 2 | - | 1 | 1 | - | - |
| | 女 F. | 6 | - | - | - | - | 1 | 1 | 2 | 2 | - | 2 | - | 1 | 1 | - | - |
| 539 | 食道の疾患 | 120 | 1 | - | - | - | - | 1 | - | - | - | 4 | - | 10 | 8 | 20 | 19 |
| | 男 M. | 81 | 1 | - | - | - | - | 1 | - | - | - | 4 | - | 8 | 7 | 14 | 11 |
| | 女 F. | 39 | - | - | - | - | - | 1 | - | - | - | - | - | 2 | 1 | 8 | 3 |
| (540-545) | 胃および十二指腸の疾患 | 12 040 | 34 | 5 | 4 | 1 | - | 44 | 10 | 12 | 52 | 76 | - | - | - | - | - |
| | 男 M. | 7 516 | 22 | 1 | 2 | 1 | - | 26 | 6 | 7 | 43 | 56 | - | - | - | - | - |
| | 女 F. | 4 524 | 12 | 4 | 2 | 1 | - | 18 | 4 | 5 | 9 | 20 | - | - | - | - | - |
| 540 | 胃潰瘍 | 7 838 | 21 | 1 | 1 | - | - | 23 | 5 | 6 | 21 | 47 | - | - | - | - | - |
| | 男 M. | 5 404 | 15 | 1 | 1 | - | - | 15 | 2 | 2 | 17 | 35 | - | - | - | - | - |
| | 女 F. | 2 434 | 6 | 1 | 1 | - | - | 8 | 3 | 4 | 4 | 12 | - | - | - | - | - |
| 540.0 | 穿孔の記載のないもの | 6 612 | 2 | - | 1 | - | - | 3 | 1 | 4 | 12 | 32 | - | - | - | - | - |
| | 男 M. | 4 448 | 1 | - | 1 | - | - | 1 | 2 | 1 | 10 | 22 | - | - | - | - | - |
| | 女 F. | 2 164 | 1 | - | - | - | - | 2 | 1 | 3 | 10 | 2 | - | - | - | - | - |
| 540.1 | 穿孔を伴うもの | 1 226 | 19 | 1 | - | - | - | 20 | 2 | 2 | 9 | 15 | - | - | - | - | - |
| | 男 M. | 956 | 14 | - | 1 | - | - | 14 | 1 | 1 | 7 | 13 | - | - | - | - | - |
| | 女 F. | 270 | 5 | - | 1 | - | - | 6 | 1 | 1 | 2 | 2 | - | - | - | - | - |
| 541 | 十二指腸潰瘍 | 978 | 5 | - | 1 | - | - | 6 | 3 | 1 | 12 | 15 | - | - | - | - | - |
| | 男 M. | 747 | 2 | - | 1 | - | - | 3 | 2 | 1 | 11 | 12 | - | - | - | - | - |
| | 女 F. | 231 | 3 | - | - | - | - | 3 | 1 | - | 1 | 3 | - | - | - | - | - |
| 541.0 | 穿孔の記載のないもの | 579 | 3 | - | - | - | - | 3 | 2 | 1 | 8 | 7 | - | - | - | - | - |
| | 男 M. | 413 | 2 | - | - | - | - | 2 | 1 | 1 | 7 | 5 | - | - | - | - | - |
| | 女 F. | 166 | 1 | - | - | - | - | 1 | - | - | 1 | 2 | - | - | - | - | - |
| 541.1 | 穿孔を伴うもの | 399 | 2 | - | 1 | - | - | 3 | 1 | - | 4 | 8 | - | - | - | - | - |
| | 男 M. | 334 | - | 1 | - | - | - | 1 | 1 | - | 4 | 7 | - | - | - | - | - |
| | 女 F. | 65 | 2 | - | - | - | - | 2 | 1 | - | 4 | 1 | - | - | - | - | - |
| 542 | 胃空腸潰瘍 | 26 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | 23 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 543 | 胃炎および十二指腸炎 | 2 706 | 2 | 2 | 1 | - | - | 5 | 1 | 2 | 11 | 9 | - | - | - | - | - |
| | 男 M. | 1 083 | 1 | 1 | 1 | - | - | 3 | 1 | 2 | 9 | 5 | - | - | - | - | - |
| | 女 F. | 1 623 | 1 | 1 | 1 | - | - | 2 | - | - | 2 | 4 | - | - | - | - | - |
| 544 | 胃の機能異常 | 172 | 1 | 1 | - | 1 | - | 3 | - | 2 | 5 | 1 | - | - | - | - | - |
| | 男 M. | 86 | - | 1 | 1 | - | 1 | 1 | - | 2 | 3 | 1 | - | - | - | - | - |
| | 女 F. | 86 | 1 | 1 | 1 | - | 1 | 2 | - | 2 | 1 | - | - | - | - | - | - |
| 545 | その他の胃および十二指腸の疾患 | 320 | 5 | 1 | 1 | - | - | 7 | 1 | 1 | 3 | 4 | - | - | - | - | - |
| | 男 M. | 173 | 4 | - | 1 | 1 | - | 4 | 1 | 1 | 3 | 3 | - | - | - | - | - |
| | 女 F. | 147 | 1 | - | 1 | 1 | - | 3 | - | 1 | - | 1 | - | - | - | - | - |

性・年齢(5才階級)・死因(基本分類)別
BY SEX AND AGE; FOR ALL JAPAN

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number | |
|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|---------|--------|----------|----------|----------|---------------|--|-----------|
| - | - | - | - | 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | 535 | |
| - | - | - | - | 1 1 | 1 1 | 1 1 | 2 2 | 1 1 | 2 1 | 6 4 | 10 8 | 6 5 | 1 1 | - | - | - | 536 | |
| - | - | - | - | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 2 1 | 4 3 | 4 3 | 1 1 | 1 1 | 1 1 | 1 1 | 537 | |
| - | - | - | - | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 538 | |
| - | - | - | - | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 539 | |
| - | - | - | - | 1 1 | 2 2 | 5 5 | 5 5 | 3 3 | 4 3 | 9 8 | 10 9 | 8 7 | 20 14 | 20 14 | 19 11 | 1 1 | - | (540-545) |
| 104 | 191 | 288 | 313 | 398 | 535 | 793 | 1 038 | 1 467 | 1 913 | 2 018 | 1 648 | 845 | 259 | 34 | 2</ | | | |

52 表 (86—42)

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因別死者数 Age別死因別死者数 | | | | | | | | |
|--|-------------------------------|-------------|----------------------|-------------------------|----|----|----|-------|-----|-------|-------|-------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 |
| (550-553) | 虫垂炎 | 707 | - | 2 | 1 | 7 | 4 | 14 | 27 | 28 | 52 | 27 |
| | 男 M. | 382 | - | 1 | - | 4 | 2 | 7 | 16 | 18 | 33 | 11 |
| | 女 F. | 325 | - | 1 | 1 | 3 | 2 | 7 | 11 | 10 | 19 | 16 |
| 550 | 急性虫垂炎 | 696 | - | 2 | 1 | 7 | 4 | 14 | 26 | 28 | 51 | 27 |
| | 男 M. | 381 | - | 1 | - | 4 | 2 | 7 | 16 | 18 | 33 | 11 |
| | 女 F. | 315 | - | 1 | 1 | 3 | 2 | 7 | 10 | 10 | 18 | 16 |
| 550.0 | 腹膜炎の記載のないもの | 189 | - | 1 | - | 1 | 2 | 4 | 9 | 7 | 19 | 14 |
| | 男 M. | 80 | - | 1 | - | 1 | 2 | 3 | 5 | 2 | 7 | 1 |
| | 女 F. | 109 | - | - | - | 1 | - | 1 | 4 | 5 | 12 | 13 |
| 550.1 | 腹膜炎を伴うもの | 507 | - | 1 | 1 | 6 | 2 | 10 | 17 | 21 | 32 | 15 |
| | 男 M. | 301 | - | 1 | 1 | 4 | 2 | 4 | 11 | 16 | 26 | 10 |
| | 女 F. | 206 | - | - | - | 2 | - | 6 | 6 | 5 | 6 | 3 |
| 551 | 性質不明の虫垂炎 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| 552 | その他の虫垂炎 | 11 | - | - | - | - | - | - | - | 1 | - | 1 |
| | 男 M. | 1 | - | - | - | - | - | - | - | 1 | - | 1 |
| | 女 F. | 10 | - | - | - | - | - | - | - | 1 | - | 1 |
| 553 | その他の虫垂の疾患 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| (560-561) | 腹腔ヘルニア | 428 | 116 | 27 | 5 | 1 | 2 | 151 | 4 | - | 1 | 1 |
| | 男 M. | 205 | 74 | 22 | 4 | 1 | 2 | 103 | 2 | - | 1 | 1 |
| | 女 F. | 223 | 42 | 5 | 1 | - | - | 48 | 2 | - | - | - |
| 560 | 閉塞の記載のない腹腔ヘルニア | 132 | 66 | 12 | 4 | 1 | 1 | 84 | 3 | - | - | - |
| | 男 M. | 75 | 35 | 11 | 3 | 1 | 1 | 51 | 1 | - | - | - |
| | 女 F. | 57 | 31 | 1 | 1 | - | - | 33 | 2 | - | - | - |
| 561 | 閉塞を伴う腹腔ヘルニア | 296 | 50 | 15 | 1 | - | 1 | 67 | 1 | - | 1 | 1 |
| | 男 M. | 130 | 39 | 11 | 1 | - | 1 | 52 | 1 | - | 1 | 1 |
| | 女 F. | 166 | 11 | 4 | - | - | - | 15 | - | - | - | - |
| (570-578) | その他の腸および腹膜の疾患 | 13 243 | 1 671 | 314 | 73 | 75 | 44 | 2 177 | 134 | 85 | 115 | 105 |
| | 男 M. | 6 227 | 1 010 | 181 | 37 | 35 | 19 | 1 282 | 62 | 53 | 66 | 50 |
| | 女 F. | 7 016 | 661 | 133 | 36 | 40 | 25 | 895 | 72 | 32 | 49 | 55 |
| 570 | 腸閉塞(ヘルニアの記載のないもの) | 3 068 | 329 | 48 | 10 | 16 | 5 | 408 | 24 | 30 | 37 | 34 |
| | 男 M. | 1 729 | 210 | 33 | 6 | 9 | 3 | 261 | 12 | 19 | 25 | 20 |
| | 女 F. | 1 339 | 119 | 15 | 4 | 7 | 2 | 147 | 12 | 11 | 12 | 14 |
| 570.0 | 重疊 | 268 | 181 | 21 | 3 | 3 | 1 | 209 | 3 | 2 | - | 1 |
| | 男 M. | 171 | 116 | 16 | 2 | 1 | 1 | 136 | 1 | 1 | - | 1 |
| | 女 F. | 97 | 65 | 5 | 1 | 2 | - | 73 | 2 | - | - | - |
| 570.1 | 麻痺性腸閉塞 | 387 | 48 | 4 | 2 | 3 | - | 57 | 1 | 5 | 5 | 6 |
| | 男 M. | 199 | 28 | 3 | - | 2 | - | 33 | - | 2 | 3 | 4 |
| | 女 F. | 188 | 20 | 1 | 2 | 1 | - | 24 | 1 | 3 | 2 | 2 |
| 570.2 | 腸間膜硬塞 | 259 | 3 | 1 | 1 | 2 | - | 7 | 2 | 3 | 4 | 2 |
| | 男 M. | 166 | 1 | - | 1 | 1 | - | 3 | 1 | 1 | - | 1 |
| | 女 F. | 93 | 2 | 1 | - | 1 | - | 4 | 1 | - | 2 | 1 |
| 570.3 | 輸送および絞扼 | 502 | 18 | 7 | 1 | 2 | 1 | 29 | 11 | 8 | 9 | 9 |
| | 男 M. | 304 | 10 | 5 | 1 | 2 | - | 18 | 6 | 5 | 6 | 6 |
| | 女 F. | 198 | 8 | 2 | - | - | 1 | 11 | 5 | 3 | 2 | 3 |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本 分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| | | | | | | | | | | | | | | | | | |
| 23 | 31 | 27 | 33 | 30 | 25 | 46 | 56 | 79 | 76 | 60 | 47 | 24 | 2 | - | - | - | (550-553) |
| 15 | 16 | 17 | 17 | 21 | 12 | 31 | 29 | 46 | 33 | 28 | 22 | 10 | 2 | - | - | - | |
| 8 | 15 | 10 | 16 | 9 | 13 | 15 | 27 | 33 | 43 | 32 | 25 | 14 | - | - | - | - | |
| 22 | 30 | 27 | 32 | 30 | 25 | 46 | 54 | 79 | 76 | 58 | 45 | 24 | 2 | - | - | - | 550 |
| 14 | 16 | 17 | 17 | 21 | 12 | 31 | 29 | 46 | 33 | 28 | 22 | 10 | - | - | - | - | |
| 8 | 14 | 10 | 15 | 9 | 13 | 15 | 25 | 33 | 43 | 30 | 23 | 14 | 2 | - | - | - | |
| 10 | 11 | 11 | 12 | 5 | 6 | 7 | 15 | 14 | 17 | 9 | 10 | 9 | - | - | - | - | 550.0 |
| 6 | 5 | 7 | 6 | 3 | 2 | 5 | 7 | 2 | 9 | 3 | 4 | 3 | - | - | - | - | |
| 4 | 6 | 4 | 6 | 2 | 4 | 2 | 8 | 12 | 8 | 6 | 6 | 6 | - | - | - | - | |
| 12 | 19 | 16 | 20 | 25 | 19 | 39 | 39 | 65 | 59 | 49 | 35 | 15 | 2 | - | - | - | 550.1 |
| 8 | 11 | 10 | 11 | 18 | 10 | 26 | 22 | 44 | 24 | 25 | 18 | 7 | - | - | - | - | |
| 4 | 8 | 6 | 9 | 7 | 9 | 13 | 17 | 21 | 35 | 24 | 17 | 8 | 2 | - | - | - | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 551 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| 1 | 1 | - | 1 | - | - | - | 2 | - | - | 2 | 2 | - | - | - | - | - | 552 |
| 1 | 1 | - | 1 | - | - | - | 2 | - | - | 2 | 2 | - | - | - | - | - | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 553 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| 1 | 1 | 4 | 5 | 4 | 5 | 16 | 24 | 32 | 51 | 56 | 45 | 22 | 5 | - | - | - | (560-561) |
| 1 | 1 | 4 | 1 | 4 | 1 | 4 | 12 | 15 | 21 | 21 | 21 | 12 | 4 | - | - | - | |
| - | - | 4 | 4 | 4 | 4 | 12 | 15 | 21 | 30 | 35 | 33 | 14 | 1 | - | - | - | |
| - | 1 | 1 | 3 | 1 | 2 | 5 | 6 | 3 | 6 | 7 | 6 | 2 | 2 | - | - | - | 560 |
| - | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 2 | 3 | 4 | 2 | 1 | - | - | - | - | |
| - | - | 2 | 1 | 1 | 1 | 4 | 2 | 1 | 3 | 3 | 4 | 1 | - | - | - | - | |
| 1 | - | 3 | 2 | 3 | 3 | 11 | 18 | 29 | 45 | 49 | 39 | 20 | 3 | - | - | - | 561 |
| 1 | 1 | 3 | 1 | - | 3 | 3 | 5 | 9 | 18 | 17 | 10 | 7 | 2 | - | - | - | |
| - | - | 2 | 2 | 3 | 3 | 8 | 13 | 20 | 27 | 32 | 29 | 13 | 1 | - | - | - | |
| 132 | 215 | 250 | 259 | 303 | 423 | 552 | 711 | 1 033 | 1 371 | 1 832 | 1 888 | 1 221 | 381 | 52 | 4 | - | (570-578) |
| 62 | 116 | 128 | 134 | 164 | 225 | 315 | 428 | 556 | 646 | 770 | 689 | 361 | 103 | 16 | 1 | - | |
| 70 | 99 | 122 | 125 | 139 | 198 | 237 | 283 | 477 | 725 | 1 062 | 1 199 | 860 | 278 | 36 | 3 | - | |
| 58 | 94 | 103 | 115 | 143 | 191 | 227 | 275 | 337 | 348 | 305 | 223 | 85 | 25 | 6 | - | - | 570 |
| 27 | 54 | 55 | 56 | 84 | 108 | 148 | 176 | 204 | 196 | 155 | 90 | 28 | 8 | 3 | - | - | |
| 31 | 40 | 48 | 59 | 59 | 83 | 79 | 99 | 133 | 152 | 150 | 133 | 57 | 17 | 3 | - | - | |
| - | 2 | 1 | 1 | 2 | 3 | 6 | 3 | 7 | 14 | 8 | 3 | 1 | 2 | - | - | - | 570.0 |
| - | 2 | 1 | - | 1 | 1 | 1 | 2 | 5 | 4 | 10 | 2 | 1 | - | 2 | - | - | |
| - | - | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 4 | 4 | 6 | 1 | - | - | - | - | |
| 6 | 9 | 12 | 17 | 14 | 22 | 23 | 31 | 45 | 45 | 37 | 37 | 9 | 4 | 2 | 2 | - | 570.1 |
| 1 | 3 | 3 | 10 | 6 | 14 | 10 | 16 | 26 | 24 | 19 | 18 | 4 | 2 | 2 | - | - | |
| 5 | 6 | 9 | 7 | 8 | 8 | 13 | 15 | 19 | 21 | 19 | 19 | 5 | 2 | - | - | - | |
| 2 | 12 | 8 | 6 | 16 | 26 | 32 | 24 | 31 | 42 | 27 | 12 | 2 | 1 | - | - | - | 570.2 |
| 1 | 8 | 5 | 3 | 8 | 17 | 23 | 18 | 25 | 30 | 11 | 6 | 1 | - | - | - | - | |
| 1 | 4 | 3 | 3 | 8 | 9 | 6 | 6 | 6 | 12 | 16 | 6 | 1 | 1 | - | - | - | |
| 13 | 16 | 24 | 33 | 30 | 28 | 42 | 43 | 71 | 52 | 47 | 23 | 11 | 2 | 1 | - | - | 570.3 |
| 10 | 7 | 16 | 15 | 21 | 18 | 30 | 27 | 47 | 30 | 29 | 7 | 3 | 1 | - | - | - | |
| 3 | 9 | 8 | 18 | 9 | 10 | 12 | 16 | 24 | 22 | 18 | 16 | 8 | 1 | - | - | - | |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因数 | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|--------|----|----|----|-------|-----|-------|-------|-------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 570.4 | 腸充塞および異物による腸閉塞 | 146 | 21 | 1 | — | — | — | 31 | — | — | 1 | — | — |
| | 男 M. | 8 | 1 | — | — | — | — | 2 | — | — | — | — | — |
| | 女 F. | 8 | 1 | 1 | — | — | — | 2 | — | — | — | — | — |
| 570.5 | その他 | 1 638 | 77 | 14 | 3 | 5 | 3 | 103 | 7 | 12 | 18 | 16 | — |
| | 男 M. | 883 | 54 | 9 | 2 | 3 | 2 | 70 | 4 | 8 | 13 | 8 | — |
| | 女 F. | 755 | 23 | 5 | 1 | 3 | 1 | 33 | 3 | 4 | 5 | 8 | — |
| 571 | 胃腸炎および大腸炎(潰瘍性を除く)(生後4週以上) | 6 113 | 1 294 | 257 | 60 | 54 | 38 | 1 703 | 91 | 34 | 37 | 27 | — |
| | 男 M. | 2 626 | 767 | 142 | 29 | 22 | 16 | 976 | 42 | 18 | 19 | 11 | — |
| | 女 F. | 3 487 | 527 | 115 | 31 | 32 | 22 | 727 | 49 | 16 | 18 | 16 | — |
| 572 | 慢性腸炎および潰瘍性大腸炎 | 2 204 | 6 | — | 1 | 1 | — | 8 | 2 | 4 | 13 | 18 | — |
| | 男 M. | 908 | 2 | — | 1 | 1 | — | 4 | — | 2 | 4 | 8 | — |
| | 女 F. | 1 296 | 4 | — | — | — | — | 4 | 2 | — | 9 | 10 | — |
| 573 | 腸の機能異常 | 26 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. | 13 | — | — | — | — | — | — | — | — | — | — | — |
| | 女 F. | 13 | — | — | — | — | — | — | — | — | — | — | — |
| 574 | 憩室および痔瘡 | 8 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. | 6 | — | — | — | — | — | — | — | — | — | — | — |
| | 女 F. | 2 | — | — | — | — | — | — | — | — | — | — | — |
| 575 | 肛門部および直腸部の腫瘍 | 20 | 2 | — | — | — | — | — | 2 | — | — | — | — |
| | 男 M. | 14 | 2 | — | — | — | — | — | 2 | — | — | — | — |
| | 女 F. | 6 | — | — | — | — | — | — | 2 | — | — | — | — |
| 576 | 腹膜炎 | 1 015 | 27 | 6 | 1 | 3 | 1 | 38 | 8 | 12 | 18 | 17 | — |
| | 男 M. | 507 | 20 | 4 | 1 | 2 | 1 | 27 | 3 | 8 | 11 | 8 | — |
| | 女 F. | 508 | 7 | 2 | — | 1 | 1 | 11 | 5 | 4 | 7 | 9 | — |
| 577 | 腹膜瘻着 | 55 | — | — | — | — | — | — | 2 | 1 | 2 | 1 | — |
| | 男 M. | 26 | — | — | — | — | — | — | 1 | 1 | 1 | 1 | — |
| | 女 F. | 29 | — | — | — | — | — | — | 1 | 1 | 1 | 1 | — |
| 578 | 他の腸および腹膜の疾患 | 734 | 13 | 3 | 1 | 1 | — | 18 | 7 | 4 | 8 | 8 | — |
| | 男 M. | 398 | 9 | 2 | 1 | 1 | — | 12 | 4 | 4 | 6 | 3 | — |
| | 女 F. | 336 | 4 | 1 | — | — | — | 6 | 3 | — | 2 | 5 | — |
| (580-587) | 肝臓、胆嚢および脾臓の疾患 | 18 677 | 83 | 16 | 7 | 5 | 5 | 116 | 41 | 44 | 116 | 166 | — |
| | 男 M. | 10 772 | 39 | 6 | 3 | 2 | 3 | 53 | 13 | 26 | 60 | 79 | — |
| | 女 F. | 7 905 | 44 | 10 | 4 | 3 | 2 | 63 | 28 | 18 | 56 | 87 | — |
| 580 | 急性および亜急性黄色肝萎縮 | 2 326 | 28 | 6 | 1 | 2 | 2 | 39 | 16 | 25 | 66 | 70 | — |
| | 男 M. | 1 192 | 12 | 1 | 1 | 1 | 2 | 14 | 7 | 15 | 27 | 24 | — |
| | 女 F. | 1 134 | 16 | 5 | — | — | — | 25 | 9 | 10 | 39 | 46 | — |
| 581 | 肝硬変 | 10 059 | 13 | 2 | 2 | 1 | 1 | 19 | 12 | 7 | 18 | 43 | — |
| | 男 M. | 6 739 | 9 | 1 | — | — | — | 12 | 3 | 5 | 13 | 24 | — |
| | 女 F. | 3 320 | 4 | 1 | 2 | — | — | 7 | 9 | 2 | 5 | 19 | — |
| 582 | 化膿性肝炎および肝臓癌 | 215 | 2 | — | — | — | — | 2 | — | — | 1 | 3 | — |
| | 男 M. | 112 | 1 | — | — | — | — | 1 | — | — | — | — | — |
| | 女 F. | 103 | 1 | — | — | — | — | 1 | — | — | — | — | — |
| 583 | 他の肝臓の疾患 | 1 253 | 32 | 5 | 3 | — | — | 2 | 8 | 8 | 54 | 47 | — |
| | 男 M. | 656 | 14 | 2 | 2 | — | — | 2 | 20 | 2 | 45 | 48 | — |
| | 女 F. | 597 | 18 | 3 | 1 | — | — | 22 | 6 | 4 | 7 | 9 | — |
| 584 | 胆石症 | 1 780 | — | — | — | — | — | — | — | 4 | 10 | 5 | — |
| | 男 M. | 1 674 | — | — | — | — | — | — | — | 3 | 5 | 5 | — |
| | 女 F. | 1 106 | — | — | — | — | — | — | — | 1 | 5 | 1 | — |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| 1 | — | 1 | — | 1 | 2 | 1 | — | 1 | — | 1 | 1 | — | 1 | 1 | — | — | 570.4 |
| 1 | — | 1 | — | 1 | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | — | — | 570.5 |
| 17 | 37 | 45 | 28 | 49 | 64 | 96 | 147 | 283 | 491 | 850 | 1 037 | 786 | 253 | 35 | 3 | — | 571 |
| 6 | 21 | 21 | 24 | 24 | 36 | 48 | 72 | 143 | 296 | 508 | 688 | 564 | 190 | 27 | 2 | — | 572 |
| 16 | 20 | 26 | 30 | 28 | 53 | 79 | 106 | 184 | 312 | 458 | 466 | 285 | 86 | 9 | 1 | — | 573 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 574 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 575 |
| 24 | 43 | 48 | 47 | 42 | 56 | 81 | 92 | 118 | 124 | 118 | 92 | 26 | 9 | 2 | — | — | 576 |
| 12 | 19 | 27 | 20 | 22 | 33 | 40 | 57 | 61 | 71 | 61 | 65 | 16 | 10 | 4 | — | — | 577 |
| 1 | 1 | 1 | — | 6 | 3 | 4 | 7 | 5 | 6 | 5 | 6 | 1 | — | — | — | — | 578 |
| 16 | 18 | 26 | 35 | 53 | 63 | 81 | 104 | 85 | 85 | 53 | 31 | 7 | — | — | — | — | 579 |
| 130 | 255 | 546 | 538 | 713 | 1 246 | 1 923 | 2 132 | 2 388 | 2 369 | 2 339 | 1 438 | 622 | 139 | 15 | — | — | (580-587) |
| 118 | 151 | 196 | 291 | 358 | 539 | 677 | 758 | 977 | 1 096 | 1 148 | 837 | | | | | | |

52 表 (86—44)

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 |
|--|------------------------------------|-------------|----------------------|----|----|----|----|-----|-----|-------|-------|-------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 |
| 585 | 結石の記載のない胆囊炎および胆管炎..... | 1 762 | 1 | 1 | — | — | — | 2 | 2 | 3 | 5 | 2 |
| | 男 M. | 712 | — | 1 | — | — | — | 1 | — | 2 | 4 | 1 |
| | 女 F. | 1 050 | 1 | — | — | — | — | 1 | 2 | 1 | 1 | 1 |
| 586 | その他の胆囊および胆管の疾患..... | 715 | 4 | 2 | 1 | 2 | — | 9 | 3 | — | 5 | 7 |
| | 男 M. | 336 | — | 1 | 1 | — | — | 2 | 1 | — | 3 | 5 |
| | 女 F. | 379 | 4 | 1 | — | 2 | — | 7 | 2 | — | 2 | 2 |
| 587 | 脾臓の疾患..... | 567 | 3 | — | — | — | — | 3 | — | 1 | 6 | 16 |
| | 男 M. | 351 | 3 | — | — | — | — | 3 | — | — | 5 | 12 |
| | 女 F. | 216 | — | — | — | — | — | — | — | 1 | 1 | 4 |
| 587.0 | 急性脾臓炎..... | 439 | 1 | — | — | — | — | 1 | — | — | 5 | 12 |
| | 男 M. | 264 | 1 | — | — | — | — | 1 | — | — | 4 | 8 |
| | 女 F. | 175 | — | — | — | — | — | — | — | — | 1 | 4 |
| 587.1 | 慢性脾臓炎..... | 30 | — | — | — | — | — | — | — | — | — | 1 |
| | 男 M. | 17 | — | — | — | — | — | — | — | — | — | 1 |
| | 女 F. | 13 | — | — | — | — | — | — | — | — | — | — |
| 587.2 | その他の脾臓の疾患..... | 98 | 2 | — | — | — | — | — | 2 | — | 1 | 3 |
| | 男 M. | 70 | 2 | — | — | — | — | 2 | — | — | 1 | 3 |
| | 女 F. | 28 | — | — | — | — | — | — | — | — | — | — |
| X | 性尿器系の疾患..... | 13 515 | 17 | 11 | 22 | 27 | 15 | 92 | 122 | 191 | 440 | 585 |
| | 男 M. | 7 125 | 11 | 5 | 14 | 19 | 11 | 60 | 80 | 95 | 265 | 325 |
| | 女 F. | 6 390 | 6 | 6 | 8 | 8 | 4 | 32 | 42 | 96 | 175 | 260 |
| (590-594) | 腎炎およびネフローゼ..... | 10 360 | 10 | 6 | 22 | 26 | 14 | 78 | 112 | 180 | 400 | 536 |
| | 男 M. | 5 362 | 4 | 4 | 14 | 19 | 10 | 51 | 74 | 89 | 248 | 306 |
| | 女 F. | 4 998 | 6 | 2 | 8 | 7 | 4 | 27 | 38 | 91 | 152 | 230 |
| 590 | 急性腎炎..... | 1 036 | 5 | 3 | 6 | 7 | 2 | 23 | 20 | 33 | 42 | 36 |
| | 男 M. | 524 | 2 | 2 | 4 | 5 | 1 | 14 | 12 | 10 | 28 | 21 |
| | 女 F. | 512 | 3 | 1 | 2 | 2 | 1 | 9 | 8 | 23 | 14 | 15 |
| 591 | 浮腫を伴う腎炎(ネフローゼを含む)..... | 1 334 | 4 | 3 | 12 | 14 | 8 | 41 | 68 | 81 | 129 | 105 |
| | 男 M. | 721 | 2 | 2 | 9 | 9 | 6 | 28 | 48 | 43 | 79 | 58 |
| | 女 F. | 613 | 2 | 1 | 3 | 5 | 2 | 13 | 20 | 38 | 50 | 47 |
| 592 | 慢性腎炎..... | 6 387 | — | — | 1 | 2 | 3 | 6 | 13 | 43 | 197 | 331 |
| | 男 M. | 3 320 | — | — | 1 | 2 | 3 | 6 | 8 | 25 | 124 | 191 |
| | 女 F. | 3 067 | — | — | — | — | — | — | 5 | 18 | 73 | 140 |
| 593 | 急性、慢性の別不明の腎炎..... | 1 579 | 1 | — | 2 | 2 | 1 | 6 | 11 | 22 | 30 | 63 |
| | 男 M. | 782 | — | — | 2 | 2 | — | 2 | 6 | 11 | 16 | 35 |
| | 女 F. | 797 | 1 | — | 2 | — | 1 | 4 | 5 | 11 | 14 | 28 |
| 594 | その他の腎臓の硬変..... | 24 | — | — | 1 | 1 | — | 2 | — | 1 | 2 | 1 |
| | 男 M. | 15 | — | — | 1 | 1 | — | 1 | — | — | 1 | 1 |
| | 女 F. | 9 | — | — | 1 | — | — | 1 | — | — | 1 | — |
| (600-609) | その他の泌尿器系の疾患..... | 2 364 | 6 | 5 | — | 1 | 1 | 13 | 10 | 11 | 36 | 41 |
| | 男 M. | 1 088 | 6 | 1 | — | 1 | 1 | 8 | 6 | 6 | 16 | 18 |
| | 女 F. | 1 276 | — | 4 | — | 1 | — | 5 | 4 | 5 | 20 | 23 |
| 600 | 腎臓の感染..... | 1 105 | 2 | 4 | — | 1 | — | 7 | 2 | 7 | 12 | 19 |
| | 男 M. | 378 | 2 | 1 | — | 1 | — | 3 | 1 | 4 | 5 | 5 |
| | 女 F. | 727 | — | 3 | — | 1 | — | 4 | 1 | 3 | 11 | 14 |
| 600.0 | 腎盂炎、腎盂膀胱炎および腎盂腎炎..... | 1 061 | 2 | 4 | — | 1 | — | 7 | 2 | 7 | 10 | 19 |
| | 男 M. | 359 | 2 | 1 | — | 1 | — | 3 | 1 | 4 | 5 | 5 |
| | 女 F. | 702 | — | 3 | — | 1 | — | 4 | 1 | 3 | 11 | 14 |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

| | | 国際基本分類番号 International detailed list number | | | | | | | | | | | | | | | | |
|-------|-----|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| 25~29 | | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | |
| 15 | 13 | 30 | 40 | 42 | 71 | 103 | 128 | 205 | 300 | 351 | 287 | 118 | 41 | 4 | — | — | 585 | |
| 6 | 8 | 17 | 16 | 24 | 38 | 51 | 63 | 99 | 103 | 135 | 99 | 34 | 9 | 2 | — | — | — | |
| 9 | 5 | 13 | 24 | 18 | 33 | 52 | 65 | 106 | 197 | 216 | 188 | 84 | 32 | 2 | — | — | — | |
| 9 | 9 | 11 | 20 | 19 | 37 | 64 | 74 | 109 | 115 | 118 | 68 | 32 | 5 | 1 | — | — | 586 | |
| 4 | 6 | 5 | 11 | 7 | 19 | 39 | 39 | 53 | 58 | 52 | 20 | 10 | 2 | — | — | — | — | |
| 5 | 3 | 6 | 9 | 12 | 18 | 25 | 35 | 56 | 57 | 66 | 48 | 22 | 3 | 1 | — | — | — | |
| 20 | 39 | 43 | 39 | 39 | 37 | 52 | 72 | 66 | 45 | 49 | 28 | 9 | 2 | 1 | — | — | 587 | |
| 9 | 27 | 37 | 19 | 26 | 20 | 34 | 53 | 41 | 25 | 20 | 16 | 4 | — | — | — | — | — | |
| 11 | 12 | 6 | 20 | 13 | 17 | 18 | 19 | 25 | 20 | 29 | 12 | 5 | 2 | 1 | — | — | — | |
| 15 | 28 | 32 | 34 | 32 | 29 | 31 | 55 | 54 | 37 | 40 | 23 | 9 | 2 | — | — | — | 587.0 | |
| 7 | 19 | 27 | 15 | 20 | 14 | 18 | 40 | 34 | 23 | 18 | 12 | 4 | — | — | — | — | — | |
| 8 | 9 | 5 | 19 | 12 | 15 | 13 | 15 | 20 | 14 | 22 | 11 | 5 | 2 | — | — | — | — | |
| — | — | I | I | I | 2 | 3 | 7 | 6 | 4 | 3 | 1 | — | — | — | — | — | 587.1 | |
| — | — | I | I | I | 1 | 2 | 4 | 3 | 2 | 1 | — | — | — | — | — | — | — | |
| — | — | — | — | — | 1 | 1 | 3 | 3 | 2 | 3 | — | — | — | — | — | — | — | |
| 5 | 11 | 10 | 4 | 6 | 6 | 18 | 10 | 6 | 4 | 6 | 4 | — | — | 1 | — | — | 587.2 | |
| 2 | 8 | 9 | 3 | 5 | 5 | 14 | 9 | 4 | — | 2 | 3 | — | — | — | — | — | — | |
| 3 | 3 | 1 | I | 1 | 1 | 4 | 1 | 2 | 4 | 4 | 1 | — | — | — | — | — | — | |
| 637 | 576 | 612 | 626 | 617 | 683 | 868 | 1 057 | 1 288 | 1 546 | 1 579 | 1 188 | 635 | 155 | 15 | 3 | — | X | |
| 373 | 316 | 316 | 318 | 298 | 325 | 454 | 584 | 679 | 833 | 832 | 615 | 283 | 67 | 2 | — | — | — | |
| 264 | 260 | 296 | 308 | 319 | 358 | 414 | 473 | 609 | 713 | 747 | 573 | 352 | 88 | 10 | 1 | — | — | |
| 574 | 496 | 527 | 525 | 498 | 558 | 660 | 798 | 984 | 1 082 | 1 083 | 781 | 387 | 89 | 10 | 2 | — | (590-594) | |
| 348 | 284 | 283 | 273 | 250 | 273 | 355 | 443 | 501 | 538 | 522 | 342 | 146 | 31 | 3 | 2 | — | — | |
| 226 | 212 | 244 | 252 | 248 | 285 | 305 | 355 | 483 | 544 | 561 | 439 | 241 | 58 | 7 | — | — | — | |
| 50 | 38 | 39 | 42 | 40 | 37 | 37 | 61 | 92 | 123 | 146 | 107 | 54 | 12 | 4 | — | — | 590 | |
| 31 | 15 | 18 | 18 | 16 | 15 | 17 | 37 | 47 | 78 | 75 | 45 | 23 | 3 | 1 | — | — | — | |
| 19 | 23 | 21 | 24 | 24 | 22 | 20 | 24 | 45 | 45 | 71 | 62 | 31 | 9 | 3 | — | — | — | |
| 77 | 62 | 60 | 59 | 53 | 51 | 67 | 91 | 112 | 89 | 91 | 60 | 30 | 7 | 1 | — | — | 591 | |
| 40 | 39 | 34 | 33 | 25 | 23 | 42 | 50 | 60 | 37 | 43 | 25 | 9 | 4 | — | — | — | — | |
| 37 | 23 | 26 | 26 | 28 | 28 | 25 | 41 | 52 | 52 | 48 | 35 | 21 | 3 | — | — | — | — | |
| 380 | 337 | 371 | 379 | 342 | 387 | 462 | 496 | 609 | 664 | 641 | 437 | 238 | 50 | 2 | 2 | — | 592 | |
| 234 | 197 | 201 | 196 | 176 | 192 | 241 | 273 | 317 | 311 | 326 | 196 | 89 | 15 | 2 | — | — | — | |
| 146 | 140 | 170 | 183 | 166 | 195 | 221 | 223 | 292 | 338 | 330 | 241 | 149 | 35 | — | — | — | — | |
| 67 | 58 | 55 | 45 | 62 | 83 | 92 | 146 | 169 | 203 | 205 | 176 | 63 | 20 | 3 | — | — | 593 | |
| 43 | 32 | 28 | 26 | 32 | 43 | 53 | 82 | 75 | 96 | 93 | 75 | 24 | 9 | 1 | — | — | — | |
| 24 | 26 | 27 | 19 | 30 | 40 | 39 | 64 | 94 | 107 | 112 | 101 | 39 | 11 | 2 | — | — | — | |
| — | 1 | 2 | — | 1 | — | 2 | 4 | 2 | 3 | — | 1 | 2 | — | — | — | — | 594 | |
| — | 1 | 2 | — | 1 | — | 2 | 1 | 2 | 1 | — | 1 | 1 | — | — | — | — | — | |
| — | — | — | — | — | — | — | 3 | — | 2 | — | — | 1 | — | — | — | — | — | |
| 52 | 72 | 75 | 90 | 109 | 112 | 180 | 217 | 228 | 319 | 311 | 258 | 177 | 48 | 4 | 1 | — | (600-609) | |
| 25 | 32 | 31 | 44 | 47 | 47 | 76 | 104 | 109 | 158 | 137 | 134 | 69 | 20 | 1 | — | — | — | |
| 27 | 40 | 44 | 46 | 62 | 65 | 104 | 113 | 119 | 161 | 174 | 124 | 108 | 28 | 3 | 1 | — | — | |
| 16 | 30 | 32 | 34 | 43 | 42 | 74 | 95 | 118 | 162 | 163 | 129 | 94 | 24 | 1 | 1 | — | 600 | |
| 3 | 10 | 7 | 12 | 13 | 8 | 22 | 37 | 49 | 59 | 52 | 56 | 29 | 7 | — | — | — | — | |
| 13 | 20 | 25 | 22 | 30 | 34 | 52 | 58 | 69 | 103 | 111 | 73 | 65 | 17 | 1 | 1 | — | 600.0 | |
| 16 | 29 | 32 | 29 | 42 | 39 | 69 | 89 | 114 | 154 | 157 | 127 | 93 | 24 | 1 | 1 | — | 600.0 | |
| 3 | 9 | 7 | 9 | 12 | 7 | 22 | 36 | 47 | 53 | 50 | 56 | 28 | 7 | — | — | — | — | |
| 13 | 20 | 25 | 20 | 30 | 32 | 47 | 53 | 67 | 101 | 107 | 71 | 65 | 17 | 1 | 1 | — | — | |

52 表 (86—45)

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE: FOR ALL JAPAN

昭和 41 年
1966

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---------------------------------------|-------------|-------------------|---|---|---|---|-----|--------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----------|--------|--------|-----------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | | |
| 614 | 睾丸炎および副睾丸炎 男 M. 女 F. | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | 614 | | |
| 615 | 過長包皮および包茎 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 615 | | | |
| 616 | 男性不妊症 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 616 | | | |
| 617 | その他の男性性器の疾患 男 M. 女 F. | 8 | 1 1 | — | — | — | — | — | 1 1 | — | — | — | 1 1 | — | — | — | — | — | — | 2 2 | 1 1 | 1 1 | 1 1 | — | — | — | 617 | | | |
| (620—626) | 乳房、卵巣、卵管および子宮傍結合組織の疾患 男 M. 女 F. | 57 | — | — | — | — | — | — | — | — | — | — | 3 3 | 2 2 | — | — | — | — | — | 5 5 | 4 4 | — | — | — | — | — | (620—626) | | | |
| 620 | 乳房の慢性囊胞性疾患 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 620 | | | |
| 621 | その他の乳房の疾患 男 M. 女 F. | 4 | — | — | — | — | — | — | — | — | — | — | — | 1 1 | — | — | — | — | — | — | 2 2 | — | — | — | — | — | — | 621 | | |
| 622 | 急性卵管炎および卵巣炎 男 M. 女 F. | 1 | — | — | — | — | — | — | — | — | — | — | 1 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | 622 | | | |
| 623 | 慢性卵管炎および卵巣炎 男 M. 女 F. | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 1 | — | — | — | — | — | — | 623 | | |
| 624 | 急性、慢性の別不明の卵管炎および卵巣炎 男 M. 女 F. | 22 | — | — | — | — | — | — | — | — | — | — | 1 1 | — | — | 3 3 | 1 1 | 4 4 | — | 3 3 | 4 4 | — | 2 2 | — | 3 3 | — | 1 1 | — | 624 | |
| 625 | その他の卵管および卵巣の疾患 男 M. 女 F. | 7 | — | — | — | — | — | — | — | — | — | — | 1 1 | 1 1 | — | 1 1 | — | 2 2 | — | — | — | 1 1 | 1 1 | — | — | — | — | 625 | | |
| 626 | 子宮傍結合組織および骨盤腹膜の疾患(女性) 男 M. 女 F. | 22 | — | — | — | — | — | — | — | — | — | — | — | — | 1 1 | 2 2 | — | 5 5 | 1 1 | 2 2 | 2 2 | 2 2 | 2 2 | 1 1 | 2 2 | — | — | — | 626 | |
| (630—637) | 子宮およびその他の女性性器の疾患 男 M. 女 F. | 59 | — | — | — | — | — | — | — | — | — | — | — | 5 5 | — | 6 6 | 5 5 | 2 2 | 4 4 | 5 5 | 2 2 | 3 3 | 1 1 | 5 5 | 3 3 | 7 7 | 6 6 | 3 3 | 2 2 | (630—637) |
| 630 | 子宮、腫および外陰の感染性疾患 男 M. 女 F. | 15 | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 2 | — | 1 1 | — | — | 2 2 | 3 3 | 3 3 | 3 3 | 1 1 | — | — | — | 630 | |
| 631 | 子宮腫脱 男 M. 女 F. | 10 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 1 | — | — | 1 1 | — | 2 2 | 1 1 | 1 1 | 1 1 | — | — | — | 631 | |
| 632 | 子宮の位置および形態異常 男 M. 女 F. | 4 | — | — | — | — | — | — | — | — | — | — | — | 3 3 | — | — | 1 1 | — | — | — | — | — | — | — | — | — | — | — | 632 | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 614 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 615 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 616 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 617 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | (620—626) |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 620 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 621 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 622 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 623 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 624 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 625 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 626 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | (630—637) |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 630 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 631 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 632 |

52表(86-47)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|---------------------------------|----------------|-------------------|--------|--------|--------|--------|--------|--------|----------|------------|--------|--|
| | | | | 1 | 2 | 3 | 4 | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | |
| 633 | その他の子宮の疾患 男女 M.F. | 19 19 | - - | - - | - - | - - | - - | - - | - - | - - | - - | 2 2 | |
| 634 | 異常月経 男女 M.F. | 6 6 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 635 | 経閉期症状 男女 M.F. | 1 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 636 | 女性不妊症 男女 M.F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 637 | その他の女性器の疾患 男女 M.F. | 4 4 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| XI | 分娩ならびに妊娠、分娩および産褥の合併症 男女 M.F. | 1 266 1 266 | - - | - - | - - | - - | - - | - - | - - | 14 14 | 188 188 | | |
| (640-649) | 妊娠の合併症 男女 M.F. | 625 625 | - - | - - | - - | - - | - - | - - | - - | 10 10 | 92 92 | | |
| 640 | 妊娠時の腎盂炎および腎盂腎炎 男女 M.F. | 1 1 | - - | - - | - - | - - | - - | - - | - - | - - | 1 1 | | |
| 641 | その他の妊娠時の性尿器の感染 男女 M.F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 642 | 妊娠時の妊娠中毒症 男女 M.F. | 423 423 | - - | - - | - - | - - | - - | - - | - - | 6 6 | 68 68 | | |
| 642.a | 妊娠時の腎疾患および子癪前症 男女 M.F. | 106 106 | - - | - - | - - | - - | - - | - - | - - | - - | 14 14 | | |
| 642.b | 妊娠子癪 男女 M.F. | 77 77 | - - | - - | - - | - - | - - | - - | - - | 4 4 | 17 17 | | |
| 642.c | 悪阻 男女 M.F. | 7 7 | - - | - - | - - | - - | - - | - - | - - | 2 2 | 2 2 | | |
| 642.d | その他 男女 M.F. | 233 233 | - - | - - | - - | - - | - - | - - | - - | 2 2 | 35 35 | | |
| 643 | 前置胎盤(妊娠時) 男女 M.F. | 13 13 | - - | - - | - - | - - | - - | - - | - - | 1 1 | 1 1 | | |
| 644 | その他の妊娠時出血 男女 M.F. | 4 4 | - - | - - | - - | - - | - - | - - | - - | 2 2 | 1 1 | | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|------------|------------|------------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------------|--|
| 1 1 | 2 2 | 1 1 | 3 3 | 3 3 | - - | 1 1 | 1 1 | - - | - - | 1 1 | 2 2 | 1 1 | 1 1 | - - | - - | - - | 633 |
| 3 3 | - - | - - | 1 1 | - - | 1 1 | - - | - - | - - | - - | 1 1 | - - | - - | - - | - - | - - | - - | 634 |
| - - | - - | - - | - - | 1 1 | - - | 635 |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | 636 |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | 637 |
| 377 377 | 396 396 | 206 206 | 78 78 | 4 4 | 3 3 | - - | XI |
| 170 170 | 197 197 | 106 106 | 43 43 | 4 4 | 3 3 | - - | (640-649) |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| 124 124 | 132 132 | 65 65 | 26 26 | 2 2 | - - | 640 |
| 32 32 | 38 38 | 9 9 | 12 12 | 1 1 | - - | 641 |
| 18 18 | 19 19 | 17 17 | 2 2 | - - | 642 |
| 1 1 | 4 4 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | 642.a |
| 18 18 | 19 19 | 17 17 | 2 2 | - - | 642.b |
| 1 1 | 4 4 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | 642.c |
| 73 73 | 71 71 | 39 39 | 12 12 | 1 1 | - - | 642.d |
| 5 5 | 5 5 | - - | 2 2 | - - | 643 |
| 2 2 | 1 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | 644 |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因 | | | | | | | | | |
|--|--------------------------------------|-------------|-------------------|-------|---|---|---|-----|-----|--------|----------|-------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 644.a | 妊娠時の胎盤早期剥離 男 M. 女 F. | 4 4 | - | - | - | - | - | - | - | - | - | - | 1 |
| 644.b | その他 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - | - |
| 645 | 子宮外妊娠 男 M. 女 F. | 146 146 | - | - | - | - | - | - | - | 2 2 | 19 19 | - | - |
| 645.0 | 敗血症の記載のないもの 男 M. 女 F. | 146 146 | - | - | - | - | - | - | - | 2 2 | 19 19 | - | - |
| 645.1 | 敗血症を伴うもの 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - | - |
| 646 | 妊娠貧血 男 M. 女 F. | 6 6 | - | - | - | - | - | - | - | - | - | - | - |
| 647 | 胎位および胎勢異常を伴う妊娠 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - | - |
| 648 | その他の妊娠合併症 男 M. 女 F. | 32 32 | - | - | - | - | - | - | - | 1 1 | 3 3 | - | - |
| 648.a | 胞状奇胎 男 M. 女 F. | 24 24 | - | - | - | - | - | - | - | 1 1 | 3 3 | - | - |
| 648.b | その他 男 M. 女 F. | 8 8 | - | - | - | - | - | - | - | - | - | - | - |
| 649 | その他の障害を伴う妊娠 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - | - |
| (650-652) | 流産 男 M. 女 F. | 85 85 | - | - | - | - | - | - | - | 1 1 | 15 15 | - | - |
| 650 | 敗血症または妊娠中毒症の記載のない流産 男 M. 女 F. | 77 77 | - | - | - | - | - | - | - | 1 1 | 14 14 | - | - |
| 650.a | 自然または不詳の流産 男 M. 女 F. | 41 41 | - | - | - | - | - | - | - | - | 7 7 | - | - |
| 650.b | 医学的適応による人工流産 男 M. 女 F. | 35 35 | - | - | - | - | - | - | - | - | 7 7 | - | - |
| 650.c | 医学的適応以外の法律的適応による人工流産 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - | - |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown |
|--|----------|----------|----------|----------|--------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|
| 644.a | 2 2 | 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 644.a |
| 644.b | - - | - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 644.b |
| 645 | 30 30 | 50 50 | 33 33 | 11 11 | 1 1 | - | - | - | - | - | - | - | - | - | - | - | 645 |
| 645.0 | 30 30 | 50 50 | 33 33 | 11 11 | 1 1 | - | - | - | - | - | - | - | - | - | - | - | 645.0 |
| 645.1 | - - | - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 645.1 |
| 646 | 3 3 | 2 2 | 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 646 |
| 647 | - - | - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 647 |
| 648 | 6 6 | 7 7 | 7 7 | 4 4 | 1 1 | 3 3 | - | - | - | - | - | - | - | - | - | - | 648 |
| 648.a | 3 3 | 3 3 | 6 6 | 4 4 | 1 1 | 3 3 | - | - | - | - | - | - | - | - | - | - | 648.a |
| 648.b | 3 3 | 4 4 | 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 648.b |
| 649 | - - | - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 649 |
| (650-652) | 22 22 | 21 21 | 17 17 | 9 9 | - | - | - | - | - | - | - | - | - | - | - | - | (650-652) |
| 650 | 20 20 | 18 18 | 15 15 | 9 9 | - | - | - | - | - | - | - | - | - | - | - | - | 650 |
| 650.a | 8 8 | 10 10 | 9 9 | 7 7 | - | - | - | - | - | - | - | - | - | - | - | - | 650.a |
| 650.b | 12 12 | 8 8 | 6 6 | 2 2 | - | - | - | - | - | - | - | - | - | - | - | - | 650.b |
| 650.c | - - | - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 650.c |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|---|-------------|-------------------|---|---|---|---|-----|-----|-------|-------|-------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 650.d | その他の理由による人工流産 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 650.e | その他 男 M. 女 F. | 1 | — | — | — | — | — | — | — | — | 1 | — | — |
| 651 | 敗血症を伴う流産 男 M. 女 F. | 6 | — | — | — | — | — | — | — | — | — | 1 | — |
| 651.a | 自然または不詳の流産 男 M. 女 F. | 4 | — | — | — | — | — | — | — | — | — | 1 | — |
| 651.b | 医学的適応による人工流産 男 M. 女 F. | 2 | — | — | — | — | — | — | — | — | — | — | — |
| 651.c | 医学的適応以外の法律的適応による人工流産 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 651.d | その他の理由による人工流産 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 651.e | その他 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 652 | 妊娠中毒症を伴う流産(敗血症の記載がないもの) 男 M. 女 F. | 2 | — | — | — | — | — | — | — | — | — | — | — |
| 652.a | 自然または不詳の流産 男 M. 女 F. | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 652.b | 医学的適応による人工流産 男 M. 女 F. | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 652.c | 医学的適応以外の法律的適応による人工流産 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 652.d | その他の理由による人工流産 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 652.e | その他 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| (660) | 合併症の記載のない分娩 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 660 | 合併症の記載のない分娩 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|
| 650.d | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 650.e | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 651 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 651.a | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 651.b | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 651.c | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 651.d | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 651.e | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 652 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 652.a | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 652.b | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 652.c | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 652.d | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 652.e | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| (660) | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 660 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

52表(86-50)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|---|---|---|---|-----|-----|-------|-------|-------|--|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| (670-678) | 合併症の明記のある分娩 | 377 | - | - | - | - | - | - | - | - | - | 51 | |
| | 男 M. 女 F. | 377 | - | - | - | - | - | - | - | - | - | 51 | |
| 670 | 前置胎盤または分娩前出血を合併する分娩 | 85 | - | - | - | - | - | - | - | - | - | 7 | |
| | 男 M. 女 F. | 85 | - | - | - | - | - | - | - | - | - | 7 | |
| 670.a | 分娩開始後胎盤早期剥離 | 50 | - | - | - | - | - | - | - | - | - | 5 | |
| | 男 M. 女 F. | 50 | - | - | - | - | - | - | - | - | - | 5 | |
| 670.b | 前置胎盤(分娩開始後) | 35 | - | - | - | - | - | - | - | - | - | 2 | |
| | 男 M. 女 F. | 35 | - | - | - | - | - | - | - | - | - | 2 | |
| 670.c | その他 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| 671 | 停滞胎盤を合併する分娩 | 21 | - | - | - | - | - | - | - | - | - | 1 | |
| | 男 M. 女 F. | 21 | - | - | - | - | - | - | - | - | - | 1 | |
| 672 | その他の分娩後出血を合併する分娩 | 158 | - | - | - | - | - | - | - | - | - | 26 | |
| | 男 M. 女 F. | 158 | - | - | - | - | - | - | - | - | - | 26 | |
| 672.a | 弛緩出血 | 139 | - | - | - | - | - | - | - | - | - | 24 | |
| | 男 M. 女 F. | 139 | - | - | - | - | - | - | - | - | - | 24 | |
| 672.b | その他 | 19 | - | - | - | - | - | - | - | - | - | 2 | |
| | 男 M. 女 F. | 19 | - | - | - | - | - | - | - | - | - | 2 | |
| 673 | 骨盤異常を合併する分娩 | 3 | - | - | - | - | - | - | - | - | - | 1 | |
| | 男 M. 女 F. | 3 | - | - | - | - | - | - | - | - | - | 1 | |
| 674 | 骨盤と胎児との不釣合または胎位回旋異常を合併する分娩 | 25 | - | - | - | - | - | - | - | - | - | 4 | |
| | 男 M. 女 F. | 25 | - | - | - | - | - | - | - | - | - | 4 | |
| 675 | その他の原因による遅延分娩 | 22 | - | - | - | - | - | - | - | - | - | 5 | |
| | 男 M. 女 F. | 22 | - | - | - | - | - | - | - | - | - | 5 | |
| 676 | 会陰裂傷を伴う分娩(その他の裂傷の記載のないもの) | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| 677 | その他の外傷を伴う分娩 | 33 | - | - | - | - | - | - | - | - | - | 4 | |
| | 男 M. 女 F. | 33 | - | - | - | - | - | - | - | - | - | 4 | |
| 677.a | 子宮破裂 | 25 | - | - | - | - | - | - | - | - | - | 4 | |
| | 男 M. 女 F. | 25 | - | - | - | - | - | - | - | - | - | 4 | |
| 677.b | その他 | 8 | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 8 | - | - | - | - | - | - | - | - | - | - | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| 120 | 129 | 58 | 19 | - | - | - | - | - | - | - | - | - | - | - | - | - | (670-678) |
| 120 | 129 | 58 | 19 | - | - | - | - | - | - | - | - | - | - | - | - | - | 670 |
| 19 | 31 | 19 | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | 670 |
| 19 | 31 | 19 | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | 670.a |
| 15 | 18 | 8 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 670.b |
| 15 | 18 | 8 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 670.b |
| 4 | 13 | 11 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | 670.c |
| 4 | 13 | 11 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | 670.c |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 671 |
| 9 | 9 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 671 |
| 9 | 9 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 672 |
| 55 | 52 | 19 | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | 672 |
| 55 | 52 | 19 | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | 672.a |
| 46 | 50 | 15 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 672.b |
| 46 | 50 | 15 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | 672.b |
| 9 | 2 | 4 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | 673 |
| 9 | 2 | 4 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | 673 |
| 1 | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 674 |
| 6 | 11 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 674 |
| 6 | 11 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 675 |
| 7 | 6 | 3 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 675 |
| 7 | 6 | 3 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 676 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 676 |
| 7 | 13 | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 677 |
| 7 | 13 | 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 677.a |
| 5 | 8 | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 677.b |
| 5 | 8 | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 677.b |
| 2 | 5 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 677.b |

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | |
|--|------------------------------------|-------------|----------------------|---|---|---|---|-----|-----|-------|-------|-------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 |
| 678 | その他の合併症を伴う分娩 | 30 | - | - | - | - | - | - | - | - | - | 3 |
| | 男女 M.F. | 30 | · | · | · | · | · | · | · | · | · | 3 |
| (680-689) | 産褥の合併症 | 179 | - | - | - | - | - | - | - | - | - | 30 |
| | 男女 M.F. | 179 | · | · | · | · | · | · | · | · | · | 30 |
| 680 | その他の敗血症を伴わない産褥泌尿器感染 | 1 | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | 1 | · | · | · | · | · | · | · | · | · | - |
| 681 | 分娩中および産褥の敗血症 | 31 | - | - | - | - | - | - | - | - | - | 4 |
| | 男女 M.F. | 31 | · | · | · | · | · | · | · | · | · | 4 |
| 682 | 産褥静脉炎および血栓症 | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | · | · | · | · | · | · | · | · | · | - |
| 683 | 産褥時の原因不明の発熱 | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | · | · | · | · | · | · | · | · | · | - |
| 684 | 産褥肺塞栓症 | 3 | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | 3 | · | · | · | · | · | · | · | · | · | - |
| 685 | 分娩子瘤および産褥子瘤 | 38 | - | - | - | - | - | - | - | - | - | 13 |
| | 男女 M.F. | 38 | · | · | · | · | · | · | · | · | · | 13 |
| 685.a | 子瘤 | 35 | - | - | - | - | - | - | - | - | - | 11 |
| | 男女 M.F. | 35 | · | · | · | · | · | · | · | · | · | 11 |
| 685.b | その他 | 3 | - | - | - | - | - | - | - | - | - | 2 |
| | 男女 M.F. | 3 | · | · | · | · | · | · | · | · | · | 2 |
| 686 | その他の産褥時の妊娠中毒症 | 8 | - | - | - | - | - | - | - | - | - | 1 |
| | 男女 M.F. | 8 | · | · | · | · | · | · | · | · | · | 1 |
| 687 | 産褥における脳出血 | 8 | - | - | - | - | - | - | - | - | - | 1 |
| | 男女 M.F. | 8 | · | · | · | · | · | · | · | · | · | 1 |
| 688 | その他および詳細不明の産褥の合併症 | 90 | - | - | - | - | - | - | - | - | - | 11 |
| | 男女 M.F. | 90 | · | · | · | · | · | · | · | · | · | 11 |
| 689 | 乳腺炎およびその他の乳汁分泌異常 | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | · | · | · | · | · | · | · | · | · | - |
| XII | 皮膚および疎性結合組織の疾患 | 1 146 | 79 | 7 | 1 | 3 | 2 | 92 | 5 | 21 | 55 | 46 |
| | 男女 M.F. | 452 | 47 | 3 | 1 | 1 | 1 | 52 | 3 | 9 | 12 | 8 |
| | | 694 | 32 | 4 | 1 | 2 | 1 | 40 | 2 | 12 | 43 | 38 |
| (690-698) | 皮膚および皮下組織の感染 | 271 | 57 | 4 | - | 2 | 2 | 65 | 3 | 2 | 5 | 4 |
| | 男女 M.F. | 137 | 34 | 1 | - | 1 | 1 | 37 | 2 | 1 | 1 | 1 |
| | | 134 | 23 | 3 | - | 1 | 1 | 28 | 1 | 1 | 1 | 3 |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE: FOR ALL JAPAN

昭和 41 年
1966

| | | | | | | | | | | | | | | | | 国際基本 分類番号 |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|
| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown |
| 16 | 7 | 2 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | 678 |
| 16 | 7 | 2 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 65 | 49 | 25 | 7 | - | - | - | - | - | - | - | - | - | - | - | - | (680-689) |
| 65 | 49 | 25 | 7 | - | - | - | - | - | - | - | - | - | - | - | - | |
| - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 680 |
| - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 14 | 8 | 3 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | 681 |
| 14 | 8 | 3 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 682 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 683 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 684 |
| 2 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 10 | 6 | 6 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 685 |
| 10 | 6 | 6 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 9 | 6 | 6 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 685.a |
| 9 | 6 | 6 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 685.b |
| 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2 | 3 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 686 |
| 2 | 3 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2 | 3 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | 687 |
| 2 | 3 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | |
| 35 | 28 | 13 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | 688 |
| 35 | 28 | 13 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 689 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 39 | 36 | 28 | 31 | 34 | 48 | 54 | 75 | 79 | 89 | 127 | 142 | 102 | 40 | 2 | 1 | XII |
| 2 | 7 | 9 | 9 | 12 | 16 | 27 | 49 | 45 | 40 | 60 | 48 | 30 | 12 | 2 | - | |
| 37 | 29 | 19 | 22 | 22 | 32 | 27 | 26 | 34 | 49 | 67 | 94 | 72 | 28 | - | 1 | |
| 2 | 3 | 5 | 6 | 12 | 13 | 17 | 19 | 23 | 17 | 28 | 23 | 15 | 9 | - | - | (690-698) |
| 2 | - | 4 | 2 | 6 | 6 | 7 | 11 | 12 | 6 | 14 | 10 | 5 | 4 | - | - | |
| 2 | 3 | 1 | 4 | 6 | 7 | 6 | 7 | 11 | 11 | 14 | 13 | 10 | 5 | - | - | |

52表(86-52)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|----------------------------------|-------------|----------------------|--------|---|---|---|-----|-----|-------|-------|-------|----|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 690 | ちよう(疔)およびよう(瘡)..... | 48 | 6 | — | — | 1 | 1 | 8 | 2 | — | — | 2 | 1 |
| | 男 M. 女 F. | 25 23 | 3 3 | — | — | 1 | 1 | 5 | 1 | — | — | 1 | 1 |
| 691 | 手指および足指の蜂巣織炎..... | 5 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 2 3 | — | — | — | — | — | — | — | — | — | — | — |
| 692 | その他のリンパ管炎の記載のない蜂巣織炎.... および膿瘍 | 175 | 41 | 2 | — | — | — | 1 | 1 | 1 | 3 | 1 | 1 |
| | 男 M. 女 F. | 93 82 | 26 15 | 1 | — | — | — | 1 | 1 | 1 | 3 | — | 1 |
| 693 | その他のリンパ管炎を伴う蜂巣織炎および... 膿瘍 | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 694 | 急性リンパ腺炎..... | 3 | — | — | — | — | 1 | 1 | — | — | — | — | 1 |
| | 男 M. 女 F. | 2 1 | — | — | — | — | 1 | 1 | — | — | — | — | 1 |
| 695 | 膿瘍疹..... | 16 | 4 | 2 | 2 | — | — | — | — | 1 | 1 | 1 | 1 |
| | 男 M. 女 F. | 5 11 | 2 2 | 2 | — | — | — | — | — | 1 | 1 | 1 | 1 |
| 696 | 伝染性いば..... | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 697 | 伝染性軟腫..... | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 698 | その他の皮膚および皮下組織の局所感染..... | 24 | 6 | — | — | — | — | — | 1 | — | — | — | — |
| | 男 M. 女 F. | 10 14 | 3 3 | — | — | — | — | 3 | — | — | — | — | — |
| (700-716) | その他の皮膚および皮下組織の疾患..... | 875 | 22 | 3 | 1 | 1 | 1 | — | 27 | 2 | 19 | 50 | 42 |
| | 男 M. 女 F. | 315 560 | 13 9 | 2 1 | 1 | 1 | 1 | — | 15 | 1 | 8 | 8 | 7 |
| 700 | 脂漏性皮膚炎..... | 4 | 2 | — | — | — | — | — | 2 | 2 | — | — | — |
| | 男 M. 女 F. | 3 1 | 2 | — | — | — | — | — | 2 | 2 | — | — | — |
| 701 | 湿疹..... | 59 | 9 | 2 | 1 | 1 | — | — | 12 | 7 | 5 | — | — |
| | 男 M. 女 F. | 43 16 | 6 3 | 1 | 1 | — | — | — | 5 | 7 | 5 | — | — |
| 702 | 職業皮膚炎..... | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| 703 | その他の皮膚炎..... | 37 | 2 | 1 | 1 | — | — | — | 3 | 2 | 1 | 5 | 3 |
| | 男 M. 女 F. | 12 25 | 1 1 | — | — | — | — | — | 2 | 1 | 2 | 2 | 2 |
| 704 | 天疱瘡..... | 71 | 2 | — | — | — | — | — | 2 | 3 | 2 | 7 | 6 |
| | 男 M. 女 F. | 23 48 | — 2 | — | — | — | — | — | 2 | 3 | 2 | 5 | 4 |
| 705 | 紅斑症..... | 277 | 5 | — | — | — | — | — | 5 | 3 | 2 | 14 | 11 |
| | 男 M. 女 F. | 96 181 | 3 2 | — | — | — | — | — | 3 | 2 | 1 | 7 | 6 |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本 分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| — | 1 | — | — | 2 | 2 | 3 | 7 | 3 | 1 | 5 | 8 | 2 | 2 | — | — | — | 690 |
| — | 1 | — | — | — | 1 | — | — | 2 | 1 | — | — | — | — | — | — | — | 691 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 692 |
| — | 1 | 2 | 4 | 7 | 9 | 12 | 10 | 16 | 14 | 19 | 13 | 11 | 5 | — | — | — | 693 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 694 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 695 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 696 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 697 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 698 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | (700-716) |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 700 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 701 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 702 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 703 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 704 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 705 |

52表(86-53)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因数 | | | | | | | | | |
|--|--|---------------------|-------------------|-------------|-------------|-------------|-------------|----------------|-------------|----------------|----------------|--------------|---------------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| 706 | 乾癬および類似疾患 男 M. 女 F. | 4 3 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 2 2 — | |
| 707 | 扁平苔癬 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| 708 | 瘡瘍症およびその関連症 男 M. 女 F. | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| 709 | うおのめおよびたこ 男 M. 女 F. | 1 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| 710 | その他の皮膚肥大症および萎縮症 男 M. 女 F. | 73 19 54 | 1 1 — | — — — | — — — | 1 1 — | — — — | 2 1 — | — — — | 4 1 3 | 1 — 1 | — — — | |
| 711 | その他の皮膚症 男 M. 女 F. | 6 4 2 | — — — | — — — | — — — | — — — | — — — | — — — | 2 2 1 | 2 1 — | — — — | — — — | |
| 712 | 爪の疾患 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| 713 | 毛髪および毛囊の疾患 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| 714 | 汗腺および脂腺の疾患 男 M. 女 F. | 3 2 1 | 1 — 1 | — — — | — — — | — — — | 1 1 — | — — — | 1 1 — | — — — | — — — | — — — | |
| 715 | 皮膚の慢性潰瘍 男 M. 女 F. | 334 106 228 | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 1 | 1 2 1 | 12 8 4 | 14 6 2 | |
| 716 | その他の皮膚の疾患 男 M. 女 F. | 4 3 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| XIII | 骨および運動器の疾患 男 M. 女 F. | 2747 888 1859 | 16 9 7 | 6 4 2 | 3 2 1 | — — — | 3 2 1 | 28 17 11 | 7 3 4 | 22 18 14 | 29 15 14 | — — — | XIII |
| (720-727) | 関節炎およびリューマチ(リューマチ熱を除く) 男 M. 女 F. | 2370 712 1658 | 2 — 2 | — — — | — — — | — — — | 2 2 2 | 4 2 1 | 1 1 — | 3 2 1 | 10 2 8 | — — — | (720-727) |
| 720 | 化膿菌による急性関節炎 男 M. 女 F. | 34 17 17 | 1 — 1 | — — — | — — — | — — — | 1 1 1 | 2 1 — | — — — | 1 1 — | — — — | — — — | 720 |
| 721 | 急性非化膿性関節炎 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | 721 |
| 722 | リューマチ様関節炎およびその類似症 男 M. 女 F. | 105 26 79 | — — — | — — — | — — — | — — — | — — — | 1 1 1 | — — — | 1 1 2 | 8 3 5 | 12 3 5 | 19 6 14 |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 706 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 707 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 708 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 709 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 710 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 711 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 712 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 713 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 714 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 715 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 716 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | XIII |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | (720-727) |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 720 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 721 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 722 |

52 表 (86—54)

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

| | | | | | | | | | | | | | | | 不詳 Unknown | 国際基本 分類番号 International detailed list number | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------------|--|-----------|
| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | | |
| 2 | — | — | — | 4 | 2 | 3 | 7 | 13 | 28 | 20 | 14 | 6 | 3 | 3 | — | — | 723 |
| 2 | — | — | — | 1 | 1 | 3 | 4 | 7 | 15 | 7 | 5 | 3 | 2 | 1 | — | — | — |
| — | — | — | — | 3 | 1 | 3 | 3 | 6 | 8 | 13 | 9 | 3 | 3 | — | — | — | — |
| 2 | 7 | 12 | 14 | 23 | 56 | 99 | 124 | 247 | 337 | 382 | 299 | 142 | 33 | 6 | — | — | 724 |
| 1 | 1 | 5 | — | 5 | 11 | 31 | 38 | 84 | 95 | 113 | 73 | 37 | 3 | 3 | — | — | — |
| 1 | 6 | 7 | 14 | 18 | 45 | 68 | 86 | 163 | 242 | 269 | 226 | 105 | 30 | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 725 |
| 1 | — | — | — | — | — | 1 | 3 | 5 | 8 | 16 | 10 | 18 | 8 | 1 | — | — | — |
| 1 | — | — | — | — | — | 2 | 2 | 4 | 4 | 6 | 2 | 7 | 5 | 1 | — | — | — |
| — | — | — | — | — | — | 1 | 1 | 2 | 4 | 10 | 8 | 11 | 3 | — | — | — | — |
| 2 | 1 | 2 | 3 | — | — | — | 2 | 4 | 7 | 15 | 29 | 17 | 23 | 3 | 1 | — | 726 |
| 1 | — | 2 | 2 | 1 | — | — | 1 | 2 | 2 | 6 | 12 | 5 | 6 | 3 | — | — | — |
| 1 | 1 | — | 2 | 1 | — | — | 1 | 2 | 5 | 6 | 17 | 12 | 17 | — | — | — | — |
| 2 | 1 | 3 | — | 1 | 3 | 8 | 14 | 26 | 19 | 30 | 17 | 8 | 4 | — | — | — | 727 |
| — | 2 | 1 | — | 1 | 1 | 2 | 2 | 5 | 6 | 22 | 13 | 17 | 4 | 1 | — | — | — |
| 2 | — | 2 | — | — | — | 6 | 9 | 20 | 14 | 14 | 25 | 14 | 5 | — | — | — | (730~738) |
| 1 | 4 | 10 | 5 | 7 | 16 | 19 | 28 | 35 | 35 | 25 | 14 | 4 | 5 | — | — | — | — |
| — | 2 | 6 | 1 | 3 | 8 | 9 | 12 | 15 | 15 | 8 | 8 | 1 | 1 | — | — | — | 730 |
| 1 | — | 2 | 4 | 4 | 8 | 10 | 16 | 20 | 20 | 17 | 9 | 3 | 4 | — | — | — | — |
| — | 3 | 2 | 5 | 2 | 6 | 9 | 10 | 13 | 15 | 8 | 2 | 2 | 2 | — | — | — | — |
| — | 3 | 1 | 4 | 1 | 1 | 3 | 8 | 5 | 11 | 4 | 6 | 1 | 1 | 2 | — | — | — |
| — | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | — | — | 730.0 |
| — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — |
| — | — | — | — | — | — | 1 | — | — | — | 3 | — | — | — | — | — | — | — |
| — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | 730.1 |
| — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — |
| — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | 730.2 |
| — | — | 2 | 3 | 2 | 4 | 7 | 6 | 9 | 8 | 6 | 2 | 2 | — | — | — | — | 730.3 |
| — | — | 2 | 1 | 1 | 1 | 5 | 5 | 7 | 8 | 4 | 4 | 1 | — | 2 | — | — | 730.3 |
| — | — | — | — | — | — | 1 | 1 | 2 | 2 | — | — | — | — | — | — | — | 731 |
| — | — | — | — | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | 731 |
| — | — | — | — | — | — | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — | 732 |
| — | — | — | — | — | — | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — | 732 |
| — | — | — | — | — | — | 2 | 1 | 1 | — | 1 | — | — | — | — | — | — | 733 |
| — | — | — | — | — | — | 2 | 1 | 1 | — | 1 | — | — | — | — | — | — | 733 |
| — | — | — | — | — | — | 2 | 1 | 1 | — | 1 | — | — | — | — | — | — | 734 |
| — | — | — | — | — | — | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — | 735 |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------------------------|----------------|-------------------|------------|----------|----------|----------|----------------|------------|-----------|----------|----------|----------|----------|----------|----------|--------------|----------|----------|---------------|-------------|--------------|--------------|--------------|--------------|--------------|-------------|-------------|-------------|--------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | | | |
| 736 | 直腸関節の障害 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | |
| 737 | 関節の強直 | 7 | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | |
| | 男 M. 女 F. | 3 4 | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | |
| 738 | その他の関節の疾患 | 7 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | |
| | 男 M. 女 F. | 4 3 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | | |
| (740-749) | その他の筋骨格系の疾患 | 180 | 9 | 5 | 2 | 1 | - | 1 | 17 | 5 | 4 | 16 | 12 | 12 | 6 | 6 | 10 4 6 | 3 3 | 9 2 | 15 3 12 | 4 1 3 | 15 10 | 11 4 7 | 15 6 9 | 14 7 5 | 12 7 5 | 9 6 3 | 4 3 1 | 4 1 3 | 1 1 | - |
| | 男 M. 女 F. | 84 96 | 5 4 | 3 2 | 1 | - | 1 | 1 | 9 | 3 | 2 | 14 | 6 | 6 | 6 | 6 | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| 740 | 足母指球滑液囊炎 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| 741 | 職業性の記載のない滑膜炎、滑液囊炎および腱滑膜炎 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| | 男 M. 女 F. | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| 742 | 職業性の記載のある滑膜炎、滑液囊炎および腱滑膜炎 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| 743 | 化膿性筋炎およびその他の腱ならびに筋膜の炎症性疾患 | 36 | 2 | - | - | - | - | - | 2 | 2 | - | 1 | - | - | - | 3 3 | - | - | - | 4 4 4 | 1 1 1 | 2 1 1 | 2 1 1 | 3 2 2 | 4 2 2 | 5 4 1 | 3 2 1 | 1 1 1 | - | - | |
| | 男 M. 女 F. | 18 18 | 2 - | - | - | - | - | - | 2 | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| 744 | その他の筋、腱および筋膜の疾患 | 137 | 7 | 5 | 2 | 1 | - | 1 | 15 | 2 | 3 | 15 | 12 | 12 | 6 | 6 | 7 4 3 | 3 3 | 9 2 | 10 3 | 3 1 2 | 13 4 9 | 9 2 7 | 10 5 8 | 7 5 2 | 3 2 1 | 1 1 1 | 2 1 1 | - | - | |
| | 男 M. 女 F. | 65 72 | 3 4 | 3 2 | 1 | - | 1 | 1 | 7 | 2 | 2 | 13 | 6 | 6 | 6 | 6 | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| 745 | 脊柱弯曲 | 5 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| | 男 M. 女 F. | 1 4 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| 746 | 扁平足 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| 747 | 外反足指および内反足指 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| 748 | 青曲足 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| 749 | その他の変形 | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| | 男 M. 女 F. | 1 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| XIV | 先天奇形 | 4 687 | 3 082 | 297 | 124 | 61 | 64 | 3 628 | 250 | 198 | 159 | 86 | 64 | 47 | 51 | 41 | 37 | 29 | 36 | 22 | 24 | 6 | 7 | 1 | 1 | - | - | - | XIV | | |
| | 男 M. 女 F. | 2 575 2 112 | 1 770 1 312 | 150 147 | 66 58 | 40 21 | 35 29 | 2 061 1 567 | 129 121 | 93 105 | 84 75 | 35 51 | 35 31 | 21 26 | 25 22 | 19 21 | 16 18 | 11 21 | 15 21 | 12 12 | 12 10 | 4 2 | 3 4 | 1 1 | 1 1 | - | - | | | | |
| (750-759) | 先天奇形 | 4 687 | 3 082 | 297 | 124 | 61 | 64 | 3 628 | 250 | 198 | 159 | 86 | 64 | 47 | 51 | 41 | 37 | 29 | 36 | 22 | 24 | 6 | 7 | 1 | 1 | - | - | (750-759) | | | |
| | 男 M. 女 F. | 2 575 2 112 | 1 770 1 312 | 150 147 | 66 58 | 40 21 | 35 29 | 2 061 1 567 | 129 121 | 93 105 | 84 75 | 35 51 | 35 31 | 21 26 | 25 22 | 19 21 | 16 18 | 11 21 | 15 21 | 12 12 | 12 10 | 4 2 | 3 4 | 1 1 | 1 1 | - | - | | | | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|

52 表 (86—56)

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 |
|--|------------------------------------|-------------|----------------------|-----|----|----|----|--------|-----|-------|-------|-------|
| | | | | | | | | | | | | |
| 750 | 奇形..... | 27 | 25 | — | 1 | — | — | 26 | — | — | 1 | — |
| | 男 M. | 18 | 16 | — | 1 | — | — | 17 | — | — | 1 | — |
| | 女 F. | 9 | 9 | — | — | — | — | 9 | — | — | — | — |
| 751 | 二分脊椎および髓膜瘤..... | 106 | 92 | 5 | 1 | — | — | 98 | 1 | 2 | 2 | 1 |
| | 男 M. | 64 | 58 | 2 | 1 | — | — | 61 | — | — | 2 | — |
| | 女 F. | 42 | 34 | 3 | — | — | — | 37 | 1 | 2 | — | 1 |
| 752 | 先天性水頭体..... | 198 | 130 | 27 | 8 | 5 | 6 | 176 | 7 | 2 | 4 | 4 |
| | 男 M. | 117 | 73 | 16 | 2 | 3 | 5 | 99 | 4 | 2 | 4 | — |
| | 女 F. | 81 | 57 | 11 | 6 | 2 | 1 | 77 | 3 | — | — | — |
| 753 | その他の神経系および感覚器の先天奇形..... | 80 | 38 | 14 | 8 | 1 | 1 | 62 | 5 | 2 | 2 | 1 |
| | 男 M. | 39 | 18 | 7 | 4 | 1 | 1 | 31 | 1 | — | — | 1 |
| | 女 F. | 41 | 20 | 7 | 4 | — | — | 31 | 4 | — | 2 | — |
| 754 | 循環器系の先天奇形..... | 2 833 | 1 617 | 205 | 76 | 46 | 55 | 1 999 | 219 | 177 | 139 | 74 |
| | 男 M. | 1 511 | 924 | 100 | 44 | 30 | 29 | 1 127 | 113 | 80 | 71 | 27 |
| | 女 F. | 1 322 | 693 | 105 | 32 | 16 | 26 | 872 | 106 | 97 | 68 | 47 |
| 755 | 口蓋裂および兔唇..... | 205 | 194 | 3 | 3 | 2 | — | 202 | 3 | — | — | — |
| | 男 M. | 121 | 117 | 1 | 2 | — | — | 120 | 1 | — | — | — |
| | 女 F. | 84 | 77 | 2 | 1 | 2 | — | 82 | 2 | — | — | — |
| 756 | 消化器系の先天奇形..... | 941 | 844 | 33 | 21 | 6 | 2 | 906 | 7 | 8 | 6 | 3 |
| | 男 M. | 539 | 485 | 18 | 9 | 5 | — | 517 | 5 | 5 | 4 | 2 |
| | 女 F. | 402 | 359 | 15 | 12 | 1 | 2 | 389 | 2 | 3 | 2 | 1 |
| 757 | 性尿器系の先天奇形..... | 133 | 20 | 1 | 1 | 1 | — | 23 | 3 | 6 | 1 | 1 |
| | 男 M. | 79 | 17 | 1 | 1 | 1 | — | 20 | 2 | 4 | — | 1 |
| | 女 F. | 54 | 3 | — | — | — | — | 3 | 1 | 2 | — | — |
| 758 | 骨および関節の先天奇形..... | 54 | 30 | 6 | 4 | — | — | 40 | 5 | 1 | 1 | 1 |
| | 男 M. | 29 | 14 | 4 | 2 | — | — | 20 | 3 | — | — | — |
| | 女 F. | 25 | 16 | 2 | 2 | — | — | 20 | 2 | 1 | — | — |
| 759 | その他および詳細不明の先天奇形(他の項に分類されないもの)..... | 110 | 92 | 3 | 1 | — | — | 96 | — | — | 3 | 1 |
| | 男 M. | 58 | 48 | 1 | — | — | — | 49 | — | — | 1 | — |
| | 女 F. | 52 | 44 | 2 | 1 | — | — | 47 | — | — | 2 | 1 |
| XV | 新生児の主要疾患..... | 14 364 | 14 364 | — | — | — | — | 14 364 | — | — | — | — |
| | 男 M. | 8 258 | 8 258 | — | — | — | — | 8 258 | — | — | — | — |
| | 女 F. | 6 106 | 6 106 | — | — | — | — | 6 106 | — | — | — | — |
| (760~769) | 新生児の出生時の損傷、窒息および感染..... | 4 665 | 4 665 | — | — | — | — | 4 665 | — | — | — | — |
| | 男 M. | 2 742 | 2 742 | — | — | — | — | 2 742 | — | — | — | — |
| | 女 F. | 1 923 | 1 923 | — | — | — | — | 1 923 | — | — | — | — |
| 760 | 出生時における頭蓋内および脊柱内の損傷..... | 940 | 940 | — | — | — | — | 940 | — | — | — | — |
| | 男 M. | 604 | 604 | — | — | — | — | 604 | — | — | — | — |
| | 女 F. | 336 | 336 | — | — | — | — | 336 | — | — | — | — |
| 760.0 | 未熟児の記載のないもの..... | 751 | 751 | — | — | — | — | 751 | — | — | — | — |
| | 男 M. | 473 | 473 | — | — | — | — | 473 | — | — | — | — |
| | 女 F. | 278 | 278 | — | — | — | — | 278 | — | — | — | — |
| 760.5 | 未熟児の記載のあるもの..... | 189 | 189 | — | — | — | — | 189 | — | — | — | — |
| | 男 M. | 131 | 131 | — | — | — | — | 131 | — | — | — | — |
| | 女 F. | 58 | 58 | — | — | — | — | 58 | — | — | — | — |
| 761 | その他の出生時の損傷..... | 503 | 503 | — | — | — | — | 503 | — | — | — | — |
| | 男 M. | 271 | 271 | — | — | — | — | 271 | — | — | — | — |
| | 女 F. | 232 | 232 | — | — | — | — | 232 | — | — | — | — |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE: FOR ALL JAPAN

昭和 41 年
1966

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因別死者数 | | | | | | | | |
|--|--------------------------------|-------------|-------------------|-----------|---|---|---|-------|-----|-------|-------|-------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 |
| 761.0 | 未熟児の記載のないもの | 348 | 348 | . | . | . | . | 348 | 188 | . | . | . |
| | 男 M. | 188 | 188 | | | | | 188 | 160 | | | |
| | 女 F. | 160 | 160 | | | | | 160 | | | | |
| 761.5 | 未熟児の記載のあるもの | 155 | 155 | . | . | . | . | 155 | 83 | . | . | . |
| | 男 M. | 83 | 83 | | | | | 83 | 72 | | | |
| | 女 F. | 72 | 72 | | | | | 72 | | | | |
| 762 | 分娩後窒息および肺不全拡張 | 1 304 | 1 304 | . | . | . | . | 1 304 | 793 | . | . | . |
| | 男 M. | 793 | 793 | | | | | 793 | 511 | | | |
| | 女 F. | 511 | 511 | | | | | 511 | | | | |
| 762.0 | 未熟児の記載のないもの | 538 | 538 | . | . | . | . | 538 | 322 | . | . | . |
| | 男 M. | 322 | 322 | | | | | 322 | 216 | | | |
| | 女 F. | 216 | 216 | | | | | 216 | | | | |
| 762.5 | 未熟児の記載のあるもの | 766 | 766 | . | . | . | . | 766 | 471 | . | . | . |
| | 男 M. | 471 | 471 | | | | | 471 | 295 | | | |
| | 女 F. | 295 | 295 | | | | | 295 | | | | |
| 763 | 新生児肺炎 | 1 514 | 1 514 | . | . | . | . | 1 514 | 843 | . | . | . |
| | 男 M. | 843 | 843 | | | | | 843 | 671 | | | |
| | 女 F. | 671 | 671 | | | | | 671 | | | | |
| 763.0 | 未熟児の記載のないもの | 1 172 | 1 172 | . | . | . | . | 1 172 | 666 | . | . | . |
| | 男 M. | 666 | 666 | | | | | 666 | 506 | | | |
| | 女 F. | 506 | 506 | | | | | 506 | | | | |
| 763.5 | 未熟児の記載のあるもの | 342 | 342 | . | . | . | . | 342 | 177 | . | . | . |
| | 男 M. | 177 | 177 | | | | | 177 | 165 | | | |
| | 女 F. | 165 | 165 | | | | | 165 | | | | |
| 764 | 新生児下痢 | 138 | 138 | . | . | . | . | 138 | 76 | . | . | . |
| | 男 M. | 76 | 76 | | | | | 76 | 62 | | | |
| | 女 F. | 62 | 62 | | | | | 62 | | | | |
| 764.0 | 未熟児の記載のないもの | 111 | 111 | . | . | . | . | 111 | 62 | . | . | . |
| | 男 M. | 62 | 62 | | | | | 62 | 49 | | | |
| | 女 F. | 49 | 49 | | | | | 49 | | | | |
| 764.5 | 未熟児の記載のあるもの | 27 | 27 | . | . | . | . | 27 | 14 | . | . | . |
| | 男 M. | 14 | 14 | | | | | 14 | 13 | | | |
| | 女 F. | 13 | 13 | | | | | 13 | | | | |
| 765 | 新生児眼炎 | — | — | . | . | . | . | — | — | . | . | . |
| | 男 M. | — | — | | | | | — | — | | | |
| | 女 F. | — | — | | | | | — | — | | | |
| 765.0 | 未熟児の記載のないもの | — | — | . | . | . | . | — | — | . | . | . |
| | 男 M. | — | — | | | | | — | — | | | |
| | 女 F. | — | — | | | | | — | — | | | |
| 765.5 | 未熟児の記載のあるもの | — | — | . | . | . | . | — | — | . | . | . |
| | 男 M. | — | — | | | | | — | — | | | |
| | 女 F. | — | — | | | | | — | — | | | |
| 766 | 新生児天疱瘍 | 15 | 15 | . | . | . | . | 15 | 8 | . | . | . |
| | 男 M. | 8 | 8 | | | | | 8 | 7 | | | |
| | 女 F. | 7 | 7 | | | | | 7 | | | | |
| 766.0 | 未熟児の記載のないもの | 10 | 10 | . | . | . | . | 10 | 5 | . | . | . |
| | 男 M. | 5 | 5 | | | | | 5 | 5 | | | |
| | 女 F. | 5 | 5 | | | | | 5 | | | | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|
| 761.0 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 761.5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 762 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 762.0 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 762.5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 763 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 763.0 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 763.5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 764 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 764.0 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 764.5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 765 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 765.0 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 765.5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 766 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| 766.0 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

52 表 (86—58)

第52表 死亡者 数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | 0~4 5~9 10~14 15~19 20~24 | |
|--|-------------------------------|-------------|----------------------|---|---|---|---|---|---------------------------------------|---|
| | | | | 1 | 2 | 3 | 4 | | | |
| 766.5 | 未熟児の記載のあるもの..... | 53 | 53 | . | . | . | . | . | 53 | . |
| | 男女 M.F. | 22 | 22 | . | . | . | . | . | 22 | . |
| 767 | 臍敗血症..... | 105 | 105 | . | . | . | . | . | 105 | . |
| | 男女 M.F. | 55 | 55 | . | . | . | . | . | 55 | . |
| 767.0 | 未熟児の記載のないもの..... | 94 | 94 | . | . | . | . | . | 94 | . |
| | 男女 M.F. | 55 | 55 | . | . | . | . | . | 55 | . |
| 767.5 | 未熟児の記載のあるもの..... | 11 | 11 | . | . | . | . | . | 11 | . |
| | 男女 M.F. | 11 | 11 | . | . | . | . | . | 11 | . |
| 768 | その他の新生児敗血症..... | 74 | 74 | . | . | . | . | . | 74 | . |
| | 男女 M.F. | 3836 | 3836 | . | . | . | . | . | 3836 | . |
| 768.0 | 未熟児の記載のないもの..... | 60 | 60 | . | . | . | . | . | 60 | . |
| | 男女 M.F. | 3129 | 3129 | . | . | . | . | . | 3129 | . |
| 768.5 | 未熟児の記載のあるもの..... | 14 | 14 | . | . | . | . | . | 14 | . |
| | 男女 M.F. | 77 | 77 | . | . | . | . | . | 77 | . |
| 769 | 母の妊娠時の疾患による新生児の障害..... | 167 | 167 | . | . | . | . | . | 167 | . |
| | 男女 M.F. | 10463 | 10463 | . | . | . | . | . | 10463 | . |
| 769.a | 未熟児の記載のないもの..... | 61 | 61 | . | . | . | . | . | 61 | . |
| | 男女 M.F. | 3625 | 3625 | . | . | . | . | . | 3625 | . |
| 769.b | 未熟児の記載のあるもの..... | 106 | 106 | . | . | . | . | . | 106 | . |
| | 男女 M.F. | 6838 | 6838 | . | . | . | . | . | 6838 | . |
| (770-776) | その他の新生児固有の疾患..... | 9699 | 9699 | . | . | . | . | . | 9699 | . |
| | 男女 M.F. | 55164183 | 55164183 | . | . | . | . | . | 55164183 | . |
| 770 | 新生児の溶血性疾患(赤芽球症)..... | 181 | 181 | . | . | . | . | . | 181 | . |
| | 男女 M.F. | 11071 | 11071 | . | . | . | . | . | 11071 | . |
| 770.a | 未熟児の記載のないもの..... | 122 | 122 | . | . | . | . | . | 122 | . |
| | 男女 M.F. | 7250 | 7250 | . | . | . | . | . | 7250 | . |
| 770.b | 未熟児の記載のあるもの..... | 59 | 59 | . | . | . | . | . | 59 | . |
| | 男女 M.F. | 3821 | 3821 | . | . | . | . | . | 3821 | . |
| 771 | 新生児の出血性疾患..... | 1064 | 1064 | . | . | . | . | . | 1064 | . |
| | 男女 M.F. | 601463 | 601463 | . | . | . | . | . | 601463 | . |
| 771.0 | 未熟児の記載のないもの..... | 642 | 642 | . | . | . | . | . | 642 | . |
| | 男女 M.F. | 360282 | 360282 | . | . | . | . | . | 360282 | . |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

52 表 (86—59)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|----|----|----|----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|-------|-----------|---------------|--|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
| 771.5 | 未熟児の記載のあるもの | 422 | 422 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 771.5 | | |
| | 男 M. | 241 | 241 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 771.5 | | |
| | 女 F. | 181 | 181 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 771.5 | | |
| 772 | 乳児栄養失調症(1才未満) | 139 | 139 | . | . | . | . | . | 139 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 772 | | |
| | 男 M. | 86 | 86 | . | . | . | . | . | 86 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 772 | | |
| | 女 F. | 53 | 53 | . | . | . | . | . | 53 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 772 | | |
| 772.0 | 未熟児の記載のないもの | 101 | 101 | . | . | . | . | . | 101 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 772.0 | | |
| | 男 M. | 63 | 63 | . | . | . | . | . | 63 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 772.0 | | |
| | 女 F. | 38 | 38 | . | . | . | . | . | 38 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 772.0 | | |
| 772.5 | 未熟児の記載のあるもの | 38 | 38 | . | . | . | . | . | 38 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 772.5 | | |
| | 男 M. | 23 | 23 | . | . | . | . | . | 23 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 772.5 | | |
| | 女 F. | 15 | 15 | . | . | . | . | . | 15 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 772.5 | | |
| 773 | 新生児固有の疾患にして診断名不明確のも | 4 901 | 4 901 | . | . | . | . | . | 4 901 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 773 | | |
| | の | 2 775 | 2 775 | . | . | . | . | . | 2 775 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 773 | | |
| | 男 M. | 2 775 | 2 775 | . | . | . | . | . | 2 775 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 773 | | | |
| | 女 F. | 2 126 | 2 126 | . | . | . | . | . | 2 126 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 773 | | | |
| 773.0 | 未熟児の記載のないもの | 1 478 | 1 478 | . | . | . | . | . | 1 478 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 773.0 | | |
| | 男 M. | 856 | 856 | . | . | . | . | . | 856 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 773.0 | | |
| | 女 F. | 622 | 622 | . | . | . | . | . | 622 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 773.0 | | |
| 773.5 | 未熟児の記載のあるもの | 3 423 | 3 423 | . | . | . | . | . | 3 423 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 773.5 | | |
| | 男 M. | 1 919 | 1 919 | . | . | . | . | . | 1 919 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 773.5 | | |
| | 女 F. | 1 504 | 1 504 | . | . | . | . | . | 1 504 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 773.5 | | |
| 774 | その他の副次疾患の記載のある未熟児 | 388 | 388 | . | . | . | . | . | 388 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 774 | | |
| | 男 M. | 228 | 228 | . | . | . | . | . | 228 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 774 | | |
| | 女 F. | 160 | 160 | . | . | . | . | . | 160 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 774 | | |
| 775 | その他の原因に附隨する未熟児 | — | — | . | . | . | . | . | — | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 775 | | |
| | 男 M. | — | — | . | . | . | . | . | — | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 775 | | |
| | 女 F. | — | — | . | . | . | . | . | — | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 775 | | |
| 776 | 性質不明の未熟児 | 3 026 | 3 026 | . | . | . | . | . | 3 026 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 776 | | |
| | 男 M. | 1 716 | 1 716 | . | . | . | . | . | 1 716 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 776 | | |
| | 女 F. | 1 310 | 1 310 | . | . | . | . | . | 1 310 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 776 | | |
| XVI | 症状、老衰および診断名不明確の状態 | 56 843 | 632 | 78 | 54 | 38 | 35 | 837 | 83 | 83 | 184 | 308 | 408 | 506 | 607 | 572 | 543 | 695 | 911 | 1 100 | 1 942 | 4 371 | 9 588 | 14 808 | 12 799 | 5 477 | 942 | 66 | XVI | |
| | 男 M. | 22 830 | 366 | 40 | 24 | 17 | 18 | 465 | 50 | 46 | 124 | 233 | 320 | 410 | 473 | 414 | 361 | 450 | 561 | 636 | 1 140 | 2 159 | 4 066 | 5 288 | 3 946 | 1 472 | 195 | 13 | 8 | XVI |
| | 女 F. | 34 013 | 266 | 38 | 30 | 21 | 17 | 372 | 33 | 37 | 60 | 75 | 88 | 96 | 134 | 158 | 182 | 245 | 350 | 464 | 802 | 2 212 | 5 522 | 9 520 | 8 853 | 4 005 | 747 | 53 | 5 | XVI |
| (780~789) | 系統または器官に関する原因不詳の症状 | 11 018 | 535 | 42 | 25 | 15 | 13 | 630 | 44 | 68 | 143 | 229 | 318 | 415 | 521 | 495 | 463 | 615 | 735 | 826 | 1 054 | 1 132 | 1 251 | 1 147 | 672 | 229 | 28 | 3 | (780~789) | |
| | 男 M. | 6 361 | 311 | 19 | 11 | 8 | 5 | 354 | 28 | 40 | 99 | 172 | 252 | 338 | 407 | 472 | 366 | 404 | 514 | 654 | 489 | 618 | 597 | 462 | 231 | 64 | 22 | 1 | (780~789) | |
| | 女 F. | 4 657 | 224 | 23 | 14 | 7 | 8 | 276 | 16 | 28 | 44 | 57 | 66 | 77 | 114 | 129 | 182 | 211 | 337 | 405 | 514 | 654 | 441 | 4685 | 165 | 165 | 2 | (780~789) | | |
| 780 | 神経系および特殊感覚に関する原因不詳の症状(その一) | 115 | 30 | 8 | 6 | 3 | — | 47 | 3 | 3 | 4 | 6 | 4 | 5 | 6 | 9 | 6 | 3 | 2 | — | 4 | 3 | 1 | 1 | — | — | — | 780 | | |
| | 男 M. | 56 | 15 | 1 | 3 | 2 | — | 21 | — | 3 | 1 | 5 | 3 | 2 | 4 | 3 | 2 | 1 | — | 1 | 3 | 1 | 2 | — | 1 | — | — | 780 | | |
| | 女 F. | 59 | 15 | 7 | 3 | 1 | — | 26 | — | 3 | — | 3 | 1 | 2 | 4 | 5 | 3 | 2 | — | 1 | 2 | 1 | — | 1 | — | — | 780 | | | |
| 780.a | 全身けいれん | 65 | 29 | 6 | 5 | 3 | — | 43 | 3 | — | | | | | | | | | | | | | | | | | | | | |

52 表 (86—60)

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~ |
|--|--|----------------------------|----------------------|----------------|----------------|---------------|----------------|------------------|-------------------|----------------|-----------------|-------------|
| | | | | 男 M. | 女 F. | 男 M. | 女 F. | 男 M. | 女 F. | 男 M. | 女 F. | 男 M. |
| 781 | 神経系および特殊感覚に関する原因不詳の症状(その二) 男 M. 女 F. | 24 14 10 | 3 1 2 | 4 2 2 | — — — | — — 1 | 1 — — | — — — | 8 3 5 | 3 3 — | 3 2 1 | — — — |
| 782 | 心臓血管系およびリンパ系に関する原因不詳の症状 男 M. 女 F. | 10 047 5 808 4 239 | 135 71 64 | 24 13 11 | 15 8 7 | 10 6 4 | 9 5 4 | 193 103 90 | 30 19 11 | 62 35 27 | 132 93 39 | — — — |
| 782.a | 心臓麻痺----- 男 M. 女 F. | 10 016 5 799 4 217 | 134 71 63 | 24 13 11 | 15 8 7 | 10 6 4 | 9 5 4 | 192 103 89 | 30 19 11 | 61 35 26 | 131 93 38 | — — — |
| 782.b | その他----- 男 M. 女 F. | 31 9 22 | 1 — 1 | — — — | — — — | — — — | — — — | — — — | 1 — 1 | — — — | 1 — 1 | — — — |
| 783 | 呼吸器系に関する原因不詳の症状----- 男 M. 女 F. | 74 42 32 | 4 2 2 | 1 1 — | — — — | — — — | — — — | — — — | 5 3 2 | — — — | — — — | 2 1 1 |
| 784 | 上部消化管に関する原因不詳の症状----- 男 M. 女 F. | 181 108 73 | 5 2 3 | — — — | 1 — 1 | — — — | — — — | 1 — 1 | 7 2 5 | 2 2 — | — — — | 3 2 1 |
| 785 | 腹部および下部消化管に関する原因不詳の症状----- 男 M. 女 F. | 463 268 195 | 347 214 133 | 1 — 1 | — — — | — — — | — — — | — — — | 348 214 134 | 2 1 1 | — — — | — — — |
| 785.a | 黄疸----- 男 M. 女 F. | 408 236 172 | 340 208 132 | 1 — 1 | — — — | — — — | — — — | — — — | 341 208 133 | — — — | — — — | — — — |
| 785.b | 下痢(2才以上)----- 男 M. 女 F. | 7 5 2 | • • • | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — |
| 785.c | その他----- 男 M. 女 F. | 48 27 21 | 7 6 1 | — — — | — — — | — — — | — — — | — — — | 7 6 1 | 1 — 1 | — — — | — — — |
| 786 | 性尿器系に関する原因不詳の症状----- 男 M. 女 F. | 32 25 7 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| 787 | 肢および背に関する原因不詳の症状----- 男 M. 女 F. | 3 1 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| 788 | その他原因不詳の全身症状----- 男 M. 女 F. | 53 23 30 | 10 6 4 | 4 2 2 | 3 — 3 | 1 — 1 | 2 — 2 | 20 8 12 | 4 3 1 | — — — | — — — | 2 2 — |
| 789 | 原因不詳の尿成分異常----- 男 M. 女 F. | 26 16 10 | 1 — 1 | — — — | — — — | — — — | — — — | 1 — 1 | 2 — 2 | — — — | — — — | — — — |
| (790~795) | 老衰および診断名不明確の状態----- 男 M. 女 F. | 45 825 16 469 29 356 | 97 55 42 | 36 21 15 | 29 13 16 | 23 9 14 | 22 13 14 | 207 111 96 | 39 22 17 | 15 6 9 | 41 25 16 | — — — |
| 790 | 特経過敏および鈍弱----- 男 M. 女 F. | 68 46 22 | — — — | — — — | 1 — 1 | 2 — 1 | 2 — 2 | 5 2 3 | 1 — 1 | 2 1 1 | — — — | 4 1 3 |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

52 表 (86—61)

第52表 死亡者 数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

昭和 41 年
1966

52 表 (86—62)

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~ | |
|--|---------------------------------------|-----------------|--------------------------|-----|-----|-----|-----|-----|-----|-------|-------|-------|-------|
| | | | | | | | | | | | | | |
| E801 | 旅客の鉄道事故 | 225 | — | — | 3 | 2 | — | 5 | 1 | 3 | 29 | 18 | 11 |
| | 男 M. | 180 | — | — | 1 | 1 | — | 2 | 1 | 2 | 18 | 11 | |
| | 女 F. | 45 | — | — | 2 | 1 | — | 3 | — | 1 | 1 | | |
| E802 | その他および詳細不明の者の鉄道事故 | 1 506 | 1 | 47 | 46 | 14 | 20 | 128 | 110 | 57 | 77 | 58 | 19 |
| | 男 M. | 1 051 | 1 | 24 | 32 | 7 | 16 | 80 | 89 | 41 | 41 | 16 | 19 |
| | 女 F. | 455 | — | 23 | 14 | 7 | 4 | 48 | 21 | | | | |
| (E810-E825) | 自動車による交通事故 | 17 733 | 34 | 140 | 230 | 302 | 292 | 998 | 710 | 316 | 1 785 | 1 601 | 1 785 |
| | 男 M. | 14 163 | 18 | 75 | 146 | 180 | 178 | 597 | 460 | 232 | 232 | 184 | 1 |
| | 女 F. | 3 570 | 16 | 65 | 84 | 122 | 114 | 401 | 250 | 84 | | | |
| E810 | 列車との衝突による自動車交通事故 | 420 | 2 | — | 1 | 2 | 2 | 7 | 4 | 9 | 70 | 65 | 5 |
| | 男 M. | 370 | 1 | — | — | 2 | 1 | 4 | 2 | 8 | 65 | 5 | |
| | 女 F. | 50 | 1 | — | 1 | — | 1 | 3 | 2 | 1 | | | |
| E811 | 市街電車との衝突による自動車交通事故 | 8 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. | 8 | — | — | — | — | — | — | — | — | — | — | — |
| | 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| E812 | 歩行者の自動車交通事故 | 6 501 | 11 | 119 | 213 | 275 | 275 | 893 | 546 | 123 | 174 | 20 | 20 |
| | 男 M. | 3 933 | 8 | 65 | 137 | 165 | 168 | 543 | 339 | 77 | 113 | 113 | 20 |
| | 女 F. | 2 568 | 3 | 54 | 76 | 110 | 107 | 350 | 207 | 46 | 46 | 61 | 20 |
| E813 | 自転車乗用者の自動車交通事故 | 2 009 | 1 | 5 | 1 | 10 | 1 | 18 | 106 | 130 | 133 | 99 | 5 |
| | 男 M. | 1 773 | 1 | 2 | — | 4 | 1 | 8 | 90 | 107 | 99 | 2 | 5 |
| | 女 F. | 236 | — | 3 | 1 | 6 | — | 10 | 16 | 23 | 34 | 1 | |
| E814 | 自動自転車操縦者または乗員の自動車交通事故(非自動的の車または物との衝突) | 552 | — | — | — | — | 1 | 1 | 2 | 2 | 92 | 71 | 7 |
| | 男 M. | 542 | — | — | — | — | — | — | 2 | 2 | 91 | 71 | 7 |
| | 女 F. | 10 | — | — | — | — | 1 | 1 | — | — | 1 | | |
| E815 | 自動自転車操縦者または乗員の自動車交通事故(他の自動車との衝突) | 3 070 | 1 | 1 | 2 | 2 | — | 6 | 9 | 8 | 697 | 371 | 39 |
| | 男 M. | 2 982 | 1 | — | 1 | 2 | — | 4 | 7 | 6 | 685 | 371 | 39 |
| | 女 F. | 88 | — | 1 | 1 | — | — | 2 | 2 | 2 | 12 | 11 | 1 |
| E816 | 二台以上の自動車によるその他の自動車交通事故 | 2 193 | 8 | 5 | 4 | 2 | 5 | 24 | 16 | 21 | 237 | 414 | 45 |
| | 男 M. | 1 930 | 5 | 2 | 2 | 2 | 2 | 13 | 5 | 15 | 208 | 414 | 45 |
| | 女 F. | 263 | 3 | 3 | 2 | — | 3 | 11 | 11 | 6 | 29 | | |
| E817 | 歩行者または自転車との衝突による自動車交通事故 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | 乗員の自動車交通事故 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | 女 F. | — | — | — | — | — | — | — | — | — | — | — | — |
| E818 | 動物または動物牽引車との衝突による自動車交通事故 | 4 | — | — | — | — | — | — | — | — | — | — | 1 |
| | 男 M. | 2 | — | — | — | — | — | — | — | — | — | — | 1 |
| | 女 F. | 2 | — | — | — | — | — | — | — | — | — | — | 1 |
| E819 | 静止物体または詳細不明の物体との衝突による自動車交通事故 | 402 | 2 | 1 | — | 1 | 1 | 5 | — | 1 | 40 | 70 | 84 |
| | 男 M. | 352 | 1 | — | — | — | 1 | 2 | — | 1 | 33 | 70 | 84 |
| | 女 F. | 50 | 1 | 1 | — | — | 1 | 3 | — | 1 | 7 | | |
| E820 | 乗車および降車時の自動車交通事故 | 14 | — | — | — | — | 1 | 1 | 1 | — | 1 | 1 | 1 |
| | 男 M. | 10 | — | — | — | — | 1 | 1 | 1 | — | 1 | 1 | 1 |
| | 女 F. | 4 | — | — | — | — | — | — | — | — | — | — | — |
| E821 | 衝突に起因しない自動自転車操縦者の自動車交通事故 | 1 298 | — | 2 | — | 1 | — | 3 | 3 | 9 | 203 | 140 | 145 |
| | 男 M. | 1 224 | — | 2 | — | — | — | 2 | 3 | 9 | 192 | 140 | 145 |
| | 女 F. | 74 | — | — | — | 1 | — | 1 | — | — | 11 | | 9 |
| E822 | 道路上の転覆による自動車交通事故 | 105 | 3 | 1 | 1 | 1 | 1 | 6 | 1 | 1 | 10 | 9 | 10 |
| | 男 M. | 87 | — | — | — | 1 | 1 | 1 | 1 | 1 | 9 | 9 | 10 |
| | 女 F. | 18 | 3 | 1 | 1 | — | — | 5 | 1 | 1 | 1 | 1 | 1 |

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因性 Cause of death and sex | 総数 Total | 0才 Year of age | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~ | |
|--|---|-------------------|----------------------|---------------|-------------|-------------|-------------|----------------|---------------|---------------|----------------|-------------|--|
| | | | | | | | | | | | | | |
| E823 | 街路よりの逸走による自動車交通事故----- 男 M. 女 F. | 931 777 154 | 6 1 5 | 4 3 1 | 7 5 2 | 6 4 2 | 2 2 — | 25 15 10 | 13 6 7 | 8 5 3 | 98 82 16 | 1 | |
| E824 | その他の衝突によらない自動車交通事故----- 男 M. 女 F. | 214 163 51 | — — — | 2 1 1 | — — — | 2 — 2 | 4 2 2 | 8 3 5 | 10 6 4 | 4 3 1 | 28 22 6 | | |
| E825 | 詳細不明の自動車交通事故----- 男 M. 女 F. | 11 9 2 | — — — | — — — | 1 1 — | — — — | — — — | 1 1 — | — — — | — — — | 1 1 — | | |
| (E830-E835) | 自動車非交通事故----- 男 M. 女 F. | 246 189 57 | 1 1 — | 17 6 11 | 9 3 6 | 6 3 3 | 5 1 4 | 38 14 24 | 8 5 3 | 5 4 1 | 27 26 1 | | |
| E830 | 歩行者の自動車非交通事故----- 男 M. 女 F. | 186 135 51 | 1 1 — | 17 6 11 | 8 2 6 | 6 3 3 | 5 1 4 | 37 13 24 | 7 5 2 | 3 2 1 | 19 19 — | | |
| E831 | 自転車乗用者の自動車非交通事故----- 男 M. 女 F. | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | | |
| E832 | 自動自転車操縦者または乗員の自動車非交通事故----- 男 M. 女 F. | 7 7 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 2 2 — | 1 1 — | | |
| E833 | 二台以上の自動車の自動車非交通事故----- 男 M. 女 F. | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | | |
| E834 | 乗車および降車時の自動車非交通事故----- 男 M. 女 F. | 1 — 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | | |
| E835 | その他および詳細不明の自動車非交通事故----- 男 M. 女 F. | 50 45 5 | — — — | — — — | 1 1 — | — — — | — — — | — — — | 1 1 — | 1 — 1 | — — — | 7 6 1 | |
| (E840-E845) | その他の道路交通機関による不慮の事故----- 男 M. 女 F. | 548 459 89 | 1 1 — | — — — | 1 1 2 | 3 1 1 | 2 1 1 | 7 3 4 | 22 20 2 | 24 18 6 | 13 10 3 | | |
| E840 | 市街電車による歩行者の不慮の事故----- 男 M. 女 F. | 30 16 14 | — — — | — — — | — — — | 1 1 — | — — — | 1 1 — | 1 1 — | 1 1 — | — — — | | |
| E841 | 市街電車によるその他の不慮の事故(自動車との衝突を除く) 男 M. 女 F. | 5 4 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | | |
| E842 | 自転車による歩行者の不慮の事故----- 男 M. 女 F. | 45 19 26 | — — — | — — — | 1 — 1 | 1 — 1 | — — — | 2 — 2 | 1 — 1 | — — — | — — — | | |
| E843 | 自動車の衝突と関係のない自転車乗用者の不慮の事故----- 男 M. 女 F. | 432 391 41 | 1 1 — | — — — | — — — | — — — | 1 1 — | 2 2 — | 18 17 1 | 23 17 6 | 13 10 3 | | |
| E844 | 自動車以外のその他の道路交通機関による歩行者の不慮の事故----- 男 M. 女 F. | 5 5 — | — — — | — — — | — — — | — — — | — — — | — — — | 2 2 — | — — — | — — — | | |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本 分類番号 International detailed list number |
|------------------|----------------|-----------------|----------------|----------------|---------------|----------------|----------------|---------------|---------------|---------------|-------------|-------------|-------------|-------------|-------------|---------------|--|
| | | | | | | | | | | | | | | | | | |
| 133 118 15 | 103 96 7 | 109 90 19 | 98 79 19 | 48 42 6 | 49 42 7 | 51 36 15 | 22 18 4 | 15 12 3 | 6 4 2 | 4 4 — | 2 2 — | 1 — 1 | — — — | — — — | — — — | E823 | |
| 15 10 5 | 26 21 5 | 22 18 4 | 16 11 5 | 12 8 4 | 13 10 3 | 10 6 4 | 11 11 — | 11 10 1 | 3 3 — | 1 1 — | — — — | — — — | — — — | — — — | E824 | | |
| — — — | 2 2 — | — — — | — 1 — | — — — | 1 — — | — 2 — | — — — | — — — | — — — | — — — | 1 — 1 | — — — | — — — | — — — | E825 | | |
| 25 25 — | 17 15 2 | 15 14 1 | 23 18 5 | 12 8 4 | 20 16 4 | 7 5 2 | 10 6 4 | 9 7 2 | 6 4 2 | 1 1 — | 2 1 1 | 1 1 — | 1 1 — | — — — | (E830-E835) | | |
| 16 16 — | 9 7 2 | 12 11 1 | 16 13 3 | 11 7 4 | 16 12 4 | 6 4 2 | 8 5 3 | 9 7 2 | 6 4 2 | 1 1 — | 1 1 — | 1 1 — | 1 1 — | — — — | E830 | | |
| — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E831 | | |
| — — — | 3 3 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E832 | | |
| 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E833 | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — | E834 | |
| 8 8 — | 5 5 — | 3 3 2 | 7 5 — | 1 1 — | 3 3 — | 1 1 — | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E835 | |
| 17 13 4 | 18 16 2 | 41 36 5 | 37 33 4 | 49 37 12 | 68 63 5 | 58 53 5 | 63 53 10 | 48 43 5 | 44 36 8 | 19 12 7 | 8 2 6 | 1 1 — | 1 1 — | 1 1 — | — — — | (E840-E845) | |
| — — — | 2 1 1 | 1 1 — | — — — | 2 2 1 | 3 2 1 | 1 1 — | 2 2 — | 5 4 1 | 6 3 3 | 1 — 1 | 4 — 4 | 1 1 — | 1 1 — | — — — | — — — | E840 | |
| — — — | — — — | — — — | — — — | 1 1 — | — — — | 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | 2 1 — | — — — | — — — | — — — | E841 | |
| — — — | — — — | 3 2 1 | 3 2 1 | 2 1 — | 2 1 — | 1 — 1 | 9 3 6 | 5 2 3 | 7 3 4 | 8 3 5 | 1 — 1 | 1 1 — | — — — | — — — | — — — | E842 | |
| 15 12 3 | 13 12 1 | 35 31 4 | 30 27 3 | 42 34 8 | 58 55 3 | 54 51 3 | 47 45 2 | 35 34 1 | 26 25 1 | 10 9 1 | 1 1 — | 1 1 — | — — — | — — — | — — — | E843 | |
| — — — | — — — | 1 1 — | — — — | — — — | 1 1 — | — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — | — — — | E844 | | |

52 表 (86—64)

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
|--|---|------------------|--------------------------|-------------|-------------|--------------|-------------|---------------|---------------|---------------|----------------|----------------|-------------|
| | | | | | | | | | | | | | |
| E845 | 自動車以外のその他の道路交通機関による不慮の事故 男 M. 女 F. | 31 24 7 | — — — | — — — | — — — | 1 1 1 | 1 1 1 | 2 — 2 | — — — | 1 1 — | — — — | — — — | |
| (E850-E858) | 水上交通機関による不慮の事故 男 M. 女 F. | 836 789 47 | — 4 1 | 5 6 1 | 7 9 4 | 13 6 2 | 8 6 2 | 33 25 8 | 23 20 3 | 26 21 5 | 74 69 5 | 84 77 7 | |
| E850 | 小型ボート乗船者の入水 男 M. 女 F. | 135 117 18 | — — — | — — — | — — — | 4 4 — | 1 1 — | 5 5 — | 12 11 1 | 23 18 5 | 25 22 3 | 25 19 6 | |
| E851 | その他の水上交通機関における入水による傷害 男 M. 女 F. | 450 426 24 | — — — | 4 4 — | 5 5 — | 9 5 4 | 7 5 2 | 25 19 6 | 9 8 1 | 3 3 — | 31 29 2 | 40 39 1 | |
| E852 | 水上交通機関における階段およびはしごによる墜落 男 M. 女 F. | 9 9 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | |
| E853 | 水上交通機関内のその他の場所よりの墜落 男 M. 女 F. | 40 40 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 3 3 — | 1 1 — | |
| E854 | 水上交通機関の同一面における転倒 男 M. 女 F. | 4 4 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | |
| E855 | 水上交通機関における詳細不明の墜落 男 M. 女 F. | 4 4 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| E856 | 水上交通機関内の機械による不慮の事故 男 M. 女 F. | 67 65 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 — 1 | — — — | 5 5 — | 6 6 — |
| E857 | 水上交通機関におけるその他の不慮の事故 男 M. 女 F. | 126 123 3 | — — — | 1 1 1 | 2 1 1 | — — — | — — — | — 3 2 | 1 1 — | — — — | 9 9 — | 11 11 — | |
| E858 | 水上交通機関における詳細不明の原因による不慮の事故 男 M. 女 F. | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| (E860-E866) | 航空機による不慮の事故 男 M. 女 F. | 217 169 48 | — — — | — — — | — — — | — — — | — — — | — — — | — 2 1 | 2 1 — | 38 16 22 | 38 16 22 | |
| E860 | 軍用航空機における人員の不慮の事故 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| E861 | 商業用輸送機事故による搭乗者の傷害 男 M. 女 F. | 203 155 48 | — — — | — — — | — — — | — — — | — — — | — — — | — 2 1 | 2 1 — | 1 — 1 | 34 12 22 | |
| E862 | 商業用輸送機におけるその他の傷害 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| E863 | その他の明示された航空機事故による搭乗者の傷害 男 M. 女 F. | 13 13 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | 4 4 — |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

52 表 (86-65)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因数 | | | | | | | | | | 国際基本分類番号 International detailed list number | |
|--|--|-------------------|-------------------|---------------|--------------|-------------|-------------|----------------|-------------|-------------|----------------|----------------|-----------------|--|-------------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 100~ Unknown | | |
| E864 | 航空機搭乗者以外の者の飛行場における航空機による不慮の事故 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — | — | E864 |
| E865 | 航空機搭乗者以外の者のその他の場所における航空機による不慮の事故 男 M. 女 F. | 1 1 | — | — | — | — | — | — | — | — | 1 1 | — | — | — | E865 |
| E866 | その他および詳細不明の航空機による不慮の事故 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — | — | E866 |
| (E870-E888) | 固体および液体物質による不慮の中毒 男 M. 女 F. | 584 364 220 | 2 1 1 | 19 13 6 | 11 7 4 | 5 3 2 | 2 2 — | 39 26 13 | 1 1 — | 3 3 — | 30 13 17 | 56 31 25 | — | — | (E870-E888) |
| E870 | モルヒネおよびその他のアヘン誘導体による不慮の中毒 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — | — | E870 |
| E871 | バルビツール酸およびその誘導体による不慮の中毒 男 M. 女 F. | 15 11 4 | — | — | — | — | — | — | — | — | 2 1 1 | 2 1 1 | — | — | E871 |
| E872 | アスピリンおよびサリチル酸誘導体による不慮の中毒 男 M. 女 F. | 10 7 3 | 1 1 — | 2 1 1 | — | — | — | 3 2 1 | — | — | 1 1 — | 1 1 — | — | — | E872 |
| E873 | 臭化物による不慮の中毒 男 M. 女 F. | 57 28 29 | — | — | — | — | — | — | — | — | 5 1 4 | 10 6 4 | — | — | E873 |
| E874 | その他の鎮痛薬および催眠薬による不慮の中毒 男 M. 女 F. | 170 80 90 | — | 1 — 1 | 2 2 — | — | — | 3 2 1 | — | — | 12 5 7 | 30 14 16 | — | — | E874 |
| E875 | スルホンアミド薬による不慮の中毒 男 M. 女 F. | 1 1 — | — | — | — | — | — | — | — | — | — | — | — | — | E875 |
| E876 | ストリキニーネによる不慮の中毒 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — | — | E876 |
| E877 | ペラドンナ、ヒヨステンおよびアトロピンによる不慮の中毒 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — | — | — | E877 |
| E878 | その他および詳細不明の医薬品による不慮の中毒 男 M. 女 F. | 16 7 9 | — | — | 1 — 1 | 3 1 2 | — | 4 2 2 | — | — | — — — | 1 1 1 | — | — | E878 |
| E879 | 有毒食物による不慮の中毒 男 M. 女 F. | 107 86 21 | — | — | — | — | — | 1 1 — | 1 1 — | — | 1 1 — | — | — | — | E879 |
| E880 | アルコールによる不慮の中毒 男 M. 女 F. | 13 11 2 | — | — | — | — | — | — | — | — | 1 1 — | 1 1 — | — | — | E880 |
| E881 | 石油製品による不慮の中毒 男 M. 女 F. | 1 1 — | — | 1 — 1 | — | — | — | 1 1 — | — | — | — | — | — | — | E881 |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ Unknown | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|----------------|----------------|----------------|----------------|----------------|----------------|---------------|---------------|---------------|---------------|--------------|-------------|-------------|-------|-------|-----------------|---------------|--|
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E864 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E865 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E866 |
| 72 45 27 | 47 30 17 | 51 31 20 | 46 30 16 | 35 24 11 | 42 25 17 | 49 29 7 | 36 29 7 | 29 22 7 | 24 15 9 | 15 6 9 | 7 4 3 | 2 1 1 | — | — | — | — | (E870-E888) |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E870 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E871 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E872 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E873 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E874 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E875 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E876 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E877 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E878 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E880 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | E881 |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|--|-------------------|-------------------|--------------|--------------|---|-------------|----------------|----------------|--------------|----------------|----------------|-------------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| E882 | 工業毒物による不慮の中毒 男 M. 女 F. | 6 6 | — — | — — | — — | — — | — — | — — | — — | 1 1 | 2 2 | — — | — — |
| E883 | 腐食性化合物、酸およびカセイアルカリによる不慮の中毒 男 M. 女 F. | 17 9 8 | — — — | 3 3 2 | 2 1 — | 1 — <td>—</td> <td>6 4 2</td> <td>— — —</td> <td>— — —</td> <td>1 1 —</td> <td>1 1 —</td> <td>— — —</td> | — | 6 4 2 | — — — | — — — | 1 1 — | 1 1 — | — — — |
| E884 | 水銀およびその化合物による不慮の中毒 男 M. 女 F. | 3 2 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E885 | 鉛およびその化合物による不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E886 | ヒ素、アンチモンおよびその化合物による不慮の中毒 男 M. 女 F. | 1 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E887 | フッ化物による不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E888 | その他および詳細不明の固体および液体物質による不慮の中毒 男 M. 女 F. | 167 116 51 | 1 1 1 | 12 9 3 | 6 4 2 | 1 1 — | 1 1 — | 21 15 6 | — — — | 2 2 — | 5 1 4 | 8 6 2 | — — — |
| E888.a | シアン化物 男 M. 女 F. | 4 2 2 | — — — | 1 1 1 | — — — | — — — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — |
| E888.b | 農業用有機リン製剤 男 M. 女 F. | 59 45 14 | — — — | 3 3 2 | 5 3 2 | — — — | — — — | 8 6 2 | — — — | 2 2 — | 4 1 3 | 1 1 — | — — — |
| E888.c | その他のリン製剤 男 M. 女 F. | 11 7 4 | — — — | — — — | — — — | — — — | 1 1 — | 1 1 — | — — — | — — — | 2 — — | — — — | — — — |
| E888.d | その他および詳細不明の固体および液体物質 男 M. 女 F. | 93 62 31 | 1 1 1 | 8 6 2 | 1 1 — | 1 1 — | 1 1 — | 11 8 3 | — — — | — — — | 1 1 — | 5 5 — | — — — |
| (E890-E895) | ガスおよび蒸気による不慮の中毒 男 M. 女 F. | 730 435 295 | 26 14 12 | 7 5 2 | 10 7 3 | 12 7 5 | 9 7 2 | 64 40 24 | 34 22 12 | 15 6 9 | 44 30 14 | 76 37 39 | — — — |
| E890 | 石炭ガス(光熱用)による不慮の中毒 男 M. 女 F. | 303 161 142 | 6 4 2 | 4 3 1 | 6 5 1 | 3 1 2 | — — — | 19 13 6 | 14 10 4 | 8 4 4 | 25 15 10 | 51 20 31 | — — — |
| E891 | 自動車排出ガスによる不慮の中毒 男 M. 女 F. | 9 8 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 — — | — — — | — — — | — — — |
| E892 | その他的一酸化炭素ガスによる不慮の中毒 男 M. 女 F. | 353 204 149 | 20 10 10 | 3 2 1 | 4 2 2 | 9 6 3 | 9 7 2 | 45 27 18 | 20 12 8 | 7 2 5 | 11 8 3 | 18 10 8 | — — — |
| E893 | シアン化物ガスによる不慮の中毒 男 M. 女 F. | 3 3 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown |
|--|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|----------------|--------------|-------------|-------------|-------------|-------------|---------------|
| E882 | — — — | 1 1 — | 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E882 | |
| E883 | 2 2 — | — — — | — — — | 1 1 — | 2 1 — | — — — | 1 1 — | 2 1 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | E883 | |
| E884 | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E884 | |
| E885 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E885 | |
| E886 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E886 | |
| E887 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E887 | |
| E888 | 17 15 2 | 13 9 4 | 16 10 6 | 15 11 4 | 14 10 4 | 13 8 5 | 11 7 4 | 11 8 3 | 6 5 1 | 5 4 2 | 2 1 1 | 2 1 1 | 2 1 1 | 2 1 1 | 2 1 1 | — — — | E888 |
| E888.a | 1 1 — | — — — | — — — | 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E888.a | |
| E888.b | 3 3 — | 3 2 1 | 6 4 2 | 3 3 — | 5 5 — | 4 3 1 | 6 5 1 | 1 2 1 | 2 1 1 | 2 2 1 | 5 4 1 | — — — | — — — | — — — | — — — | — — — | E888.b |
| E888.c | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | — — — | 2 2 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E888.c | |
| E888.d | 12 10 2 | 9 6 3 | 9 5 4 | 10 8 2 | 7 4 3 | 9 5 4 | 7 4 3 | 4 2 2 | 5 5 2 | 5 5 2 | 3 2 1 | 2 1 1 | 2 1 1 | 2 1 1 | 2 1 1 | — — — | E888.d |
| (E890-E895) | 64 43 21 | 67 43 24 | 52 37 15 | 35 21 14 | 41 24 17 | 41 26 15 | 43 24 19 | 41 21 20 | 47 25 22 | 25 16 9 | 24 14 10 | 14 5 9 | 3 1 2 | — — — | — — — | — — — | (E890-E895) |
| E890 | 40 21 19 | 35 19 16 | 18 10 8 | 12 6 6 | 14 7 7 | 13 5 4 | 9 5 4 | 12 6 6 | 16 8 8 | 9 6 3 | 6 4 2 | 2 2 2 | — — — | — — — | — — — | — — — | E890 |
| E891 | 4 4 — | 2 2 — | 1 1 — | 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E891 | |
| E892 | 16 14 2 | 22 16 6 | 23 17 8 | 19 11 | | | | | | | | | | | | | |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因数 | | | | | | | | | |
|--|---------------------------------------|---------------------------|-------------------|-------------------|-------------------|-------------------|------------------|-------------------------|-------------------|-------------------|-------------------|-------------------|-------------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| E894 | その他のガスおよび蒸気による不慮の中毒… 男 M. 女 F. | 60 57 3 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 6 6 7 | — — — | |
| E895 | 詳細不明のガスおよび蒸気による不慮の中毒… 男 M. 女 F. | 2 2 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| (E900-E904) | 不慮の墜落… 男 M. 女 F. | 4 643 3 362 1 281 | 36 24 12 | 54 32 22 | 28 16 12 | 24 10 4 | 13 3 3 | 155 102 53 | 79 51 28 | 42 30 12 | 156 138 18 | 250 238 12 | |
| E900 | 階段よりの墜落… 男 M. 女 F. | 483 309 174 | 7 4 3 | 5 4 1 | 2 1 1 | 3 1 — | 1 1 5 | 18 13 1 | 3 2 1 | 2 1 1 | 9 7 2 | 13 11 2 | |
| E901 | はしごよりの墜落… 男 M. 女 F. | 112 101 11 | — — — | — — — | — — — | — — — | 1 1 — | 1 1 — | 1 1 — | — — — | 4 3 1 | — — — | |
| E902 | その他の高所よりの墜落… 男 M. 女 F. | 2 872 2 412 460 | 19 12 7 | 39 24 15 | 17 9 8 | 11 8 3 | 103 66 37 | 63 46 17 | 33 24 9 | 136 124 12 | 221 214 7 | — — — | |
| E903 | 同一面上における転倒… 男 M. 女 F. | 1 150 527 623 | 10 8 2 | 10 4 6 | 9 4 3 | 4 — — | — — — | 33 22 11 | 12 3 9 | 6 4 2 | 11 7 4 | 11 9 2 | |
| E904 | 詳細不明の墜落… 男 M. 女 F. | 26 13 13 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 1 | — — — | |
| (E910-E936) | その他の不慮の事故… 男 M. 女 F. | 14 805 11 000 3 805 | 905 489 416 | 957 557 400 | 601 389 212 | 378 248 130 | 270 193 77 | 3 111 1 876 1 235 | 977 759 218 | 541 428 113 | 887 785 102 | 920 818 102 | — — — |
| E910 | 落下物、投射物および飛来物による打撲… 男 M. 女 F. | 1 562 1 429 133 | — — — | 1 1 1 | 7 4 3 | 16 9 7 | 11 7 4 | 35 20 15 | 34 25 9 | 18 15 3 | 76 73 3 | 90 86 4 | — — — |
| E911 | 車による不慮の事故… 男 M. 女 F. | 166 155 11 | — — — | 1 1 1 | 1 1 — | — 1 — | 1 1 — | 1 1 — | 4 4 — | 14 12 2 | 14 12 2 | 14 13 1 | — — — |
| E912 | 機械による不慮の事故… 男 M. 女 F. | 925 876 49 | — — — | 8 6 2 | 3 3 — | 7 5 2 | 5 4 1 | 23 18 5 | 9 8 1 | 5 5 — | 91 91 — | 103 100 3 | — — — |
| E913 | 刃器および刺器による不慮の事故… 男 M. 女 F. | 38 29 9 | — — — | — 1 1 | 2 1 — | — — — | 2 1 — | 1 1 — | 1 1 — | 2 1 — | 1 1 — | 2 1 — | — — — |
| E914 | 電気による不慮の事故… 男 M. 女 F. | 515 509 6 | 1 1 — | 1 1 — | 2 2 — | — — — | 1 1 — | 5 5 1 | 2 1 — | 77 76 1 | 113 113 — | — — — | |
| E915 | 高圧機関の爆発による不慮の事故… 男 M. 女 F. | 18 17 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | 2 2 — | 1 1 — | — — — |
| E916 | 火および可燃物の爆発による不慮の事故… 男 M. 女 F. | 1 889 1 068 821 | 73 37 36 | 28 17 11 | 35 18 17 | 26 10 9 | 15 5 78 | 177 99 30 | 66 36 28 | 49 21 21 | 63 42 21 | 86 53 33 | — — — |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|--|---------------------------------------|------------------|------------------|-------------------|-------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|----------------|--------------|-------------|---------------|--|
| E894 | その他のガスおよび蒸気による不慮の中毒… 男 M. 女 F. | 4 4 — | 8 6 — | 9 8 1 | 2 2 — | 10 10 — | 3 3 — | 7 7 — | 4 4 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E894 | |
| E895 | 詳細不明のガスおよび蒸気による不慮の中毒… 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E895 | |
| (E900-E904) | 不慮の墜落… 男 M. 女 F. | 271 250 21 | 255 236 19 | 303 277 26 | 257 240 17 | 236 207 29 | 250 209 41 | 341 287 54 | 324 267 83 | 327 244 146 | 348 202 167 | 345 178 240 | 364 124 184 | 238 54 184 | 90 25 65 | 12 3 9 | — — — | — — — | (E900-E904) |
| E900 | 階段よりの墜落… 男 M. 女 F. | 18 11 7 | 18 14 4 | 27 23 4 | 30 23 7 | 21 17 4 | 34 20 14 | 55 43 12 | 41 35 6 | 49 36 13 | 38 23 15 | 42 18 24 | 34 7 27 | 22 5 17 | 8 1 — | — — — | — — — | E900 | |
| E901 | はしごよりの墜落… 男 M. 女 F. | 2 2 — | 5 5 — | 4 4 — | 8 8 — | 5 5 — | 10 9 1 | 12 11 1 | 7 6 1 | 17 15 2 | 13 12 1 | 12 10 2 | 7 6 1 | 2 2 — | 1 1 — | — — — | — — — | E901 | |
| E902 | その他の高所よりの墜落… 男 M. 女 F. | 235 224 11 | 202 190 12 | 235 217 18 | 195 189 6 | 178 162 16 | 171 154 17 | 223 198 25 | 210 184 26 | 166 133 33 | 155 112 43 | 126 83 43 | 132 59 73 | 57 22 35 | 28 11 17 | 3 — — | — — — | — — — | E902 |
| E903 | 同一面上における転倒… 男 M. 女 F. | 16 13 3 | 30 27 4 | 36 32 9 | 24 20 4 | 32 23 9 | 35 26 9 | 49 34 15 | 65 42 23 | 94 60 34 | 138 65 34 | 161 135 96 | 183 131 135 | 154 131 40 | 53 2 5 | — — — | — — — | E903 | |
| E904 | 詳細不明の墜落… 男 M. 女 F. | — — — | — — — | 1 1 — | — — — | — — — | — — — | — — — | 2 1 1 | 1 1 1 | 1 1 1 | 4 4 2 | 8 4 4 | 3 2 1 | 1 1 — | — — — | — — — | E904 | |
| (E910-E936) | その他の不慮の事故… 男 M. 女 F. | 832 752 80 | 834 744 90 | 864 758 106 | 691 576 115 | 612 522 90 | 633 517 116 | 629 496 133 | 583 476 139 | 671 378 195 | 636 360 258 | 659 206 255 | 461 203 119 | 203 84 119 | 50 13 37 | 8 5 3 | — — — | — — — | (E910-E936) |
| E910 | 落下物、投射物および飛来物による打撲… 男 M. 女 F. | 151 150 1 | 198 193 5 | 199 187 12 | 181 158 23 | 161 147 14 | 147 134 13 | 91 84 7 | 81 72 9 | 58 50 8 | 14 13 1 | 22 18 4 | 4 3 1 | 2 1 — | — — — | — — — | — — — | E910 | |
| E911 | 車による不慮の事故… 男 M. 女 F. | 13 12 1 | 21 21 — | 21 21 1 | 16 15 1 | 23 22 2 | 26 24 2 | 13 13 — | 6 6 —</ | | | | | | | | | | |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因 | | | | | | | | | | 国際基本分類番号 International detailed list number | | | |
|--|--------------------------------|-------------------------|-------------------|-------------------|-------------------|------------------|------------------|-----------------------|------------------|------------------|------------------|------------------|-----------------|--|-------------|-------------|------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 100~ Unknown | | | | |
| E917 | 高熱物体、腐食性液体および水蒸気による不慮の事故 | 363 219 144 | 34 21 13 | 78 44 34 | 31 16 15 | 24 13 11 | 17 10 7 | 184 104 80 | 21 15 6 | 4 3 1 | 7 7 — | 13 10 — | — | — | E917 | | |
| E918 | 放射線による不慮の事故 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E918 | | |
| E918.a | X線によるもの | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E918.a | | |
| E918.b | その他の放射線によるもの | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E918.b | | |
| E919 | 鉄器による不慮の事故 | 74 70 4 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E919 | | |
| E920 | 眼および附属器への異物侵入 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E920 | | |
| E921 | 閉塞または窒息の原因となる食物の吸入および嚥下 | 964 692 272 | 256 151 105 | 44 28 16 | 23 16 7 | 8 3 5 | 6 3 3 | 337 201 136 | 6 4 2 | 3 1 2 | 6 1 5 | 6 5 1 | — — — | — — — | — — — | E921 | |
| E922 | 閉塞または窒息の原因となるその他の物体の吸入および嚥下 | 28 21 7 | 8 5 3 | 4 2 2 | 3 1 — | 1 1 — | 1 1 — | 17 12 5 | 2 2 — | 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | E922 | |
| E923 | その他の孔口への異物侵入 | 13 10 3 | 2 1 1 | 3 1 2 | 2 — — | — — — | — — — | 7 4 3 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E923 | |
| E924 | 寝台および搖籃における不慮の機械的窒息 | 293 147 146 | 272 135 137 | 11 4 7 | 1 1 — | 1 1 — | 1 1 — | 286 142 144 | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | E924 | |
| E925 | その他および詳細不明の状態における不慮の機械的窒息 | 591 428 163 | 190 107 83 | 42 27 15 | 9 5 4 | 8 6 2 | 7 5 2 | 256 150 106 | 23 14 9 | 19 18 1 | 20 14 6 | 37 34 3 | — — — | — — — | — — — | — — — | E925 |
| E926 | 乳児の養育不注意(1才未満) | 3 2 1 | 3 2 1 | 2 1 — | — — — | — — — | — — — | 3 2 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E926 | |
| E927 | 有毒動物および昆蟲の咬傷および刺傷による不慮の傷害 | 38 27 11 | — — — | — — — | — — — | — — — | — — — | 2 2 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E927 | |
| E928 | その他の動物による不慮の傷害 | 48 39 9 | — — — | — — — | 4 2 2 | — — — | — — — | 4 2 2 | 1 — — | — — — | 1 — — | — — — | — — — | — — — | — — — | E928 | |
| E929 | 不慮の溺死および溺水 | 5 906 4 325 1 581 | 36 16 20 | 731 425 306 | 468 308 160 | 273 188 85 | 192 146 46 | 1 700 1 083 617 | 745 611 40 | 361 321 44 | 450 406 33 | 356 323 33 | — — — | — — — | — — — | — — — | E929 |
| E930 | 高圧および低圧 | 3 3 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E930 | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ Unknown | 国際基本分類番号 International detailed list number |
|-------------|-------------|-------------|-----------------|-------------|-------------|-------------|-------------|-------------|---------------|----------------|--------------|-------------|-------------|-------------|-----------------|--|
| 6 4 2 | 9 8 1 | 8 5 3 | 9 5 4 | 8 6 2 | 5 4 1 | 8 6 2 | 9 4 5 | 9 7 2 | 18 8 10 | 24 13 11 | 14 8 6 | 6 5 1 | — — — | — — — | — — — | E917 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E918 | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E918.a | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E918.b | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E919 | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E920 | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E921 | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E922 | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E923 | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E924 | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | E925 | |
| — — — | — — — | — — — | — — —</td | | | | | | | | | | | | | |

52 表 (86—69)

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

昭和41年
1966

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死 因 ・ 性 Cause of death and sex | 総 数 Total | 0 才 Year of age | 年齢別割合 | | | | | | | | |
|--|--|------------------|---------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|---------------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 |
| E946 | その他の治療目的以外の内外科的処置による合併症 男 M. 女 F. | 6 2 4 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 — 1 | — — — |
| (E950-E959) | 治療上の事故および治療処置後の合併症 男 M. 女 F. | 19 11 8 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 — 1 | — — — | — — — |
| E950 | 外科的処置における治療上の事故 男 M. 女 F. | 1 — 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E951 | 注入または輸血における治療上の事故 男 M. 女 F. | 5 4 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E952 | 局所手当における治療上の事故 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E953 | 薬剤または生物学的製剤の投与における治療上の事故 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E954 | 麻酔における治療上の事故 男 M. 女 F. | 2 — 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 — 1 | — — — |
| E955 | その他および詳細不明の治療上の事故 男 M. 女 F. | 1 — 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E956 | 外科手術の後発合併症 男 M. 女 F. | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E957 | 切断部の後発合併症 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E958 | 光線療法の後発合併症 男 M. 女 F. | 2 — 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E959 | その他の処置の後発合併症 男 M. 女 F. | 6 6 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| (E960-E965) | 傷害および中毒の後遺症 男 M. 女 F. | 387 296 91 | — — — | — — — | — — — | 2 2 2 | 1 1 1 | 3 2 1 | 1 1 1 | 3 2 1 | 10 5 5 | 16 15 1 |
| E960 | 自動車事故の後遺症 男 M. 女 F. | 66 62 4 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 2 1 1 |
| E961 | 不慮の中毒の後遺症 男 M. 女 F. | 13 7 6 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E962 | その他の不慮の事故の後遺症 男 M. 女 F. | 284 208 76 | — — — | — — — | — — — | 2 2 — | 1 1 — | 3 2 1 | 1 2 1 | 3 2 1 | 8 4 1 | 9 9 1 |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

| | | | | | | | | | | | | | | | | | | 国際基本 分類番号 |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|--------------|
| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | International detailed list number | |
| 2 | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | E946 | |
| - | 2 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | (E950-E959) | |
| - | 1 | 4 | 1 | 1 | 1 | 4 | - | 3 | 1 | 1 | 1 | - | - | - | - | - | E950 | |
| - | 1 | 3 | 1 | 1 | 1 | 4 | - | 3 | 1 | 1 | 1 | - | - | - | - | - | E951 | |
| - | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | E952 | |
| - | - | 3 | 1 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | E953 | |
| - | - | 3 | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | E954 | |
| - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | E955 | |
| - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E956 | |
| - | - | - | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - | E957 | |
| - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | E958 | |
| - | - | 1 | - | - | - | 1 | - | - | 1 | - | - | 1 | - | - | - | - | E959 | |
| - | 1 | - | - | - | - | 1 | 3 | - | - | - | - | 1 | - | - | - | - | (E960-E965) | |
| 15 | 27 | 26 | 24 | 24 | 29 | 34 | 45 | 45 | 26 | 31 | 20 | 6 | 2 | - | - | - | | |
| 12 | 24 | 23 | 20 | 23 | 27 | 31 | 33 | 37 | 19 | 12 | 9 | 1 | - | - | - | - | | |
| 3 | 3 | 3 | 4 | 1 | 2 | 3 | 12 | 8 | 7 | 19 | 11 | 5 | 2 | - | - | - | | |
| 1 | 8 | 4 | 3 | 4 | 2 | 8 | 8 | 8 | 8 | 3 | 1 | - | - | - | - | - | E960 | |
| 1 | 6 | 4 | 3 | 4 | 2 | 8 | 8 | 8 | 8 | 3 | 1 | - | - | - | - | - | E961 | |
| - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E962 | |
| - | 1 | 2 | - | - | 1 | - | 5 | 2 | - | 1 | 1 | - | - | - | - | - | | |
| - | 1 | 1 | - | - | 1 | - | 2 | 1 | - | 1 | 1 | - | - | - | - | - | | |
| - | - | 1 | - | - | - | - | 3 | 1 | - | - | - | - | - | - | - | - | | |
| 13 | 18 | 19 | 17 | 16 | 20 | 26 | 31 | 33 | 18 | 26 | 16 | 5 | 2 | - | - | - | | |
| 10 | 17 | 17 | 14 | 15 | 19 | 23 | 22 | 26 | 11 | 11 | 8 | 1 | - | - | - | - | | |
| 3 | 1 | 2 | 3 | 1 | 1 | 3 | 9 | 7 | 7 | 18 | 9 | 4 | 2 | - | - | - | | |

52表(86-71)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--------------------------|-------------------|---|---|---|---|-----|-----|----------------|-------------------|-----------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------------|--------------|-------------|
| | | | | 1 | 2 | 3 | 4 | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85-89 | 90-94 | 95-99 | 100~ |
| E963 | 自傷の後遺症..... 男 M. 女 F. | 5 1 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E963 | |
| E964 | 他人による故意的加害の後遺症(戦争行為を除く) 男 M. 女 F. | 2 2 - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E964 | |
| E965 | 戦争行為による傷害の後遺症..... 男 M. 女 F. | 17 16 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E965 | |
| (E970-E979) | 自殺および自傷..... 男 M. 女 F. | 15 045 8 449 6 596 | - | - | - | - | - | - | - | 48 37 11 | 968 515 453 | 1 891 1 023 868 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 11 8 3 | (E970-E979) |
| E970 | 鎮痛薬および催眠薬による自殺および自傷 中毒..... 男 M. 女 F. | 1 224 673 551 | - | - | - | - | - | - | - | 1 1 - | 150 66 84 | 337 182 155 | - | - | - | - | - | - | - | - | - | - | - | - | - | 3 2 1 | E970 | |
| E970.a | モルヒネおよびその他のアヘン誘導体..... 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E970.a | |
| E970.b | バルビツール酸およびその誘導体..... 男 M. 女 F. | 54 29 25 | - | - | - | - | - | - | - | - | 10 4 6 | 15 6 9 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E970.b | |
| E970.c | 臭化物..... 男 M. 女 F. | 503 271 232 | - | - | - | - | - | - | - | 1 1 - | 49 19 30 | 126 68 58 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 1 1 | E970.c |
| E970.d | その他および詳細不明の鎮痛薬および催眠薬..... 男 M. 女 F. | 667 373 294 | - | - | - | - | - | - | - | - | 91 43 48 | 196 108 88 | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 1 - | E970.d | |
| E971 | その他の固体および液体物質による自殺および自傷中毒..... 男 M. 女 F. | 1 932 1 021 911 | - | - | - | - | - | - | - | 6 4 2 | 144 64 80 | 261 109 152 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E971 | |
| E971.a | シアノ化物..... 男 M. 女 F. | 237 171 66 | - | - | - | - | - | - | - | - | 19 14 5 | 36 25 11 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E971.a | |
| E971.b | 農業用有機リン製剤..... 男 M. 女 F. | 671 344 327 | - | - | - | - | - | - | - | 4 3 1 | 42 14 28 | 93 31 62 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E971.b | |
| E971.c | その他のリン製剤..... 男 M. 女 F. | 94 43 51 | - | - | - | - | - | - | - | - | 1 1 - | 5 2 3 | 5 4 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | E971.c | |
| E971.d | その他および詳細不明の固体および液体物質..... 男 M. 女 F. | 930 463 467 | - | - | - | - | - | - | - | 2 1 1 | 82 35 47 | 127 51 76 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E971.d | |
| E972 | 家用ガスによる自殺および自傷中毒..... 男 M. 女 F. | 1 193 451 742 | - | - | - | - | - | - | - | 2 2 2 | 107 39 68 | 223 65 158 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E972 | |
| E973 | その他のガスによる自殺および自傷中毒..... 男 M. 女 F. | 19 16 3 | - | - | - | - | - | - | - | - | 4 3 1 | 3 3 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E973 | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85-89 | 90-94 | 95-99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------------------|-------------------|------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|----------------|---------------|-------------|-------------|--------|------|---------------|--|
| - | - | - | 1 1 | 1 1 | 1 1 | - | - | - | - | - | - | - | - | - | - | - | E963 |
| - | - | - | - | 1 1 | 1 1 | - | - | - | - | - | - | - | - | - | - | - | E964 |
| 1 1 | - | - | - | 2 2 | 4 4 | - | 1 1 | - | - | - | - | - | - | - | - | - | E965 |
| 1 750 1 033 | 1 345 802 | 1 011 638 | 781 449 | 785 439 | 926 526 | 995 617 | 1 088 670 | 1 078 478 | 952 462 | 792 414 | 409 238 | 182 111 | 32 22 | 1 1 | - | 11 8 3 | (E970-E979) |
| 259 147 112 | 148 86 62 | 66 33 26 | 71 45 20 | 50 30 12 | 27 23 7 | 24 15 9 | 20 15 11 | 18 9 11 | 7 5 2 | 5 2 3 | 3 2 3 | - | - | - | - | - | E970 |
| 111 64 47 | 67 38 29 | 26 13 13 | 31 18 13 | 25 16 9 | 14 11 5 | 16 11 5 | 13 7 6 | 6 4 4 | 11 7 7 | 1 1 1 | 3 2 3 | - | - | - | - | - | E970.c |
| 136 76 60 | 77 46 31 | 38 20 18 | 35 23 12 | 25 14 11 | 18 11 7 | 10 8 2 | 10 7 3 | 14 7 7 | 7 3 4 | 5 4 1 | 4 2 2 | - | - | - | - | - | E970.d |
| 290 160 130 | 228 124 104 | 185 115 70 | 129 115 72 | 108 60 48 | 124 59 65 | 117 70 47 | 105 73 32 | 101 58 43 | 61 33 28 | 43 23 20 | 20 8 12 | 8 3 5 | 2 1 1 | - | - | E971 | |
| 45 35 10 | 38 25 13 | 30 18 12 | 18 12 11 | 15 12 3 | 8 7 1 | 5 5 1 | 4 4 1 | 2 2 1 | 2 2 1 | 2 2 1 | - | - | - | - | - | E971.a | |
| 100 50 50 | 74 42 32 | 66 42 24 | 48 35 23 | 35 22 19 | 53 21 15 | 36 21 15 | 33 22 11 | 37 27 10 | 26 16 10 | 16 10 6 | 6 2 4 | 2 1 1 | - | - | - | E971.b | |
| 11 5 6 | 5 2 3 | 5 4 1 | 5 4 1 | 9 5 4 | 4 3 4 | 8 4 4 | 6 2 4 | 14 9 5 | 8 3 5 | 9 2 7 | 3 2 1 | - | - | - | - | E971.c | |
| 134 70 64 | 111 55 56 | 84 25 33 | 58 27 22 | 49 31 27 | 52 21 31 | 65 38 27 | 61 44 17 | 46 28 17 | 25 12 14 | 24 10 14 | 5 4 3 | 3 2 1 | - | - | - | E971.d | |
| 240 81 159 | 158 65 93 | 122 50 72 | 56 26 40 | 51 27 25 | 52 24 24 | 48 24 24 | 47 23 26 | 43 17 26 | 22 8 14 | 16 9 7 | 4 1 1 | 1 1 1 | - | - | - | E972 | |
| 4 3 1 | 3 3 1 | 4 3 1 | - | 3 3 1 | - | - | 1 1 1 | - | - | - | - | - | - | - | - | - | E973 |

52表(86-72)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因 | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|-------|----|----|----|-----|-----|-------|-------|-------|--|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| E974 | 絞首および絞首による自殺および自傷 | 6 742 | - | - | - | - | - | - | - | 30 | 238 | 474 | |
| | 男 M. | 4 252 | - | - | - | - | - | - | - | 27 | 181 | 332 | |
| | 女 F. | 2 490 | - | - | - | - | - | - | - | 3 | 57 | 142 | |
| E975 | 入水による自殺および自傷 | 1 801 | - | - | - | - | - | - | - | 6 | 113 | 214 | |
| | 男 M. | 576 | - | - | - | - | - | - | - | 3 | 35 | 74 | |
| | 女 F. | 1 225 | - | - | - | - | - | - | - | 3 | 78 | 140 | |
| E976 | 銃器および爆発物による自殺および自傷 | 68 | - | - | - | - | - | - | - | 6 | 15 | | |
| | 男 M. | 64 | - | - | - | - | - | - | - | 5 | 14 | | |
| | 女 F. | 4 | - | - | - | - | - | - | - | 1 | 1 | | |
| E977 | 刃器および剣器による自殺および自傷 | 282 | - | - | - | - | - | - | - | 4 | 19 | | |
| | 男 M. | 215 | - | - | - | - | - | - | - | 3 | 15 | | |
| | 女 F. | 67 | - | - | - | - | - | - | - | 1 | 4 | | |
| E978 | 高所よりの墜落による自殺および自傷 | 380 | - | - | - | - | - | - | - | 2 | 34 | 50 | |
| | 男 M. | 248 | - | - | - | - | - | - | - | 2 | 21 | 35 | |
| | 女 F. | 132 | - | - | - | - | - | - | - | 13 | 15 | | |
| E979 | その他および詳細不明の手段による自殺および自傷 | 1 404 | - | - | - | - | - | - | - | 1 | 172 | 294 | |
| | 男 M. | 933 | - | - | - | - | - | - | - | 1 | 101 | 194 | |
| | 女 F. | 471 | - | - | - | - | - | - | - | 1 | 71 | 100 | |
| E979.a | 轟 砲 | 1 216 | - | - | - | - | - | - | - | 1 | 151 | 254 | |
| | 男 M. | 788 | - | - | - | - | - | - | - | 1 | 83 | 163 | |
| | 女 F. | 428 | - | - | - | - | - | - | - | 1 | 68 | 91 | |
| E979.b | その他および詳細不明の手段 | 188 | - | - | - | - | - | - | - | 21 | 40 | | |
| | 男 M. | 145 | - | - | - | - | - | - | - | 18 | 31 | | |
| | 女 F. | 43 | - | - | - | - | - | - | - | 3 | 9 | | |
| (E980-E985) | 他殺および他人の加害による傷害(戦争行為を除く) | 1 409 | 125 | 44 | 42 | 30 | 27 | 268 | 88 | 33 | 91 | 180 | |
| | 男 M. | 909 | 67 | 18 | 25 | 17 | 19 | 146 | 45 | 21 | 59 | 134 | |
| | 女 F. | 500 | 58 | 26 | 17 | 13 | 8 | 122 | 43 | 12 | 32 | 46 | |
| E980 | 他人による故意の中毒 | 118 | 18 | 13 | 15 | 7 | 4 | 57 | 33 | 16 | 2 | 3 | |
| | 男 M. | 74 | 15 | 7 | 13 | 2 | 3 | 40 | 17 | 10 | 1 | 3 | |
| | 女 F. | 44 | 3 | 6 | 2 | 5 | 1 | 17 | 16 | 6 | 1 | - | |
| E981 | 銃器および爆発物による加害 | 20 | - | - | - | 1 | - | 1 | 1 | - | 2 | 3 | |
| | 男 M. | 16 | - | - | - | 1 | - | 1 | 1 | - | 1 | 1 | |
| | 女 F. | 4 | - | - | - | - | - | - | - | - | - | - | |
| E982 | 刃器および剣器による加害 | 599 | 2 | 1 | 1 | 1 | 3 | 8 | 5 | 6 | 60 | 126 | |
| | 男 M. | 460 | 1 | - | 1 | 1 | 3 | 5 | 3 | 4 | 44 | 108 | |
| | 女 F. | 139 | 1 | 1 | 1 | - | - | 3 | 2 | 2 | 16 | 18 | |
| E983 | その他の手段による加害 | 668 | 105 | 30 | 25 | 22 | 20 | 202 | 49 | 11 | 27 | 48 | |
| | 男 M. | 355 | 51 | 11 | 11 | 14 | 8 | 102 | 25 | 7 | 12 | 21 | |
| | 女 F. | 313 | 54 | 19 | 14 | 7 | - | 24 | 4 | 4 | 15 | 27 | |
| E984 | 警察干与の傷害 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| E985 | 処刑 | 4 | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | 4 | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| (E990-E999) | 戦争行為による傷害 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|------|---------------|--|
| 464 | 437 | 365 | 316 | 374 | 514 | 564 | 663 | 681 | 632 | 552 | 287 | 128 | 19 | 1 | - | 3 | E974 |
| 329 | 310 | 264 | 219 | 146 | 194 | 320 | 440 | 413 | 332 | 279 | 133 | 59 | 10 | 1 | - | 3 | |
| 135 | 127 | 101 | 97 | - | - | 190 | 223 | 268 | 300 | 273 | 154 | 69 | - | - | - | 1 | |
| 150 | 121 | 93 | 88 | 96 | 93 | 126 | 149 | 157 | 152 | 120 | 78 | 33 | 9 | - | - | 2 | E975 |
| 59 | 45 | 36 | 34 | 28 | 23 | 43 | 52 | 53 | 55 | 32 | 18 | 5 | - | - | - | 2 | |
| 91 | 76 | 57 | 54 | 68 | 70 | 83 | 97 | 104 | 117 | 88 | 60 | 28 | 9 | - | - | 2 | |
| 14 | 8 | 8 | 1 | 3 | 5 | 2 | 2 | 1 | 3 | - | - | - | - | - | - | 2 | E976 |
| 13 | 8 | 8 | 1 | 3 | 4 | 2 | 2 | 1 | 3 | - | - | - | - | - | - | 2 | |
| 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | 2 | |
| 26 | 27 | 38 | 25 | 26 | 20 | 27 | 23 | 15 | 13 | 13 | 9 | 2 | 1 | - | - | 2 | E977 |
| 22 | 21 | 33 | 18 | 19 | 13 | 20 | 18 | 10 | 11 | 11 | 9 | 1 | - | - | - | 2 | |
| 4 | 6 | 5 | 7 | 7 | 7 | 7 | 5 | 6 | 5 | 5 | 4 | 1 | - | - | - | 2 | |
| 48 | 48 | 27 | 29 | 23 | 22 | 22 | 23 | 17 | 14 | 12 | 14 | 1 | - | - | - | 2 | E978 |
| 35 | 27 | 19 | 19 | 17 | 17 | 17 | 16 | 6 | 6 | 6 | 8 | 1 | - | - | - | 2 | |
| 13 | 21 | 8 | 10 | 15 | 20 | 15 | 15 | 5 | 5 | 12 | 12 | 5 | - | - | - | 2 | |
| 255 | 167 | 103 | 66 | 51 | 60 | 62 | 52 | 37 | 37 | 29 | 12 | 4 | - | - | - | 2 | E979 |
| 184 | 113 | 77 | 40 | 34 | 40 | 47 | 40 | 22 | 22 | 13 | 12 | 3 | - | - | - | 2 | |
| 71 | 54 | 26 | 26 | 17 | 20 | 15 | 15 | 15 | 15 | 12 | 12 | 3 | - | - | - | 2 | |
| 223 | 150 | 89 | 57 | 44 | 52 | 53 | 40 | 34 | 34 | 23 | 11</td | | | | | | |

52 表 (86—73)

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別割合 | | | | | | | | |
|--|---|----------------------------|----------------------|---------------------|-------------------|-------------------|-------------------|-------------------------|-----------------------|---------------------|-----------------------|-------------------------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 |
| E990 | 戦争行為に基くガスおよび化学薬品による傷害 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E991 | 戦争行為に基く銃傷 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E992 | 戦争行為に基く手榴弾および地雷による傷害 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E993 | 戦争行為に基く爆撃による傷害 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E994 | 戦争行為に基く機雷、爆雷および水雷による傷害 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E995 | 戦争行為に基く砲弾による傷害 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E996 | 戦争行為に基く詳細不明の爆発による傷害 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E997 | 戦争行為に基く航空機の破壊による傷害 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E998 | 戦争行為に基くその他および詳細不明の手段による傷害 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E999 | 戦争行為に基く交戦状態停止後発生の傷害 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| NXVII | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) 男 M. 女 F. | 59 025 41 907 17 118 | 1 138 620 518 | 1 290 734 556 | 988 632 356 | 791 498 293 | 650 434 216 | 4 857 2 918 1 939 | 2 057 1 474 583 | 1 119 845 274 | 4 199 3 333 866 | 5 391 4 081 1 311 |
| (N800-N809) | 頭蓋、脊柱および体幹の骨折 男 M. 女 F. | 16 441 13 323 3 118 | 36 22 14 | 176 90 86 | 224 138 86 | 230 135 95 | 223 140 83 | 889 525 364 | 586 404 182 | 303 224 79 | 1 448 1 255 193 | 1 561 1 355 200 |
| N800 | 頭円蓋の骨折 男 M. 女 F. | 713 580 133 | — — — | 10 8 2 | 10 5 5 | 14 9 5 | 8 6 2 | 42 28 14 | 41 24 17 | 21 17 12 | 68 56 5 | 6 |
| N801 | 頭蓋底の骨折 男 M. 女 F. | 4 696 3 913 783 | 13 7 6 | 43 17 26 | 66 43 32 | 74 42 32 | 51 32 19 | 247 141 106 | 158 113 45 | 65 49 16 | 443 399 44 | 42 |
| N802 | 顔面骨の骨折 男 M. 女 F. | 339 288 51 | — — — | 6 3 3 | 3 2 1 | 4 3 1 | 5 2 3 | 18 10 8 | 8 10 — | 4 3 1 | 33 30 3 | 4 |
| N803 | その他および性質不明の頭蓋骨折 男 M. 女 F. | 4 620 3 702 918 | 18 13 5 | 93 49 44 | 104 59 45 | 87 48 39 | 94 59 35 | 396 228 168 | 211 149 62 | 108 83 25 | 388 324 64 | 43 |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本 分類番号 International detailed list number |
|-------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-------------------------|-------------------------|-------------------------|---------------------|-------------------|------------------|----------------|-------------|---------------|--|
| | | | | | | | | | | | | | | | | | E990 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E991 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E992 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E993 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E994 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E995 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E996 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E997 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E998 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | E999 |
| 4 973 3 904 1 069 | 4 427 3 532 895 | 4 122 3 360 762 | 3 311 2 546 765 | 2 998 2 246 752 | 3 305 2 408 897 | 3 473 2 563 910 | 3 444 2 468 976 | 3 374 2 223 1 151 | 2 892 1 659 1 233 | 2 502 1 322 1 180 | 1 580 663 917 | 752 272 480 | 200 65 135 | 24 11 13 | - - - | 18 14 4 | NXVII |
| 1 528 1 384 144 | 1 420 1 279 141 | 1 403 1 264 139 | 1 160 970 190 | 957 779 178 | 1 055 854 201 | 992 813 179 | 978 777 201 | 822 606 216 | 591 401 190 | 436 268 168 | 215 114 101 | 74 34 40 | 16 11 5 | 3 2 1 | - - - | 4 4 - | (N800~N809) |
| 66 63 3 | 59 56 3 | 50 48 2 | 56 48 8 | 47 42 5 | 34 23 11 | 39 35 4 | 48 35 13 | 27 19 8 | 20 16 4 | 10 5 5 | 13 6 7 | 5 1 4 | - - - | 2 1 1 | - - - | N800 | |
| 457 421 36 | 395 367 28 | 406 365 41 | 341 285 56 | 286 237 49 | 333 270 63 | 307 252 55 | 299 243 56 | 223 170 53 | 167 127 40 | 96 63 33 | 38 21 17 | 9 5 4 | - - - | - - - | - - - | N801 | |
| 41 38 3 | 32 26 6 | 37 34 3 | 24 22 2 | 18 14 4 | 16 13 3 | 12 12 - | 13 11 2 | 11 6 5 | 5 3 2 | 9 8 1 | 3 1 2 | 1 1 - | - - - | - - - | 1 1 - | N802 | |
| 414 369 45 | 407 357 50 | 366 335 31 | 330 273 57 | 220 177 43 | 271 227 44 | 246 202 44 | 275 230 45 | 210 169 41 | 140 94 46 | 112 76 36 | 61 30 31 | 20 7 13 | 4 2 2 | - - - | 2 2 - | N803 | |

52表(86-74)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|-----------------------|-------------------|--------------|---------------|----------------|----------------|-----------------|-----------------|----------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------------|-----------------|----------------|---------------|-------------|-------------|-------------|------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | |
| N804 | その他の骨を含む頭蓋または顔の多発骨折… 男 M. 女 F. | 3,598 2,897 701 | 2 — 2 | 16 8 8 | 30 21 9 | 30 20 10 | 48 29 19 | 126 78 48 | 116 79 37 | 73 51 22 | 359 309 50 | 380 330 50 | 332 303 29 | 325 296 29 | 317 295 22 | 240 204 36 | 220 169 51 | 214 171 43 | 234 183 51 | 173 134 39 | 195 131 65 | 118 64 54 | 110 49 49 | 40 23 17 | 19 10 9 | 5 5 — | — — — | 1 1 — | N804 |
| N805 | 脊椎の骨折および骨折脱臼(脊髄損傷の記載のないもの) 男 M. 女 F. | 892 729 163 | 2 2 — | 1 1 — | 5 3 2 | 8 5 2 | 6 4 2 | 22 15 7 | 15 10 5 | 10 6 4 | 61 57 4 | 88 75 13 | 91 84 7 | 77 65 12 | 87 66 21 | 73 62 11 | 75 66 9 | 56 46 10 | 47 42 5 | 45 36 9 | 41 34 7 | 52 33 19 | 24 15 9 | 20 12 8 | 5 5 — | 3 3 — | — — — | N805 | |
| N806 | 脊椎の骨折および骨折脱臼(脊髄損傷を伴うもの) 男 M. 女 F. | 403 358 45 | 1 — 1 | — — — | — 2 — | 2 — — | — — — | 3 2 1 | 7 3 4 | 4 3 1 | 22 21 1 | 36 33 3 | 33 30 3 | 31 31 — | 42 35 7 | 37 34 3 | 26 22 4 | 35 31 2 | 38 36 2 | 32 27 5 | 23 19 4 | 16 16 — | 12 9 3 | 5 5 — | 1 1 — | — — — | N806 | | |
| N807 | 肋骨、胸骨および喉頭の骨折… 男 M. 女 F. | 282 218 64 | — — — | — — — | — — — | — — — | — — — | — 4 — | 4 4 — | 2 — 2 | 11 9 2 | 14 13 1 | 25 17 8 | 21 19 2 | 32 31 1 | 19 16 3 | 19 16 3 | 24 20 4 | 13 11 2 | 23 18 5 | 22 15 7 | 15 12 3 | 15 6 9 | 16 8 8 | 6 2 4 | 1 1 — | — — — | N807 | |
| N808 | 骨盤の骨折… 男 M. 女 F. | 335 242 93 | — — — | 3 1 2 | 4 3 1 | 6 4 2 | 6 6 — | 19 14 5 | 10 5 4 | 5 4 1 | 26 21 5 | 18 16 2 | 13 11 2 | 25 21 4 | 25 24 3 | 21 15 6 | 21 16 5 | 18 15 3 | 18 21 9 | 19 10 9 | 18 12 6 | 13 7 6 | 3 3 — | — — — | — — — | N808 | | | |
| N809 | 体幹の多発および不詳の骨折… 男 M. 女 F. | 563 396 167 | — — — | 4 3 1 | 2 2 — | 5 2 3 | 5 2 3 | 16 9 7 | 16 9 3 | 11 8 3 | 37 29 8 | 45 34 11 | 56 48 8 | 48 41 7 | 39 31 8 | 27 20 7 | 25 21 4 | 51 37 14 | 38 25 13 | 34 19 15 | 39 22 17 | 39 26 13 | 30 13 17 | 6 1 5 | 2 1 3 | 1 1 — | — — — | N809 | |
| (N810-N819) | 上肢の骨折… 男 M. 女 F. | 108 58 50 | — — — | — — — | — — — | — — — | — — — | — 3 — | 3 3 — | 2 2 — | 3 3 — | 3 3 — | 2 2 — | 6 6 — | 5 4 1 | 2 1 1 | 2 1 1 | 3 2 1 | 4 3 1 | 4 3 1 | 4 3 1 | 10 6 4 | 15 6 9 | 16 4 12 | 14 3 11 | 6 6 — | — — — | (N810-N819) | |
| N810 | 鎖骨骨折… 男 M. 女 F. | 6 3 3 | — — — | — — — | — — — | — — — | — — — | — — — | — 1 — | 1 1 — | — 3 — | — 1 — | — — — | — — — | — — — | — — — | N810 | | | | |
| N811 | 肩甲骨骨折… 男 M. 女 F. | 3 — 3 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | N811 | | | | |
| N812 | 上腕骨骨折… 男 M. 女 F. | 53 21 32 | — — — | — — — | — — — | — — — | — — — | — 3 — | 3 3 — | — — — | 1 1 — | 1 1 — | — — — | 3 3 — | 1 1 — | 1 1 — | 1 1 — | 4 3 1 | 1 1 — | 3 1 2 | 4 3 3 | 7 3 4 | 11 2 9 | 8 2 6 | 5 5 — | — — — | N812 | | |
| N813 | 橈骨および尺骨骨折… 男 M. 女 F. | 14 9 5 | — — — | — — — | — — — | — — — | — — — | — — — | — 1 — | 1 1 — | — — — | — — — | — — — | — 1 — | 2 2 — | 1 1 — | — — — | 2 1 1 | 1 1 — | 1 1 — | 1 1 — | 3 1 — | — — — | 2 1 — | — — — | N813 | | | |
| N814 | 手根骨骨折… 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | N814 | | | |
| N815 | 中手骨骨折… 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | N815 | | | |
| N816 | 手指節骨骨折(単発または多発)… 男 M. 女 F. | 1 — 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | N816 | | | | |
| N817 | 手の骨の多発骨折… 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | N817 | | | |
| N818 | その他、多発および不詳の上肢骨折… 男 M. 女 F. | 6 4 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | N818 | | | | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | Total | 0才 Year of age | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 3 |
|--|--------------------------------|-------|-------------------|---|---|---|---|-----|-----|-------|-------|-------|-------|---|
|--|--------------------------------|-------|-------------------|---|---|---|---|-----|-----|-------|-------|-------|-------|---|

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE: FOR ALL JAPAN

昭和 41 年
1966

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|----------------------------------|---------------|----------------------|---|--------|---|--------|--------|--------|--------|--------|-------------|-------------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| N833 | 手首の関節脱臼 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N834 | 手指の関節脱臼 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N835 | 股関節脱臼 男 M. 女 F. | 3 1 2 | - | - | - | - | - | - | - | - | - | 2 2 | 1 1 |
| N836 | 膝関節脱臼 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N837 | 足首の関節脱臼 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N838 | 足の関節脱臼 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N839 | その他、多発および不詳の関節脱臼 男 M. 女 F. | 19 16 3 | 1 1 - | - | 1 1 | - | 2 2 | 1 1 | 1 1 | 1 1 | - | - | - |
| (N840-N848) | 関節の捻挫および隣接筋の筋傷 男 M. 女 F. | 10 3 7 | - | - | - | - | - | - | - | - | - | 1 2 1 | 2 1 - |
| N840 | 肩および上腕の捻挫 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N841 | 肘および前腕の捻挫 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N842 | 手首および手の捻挫 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N843 | 股および大腿の捻挫 男 M. 女 F. | 1 1 | - | - | - | - | - | - | - | - | - | 1 1 | - |
| N844 | 膝および下腿の捻挫 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N845 | 足首および足の捻挫 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N846 | 薦腸部の捻挫 男 M. 女 F. | 2 2 | - | - | - | - | - | - | - | - | 1 1 | 1 1 | - |
| N847 | その他および詳細不明の背部の捻挫 男 M. 女 F. | 6 2 4 | - | - | - | - | - | - | - | - | 1 1 | 2 2 | - |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 国際基本 分類番号 International detailed list number | 不詳 Unknown | | | | | | | | | | | | | | | | |
|--|---------------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|-------|-------|------|
| | | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ |
| N833 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N834 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N835 | - | - | - | - | - | - | - | - | - | - | - | 2 2 | - | 1 1 | - | - | - |
| N836 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N837 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N838 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N839 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (N840-N848) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N840 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N841 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N842 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N843 | - | - | - | - | - | - | - | - | - | - | - | - | 1 1 | - | - | - | - |
| N844 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N845 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N846 | - | - | - | - | - | - | - | - | - | - | 1 1 | - | 1 1 | - | - | - | - |
| N847 | - | - | - | - | - | - | - | - | - | 1 1 | - | 2 2 | - | 1 1 | - | - | - |

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE: FOR ALL JAPAN

昭和 41 年
1966

52表(86-78)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|---|----|----|----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------------|-------------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ |
| N866 | 腎臓の損傷 | 119 | - | - | 1 | 2 | - | 3 | 6 | 2 | 13 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 105 14 | - | - | 1 | 2 | - | 3 | 5 | 2 | 12 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| N867 | 骨盤腔内臓器の損傷 | 53 | - | - | 1 | 2 | 1 | 4 | 2 | 2 | 5 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 39 14 | - | - | 1 | 2 | 1 | 3 | 2 | - | 2 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| N868 | その他および詳細不明の腹腔内臓器の損傷 | 825 | - | 4 | 9 | 10 | 15 | 38 | 33 | 14 | 88 | 88 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | 677 148 | - | 1 | 4 | 6 | 10 | 21 | 19 | 12 | 78 | 80 | 8 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| N869 | 詳細不明または腹腔内臓器を含む胸腔内の損傷 | 821 | 1 | 7 | 15 | 17 | 15 | 55 | 26 | 14 | 71 | 107 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | 669 152 | 1 | 5 | 12 | 12 | 5 | 6 | 17 | 8 | 6 | 61 | 93 | 14 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (N870-N879) | 顔、頭および体幹の裂傷および開放創 | 641 | 5 | 3 | 7 | 3 | 6 | 24 | 11 | 6 | 67 | 72 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | (N870-N879) |
| | 男 M. 女 F. | 474 167 | 3 | 1 | 2 | 3 | 4 | 13 | 4 | 4 | 49 | 49 | 68 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N870 | 眼および眼窩の開放創 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N870 |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| N871 | 眼球の脱出 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N871 |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| N872 | 耳の開放創 | 1 | - | - | - | - | - | - | - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | N872 |
| | 男 M. 女 F. | 1 - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| N873 | その他および詳細不明の顔面裂傷 | 24 | - | - | - | - | - | - | - | - | - | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N873 |
| | 男 M. 女 F. | 17 7 | - | - | - | - | - | - | - | - | - | 3 | 1 | 5 | - | 2 | 1 | 2 | 1 | 2 | 2 | 2 | - | - | - | - | - | |
| N874 | 頸の開放創 | 364 | 3 | 2 | 4 | 2 | 2 | 13 | 5 | 3 | 40 | 36 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N874 |
| | 男 M. 女 F. | 272 92 | 2 | 1 | 1 | 2 | 2 | 2 | 9 | 2 | 29 | 34 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| N875 | 胸の開放創 | 45 | - | - | - | - | - | - | 1 | - | 4 | 5 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N875 |
| | 男 M. 女 F. | 35 10 | - | - | - | - | - | - | 1 | - | 4 | 4 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| N876 | 背の開放創 | 4 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N876 |
| | 男 M. 女 F. | 3 1 | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| N877 | 股の開放創 | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N877 |
| | 男 M. 女 F. | 1 - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| N878 | 性器の開放創(外傷性切断を含む) | 5 | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N878 |
| | 男 M. 女 F. | 4 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| N879 | 顔、頭および体幹の多発および詳細不明の... 開放創 | 197 | 2 | 1 | 3 | 1 | 4 | 11 | 3 | 3 | 22 | 25 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N879 |
| | 男 M. 女 F. | 142 55 | 1 | 1 | 3 | 1 | 2 | 4 | 1 | 2 | 16 | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| (N880-N888) | 上肢の裂傷および開放創 | 44 | - | - | 1 | - | 1 | 2 | - | 1 | 2 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | (N880-N888) | |
| | 男 M. 女 F. | 37 7 | - | - | 1 | - | 1 | 2 | - | 1 | 1 | 4 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |

性・年齢(5才階級)・死因(基本分類)別

昭和41年
1966

BY SEX AND AGE; FOR ALL JAPAN

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-----------|----------|----------|----------|----------|----------|----------|------------|----------|----------|----------|--------|--------|-------|-------|------|---------------|--|
| 17 17 | 13 12 | 9 1 | 11 10 | 6 6 | 3 2 | 6 5 | 8 6 | 3 2 | 4 3 | 7 5 | 3 2 | - | - | - | - | - | N866 |
| 5 4 | 2 1 | 3 1 | 1 1 | 4 3 | 6 5 | 2 1 | 5 4 | 4 3 | 3 2 | 2 1 | 1 1 | - | - | - | - | - | N867 |
| 102 93 | 76 70 | 72 64 | 55 49 | 47 38 | 51 42 | 47 37 | 35 26 | 24 17 | 27 17 | 14 10 | 9 5 | 5 2 | - | - | - | - | N868 |
| 72 63 | 86 74 | 93 83 | 60 52 | 48 39 | 47 39 | 48 36 | 40 32</ | | | | | | | | | | |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--------------------------------|-------------|-------------------|---|---|---|---|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---|---|------|-------------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | | | | | |
| N880 | 肩および上腕の開放創 | 11 | — | — | — | — | — | — | — | 1 | — | — | — | — | 2 | 1 | — | 1 | 4 | — | — | — | — | — | — | — | — | | | | | | |
| | 男 M. 女 F. | 9 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | | | | | | |
| N881 | 肘、前腕および手首の開放創(腱を除く)… | 20 | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | | | | | |
| | 男 M. 女 F. | 17 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | | | | |
| N882 | 手首の開放創(腱を含む)… | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | 男 M. 女 F. | 1 — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| N883 | 手の開放創(手指のみを除く)… | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| | 男 M. 女 F. | 2 — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| N884 | 手指の開放創… | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| | 男 M. 女 F. | — — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| N885 | 片側上肢の多発および詳細不明の開放創… | 4 | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | | |
| | 男 M. 女 F. | 3 1 | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | | |
| N886 | 手母指の外傷性切断… | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | 男 M. 女 F. | 1 — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| N887 | その他の手指の外傷性切断… | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | |
| | 男 M. 女 F. | 1 — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| N888 | 腕および手の外傷性切断… | 4 | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 3 1 | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| (N890-N898) | 下肢の裂傷および開放創… | 104 | — | — | — | 1 | — | — | 1 | 4 | 2 | 11 | 16 | — | — | — | — | 14 | 12 | 7 | 8 | 7 | 6 | 5 | 3 | 2 | — | — | 2 | — | — | (N890-N898) | |
| | 男 M. 女 F. | 86 18 | — | — | — | 1 | — | — | 1 | 3 | 2 | 8 | 3 | — | — | — | — | 13 | 12 | 7 | 4 | 3 | 4 | 1 | 2 | 1 | — | — | — | — | — | — | |
| N890 | 股および大腿の開放創… | 44 | — | — | — | — | — | — | — | 1 | — | 6 | 10 | — | — | — | — | 6 | 3 | 5 | 1 | 2 | 1 | 1 | — | — | 1 | — | — | — | — | N890 | |
| | 男 M. 女 F. | 36 8 | — | — | — | — | — | — | — | 1 | — | 4 | 2 | — | — | — | — | 5 | 3 | 5 | 1 | 2 | 1 | 1 | — | — | 1 | — | — | — | — | | |
| N891 | 膝、下腿および足首(腱を除く)の開放創… | 21 | — | — | — | — | — | — | — | 1 | — | 3 | 1 | — | — | — | — | 2 | 2 | 2 | 1 | — | 2 | 1 | — | — | 1 | — | — | — | — | N891 | |
| | 男 M. 女 F. | 17 4 | — | — | — | — | — | — | — | 1 | — | 3 | 1 | — | — | — | — | 2 | 2 | 2 | 1 | — | 2 | 1 | — | — | 1 | — | — | — | — | | |
| N892 | 足首(腱を含む)の開放創… | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N892 | | |
| N893 | 足の開放創(足指のみを除く)… | 4 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | N893 | |
| | 男 M. 女 F. | 4 — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | | | |
| N894 | 足指の開放創… | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | N894 | |
| | 男 M. 女 F. | 1 — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | | | |
| N895 | 片側下肢の多発および詳細不明の開放創… | 6 | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | N895 | | |
| | 男 M. 女 F. | 6 — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | | | | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966
| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------------------------|-------------|-------------------|---|---|---|---|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 |
| N896 | 足指の外傷性切断 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N897 | 足の外傷性切断 男 M. 女 F. | 2 | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N898 | 脚の外傷性切断 男 M. 女 F. | 26 | - | - | 1 | - | - | 1 | - | 1 | 1 | 1 | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (N900-N908) | 多箇所にわたる裂傷および開放創 男 M. 女 F. | 651 | 1 | 6 | 8 | 4 | 1 | 20 | 19 | 9 | 55 | 91 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | (N900-N908) |
| N900 | 両側上肢の多発開放創 男 M. 女 F. | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N901 | 両側下肢の多発開放創 男 M. 女 F. | 6 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N902 | 体肢の多発開放創 男 M. 女 F. | 13 | - | 1 | - | - | - | 1 | - | - | 3 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N903 | 両手の多発開放創 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N904 | 頭および体肢の多発開放創 男 M. 女 F. | 14 | - | - | - | - | - | - | - | 1 | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N905 | 頭および体幹の多発開放創 男 M. 女 F. | 13 | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N906 | 体幹および体肢の多発開放創 男 M. 女 F. | 53 | - | 1 | 2 | - | 1 | 4 | 1 | - | 5 | 12 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N907 | その他の部位を伴う頭の多発開放創 男 M. 女 F. | 12 | - | - | 1 | - | - | 1 | 1 | 1 | 1 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N908 | その他および部位不明の多発開放創 男 M. 女 F. | 539 | 1 | 4 | 5 | 4 | - | 14 | 15 | 8 | 45 | 72 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| (N910-N918) | 表在損傷 男 M. 女 F. | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | (N910-N918) |
| N910 | 顔および頸の表在損傷 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| N911 | 体幹の表在損傷 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N896 |
| - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | N897 |
| 4 | 4 | 2 | 2 | 1 | 3 | - | 2 | 1 | 1 | - | - | - | - | - | - | - | N898 |
| 91 | 78 | 50 | 31 | 31 | 37 | 30 | 27 | 26 | 20 | 18 | 13 | 4 | 1 | - | - | - | (N900-N908) |
| 71 | 56 | 35 | 20 | 25 | 28 | 22 | 13 | 17 | 11 | 11 | 4 | 2 | 1 | - | - | - | N900 |
| 20 | 22 | 15 | 11 | 6 | 9 | 8 | 9 | 9 | 9 | 7 | 9 | 2 | 2 | - | - | - | N901 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N902 |
| - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | N903 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N904 |
| - | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | N905 |
| - | - | - | - | 1 | 2 | 1 | 1 | 1 | 2 | 1 | - | - | - | - | - | - | N906 |
| - | - | - | - | 1 | 3 | 1 | 1 | 1 | 2 | 1 | - | - | - | - | - | - | N907 |
| - | - | - | - | 2 | 2 | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - | - | N908 |
| - | - | - | - | 2 | 2 | 1 | 1 | 1 | 2 | 1 | - | - | - | - | - | - | (N910-N918) |
| - | - | - | - | 2 | 2 | 1 | 1 | 1 | 2 | 1 | - | - | - | - | - | - | N910 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N911 |

52表(86-81)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|---------------------------------------|-------------------|-------------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|---------------|---------------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| N912 | 肩および上腕の表在損傷 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N913 | 肘、前腕および手首の表在損傷 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N914 | 手の表在損傷(手指のみを除く) 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N915 | 手指の表在損傷 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N916 | 股、大腿、下腿および足首の表在損傷 男 M. 女 F. | 2 2 | - | - | - | - | - | - | - | - | - | - | - |
| N917 | 足および足指の表在損傷 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N918 | その他、多発および部位不明の表在損傷 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| (N920-N929) | 挫傷および破碎(皮膚表面に損傷のないもの) 男 M. 女 F. | 406 262 144 | - | 2 2 - | 1 1 - | 3 2 1 | 1 1 - | 7 6 1 | 11 7 4 | 2 2 - | 18 15 3 | 34 28 6 | - |
| N920 | 顔および頸の挫傷(眼を除く) 男 M. 女 F. | 37 25 12 | - | - | - | - | - | - | 2 1 | 4 3 1 | 1 1 - | 1 1 - | - |
| N921 | 眼および眼窩の挫傷 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N922 | 体幹の挫傷 男 M. 女 F. | 184 119 65 | - | 1 1 - | - | 1 1 - | 1 1 - | 3 2 1 | 6 4 2 | 2 2 - | 8 8 - | 15 13 2 | - |
| N923 | 肩および上腕の挫傷 男 M. 女 F. | 2 1 1 | - | - | - | - | - | - | - | - | 1 1 - | - | - |
| N924 | 肘、前腕および手首の挫傷 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N925 | 手の挫傷(手指のみを除く) 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N926 | 手指の挫傷 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| N927 | 股、大腿、下腿および足首の挫傷 男 M. 女 F. | 22 10 12 | - | - | - | - | - | - | - | - | 1 1 - | - | - |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N912 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N913 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N914 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N915 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N916 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N917 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N918 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | (N920-N929) |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N920 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N921 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N922 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N923 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N924 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N925 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N926 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N927 |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|--------------------------------|--------------|-------------------|----------|----------|----------|----------|------------|----------|----------|----------|----------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| N928 | 足および足指の挫傷 | 1 | - | - | - | - | - | - | - | - | - | 1 | - |
| | 男 M. 女 F. | 1 - | - | - | - | - | - | - | - | - | - | 1 - | - |
| N929 | その他、多発および部位不明の挫傷 | 160 | - | 1 | 1 | 2 | - | 4 | 3 | - | 6 | 15 | - |
| | 男 M. 女 F. | 106 54 | - | 1 - | 1 - | 2 - | - | 4 - | 1 - | - | 2 - | 11 4 | - |
| (N930-N936) | 孔口への異物侵入 | 1 001 | 263 | 51 | 28 | 9 | 7 | 358 | 8 | 4 | 8 | 6 | - |
| | 男 M. 女 F. | 721 280 | 155 108 | 31 20 | 21 7 | 4 5 | 3 3 | 215 143 | 6 2 | 1 3 | 3 5 | 5 1 | - |
| N930 | 眼および附属器の異物 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| N931 | 耳の異物 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| N932 | 鼻の異物 | 1 | 1 | - | - | - | - | 1 1 | - | - | - | - | - |
| | 男 M. 女 F. | 1 - | 1 - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| N933 | 咽頭および喉頭の異物 | 683 | 177 | 21 | 14 | 5 | 4 | 221 | 4 | 3 | 4 | 4 | - |
| | 男 M. 女 F. | 500 183 | 106 71 | 14 7 | 10 4 | 2 3 | 2 2 | 134 87 | 2 2 | 1 2 | 2 2 | 3 1 | - |
| N934 | 気管支および肺の異物 | 304 | 83 | 28 | 12 | 4 | 2 | 129 | 4 | 1 | 4 | 2 | - |
| | 男 M. 女 F. | 209 95 | 46 37 | 17 11 | 10 3 | 2 2 | 1 1 | 75 54 | 4 - | 1 3 | 1 3 | 2 - | - |
| N935 | 消化管の異物 | 13 | 2 | 2 | 2 | - | 1 | 7 | - | - | - | - | - |
| | 男 M. 女 F. | 11 2 | 2 - | 2 - | 2 - | - | 1 - | 5 2 | - | - | - | - | - |
| N936 | 性尿器路の異物 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| (N940-N949) | 熱傷 | 2 213 | 107 | 103 | 65 | 50 | 29 | 354 | 85 | 49 | 85 | 90 | - |
| | 男 M. 女 F. | 1 272 941 | 58 49 | 58 45 | 33 32 | 30 20 | 19 10 | 198 156 | 49 36 | 20 29 | 63 22 | 64 26 | - |
| N940 | 眼の熱傷 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| N941 | 顔、頭および頸の熱傷 | 15 | 5 | - | - | - | - | 5 | - | - | 1 | 1 | - |
| | 男 M. 女 F. | 10 5 | 2 3 | - - | - - | - - | - - | 2 3 | - | - | 2 1 | 2 1 | - |
| N942 | 体幹の熱傷 | 26 | 3 | 1 | - | 1 | - | 5 | 1 | - | - | - | - |
| | 男 M. 女 F. | 15 11 | 3 - | 1 - | - | 1 - | - | 4 1 | 1 - | - | 2 - | 4 - | - |
| N943 | 上肢の熱傷(手首および手を除く) | 10 | 1 | - | - | - | - | 1 | 1 | - | - | 2 1 | - |
| | 男 M. 女 F. | 6 4 | - 1 | - - | - - | - - | - - | 1 1 | 1 1 | - | 2 1 | 2 1 | - |
| N944 | 手首および手の熱傷 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|----------------|----------------|----------------|----------------|----------------|----------------|-----------------|------------------|------------------|------------------|-------------------|-----------------|----------------|--------------|-------------|---------|---------------|--|
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N928 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N929 |
| 4 4 | 12 11 | 11 11 | 10 7 | 6 4 | 13 9 | 11 7 | 10 5 | 11 5 | 14 6 | 10 6 | 11 5 | 6 4 | 3 3 | - | - | - | (N930-N936) |
| 10 9 1 | 11 11 | 9 7 | 15 10 | 12 9 | 34 28 | 49 44 | 57 50 | 99 84 | 89 75 | 102 81 | 78 63 | 38 26 | 11 13 | 7 18 | 4 13 | 3 4 | - |
| 9 8 1 | 6 6 | 4 3 | 10 8 | 7 6 | 27 21 | 36 33 | 42 37 | 73 5 | 64 18 | 57 16 | 57 15 | 28 11 | 8 2 | 1 1 | 1 2 | - | N933 |
| 1 1 | 5 5 | 4 3 | 5 2 | 5 3 | 6 2 | 13 11 | 15 13 | 24 2 | 24 7 | 27 8 | 21 5 | 10 8 | 3 2 | 1 1 | 1 2 | - | N934 |
| - | - | - | 1 1 | - | - | 1 1 | - | - | 2 2 | 1 1 | - | - | - | - | 1 1 | - | N935 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N936 |
| 96 76 20 | 87 59 28 | 98 64 34 | 64 43 21 | 61 42 19 | 54 31 23 | 105 72 49 | 121 104 49 | 171 104 67 | 208 112 96 | 226 107 119 | 170 77 93 | 74 23 51 | 11 3 8 | 4 2 2 | - | (N940-N949) | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N940 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N941 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N942 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N943 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N944 |

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢(5才階級)・死因(基本分類)別

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|---------------------------------------|---------------------|-------------------|----------------|----------------|---------------|---------------|------------------|----------------|----------------|----------------|----------------|--|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| N945 | 下肢の熱傷 男 M. 女 F. | 65 35 30 | 11 8 3 | 1 1 1 | 2 1 1 | — — — | 1 1 4 | 15 11 4 | 1 1 1 | — — — | — — — | 1 1 1 | |
| N946 | 体肢とともに顔、頭および頸におよぶ熱傷 男 M. 女 F. | 43 27 16 | 4 1 3 | 7 6 1 | — — — | — — — | — — 4 | 11 7 — | — 1 — | 1 1 — | — — — | 1 1 1 | |
| N947 | 体幹および体肢におよぶ熱傷 男 M. 女 F. | 326 158 168 | 19 7 12 | 19 10 9 | 11 6 5 | 5 2 3 | 7 3 4 | 61 28 33 | 13 9 4 | 1 1 1 | 5 4 1 | 4 3 1 | |
| N948 | 顔、頭、頸、体幹および体肢におよぶ熱傷 男 M. 女 F. | 1 554 918 636 | 54 30 24 | 62 23 27 | 49 23 15 | 38 14 4 | 18 12 9 | 221 125 96 | 65 36 29 | 45 18 27 | 77 57 20 | 79 58 21 | |
| N949 | その他および部位不明の熱傷 男 M. 女 F. | 174 103 71 | 10 7 3 | 13 6 7 | 3 3 2 | 6 4 2 | 3 1 2 | 35 21 14 | 4 3 1 | 2 1 1 | 3 2 1 | 4 3 1 | |
| (N950-N959) | 骨の損傷を伴わない神経および脊髄の損傷 男 M. 女 F. | 358 322 36 | — — — | — — — | — — — | — — — | — — — | 2 2 — | 1 1 — | 11 10 1 | 22 21 1 | | |
| N950 | 視神経損傷 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| N951 | その他の脳神経損傷 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| N952 | 上腕の神経損傷 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| N953 | 前腕の神経損傷 男 M. 女 F. | 1 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| N954 | 手首および手の神経損傷 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| N955 | 大腿の神経損傷 男 M. 女 F. | 1 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| N956 | 下腿の神経損傷 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| N957 | 足首および足の神経損傷 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| N958 | 脊椎骨損傷の形跡のない脊髄損傷 男 M. 女 F. | 355 320 35 | — — — | — — — | — — — | — — — | — — — | 2 2 — | 1 1 — | 11 10 1 | 22 21 1 | | |
| N959 | その他の神経損傷(数箇所の神経損傷を含む) 男 M. 女 F. | 1 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|---------------|--|
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N945 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N946 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N947 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N948 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N949 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | (N950-N959) |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N950 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N951 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N952 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N953 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N954 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N955 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N956 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N957 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N958 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | N959 |

52 表 (86—84)

第52表 死亡者数,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本 分類番号 International detailed list number | 死因性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|--|-------------------------------|-------------|----------------------|----|----|----|----|-----|-----|-------|-------|-----|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~ | |
| (N960-N979) | 毒物の作用..... | 6 038 | 47 | 41 | 38 | 24 | 19 | 169 | 73 | 47 | 487 | 94 | 9 |
| | 男 M. | 3 200 | 30 | 27 | 28 | 12 | 14 | 111 | 44 | 26 | 220 | 45 | 4 |
| | 女 F. | 2 838 | 17 | 14 | 10 | 12 | 5 | 58 | 29 | 21 | 267 | 5 | 5 |
| N960 | 有毒食物による中毒..... | 109 | - | - | - | - | 1 | 1 | 1 | - | - | 2 | |
| | 男 M. | 86 | - | - | - | - | 1 | 1 | - | - | - | 1 | |
| | 女 F. | 23 | - | - | - | - | - | - | 1 | - | - | 1 | |
| N961 | アルコール中毒..... | 17 | - | - | - | - | - | - | - | - | - | 1 | |
| | 男 M. | 13 | - | - | - | - | - | - | - | - | - | 1 | |
| | 女 F. | 4 | - | - | - | - | - | - | - | - | - | - | |
| N962 | 石油製品による中毒..... | 8 | - | 1 | - | - | - | - | 1 | - | - | 1 | |
| | 男 M. | 4 | - | - | - | - | - | - | 1 | - | - | 1 | |
| | 女 F. | 4 | - | 1 | - | - | - | - | - | - | - | - | |
| N963 | 工業溶媒による中毒..... | 7 | - | - | - | - | - | - | - | - | - | 1 | |
| | 男 M. | 7 | - | - | - | - | - | - | - | - | - | 2 | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| N964 | 腐食性化合物、酸およびカセイアルカリによる中毒..... | 170 | - | 3 | 2 | 1 | - | 6 | - | - | - | 11 | |
| | 男 M. | 71 | - | 3 | - | 1 | - | 4 | - | - | - | 5 | |
| | 女 F. | 99 | - | - | 2 | - | - | 2 | - | - | - | 6 | |
| N965 | 水銀およびその化合物による中毒..... | 23 | - | - | - | - | - | - | - | - | - | 1 | |
| | 男 M. | 13 | - | - | - | - | - | - | - | - | - | 1 | |
| | 女 F. | 10 | - | - | - | - | - | - | - | - | - | - | |
| N966 | 鉛およびその化合物による中毒..... | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| N967 | ヒ素、アンチモンおよびその化合物による中毒..... | 9 | - | - | - | - | - | - | - | - | - | 2 | |
| | 男 M. | 4 | - | - | - | - | - | - | - | - | - | 1 | |
| | 女 F. | 5 | - | - | - | - | - | - | - | - | - | 1 | |
| N968 | 一酸化炭素中毒..... | 2 091 | 35 | 14 | 20 | 15 | 14 | 98 | 55 | 32 | 151 | 32 | |
| | 男 M. | 988 | 20 | 9 | 15 | 8 | 11 | 63 | 34 | 16 | 67 | 11 | |
| | 女 F. | 1 103 | 15 | 5 | 5 | 7 | 3 | 35 | 21 | 16 | 84 | 20 | |
| N969 | その他のガスおよび蒸気による中毒..... | 107 | - | 2 | - | - | 1 | 3 | 1 | 3 | 10 | 9 | |
| | 男 M. | 89 | - | 1 | - | - | 1 | 1 | 1 | 1 | 9 | 1 | |
| | 女 F. | 18 | - | 1 | - | - | 2 | - | 2 | 2 | 1 | 1 | |
| N970 | モルヒネおよびその他のアヘン誘導体による中毒..... | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| N971 | バルビツール酸およびその誘導体による中毒..... | 71 | - | - | 1 | - | - | 1 | 1 | 1 | - | 12 | |
| | 男 M. | 41 | - | - | - | - | - | - | 1 | 1 | - | 5 | |
| | 女 F. | 30 | - | - | 1 | - | - | - | 1 | - | - | 7 | |
| N972 | アスピリンおよびサリチル酸化合物による中毒..... | 10 | 1 | 2 | - | - | - | 3 | - | - | - | 1 | |
| | 男 M. | 7 | 1 | 1 | - | - | - | 2 | - | - | - | 1 | |
| | 女 F. | 3 | - | 1 | - | - | - | 1 | - | - | - | - | |
| N973 | 臭化物による中毒..... | 568 | 1 | - | 1 | - | - | 1 | 3 | 3 | 1 | 54 | |
| | 男 M. | 305 | 1 | - | 1 | - | - | 1 | 3 | 1 | 1 | 20 | |
| | 女 F. | 263 | - | - | - | - | - | - | 2 | - | - | 34 | |
| N974 | その他の鎮痛薬および催眠薬による中毒..... | 844 | 1 | 2 | 5 | - | - | 8 | 3 | - | 104 | 22 | |
| | 男 M. | 458 | 1 | 1 | 5 | - | - | 7 | 1 | - | 48 | 12 | |
| | 女 F. | 386 | - | 1 | - | - | - | 1 | 2 | - | 56 | 10 | |

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

52表 (86-85)

第52表 死亡者数

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因数 | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|---------------------|-------------------|---------------|-------------|-------------|-------------|----------------|-------------|--------------|-----------------|-------------------|-------------------|------------------|------------------|-----------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|---------------|-------------|-------------|-------|-------|-------------|------|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | |
| N975 | スルホンアミド薬による中毒 男 M. 女 F. | 22 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| N976 | ストリキニーネによる中毒 男 M. 女 F. | 22 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| N977 | ペラドンナ、ヒヨスチンおよびアトロビンによる中毒 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| N978 | 有毒動物による中毒 男 M. 女 F. | 39 | - | - | - | - | - | - | - | 2 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | |
| N979 | その他および詳細不明の物質による中毒 男 M. 女 F. | 1961 1082 879 | 9 7 2 | 17 12 5 | 9 7 2 | 8 3 5 | 2 1 1 | 45 30 15 | 7 4 3 | 10 7 3 | 135 60 75 | 256 112 144 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| (N980-N989) | 天候、不良環境などの作用 男 M. 女 F. | 679 524 155 | 12 2 10 | 1 1 1 | 1 1 1 | 2 1 1 | - 1 - | 16 4 12 | 8 8 - | 3 2 1 | 36 32 4 | 62 52 10 | 293 170 123 | 218 126 92 | 192 118 74 | 139 65 43 | 106 63 63 | 123 60 39 | 106 67 33 | 94 58 36 | 63 36 27 | 41 25 16 | 20 6 14 | 8 3 5 | - | - | - | (N980-N989) | |
| N980 | 低温の作用 男 M. 女 F. | 517 422 95 | 2 2 2 | - - - | 1 1 1 | 1 1 1 | - - - | 4 1 3 | 4 4 - | 2 2 - | 22 19 3 | 55 46 9 | 37 31 6 | 26 23 3 | 42 39 3 | 40 36 4 | 34 32 2 | 40 32 8 | 42 32 10 | 47 32 8 | 30 21 9 | 26 16 10 | 22 14 8 | 4 2 2 | - | - | N980 | | |
| N981 | 熱および日射の作用 男 M. 女 F. | 82 42 40 | 10 2 8 | 1 1 1 | - - - | - - - | - - - | 11 9 | 3 3 - | - - - | 4 3 1 | 3 3 - | 4 3 1 | 2 2 - | 1 1 - | 5 4 1 | 8 4 1 | 3 2 1 | 3 3 1 | 3 2 2 | 7 2 5 | 10 3 7 | 7 2 5 | 3 1 3 | - | - | N981 | | |
| N982 | 高所の作用 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | N982 | | |
| N983 | 潜歎病 男 M. 女 F. | 3 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 1 | - | - | - | - | - | - | - | - | - | N983 | |
| N984 | 雷撃の作用 男 M. 女 F. | 28 19 9 | - | - | - | - | - | - | 1 1 1 | 1 1 1 | 6 6 - | - | - | - | - | 3 2 1 | 7 1 6 | 2 2 - | 3 2 1 | 3 2 1 | 1 1 - | 1 1 - | 1 1 - | - | - | - | - | - | N984 |
| N985 | 飢餓 男 M. 女 F. | 39 32 7 | - | - | - | 1 1 | - | 1 1 | - | - | 3 3 | 3 2 1 | - | 2 2 - | 2 2 - | 3 2 1 | 1 1 - | 4 3 1 | 3 2 1 | 3 2 1 | 4 3 1 | 1 1 - | 5 4 1 | 3 2 1 | 1 1 - | - | - | N985 | |
| N986 | 渴 男 M. 女 F. | 2 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 1 | - | - | - | - | - | - | - | - | - | - | N986 | |
| N987 | その他の不良環境曝露(他の項に分類されないもの) 男 M. 女 F. | 3 - 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 2 | - | 1 1 | - | - | - | - | - | N987 | |
| N988 | 過労 男 M. 女 F. | 4 4 - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 1 | - | - | - | - | - | - | - | - | - | - | N988 | |
| N989 | 動搖病 男 M. 女 F. | 1 1 - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 1 | - | - | - | - | - | - | - | - | - | - | N989 | |

性・年齢(5才階級)・死因(基本分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 不詳 Unknown | 国際基本分類番号 International detailed list number |
|--|---------------|--|
| - | - | N975 |
| - | - | N976 |
| - | - | N977 |
| - | - | N978 |
| - | - | N979 |
| - | - | (N980-N989) |
| - | - | N980 |
| - | - | N981 |
| - | - | N982 |
| - | - | N983 |
| - | - | N984 |
| - | - | N985 |
| - | - | N986 |
| - | - | N987 |
| - | - | N988 |
| - | - | N989 |

第52表 死亡者數,

TABLE 52 DEATHS FROM CAUSES (DETAILED LIST)

性・年齢（5才階級）・死因（基本分類）別

BY SEX AND AGE; FOR ALL JAPAN

| 国際簡単 分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因別死者数 Age別死因別死者数 | | | | | | | | | |
|---|--------------------------------|--------------------|----------------------|-------------------------|--------------|------------|------------|------------------|----------------|----------------|----------------|------------|--|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~ | |
| | 总数 Total | 670 342 | 26 217 | 3 388 | 2 065 | 1 574 | 1 341 | 34 585 | 4 429 | 3 402 | 8 148 | 9 8 | |
| | 男 M. 女 F. | 363 356 306 986 | 15 024 11 193 | 1 843 1 545 | 1 188 877 | 926 648 | 795 546 | 19 776 14 809 | 2 784 1 645 | 2 059 1 343 | 5 566 3 582 | 6 3 3 5 | |
| B1 | 呼吸器系の結核 | 18 896 | 10 | 10 | 4 | — | 5 | 29 | 6 | 16 | 77 | 1 | |
| | 男 M. 女 F. | 12 642 6 254 | 8 | 6 | 1 | — | 4 | 19 | 6 | 6 | 36 | 1 | |
| B2 | その他の結核 | 1 168 | 22 | 27 | 11 | 8 | 7 | 75 | 20 | 23 | 52 | | |
| | 男 M. 女 F. | 562 606 | 13 9 | 15 12 | 5 6 | 5 3 | 5 2 | 43 32 | 14 6 | 10 13 | 28 24 | | |
| B3 | 梅毒およびその続発症 | 1 388 | 13 | 1 | — | — | — | 14 | — | 2 | 2 | | |
| | 男 M. 女 F. | 986 402 | 11 2 | 1 | — | — | — | 12 2 | — | — | 1 1 | | |
| B4 | 腸チフス | 13 | — | — | — | — | — | — | — | 1 | — | | |
| | 男 M. 女 F. | 6 7 | — | — | — | — | — | — | — | — | — | | |
| B5 | コレラ | — | — | — | — | — | — | — | — | — | — | | |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | | |
| B6 | 赤痢 | 265 | 21 | 15 | 22 | 28 | 25 | 111 | 50 | 13 | 3 | | |
| | 男 M. 女 F. | 115 150 | 9 12 | 4 11 | 12 10 | 14 14 | 10 15 | 49 62 | 23 27 | 7 6 | 1 2 | | |
| B6.a | 細菌性赤痢、疫病症状を呈するもの | 140 | 18 | 15 | 21 | 23 | 19 | 96 | 36 | 7 | — | | |
| | 男 M. 女 F. | 62 78 | 6 12 | 4 11 | 11 10 | 13 10 | 7 12 | 41 55 | 16 20 | 4 3 | — — | | |
| B6.b | 細菌性赤痢(その他) | 124 | 3 | — | 1 | 5 | 6 | 15 | 14 | 6 | 3 | | |
| | 男 M. 女 F. | 53 71 | 3 — | — — | 1 — | 1 4 | 3 3 | 8 7 | 7 7 | 3 3 | 1 2 | | |
| B6.c | アメーバ症 | 1 | — | — | — | — | — | — | — | — | — | | |
| | 男 M. 女 F. | — 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — | | |
| B6.d | その他の原虫性および詳細不明の赤痢 | — | — | — | — | — | — | — | — | — | — | | |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | | |
| B7 | 猩紅熱およびレンサ球菌性口炎 | 15 | — | — | — | — | — | — | — | 3 | 1 | | |
| | 男 M. 女 F. | 4 11 | — — | — — | — — | — — | — — | — — | — — | — 3 | — 1 | | |
| B7.a | 猩紅熱 | 15 | — | — | — | — | — | — | — | 3 | 1 | | |
| | 男 M. 女 F. | 4 11 | — — | — — | — — | — — | — — | — — | — — | — 3 | — 1 | | |
| B7.b | レンサ球菌性口炎 | — | — | — | — | — | — | — | — | — | — | | |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | | |
| B8 | ジフテリア | 22 | 2 | 6 | 3 | — | — | 11 | 2 | 2 | 1 | | |
| | 男 M. 女 F. | 10 12 | 2 — | 3 3 | 3 — | — — | — — | 8 3 | — 2 | — 2 | — 1 | | |
| B9 | 百日咳 | 15 | 9 | 3 | 1 | — | 1 | 14 | 1 | — | — | | |
| | 男 M. 女 F. | 11 4 | 7 2 | 2 1 | 1 | — — | 1 | 11 2 | — 1 | — 1 | — 1 | | |

性・年齢（5才階級）・死因（簡単分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

Note: Special tabulation that table 53 is more enumerated by prefecture - seven largest cities (secondary mention) is prepared otherwise, so it is not presented in this annual report.

53 表 (7-2)

第53表 死亡者數,

TABLE 53 DEATHS FROM CAUSES (ABBREVIATED LIST)

性・年齢（5才階級）・死因（簡単分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

53 表 (7-3)

第53表 死亡者數,

TABLE 53 DEATHS FROM CAUSES (ABBREVIATED LIST)

性・年齢（5才階級）・死因（簡単分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

53表(7-4)

第53表 死亡者数

TABLE 53 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|---|--------------------------------|-------------|-------------------|-----|-----|-----|----|-------|-----|-------|-------|-------|--|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| B21 | 貧血 | 1 373 | 21 | 9 | 5 | 3 | 6 | 44 | 26 | 59 | 66 | 48 | |
| | 男 M. | 616 | 14 | 3 | 4 | 1 | 3 | 25 | 13 | 31 | 28 | 23 | |
| | 女 F. | 757 | 7 | 6 | 1 | 2 | 3 | 19 | 13 | 28 | 38 | 25 | |
| B22 | 中枢神経系の血管損傷 | 172 186 | 57 | 12 | 17 | 3 | 4 | 93 | 25 | 48 | 121 | 165 | |
| | 男 M. | 92 066 | 29 | 7 | 8 | 2 | 3 | 49 | 16 | 31 | 72 | 80 | |
| | 女 F. | 80 120 | 28 | 5 | 9 | 1 | 1 | 44 | 9 | 17 | 49 | 85 | |
| B23 | 髓膜炎(髓膜炎菌性および結核性を除く) | 814 | 157 | 47 | 22 | 12 | 14 | 252 | 39 | 37 | 45 | 41 | |
| | 男 M. | 432 | 86 | 25 | 7 | 8 | 8 | 134 | 16 | 16 | 27 | 22 | |
| | 女 F. | 382 | 71 | 22 | 15 | 4 | 6 | 118 | 23 | 21 | 18 | 19 | |
| B24 | リューマチ熱 | 592 | 3 | 1 | 1 | 1 | 2 | 8 | 20 | 44 | 28 | 36 | |
| | 男 M. | 208 | 2 | 1 | — | 1 | — | 3 | 10 | 15 | 13 | 11 | |
| | 女 F. | 384 | 1 | — | — | 1 | 2 | 5 | 10 | 29 | 15 | 25 | |
| B25 | 慢性リューマチ性心臓疾患 | 4 606 | — | — | 1 | 1 | — | 2 | 8 | 43 | 95 | 92 | |
| | 男 M. | 1 617 | — | — | 1 | 1 | — | 2 | 7 | 20 | 42 | 38 | |
| | 女 F. | 2 989 | — | — | — | — | — | — | 1 | 23 | 53 | 54 | |
| B26 | 動脈硬化性および変性性心臓疾患 | 55 102 | 194 | 29 | 15 | 14 | 5 | 257 | 42 | 80 | 228 | 318 | |
| | 男 M. | 28 970 | 105 | 14 | 7 | 5 | 1 | 132 | 22 | 39 | 138 | 173 | |
| | 女 F. | 26 132 | 89 | 15 | 8 | 9 | 4 | 125 | 20 | 41 | 90 | 145 | |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 28 016 | 2 | — | — | — | — | 2 | — | 13 | 41 | 72 | |
| | 男 M. | 16 663 | 1 | — | — | — | — | 1 | — | 6 | 26 | 46 | |
| | 女 F. | 11 353 | 1 | — | — | — | — | 1 | — | 7 | 15 | 26 | |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | 6 509 | 2 | 7 | 2 | 3 | 3 | 17 | 18 | 30 | 94 | 103 | |
| | 男 M. | 2 651 | — | 2 | 1 | — | 3 | 3 | 9 | 12 | 54 | 41 | |
| | 女 F. | 3 858 | 2 | 5 | 2 | 2 | 3 | 14 | 9 | 18 | 40 | 62 | |
| B26.c | その他の心筋変性 | 20 577 | 190 | 22 | 13 | 11 | 2 | 238 | 24 | 37 | 93 | 143 | |
| | 男 M. | 9 656 | 104 | 12 | 7 | 4 | 1 | 128 | 13 | 21 | 58 | 86 | |
| | 女 F. | 10 921 | 86 | 10 | 6 | 7 | 1 | 110 | 11 | 16 | 35 | 57 | |
| B27 | その他の心臓疾患 | 11 480 | 34 | 5 | 3 | 3 | 1 | 46 | 19 | 25 | 70 | 74 | |
| | 男 M. | 6 020 | 15 | 3 | 1 | — | 1 | 20 | 9 | 16 | 45 | 45 | |
| | 女 F. | 5 460 | 19 | 2 | 2 | 3 | — | 26 | 10 | 9 | 25 | 29 | |
| B28 | 高血圧性心臓疾患 | 10 626 | — | — | — | — | — | — | — | 2 | 13 | 9 | |
| | 男 M. | 5 106 | — | — | — | — | — | — | — | 1 | 9 | 4 | |
| | 女 F. | 5 520 | — | — | — | — | — | — | — | 1 | 4 | 4 | |
| B29 | その他の高血圧性疾患 | 7 779 | — | — | — | — | — | — | — | 15 | 27 | — | |
| | 男 M. | 3 706 | — | — | — | — | — | — | — | 11 | 17 | — | |
| | 女 F. | 4 073 | — | — | — | — | — | — | — | 4 | 10 | — | |
| B30 | インフルエンザ | 383 | 47 | 7 | 4 | 5 | — | 63 | 5 | 4 | 4 | 4 | |
| | 男 M. | 199 | 26 | 4 | 2 | 2 | — | 34 | 2 | 2 | 1 | 1 | |
| | 女 F. | 184 | 21 | 3 | 2 | 3 | — | 29 | 3 | 2 | 3 | 1 | |
| B31 | 肺炎(新生児肺炎を除く) | 21 140 | 2 898 | 469 | 215 | 106 | 91 | 3 779 | 260 | 141 | 208 | 165 | |
| | 男 M. | 11 343 | 1 640 | 245 | 116 | 50 | 48 | 2 099 | 146 | 82 | 112 | 80 | |
| | 女 F. | 9 797 | 1 258 | 224 | 99 | 56 | 43 | 1 680 | 114 | 59 | 96 | 85 | |
| B32 | 気管支炎 | 5 288 | 257 | 37 | 21 | 17 | 10 | 342 | 37 | 15 | 27 | 16 | |
| | 男 M. | 2 728 | 149 | 19 | 11 | 9 | 3 | 191 | 18 | 5 | 16 | 12 | |
| | 女 F. | 2 560 | 108 | 18 | 10 | 8 | 7 | 151 | 19 | 10 | 11 | 4 | |
| B33 | 胃および十二指腸の潰瘍 | 8 816 | 26 | 1 | 2 | — | — | 29 | 8 | 7 | 33 | 62 | |
| | 男 M. | 6 151 | 17 | 1 | 1 | — | — | 18 | 4 | 3 | 28 | 47 | |
| | 女 F. | 2 665 | 9 | 1 | 1 | — | — | 11 | 4 | 4 | 5 | 15 | |

性・年齢(5才階級)・死因(簡単分類)別

BY SEX AND AGE; FOR ALL JAPAN

昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際簡単分類番号 International abbreviated list number |
|--------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|-------|-------|-------|------|---------------|---|
| 54 | 50 | 54 | 63 | 60 | 92 | 117 | 130 | 182 | 133 | 112 | 62 | 15 | 6 | — | — | B21 | |
| 27 | 27 | 20 | 21 | 15 | 24 | 56 | 65 | 92 | 56 | 61 | 27 | 9 | 3 | — | — | — | |
| 27 | 30 | 34 | 42 | 45 | 68 | 61 | 65 | 90 | 77 | 35 | 6 | 3 | — | — | — | — | |
| 273 | 638 | 1 327 | 2 305 | 3 733 | 7 246 | 12 319 | 18 670 | 26 929 | 32 698 | 32 273 | 21 370 | 9 602 | 2 086 | 249 | 13 | 3 | B22 |
| 169 | 446 | 957 | 1 532 | 2 164 | 4 271 | 7 700 | 11 691 | 16 016 | 18 166 | 15 760 | 8 865 | 3 399 | 615 | 61 | 10 | — | — |
| 104 | 192 | 370 | 773 | 1 569 | 2 975 | 4 619 | 10 913 | 14 532 | 16 513 | 12 505 | 1 471 | 1 471 | 188 | 10 | — | — | — |
| 47 | 42 | 39 | 30 | 46 | 40 | 38 | 35 | 24 | 22 | 23 | 10 | 4 | — | — | — | — | |
| 24 | 21 | 24 | 21 | 16 | 27 | 18 | 22 | 12 | 13 | 1 | — | — | — | — | — | — | |
| 23 | 21 | 15 | 9 | 30 | 13 | 20 | 13 | 6 | 10 | 9 | 4 | — | — | — | — | — | |
| 13 | 22 | 22 | 29 | 22 | 30 | 38 | 47 | 65 | 48 | 55 | 48 | 14 | 3 | — | — | — | |
| 3 | 7 | 8 | 7 | 11 | 7 | 16 | 17 | 24 | 29 | 33 | 9 | 3 | — | — | — | — | |
| 10 | 15 | 14 | 22 | 11 | 23 | 22 | 30 | 41 | 29 | 33 | 38 | 9 | 3 | — | — | — | |
| 130 | 177 | 217 | 248 | 269 | 306 | 377 | 418 | 537 | 570 | 532 | 369 | 165 | 49 | 2 | — | — | |
| 43</td | | | | | | | | | | | | | | | | | |

53 表 (7—5)

第53表 死亡者數,

TABLE 53 DEATHS FROM CAUSES (DETAILED LIST)

| 国際簡単分類番号 International detailed list number | 死因性 Cause of death and sex | 総数 Total | 0才 Year of age | 年齢別死因別死者数 | | | | | | | | |
|--|-------------------------------|-------------|-------------------|-----------|-----|----|----|-------|-----|-------|-------|-----|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~ |
| B34 | 虫垂炎 | 707 | — | 2 | 1 | 7 | 4 | 14 | 27 | 28 | 52 | — |
| | 男 M. | 382 | — | 1 | — | 4 | 2 | 7 | 16 | 18 | 33 | — |
| | 女 F. | 325 | — | 1 | 1 | 3 | 2 | 7 | 11 | 10 | 19 | — |
| B35 | 腸閉塞およびヘルニア | 3 496 | 445 | 75 | 15 | 17 | 7 | 559 | 28 | 30 | 38 | — |
| | 男 M. | 1 934 | 284 | 55 | 10 | 10 | 5 | 364 | 14 | 19 | 26 | — |
| | 女 F. | 1 562 | 161 | 20 | 5 | 7 | 2 | 195 | 14 | 11 | 12 | — |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) | 11 023 | 1 302 | 259 | 62 | 55 | 38 | 1 716 | 94 | 40 | 61 | — |
| | 男 M. | 4 617 | 770 | 143 | 31 | 23 | 16 | 983 | 43 | 24 | 32 | — |
| | 女 F. | 6 406 | 532 | 116 | 31 | 32 | 22 | 733 | 51 | 16 | 29 | — |
| B36.a | 胃炎および十二指腸炎 | 2 706 | 2 | 2 | 1 | — | — | 5 | 1 | 2 | 11 | — |
| | 男 M. | 1 083 | 1 | 1 | 1 | — | — | 3 | 1 | 2 | 9 | — |
| | 女 F. | 1 623 | 1 | 1 | — | — | — | 2 | — | — | 2 | — |
| B36.b | 胃腸炎、腸炎および大腸炎 | 8 317 | 1 300 | 257 | 61 | 55 | 38 | 1 711 | 93 | 38 | 50 | — |
| | 男 M. | 3 534 | 769 | 142 | 30 | 23 | 16 | 980 | 42 | 22 | 23 | — |
| | 女 F. | 4 783 | 531 | 115 | 31 | 32 | 22 | 731 | 51 | 16 | 27 | — |
| B37 | 肝硬変 | 10 059 | 13 | 2 | 2 | 1 | 1 | 19 | 12 | 7 | 18 | 4 |
| | 男 M. | 6 739 | 9 | 1 | — | 1 | 1 | 12 | 3 | 5 | 13 | 2 |
| | 女 F. | 3 320 | 4 | 1 | 2 | — | — | 7 | 9 | 2 | 5 | 1 |
| B38 | 腎炎およびネフローゼ | 10 360 | 10 | 6 | 22 | 26 | 14 | 78 | 112 | 180 | 400 | 53 |
| | 男 M. | 5 362 | 4 | 4 | 14 | 19 | 10 | 51 | 74 | 89 | 248 | 30 |
| | 女 F. | 4 998 | 6 | 2 | 8 | 7 | 4 | 27 | 38 | 91 | 152 | 23 |
| B38.a | 急性腎炎およびネフローゼ | 2 370 | 9 | 6 | 18 | 21 | 10 | 64 | 88 | 114 | 171 | 14 |
| | 男 M. | 1 245 | 4 | 4 | 13 | 14 | 7 | 42 | 60 | 53 | 107 | 7 |
| | 女 F. | 1 125 | 5 | 2 | 5 | 7 | 3 | 22 | 28 | 61 | 64 | 6 |
| B38.b | その他 | 7 990 | 1 | — | 4 | 5 | 4 | 14 | 24 | 66 | 229 | 39 |
| | 男 M. | 4 117 | — | — | 1 | 5 | 3 | 9 | 14 | 36 | 141 | 22 |
| | 女 F. | 3 873 | 1 | — | 3 | — | 1 | 5 | 10 | 30 | 88 | 16 |
| B39 | 前立腺肥大症 | 635 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. | 635 | — | — | — | — | — | — | — | — | — | — |
| | 女 F. | • | • | • | • | • | • | • | • | • | • | • |
| B40 | 妊娠、分娩および産褥の合併症 | 1 266 | — | — | — | — | — | — | — | — | — | 14 |
| | 男 M. | • | • | • | • | • | • | • | • | • | • | 188 |
| | 女 F. | 1 266 | — | — | — | — | — | — | — | — | — | 14 |
| B41 | 先天奇形 | 4 687 | 3 082 | 297 | 124 | 61 | 64 | 3 628 | 250 | 198 | 159 | 86 |
| | 男 M. | 2 575 | 1 770 | 150 | 66 | 40 | 35 | 2 061 | 129 | 93 | 84 | 35 |
| | 女 F. | 2 112 | 1 312 | 147 | 58 | 21 | 29 | 1 567 | 121 | 105 | 75 | 51 |
| B42 | 出生時の損傷、分娩後窒息および肺不全拡張 | 2 747 | 2 747 | • | • | • | • | 2 747 | • | • | • | • |
| | 男 M. | 1 668 | 1 668 | • | • | • | • | 1 668 | • | • | • | • |
| | 女 F. | 1 079 | 1 079 | • | • | • | • | 1 079 | • | • | • | • |
| B43 | 新生児の感染 | 1 751 | 1 751 | • | • | • | • | 1 751 | • | • | • | • |
| | 男 M. | 970 | 970 | • | • | • | • | 970 | • | • | • | • |
| | 女 F. | 781 | 781 | • | • | • | • | 781 | • | • | • | • |
| B43.a | 新生児肺炎 | 1 514 | 1 514 | • | • | • | • | 1 514 | • | • | • | • |
| | 男 M. | 843 | 843 | • | • | • | • | 843 | • | • | • | • |
| | 女 F. | 671 | 671 | • | • | • | • | 671 | • | • | • | • |
| B43.b | 新生児下痢 | 138 | 138 | • | • | • | • | 138 | • | • | • | • |
| | 男 M. | 76 | 76 | • | • | • | • | 76 | • | • | • | • |
| | 女 F. | 62 | 62 | • | • | • | • | 62 | • | • | • | • |

性・年齢（5才階級）・死因（簡単分類）別

BY SEX AND AGE; FOR ALL JAPAN

昭和 41 年
1966

53 表 (7-6)

第53表 死亡者数

TABLE 53 DEATHS FROM CAUSES (ABBREVIATED LIST)

性・年齢(5才階級)・死因(簡単分類)別

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | | | | | | | | | | |
|---|--------------------------------|-------------|-------------------|-------|-----|-----|-------|-------|-------|-------|-------|-------|---|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| B43.c | その他の新生児の感染 | 99 | 99 | . | . | . | . | 99 | . | . | . | . | . |
| | 男 M. | 51 | 51 | . | . | . | . | 51 | . | . | . | . | . |
| | 女 F. | 48 | 48 | . | . | . | . | 48 | . | . | . | . | . |
| B44 | その他の新生児固有の疾患および性質不明の未熟児 | 9 866 | 9 866 | . | . | . | . | 9 866 | . | . | . | . | . |
| | 男 M. | 5 620 | 5 620 | . | . | . | . | 5 620 | . | . | . | . | . |
| | 女 F. | 4 246 | 4 246 | . | . | . | . | 4 246 | . | . | . | . | . |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 | 56 843 | 632 | 78 | 54 | 38 | 35 | 837 | 83 | 83 | 184 | 308 | |
| | 男 M. | 22 830 | 366 | 40 | 24 | 17 | 18 | 465 | 50 | 46 | 124 | 233 | |
| | 女 F. | 34 013 | 266 | 38 | 30 | 21 | 17 | 372 | 33 | 37 | 60 | 75 | |
| B45.a | 精神病の記載のない老衰 | 44 209 | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | 15 531 | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | 28 678 | - | - | - | - | - | - | - | - | - | - | |
| B45.b | その他の診断名不明確および不明の原因 | 12 634 | 632 | 78 | 54 | 38 | 35 | 837 | 83 | 83 | 184 | 308 | |
| | 男 M. | 7 299 | 366 | 40 | 24 | 17 | 18 | 465 | 50 | 46 | 124 | 233 | |
| | 女 F. | 5 335 | 266 | 38 | 30 | 21 | 17 | 372 | 33 | 37 | 60 | 75 | |
| B46 | その他のすべての疾患 | 50 682 | 819 | 347 | 177 | 141 | 141 | 1 625 | 505 | 517 | 938 | 878 | |
| | 男 M. | 26 035 | 486 | 176 | 80 | 72 | 894 | 283 | 298 | 523 | 425 | | |
| | 女 F. | 24 647 | 333 | 171 | 97 | 61 | 69 | 731 | 222 | 219 | 415 | 453 | |
| B46.a | その他の循環器系の疾患(先天性を除く) | 5 373 | 5 | 1 | 1 | 1 | 2 | 10 | 4 | 10 | 25 | 12 | |
| | 男 M. | 2 707 | 2 | 1 | 1 | 1 | 1 | 5 | 4 | 6 | 11 | 5 | |
| | 女 F. | 2 666 | 3 | - | 1 | - | 1 | 5 | - | 4 | 14 | 7 | |
| B46.b | その他のすべての疾患 | 45 309 | 814 | 346 | 176 | 140 | 139 | 1 615 | 501 | 507 | 913 | 866 | |
| | 男 M. | 23 328 | 484 | 175 | 80 | 79 | 71 | 889 | 279 | 292 | 512 | 420 | |
| | 女 F. | 21 981 | 330 | 171 | 96 | 61 | 68 | 726 | 222 | 215 | 401 | 446 | |
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) | 59 025 | 1 138 | 1 290 | 988 | 791 | 650 | 4 857 | 2 057 | 1 119 | 4 199 | 5 398 | |
| | 男 M. | 41 907 | 620 | 734 | 498 | 434 | 2 918 | 1 474 | 845 | 3 333 | 4 081 | | |
| | 女 F. | 17 118 | 518 | 556 | 356 | 293 | 216 | 1 939 | 583 | 274 | 866 | 1 317 | |
| BE47 | 自動車事故 | 17 979 | 35 | 157 | 239 | 308 | 297 | 1 036 | 718 | 321 | 1 812 | 1 742 | |
| | 男 M. | 14 352 | 19 | 81 | 149 | 183 | 179 | 611 | 465 | 236 | 1 627 | 1 572 | |
| | 女 F. | 3 627 | 16 | 76 | 90 | 125 | 118 | 425 | 253 | 85 | 185 | 170 | |
| BE48 | その他の不慮の事故 | 24 568 | 978 | 1 089 | 707 | 453 | 326 | 3 553 | 1 251 | 717 | 1 328 | 1 584 | |
| | 男 M. | 18 178 | 534 | 635 | 458 | 298 | 236 | 2 161 | 964 | 551 | 1 132 | 1 352 | |
| | 女 F. | 6 390 | 444 | 454 | 249 | 155 | 90 | 1 392 | 287 | 166 | 196 | 232 | |
| BE48.a | 自動車以外の交通事故 | 3 406 | 2 | 52 | 57 | 32 | 30 | 173 | 158 | 112 | 200 | 266 | |
| | 男 M. | 2 722 | 2 | 28 | 39 | 18 | 23 | 110 | 131 | 82 | 161 | 212 | |
| | 女 F. | 684 | - | 24 | 18 | 14 | 7 | 63 | 27 | 30 | 39 | 54 | |
| BE48.b | 不慮の墜落 | 4 643 | 36 | 54 | 28 | 24 | 13 | 155 | 79 | 42 | 156 | 250 | |
| | 男 M. | 3 362 | 24 | 32 | 16 | 20 | 10 | 102 | 51 | 30 | 138 | 238 | |
| | 女 F. | 1 281 | 12 | 22 | 12 | 4 | 3 | 53 | 28 | 12 | 18 | 12 | |
| BE48.c | 不慮の溺死および溺水 | 5 906 | 36 | 731 | 468 | 273 | 192 | 1 700 | 745 | 361 | 450 | 356 | |
| | 男 M. | 4 325 | 16 | 425 | 308 | 188 | 146 | 1 083 | 611 | 321 | 406 | 323 | |
| | 女 F. | 1 581 | 20 | 306 | 160 | 85 | 46 | 617 | 134 | 40 | 44 | 33 | |
| BE48.d | 天災 | 366 | 6 | 3 | 5 | 9 | 9 | 32 | 39 | 43 | 23 | 16 | |
| | 男 M. | 149 | 4 | 2 | 4 | 2 | 2 | 14 | 18 | 11 | 11 | 3 | |
| | 女 F. | 217 | 2 | 1 | 1 | 7 | 7 | 18 | 21 | 32 | 12 | 13 | |
| BE48.e | その他 | 10 247 | 898 | 249 | 149 | 115 | 82 | 1 493 | 230 | 159 | 499 | 696 | |
| | 男 M. | 7 620 | 488 | 148 | 91 | 70 | 55 | 852 | 153 | 107 | 416 | 576 | |
| | 女 F. | 2 627 | 410 | 101 | 58 | 45 | 27 | 641 | 77 | 52 | 83 | 120 | |

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際簡単分類番号 International abbreviated list number |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|-------|-------|------|---------------|---|
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | B43.c |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | B44 |
| 408 | 506 | 607 | 572 | 543 | 695 | 911 | 1 100 | 1 942 | 4 371 | 9 588 | 14 808 | 12 799 | 5 477 | 942 | 66 | 13 | B45 |
| 320 | 410 | 473 | 414 | 361 | 450 | 561 | 1 140 | 2 212 | 5 522 | 9 520 | 8 853 | 4 005 | 1 747 | 13 | 8 | 5 | B45.a |
| 88 | 96 | 134 | 158 | 182 | 245 | 350 | 464 | 802 | 1 237 | 1 363 | 1 235 | 735 | 245 | 32 | 1 | 1 | B45.b |
| 408 | 506 | 607 | 571 | 543 | 689 | 861 | 922 | 1 169 | 1 237 | 1 363 | 1 235 | 735 | 245 | 32 | 1 | 1 | B46 |
| 320 | 410 | 473 | 414 | 361 | 448 | 541 | 552 | 712 | 666 | 656 | 491 | 256 | 66 | 3 | 1 | 1 | B46.a |
| 88 | 96 | 134 | 157 | 182 | 241 | 320 | 370 | 457 | 571 | 707 | 744 | 479 | 179 | 26 | 2 | 2 | B46.b |
| 1 007 | 1 297 | 1 494 | 1 566 | 1 647 | 2 190 | 3 097 | 4 113 | 5 367 | 6 762 | 7 432 | 5 942 | 3 269 | 914 | 113 | 9 | 1 | "E" |
| 494 | 680 | 810 | 792 | 838 | 1 129 | 1 718 | 2 464 | 3 081 | 3 784 | 3 | | | | | | | |

53 表 (7-7)

第53表 死亡者数

TABLE 53 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 0才 Year of age | 性別 | | | | | | | | | |
|---|--------------------------------|-------------|-------------------|-------|-----|-----|-----|-------|-------|-------|-------|-------|--|
| | | | | 1 | 2 | 3 | 4 | 0~4 | 5~9 | 10~14 | 15~19 | 20~24 | |
| BE49 | 自殺および自傷 | 15 050 | - | - | - | - | - | - | 48 | 968 | 1 892 | | |
| | 男 M. | 8 450 | - | - | - | - | - | - | 37 | 515 | 1 023 | | |
| | 女 F. | 6 600 | - | - | - | - | - | - | 11 | 453 | 869 | | |
| BE50 | 他殺および戦争行為 | 1 428 | 125 | 44 | 42 | 30 | 27 | 268 | 88 | 33 | 91 | 180 | |
| | 男 M. | 927 | 67 | 18 | 25 | 17 | 19 | 146 | 45 | 21 | 59 | 134 | |
| | 女 F. | 501 | 58 | 26 | 17 | 13 | 8 | 122 | 43 | 12 | 32 | 46 | |
| BE50.a | 他殺 | 1 407 | 125 | 44 | 42 | 30 | 27 | 268 | 88 | 33 | 91 | 180 | |
| | 男 M. | 907 | 67 | 18 | 25 | 17 | 19 | 146 | 45 | 21 | 59 | 134 | |
| | 女 F. | 500 | 58 | 26 | 17 | 13 | 8 | 122 | 43 | 12 | 32 | 46 | |
| BE50.b | 処刑および戦争行為 | 21 | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | 20 | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | 1 | - | - | - | - | - | - | - | - | - | - | |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) | 59 025 | 1 138 | 1 290 | 988 | 791 | 650 | 4 857 | 2 057 | 1 119 | 4 199 | 5 398 | |
| | 男 M. | 41 907 | 620 | 734 | 632 | 498 | 434 | 2 918 | 1 474 | 845 | 3 333 | 4 081 | |
| | 女 F. | 17 118 | 518 | 556 | 356 | 293 | 216 | 1 939 | 583 | 274 | 866 | 1 317 | |
| BN47 | 骨折、頭部損傷および内部損傷 | 28 836 | 89 | 257 | 322 | 372 | 350 | 1 390 | 948 | 487 | 2 357 | 2 608 | |
| | 男 M. | 22 748 | 54 | 135 | 201 | 222 | 218 | 830 | 643 | 353 | 2 058 | 2 283 | |
| | 女 F. | 6 088 | 35 | 122 | 121 | 150 | 132 | 560 | 305 | 134 | 299 | 325 | |
| BN47.a | 頭蓋骨折 | 13 966 | 33 | 168 | 213 | 209 | 206 | 829 | 534 | 271 | 1 291 | 1 360 | |
| | 男 M. | 11 380 | 20 | 85 | 130 | 122 | 128 | 485 | 373 | 203 | 1 118 | 1 184 | |
| | 女 F. | 2 586 | 13 | 83 | 83 | 87 | 78 | 344 | 161 | 68 | 173 | 176 | |
| BN47.b | その他の骨の骨折 | 3 580 | 4 | 9 | 14 | 24 | 19 | 70 | 66 | 38 | 186 | 227 | |
| | 男 M. | 2 414 | 2 | 5 | 9 | 15 | 13 | 44 | 41 | 26 | 162 | 194 | |
| | 女 F. | 1 166 | 2 | 4 | 5 | 9 | 6 | 26 | 25 | 12 | 24 | 33 | |
| BN47.c | 頭部の損傷(骨折を除く) | 6 885 | 48 | 61 | 62 | 84 | 80 | 335 | 223 | 109 | 491 | 510 | |
| | 男 M. | 5 260 | 31 | 35 | 41 | 48 | 46 | 201 | 146 | 77 | 433 | 453 | |
| | 女 F. | 1 625 | 17 | 26 | 21 | 36 | 34 | 134 | 77 | 32 | 58 | 57 | |
| BN47.d | 胸、腹、骨盤腔の内部損傷 | 4 405 | 4 | 19 | 33 | 55 | 45 | 156 | 125 | 69 | 389 | 511 | |
| | 男 M. | 3 694 | 1 | 10 | 21 | 37 | 31 | 100 | 83 | 47 | 345 | 452 | |
| | 女 F. | 711 | 3 | 9 | 12 | 18 | 14 | 56 | 42 | 22 | 44 | 59 | |
| BN48 | 熱傷 | 2 213 | 107 | 103 | 65 | 50 | 29 | 354 | 85 | 49 | 85 | 90 | |
| | 男 M. | 1 272 | 58 | 58 | 33 | 30 | 19 | 198 | 49 | 20 | 63 | 64 | |
| | 女 F. | 941 | 49 | 45 | 32 | 20 | 10 | 156 | 36 | 29 | 22 | 26 | |
| BN49 | 毒物の作用 | 6 038 | 47 | 41 | 38 | 24 | 19 | 169 | 73 | 47 | 487 | 989 | |
| | 男 M. | 3 200 | 30 | 27 | 28 | 12 | 14 | 111 | 44 | 26 | 220 | 446 | |
| | 女 F. | 2 838 | 17 | 14 | 10 | 12 | 5 | 58 | 29 | 21 | 267 | 543 | |
| BN50 | その他の損傷 | 21 938 | 895 | 889 | 563 | 345 | 252 | 2 944 | 951 | 536 | 1 270 | 1 711 | |
| | 男 M. | 14 687 | 478 | 514 | 370 | 234 | 183 | 1 779 | 738 | 446 | 992 | 1 288 | |
| | 女 F. | 7 251 | 417 | 375 | 193 | 111 | 69 | 1 165 | 213 | 90 | 278 | 423 | |
| BN50.a | 裂傷および開放創 | 1 440 | 6 | 9 | 17 | 7 | 8 | 47 | 34 | 18 | 135 | 183 | |
| | 男 M. | 1 038 | 3 | 4 | 7 | 5 | 6 | 25 | 19 | 12 | 96 | 148 | |
| | 女 F. | 402 | 3 | 5 | 10 | 2 | 2 | 22 | 15 | 6 | 39 | 35 | |
| BN50.b | 溺死および死にいたらぬ溺水 | 8 775 | 66 | 750 | 486 | 296 | 213 | 1 811 | 806 | 409 | 652 | 674 | |
| | 男 M. | 5 784 | 36 | 437 | 319 | 204 | 155 | 1 151 | 650 | 351 | 514 | 489 | |
| | 女 F. | 2 991 | 30 | 313 | 167 | 92 | 58 | 156 | 162 | 58 | 138 | 185 | |
| BN50.c | 窒息および絞首 | 8 199 | 535 | 69 | 22 | 20 | 18 | 664 | 63 | 81 | 297 | 556 | |
| | 男 M. | 5 107 | 275 | 35 | 14 | 11 | 13 | 348 | 33 | 63 | 215 | 383 | |
| | 女 F. | 3 092 | 260 | 34 | 8 | 9 | 5 | 316 | 30 | 18 | 82 | 173 | |
| BN50.d | その他 | 3 524 | 288 | 61 | 38 | 22 | 13 | 422 | 48 | 28 | 186 | 298 | |
| | 男 M. | 2 758 | 164 | 38 | 30 | 14 | 9 | 255 | 36 | 20 | 167 | 268 | |
| | 女 F. | 766 | 124 | 23 | 8 | 4 | 167 | 12 | 8 | 19 | 30 | 30 | |

性・年齢(5才階級)・死因(簡単分類)別
BY SEX AND AGE; FOR ALL JAPAN昭和41年
1966

| 25~29 | 30~34 | 35~39 | 40~44 | 45~49 | 50~54 | 55~59 | 60~64 | 65~69 | 70~74 | 75~79 | 80~84 | 85~89 | 90~94 | 95~99 | 100~ | 不詳 Unknown | 国際簡単分類番号 International abbreviated list number |
|-------------------------|-----------------------|-----------------------|-----------------------|-------------------|-------------------|-------------------|---------------------|---------------------|-------------------|------------------|----------------|--------------|--------|--------------|--------|---------------|---|
| 1 750 1 033 717 | 1 345 802 543 | 1 012 639 373 | 782 449 346 | 785 526 401 | 927 617 418 | 995 670 478 | 1 088 600 490 | 1 078 462 415 | 952 793 111 | 409 182 22 | 182 10 1 | 32 1 - | 1 - | 11 8 3 | BE49 | | |
| 154 106 48 | 138 99 39 | 131 95 36 | 82 55 27 | 61 39 22 | 32 25 9 | 35 23 13 | 13 7 7 | 11 8 3 | 12 1 - | 2 - | 2 - | 2 - | 2 - | 1 - | 1 - | BE50 | |
| 151 103 48 | 138 99 39 | 130 94 36 | 80 53 27 | 56 34 22 | 32 23 9 | 34 21 13 | 13 7 7 | 11 8 3 | 10 5 5 | 1 1 - | 1 - | 1 - | 1 - | 1 - | 1 - | BE50.a | |
| 3 3 | - - | 1 1 | 2 2 | 5 4 | 4 - | 1 1 | 2 2 | 2 2 | 2 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | BE50.b |
| 4 973 3 904 1 069 | 4 427 3 532 895 | 4 122 3 360 762 | 2 998 3 305 765 | 3 473 | | | | | | | | | | | | | |

54 表(7-1)

第54表 死亡者數,

TABLE 54 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 1月 January | 2月 February | 3月 March | 4月 April | 5月 May |
|---|--------------------------------|--------------------|------------------|------------------|------------------|------------------|------------------|
| | | | | | | | |
| | 総数 Total | 670 342 | 67 643 | 59 174 | 60 733 | 58 089 | 53 220 |
| | 男 M. 女 F. | 363 356 306 986 | 36 490 31 153 | 31 824 27 350 | 32 903 27 830 | 31 018 27 071 | 29 198 24 022 |
| B1 | 呼吸器系の結核 | 18 896 | 1 948 | 1 638 | 1 596 | 1 585 | 1 542 |
| | 男 M. 女 F. | 12 642 6 254 | 1 297 651 | 1 086 552 | 1 080 516 | 1 050 535 | 1 059 483 |
| B2 | その他の結核 | 1 168 | 102 | 97 | 121 | 100 | 97 |
| | 男 M. 女 F. | 562 606 | 46 56 | 48 49 | 57 64 | 45 55 | 57 40 |
| B3 | 梅毒およびその続発症 | 1 388 | 164 | 111 | 140 | 114 | 109 |
| | 男 M. 女 F. | 986 402 | 115 49 | 83 28 | 96 44 | 69 45 | 77 32 |
| B4 | 腸チフス | 13 | — | 4 | 1 | 1 | 2 |
| | 男 M. 女 F. | 6 7 | — | 2 | 1 | 1 | 1 |
| B5 | コレラ | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — |
| B6 | 赤痢 | 265 | 17 | 21 | 12 | 20 | 22 |
| | 男 M. 女 F. | 115 150 | 10 7 | 6 15 | 7 5 | 9 11 | 12 10 |
| B6.a | 細菌性赤痢(痘瘍症状を呈するもの) | 140 | 8 | 7 | 7 | 6 | 14 |
| | 男 M. 女 F. | 62 78 | 5 3 | 1 6 | 4 3 | 3 3 | 5 9 |
| B6.b | 細菌性赤痢(その他) | 124 | 9 | 14 | 5 | 14 | 8 |
| | 男 M. 女 F. | 53 71 | 5 4 | 3 9 | 3 2 | 6 8 | 7 1 |
| B6.c | アメーバ症 | 1 | — | — | — | — | — |
| | 男 M. 女 F. | 1 1 | — — | — — | — — | — — | — — |
| B6.d | その他の原虫性および詳細不明の赤痢 | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — |
| B7 | 猩紅熱およびレンサ球菌性口炎 | 15 | 2 | 5 | — | 2 | — |
| | 男 M. 女 F. | 4 11 | — 2 | 3 2 | — — | — 2 | — — |
| B7.a | 猩紅熱 | 15 | 2 | 5 | — | 2 | — |
| | 男 M. 女 F. | 4 11 | — 2 | 3 2 | — — | — 2 | — — |
| B7.b | レンサ球菌性口炎 | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — |
| B8 | ジフテリア | 22 | 2 | 5 | 3 | 4 | 1 |
| | 男 M. 女 F. | 10 12 | 1 1 | 4 1 | 1 2 | 1 3 | 1 1 |
| B9 | 百日咳 | 15 | — | 1 | 5 | — | — |
| | 男 M. 女 F. | 11 4 | — — | 1 | 4 | — — | — — |

注：本年報には掲載していないが、本表をさらに都道府県一七大都市（重複）別に集計した特別算表がある。

性・月・死因（簡単分類）別

BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和41年
1966

| 6月 June | 7月 July | 8月 August | 9月 September | 10月 October | 11月 November | 12月 December | 不詳 Unknown | 国際簡単分類番号 International abbreviated list number |
|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|---------------|---|
| 49 546 26 517 23 029 | 51 007 27 321 23 686 | 51 090 27 563 23 527 | 47 999 26 339 21 660 | 52 215 28 744 23 471 | 54 813 30 182 24 631 | 64 790 35 240 29 550 | 23 17 6 | |
| 1 484 1 003 481 | 1 519 998 521 | 1 502 1 015 487 | 1 426 957 469 | 1 453 980 473 | 1 540 1 016 524 | 1 663 1 101 562 | — — — | B1 |
| 92 46 46 | 110 56 54 | 95 41 54 | 97 45 52 | 81 39 42 | 91 43 48 | 85 39 46 | — — — | B2 |
| 103 71 32 | 101 73 28 | 123 79 44 | 101 82 19 | 91 68 23 | 117 86 31 | 114 87 27 | — — — | B3 |
| 1 — 1 | 1 1 — | 1 — 1 | — — — | — — — | — — — | 2 2 — | — — — | B4 |
| — — — | — — — | B5 |
| 29 11 18 | 33 14 19 | 37 17 20 | 25 8 17 | 19 10 9 | 19 7 12 | 11 4 7 | — — — | B6 |
| 18 8 10 | 20 10 10 | 19 8 11 | 15 4 11 | 13 8 5 | 8 4 4 | 5 2 3 | — — — | B6.a |
| 11 3 8 | 13 4 9 | 18 9 9 | 10 4 6 | 6 2 4 | 10 3 7 | 6 2 4 | — — — | B6.b |
| — — — | — — — | — — — | — — — | — — — | 1 — — | — — — | — — — | B6.c |
| — — — | — — — | B6.d |
| — — — | 3 — 3 | 1 — — | 1 — 1 | — — — | 1 — 1 | — — — | — — — | B7 |
| — — — | 3 — 3 | 1 — — | 1 — 1 | — — — | 1 — 1 | — — — | — — — | B7.a |
| — — — | — — — | B7.b |
| — — — | 1 — 1 | — — — | 1 — 1 | — — — | 2 1 1 | 3 2 1 | — — — | B8 |
| 3 2 | 3 2 | 1 1 | 1 — 1 | 1 — 1 | — — — | — — — | — — — | B9 |

Note: Special tabulation that table 54 is more enumerated by prefecture-seven largest cities (secondary mention) is prepared otherwise, so it is not presented in this annual report.

54 表 (7-2)

第54表 死亡者数

TABLE 54 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 1月 January | 2月 February | 3月 March | 4月 April | 5月 May |
|---|--------------------------------|-------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| | | | 1月 January | 2月 February | 3月 March | 4月 April | 5月 May |
| B10. | 結膜炎菌感染 | 33 19 14 | 3 1 2 | 2 | 4 1 3 | 5 3 2 | 4 3 1 |
| B11. | ベスト | - - | - - | - - | - - | - - | - - |
| B12. | 急性灰白髄炎 | 17 14 3 | - - - | 2 1 1 | 2 2 - | 5 4 1 | 1 1 - |
| B13. | 痘瘡 | - - | - - | - - | - - | - - | - - |
| B14. | 麻疹 | 671 336 335 | 39 18 21 | 49 26 23 | 68 44 24 | 85 47 38 | 117 49 68 |
| B15. | 発疹チフスおよびその他のリケッチャ病 | 2 1 1 | - - - | - - | - - | - - | - - |
| B15.a | シラミ媒介の流行性発疹チフス | - - | - - | - - | - - | - - | - - |
| B15.b | 恙虫病およびその他のコダニ媒介の発疹チフス様疾患 | - - | - - | - - | - - | - - | - - |
| B15.c | その他 | 2 1 1 | - - - | - - | - - | - - | - - |
| B16. | マラリア | 4 4 - | 1 1 - | - - | - - | - - | - - |
| B17. | 伝染性および寄生性として分類されたその他他の疾患 | 3 488 1 811 1 677 | 168 98 70 | 137 78 59 | 148 76 72 | 166 92 74 | 165 97 68 |
| B17.a | バラチフス | 6 2 4 | - - - | - - | 1 1 - | - - | 1 1 - |
| B17.b | 頸 | 4 2 2 | 1 - 1 | - - | - - | - - | - - |
| B17.c | 破傷風 | 318 207 111 | 22 18 4 | 21 14 7 | 19 12 7 | 20 16 4 | 35 23 12 |
| B17.d | 炭疽 | - - | - - | - - | - - | - - | - - |
| B17.e | 回帰熱 | - - | - - | - - | - - | - - | - - |

性・月・死因(簡単分類)別

BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和41年
1966

| 6月 June | 7月 July | 8月 August | 9月 September | 10月 October | 11月 November | 12月 December | 不詳 Unknown | 国際簡単分類番号 International abbreviated list number |
|-----------------|-------------------|---------------------|-------------------|-------------------|-----------------|-----------------|---------------|---|
| - - | 3 2 1 | 4 2 2 | 2 1 1 | 2 1 1 | 3 2 1 | 1 1 | - - | B10 |
| - - | - - | - - | - - | - - | - - | - - | - - | B11 |
| - - | - - | 3 3 - | 2 1 1 | - - | - - | 2 2 - | - - | B12 |
| - - | - - | - - | - - | - - | - - | - - | - - | B13 |
| 118 60 58 | 88 45 43 | 50 23 27 | 10 6 4 | 15 7 8 | 19 6 13 | 13 5 8 | - - | B14 |
| - - | - - | 1 1 - | 1 1 - | - - | - - | - - | - - | B15 |
| - - | - - | - - | - - | - - | - - | - - | - - | B15.a |
| - - | - - | - - | - - | - - | - - | - - | - - | B15.b |
| - - | - - | - - | - - | - - | - - | - - | - - | B15.c |
| - - | - - | 1 1 - | 1 1 - | - - | - - | - - | - - | B16 |
| 164 81 83 | 252 127 125 | 1 104 543 561 | 653 335 318 | 213 109 104 | 165 95 70 | 153 80 73 | - - | B17 |
| - - | 2 1 1 | 2 2 - | - - | - - | - - | - - | - - | B17.a |
| 1 1 - | - - | - - | - - | - - | - - | - - | - - | B17.b |
| 25 17 8 | 39 21 18 | 35 20 15 | 31 19 12 | 28 20 8 | 21 13 8 | 22 14 8 | - - | B17.c |
| - - | - - | - - | - - | - - | - - | - - | - - | B17.d |
| - - | - - | - - | - - | - - | - - | - - | - - | B17.e |

54 表 (7-3)

第54表 死亡者数

TABLE 54 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 1 月 January | 2 月 February | 3 月 March | 4 月 April | 5 月 May |
|---|---------------------------------|------------------|----------------|-----------------|----------------|----------------|----------------|
| | | | | | | | |
| B17.f | 日本脳炎..... | 1 500 | 2 | — | 1 | — | 1 |
| | 男 M. 女 F. | 724 776 | — 2 | — | — 1 | — | — 1 |
| B17.g | 黄熱..... | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B17.h | 狂犬病..... | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B17.i | 伝染性下痢症..... | 1 | — | — | 1 | — | — |
| | 男 M. 女 F. | — 1 | — | — | — 1 | — | — |
| B17.j | 日本住血吸虫症..... | 16 | — | 2 | 5 | 1 | 2 |
| | 男 M. 女 F. | 7 9 | — | 1 1 | 4 | — 1 | — 1 |
| B17.k | 糸状虫症..... | 28 | 2 | 2 | 2 | 3 | 1 |
| | 男 M. 女 F. | 20 8 | 1 1 | 1 1 | 1 | 3 — | 1 |
| B17.l | その他の伝染性および寄生性として分類された疾患..... | 1 615 | 141 | 112 | 119 | 142 | 125 |
| | 男 M. 女 F. | 849 766 | 79 62 | 62 50 | 61 58 | 73 69 | 71 54 |
| B18 | 悪性新生物(リンパ組織および造血組織の新生物を含む)..... | 109 805 | 9 155 | 8 212 | 8 951 | 8 807 | 9 080 |
| | 男 M. 女 F. | 60 803 49 002 | 5 034 4 121 | 4 561 3 651 | 5 040 3 911 | 4 815 3 992 | 5 075 4 005 |
| B18.a | 胃の悪性新生物..... | 46 772 | 3 971 | 3 513 | 3 879 | 3 769 | 3 841 |
| | 男 M. 女 F. | 28 923 17 849 | 2 397 1 574 | 2 168 1 345 | 2 444 1 435 | 2 304 1 465 | 2 389 1 452 |
| B18.b | 気管、気管支および肺の悪性新生物..... | 8 365 | 689 | 621 | 630 | 620 | 702 |
| | 男 M. 女 F. | 5 857 2 508 | 462 227 | 433 188 | 448 182 | 425 195 | 501 201 |
| B18.c | 乳房の悪性新生物..... | 2 129 | 195 | 163 | 160 | 166 | 200 |
| | 男 M. 女 F. | 29 2 100 | 3 192 | 2 161 | 4 156 | 1 165 | 2 198 |
| B18.d | 子宮の悪性新生物..... | 6 667 | 531 | 515 | 534 | 541 | 556 |
| | 男 M. 女 F. | 6 667 | 531 | 515 | 534 | 541 | 556 |
| B18.e | 白血病および無白血病..... | 3 266 | 266 | 241 | 297 | 251 | 289 |
| | 男 M. 女 F. | 1 801 1 465 | 151 115 | 115 126 | 166 131 | 148 103 | 166 123 |
| B18.f | その他..... | 42 606 | 3 503 | 3 159 | 3 451 | 3 460 | 3 492 |
| | 男 M. 女 F. | 24 193 18 413 | 2 021 1 482 | 1 843 1 316 | 1 978 1 473 | 1 937 1 523 | 2 017 1 475 |
| B19 | 良性および性質不詳の新生物..... | 5 458 | 462 | 394 | 417 | 472 | 453 |
| | 男 M. 女 F. | 2 861 2 597 | 240 222 | 223 171 | 225 192 | 239 213 | 233 220 |
| B20 | 糖尿病..... | 5 750 | 627 | 547 | 528 | 536 | 434 |
| | 男 M. 女 F. | 2 735 3 015 | 307 320 | 257 290 | 242 286 | 231 305 | 212 222 |

性・月・死因(簡単分類)別

BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和41年
1966

| 6 月 June | 7 月 July | 8 月 August | 9 月 September | 10 月 October | 11 月 November | 12 月 December | 不詳 Unknown | 国際簡単分類番号 International abbreviated list number |
|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|---------------|---|
| 11 3 8 | 67 35 32 | 880 427 453 | 467 229 238 | 51 21 30 | 14 7 7 | 6 1 5 | — | B17.f |
| — | — | — | — | — | — | — | — | B17.g |
| — | — | — | — | — | — | — | — | B17.h |
| — | — | — | — | — | — | — | — | B17.i |
| — | — | — | — | — | — | — | — | B17.j |
| — | 2 1 1 | — | — | — | 1 1 1 | 2 2 — | — | B17.k |
| 126 60 66 | 140 68 72 | 183 94 89 | 153 85 68 | 131 67 64 | 122 68 54 | 121 61 60 | — | B17.l |
| 8 933 4 906 4 027 | 9 403 5 175 4 228 | 9 511 5 227 4 284 | 9 352 5 148 4 204 | 9 564 5 306 4 258 | 9 267 5 169 4 098 | 9 570 5 347 4 223 | — | B18 |
| 3 806 2 376 1 430 | 3 893 2 402 1 491 | 3 927 2 408 1 519 | 4 004 2 451 1 553 | 4 030 2 451 1 491 | 3 965 2 480 1 485 | 4 174 2 565 1 609 | — | B18.a |
| 679 461 218 | 711 493 218 | 731 532 199 | 739 533 206 | 806 564 242 | 677 483 194 | 760 522 238 | — | B18.b |
| 157 5 152 | 157 1 156 | 180 1 178 | 165 1 164 | 178 1 174 | 200 4 198 | 208 2 206 | — | B18.c |
| 529 | 601 | 588 | 595 | 620 | 535 | 522 | — | B18.d |
| 268 140 128 | 294 175 119 | 285 165 120 | 253 133 120 | 279 151 128 | 285 141 144 | 258 150 108 | — | B18.e |
| 3 494 1 924 1 570 | 3 747 2 104 1 643 | 3 800 2 120 1 680 | 3 596 2 030 1 566 | 3 651 2 048 1 603 | 3 605 2 063 1 542 | 3 648 2 108 1 540 | — | B18.f |
| 428 210 218 | 456 241 215 | 472 238 234 | 487 262 225 | 467 237 230 | 428 220 208 | 522 273 249 | — | B19 |
| 398 201 197 | 427 205 222 | 399 172 227 | 392 188 227 | 393 182 204 | 455 247 211 | 614 291 323 | — | B20 |

54表(7-4)

第54表 死亡者数

TABLE 54 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因性 Cause of death and sex | 総数 Total | 1月 January | 2月 February | 3月 March | 4月 April | 5月 May | |
|---|-------------------------------|------------------|----------------|----------------|----------------|----------------|----------------|--|
| | | | | | | | | |
| B21 | 貧血 | 1 373 | 146 | 109 | 119 | 115 | 106 | |
| | 男 M. 女 F. | 616 757 | 80 66 | 45 64 | 42 77 | 45 70 | 48 58 | |
| B22 | 中枢神経系の血管損傷 | 172 186 | 18 036 | 15 835 | 16 249 | 15 511 | 13 753 | |
| | 男 M. 女 F. | 92 066 80 120 | 9 847 8 189 | 8 607 7 228 | 8 639 7 610 | 8 246 7 265 | 7 352 6 401 | |
| B23 | 結膜炎(結膜炎菌性および結核性を除く) | 814 | 79 | 78 | 70 | 73 | 70 | |
| | 男 M. 女 F. | 432 382 | 41 38 | 44 34 | 33 37 | 44 29 | 40 30 | |
| B24 | リューマチ熱 | 592 | 55 | 64 | 43 | 37 | 51 | |
| | 男 M. 女 F. | 208 384 | 24 31 | 18 46 | 17 26 | 13 24 | 10 41 | |
| B25 | 慢性リューマチ性心臓疾患 | 4 606 | 515 | 422 | 424 | 398 | 360 | |
| | 男 M. 女 F. | 1 617 2 989 | 179 336 | 149 273 | 145 279 | 151 247 | 134 226 | |
| B26 | 動脈硬化性および変性性心臓疾患 | 55 102 | 6 085 | 5 098 | 5 364 | 4 891 | 4 462 | |
| | 男 M. 女 F. | 28 970 26 132 | 3 136 2 949 | 2 662 2 436 | 2 797 2 567 | 2 535 2 356 | 2 397 2 065 | |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 28 016 | 3 157 | 2 522 | 2 688 | 2 492 | 2 316 | |
| | 男 M. 女 F. | 16 563 11 353 | 1 807 1 350 | 1 527 995 | 1 563 1 125 | 1 456 1 036 | 1 388 928 | |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | 6 509 | 702 | 625 | 654 | 641 | 541 | |
| | 男 M. 女 F. | 2 651 3 858 | 300 402 | 250 375 | 260 394 | 235 373 | 206 306 | |
| B26.c | その他の心筋変性 | 20 577 | 2 226 | 1 951 | 2 022 | 1 758 | 1 605 | |
| | 男 M. 女 F. | 9 656 10 921 | 1 029 1 197 | 885 1 066 | 974 1 048 | 811 947 | 774 831 | |
| B27 | その他の心臓疾患 | 11 480 | 1 403 | 1 178 | 1 159 | 1 122 | 928 | |
| | 男 M. 女 F. | 6 020 5 460 | 760 643 | 606 572 | 630 529 | 556 566 | 509 419 | |
| B28 | 高血圧性心臓疾患 | 10 626 | 1 163 | 1 085 | 1 015 | 975 | 814 | |
| | 男 M. 女 F. | 5 106 5 520 | 580 583 | 507 578 | 491 524 | 458 517 | 384 430 | |
| B29 | その他の高血圧性疾患 | 7 779 | 853 | 761 | 713 | 696 | 633 | |
| | 男 M. 女 F. | 3 706 4 073 | 403 450 | 357 404 | 344 369 | 339 357 | 305 328 | |
| B30 | インフルエンザ | 383 | 21 | 54 | 120 | 85 | 33 | |
| | 男 M. 女 F. | 199 184 | 11 10 | 27 27 | 59 61 | 49 36 | 17 16 | |
| B31 | 肺炎(新生児肺炎を除く) | 21 140 | 2 348 | 2 159 | 2 068 | 1 991 | 1 704 | |
| | 男 M. 女 F. | 11 343 9 797 | 1 326 1 022 | 1 172 987 | 1 118 950 | 1 065 926 | 934 770 | |
| B32 | 気管支炎 | 5 288 | 640 | 604 | 528 | 505 | 410 | |
| | 男 M. 女 F. | 2 728 2 560 | 308 332 | 328 276 | 282 246 | 244 261 | 208 202 | |
| B33 | 胃および十二指腸の潰瘍 | 8 816 | 932 | 794 | 803 | 777 | 697 | |
| | 男 M. 女 F. | 6 151 2 665 | 642 290 | 520 274 | 546 257 | 540 237 | 487 210 | |

性・月・死因(簡単分類)別

BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和41年
1966

| 6月 June | 7月 July | 8月 August | 9月 September | 10月 October | 11月 November | 12月 December | 不詳 Unknown | 国際簡単分類番号 International abbreviated list number |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|---------------|---|
| 110 54 56 | 104 46 58 | 119 47 72 | 108 49 59 | 105 49 56 | 106 51 55 | 126 60 66 | — — — | B21 |
| 12 483 6 432 6 051 | 12 167 6 212 5 955 | 11 695 5 946 5 749 | 11 539 6 227 5 312 | 13 336 7 279 6 057 | 14 252 7 808 6 444 | 17 330 9 471 7 859 | — — — | B22 |
| 67 25 42 | 64 39 34 | 86 47 23 | 69 28 28 | 50 18 28 | 62 24 38 | 46 22 33 | — — — | B23 |
| 46 12 34 | 50 16 34 | 40 17 23 | 46 28 28 | 62 24 38 | 55 22 33 | 43 17 26 | — — — | B24 |
| 341 120 221 | 341 114 227 | 319 108 211 | 294 106 188 | 371 122 249 | 373 135 238 | 448 154 294 | — — — | B25 |
| 3 969 2 090 1 879 | 3 729 1 919 1 810 | 3 410 1 784 1 626 | 3 420 1 835 1 585 | 3 996 2 140 1 856 | 4 683 2 501 2 182 | 5 995 3 174 2 821 | — — — | B26 |
| 1 988 1 200 788 | 1 896 1 121 775 | 1 688 1 035 653 | 1 736 1 047 689 | 2 055 1 262 793 | 2 398 1 425 973 | 3 080 1 832 1 248 | — — — | B26.a |
| 488 194 294 | 449 156 293 | 433 168 265 | 409 159 250 | 449 194 255 | 513 213 300 | 605 254 351 | — — — | B26.b |
| 1 493 696 797 | 1 384 642 742 | 1 289 581 708 | 1 275 629 646 | 1 492 684 808 | 1 772 863 909 | 2 310 1 088 1 222 | — — — | B26.c |
| 807 419 388 | 699 347 352 | 684 352 332 | 653 364 289 | 798 401 397 | 873 466 407 | 1 175 610 565 | 1 — 1 | B27 |
| 732 328 404 | 779 384 395 | 684 316 368 | 617 329 | 794 400 394 | 832 424 408 | 1 136 546 590 | — — — | B28 |
| 531 267 264 | 590 261 329 | 557 251 248 | 575 259 316 | 640 316 324 | 773 395 378 | — — — | — — — | B29 |
| 17 9 8 | 15 5 10 | 4 3 1 | 8 5 3 | 1 1 — | 12 6 6 | 13 7 6 | — — — | B30 |
| 1 558 820 738 | 1 649 772 877 | 1 609 785 824 | 1 240 672 568 | 1 342 741 601 | 1 475 814 661 | 1 997 1 124 873 | — — — | B31 |
| 338 184 154 | 350 172 178 | 289 143 146 | 298 160 138 | 342 182 160 | 399 208 191 | 585 309 276 | — — — | B32 |
| 611 398 213 | 613 430 183 | 613 432 181 | 564 522 141 | 718 522 196 | 787 567 220 | 907 644 263 | — — — | B33 |

54 表 (7-5)

第54表 死亡者数

TABLE 54 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 1月 January | 2月 February | 3月 March | 4月 April | 5月 May |
|---|--------------------------------|----------------|---------------|----------------|-------------|-------------|------------|
| | | | Jan | Feb | Mar | Apr | May |
| B34 | 虫垂炎 | 707 | 57 | 44 | 63 | 57 | 57 |
| | 男 M. 女 F. | 382 325 | 35 22 | 25 19 | 31 32 | 26 31 | 31 26 |
| B35 | 腸閉塞およびヘルニア | 3 496 | 311 | 289 | 314 | 282 | 256 |
| | 男 M. 女 F. | 1 934 1 562 | 178 133 | 143 146 | 169 145 | 166 116 | 150 106 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) | 11 023 | 1 388 | 1 164 | 932 | 854 | 736 |
| | 男 M. 女 F. | 4 617 6 406 | 659 729 | 513 651 | 393 539 | 359 495 | 307 429 |
| B36.a | 胃炎および十二指腸炎 | 2 706 | 317 | 249 | 252 | 235 | 211 |
| | 男 M. 女 F. | 1 083 1 623 | 140 177 | 100 149 | 103 149 | 98 137 | 88 123 |
| B36.b | 胃腸炎、腸炎および大腸炎 | 8 317 | 1 071 | 915 | 680 | 619 | 525 |
| | 男 M. 女 F. | 3 534 4 783 | 519 552 | 413 502 | 290 390 | 261 358 | 219 306 |
| B37 | 肝硬変 | 10 059 | 936 | 859 | 803 | 833 | 853 |
| | 男 M. 女 F. | 6 739 3 320 | 657 279 | 584 275 | 539 264 | 536 297 | 575 278 |
| B38 | 腎炎およびネフローゼ | 10 360 | 1 112 | 960 | 971 | 963 | 870 |
| | 男 M. 女 F. | 5 362 4 998 | 587 525 | 506 454 | 522 449 | 487 476 | 438 432 |
| B38.a | 急性腎炎およびネフローゼ | 2 370 | 266 | 230 | 246 | 211 | 199 |
| | 男 M. 女 F. | 1 245 1 125 | 138 128 | 129 101 | 133 113 | 103 108 | 95 104 |
| B38.b | その他 | 7 990 | 846 | 730 | 725 | 752 | 671 |
| | 男 M. 女 F. | 4 117 3 873 | 449 397 | 377 353 | 389 336 | 384 368 | 343 328 |
| B39 | 前立腺肥大症 | 635 | 56 | 43 | 53 | 46 | 43 |
| | 男 M. 女 F. | 635 | 56 | 43 | 53 | 46 | 43 |
| B40 | 妊娠、分娩および産褥の合併症 | 1 266 | 132 | 112 | 94 | 85 | 106 |
| | 男 M. 女 F. | 1 266 | 132 | 112 | 94 | 85 | 106 |
| B41 | 先天奇形 | 4 687 | 478 | 445 | 444 | 391 | 350 |
| | 男 M. 女 F. | 2 575 2 112 | 241 237 | 266 179 | 235 209 | 204 187 | 194 156 |
| B42 | 出生時の損傷、分娩後窒息および肺不全拡張 | 2 747 | 259 | 228 | 225 | 197 | 200 |
| | 男 M. 女 F. | 1 668 1 079 | 154 105 | 138 90 | 131 94 | 117 80 | 131 69 |
| B43 | 新生児の感染 | 1 751 | 262 | 190 | 175 | 145 | 112 |
| | 男 M. 女 F. | 970 781 | 146 116 | 107 83 | 94 81 | 69 76 | 70 42 |
| B43.a | 新生児肺炎 | 1 514 | 235 | 160 | 155 | 116 | 96 |
| | 男 M. 女 F. | 843 671 | 131 104 | 94 66 | 83 72 | 55 61 | 61 35 |
| B43.b | 新生児下痢 | 138 | 18 | 17 | 11 | 16 | 9 |
| | 男 M. 女 F. | 76 62 | 9 9 | 8 9 | 6 5 | 8 8 | 5 4 |

性・月・死因(簡単分類)別

BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和41年
1966

| 6月 June | 7月 July | 8月 August | 9月 September | 10月 October | 11月 November | 12月 December | 不詳 Unknown | 国際簡単分類番号 International abbreviated list number |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---------------------|---------------|---|
| 63 36 27 | 75 44 31 | 69 36 33 | 64 35 29 | 55 32 23 | 57 32 25 | 46 19 27 | — — — | B34 |
| 262 152 110 | 313 179 134 | 309 160 149 | 292 156 136 | 306 158 148 | 275 164 111 | 287 159 128 | — — — | B35 |
| 730 281 449 | 854 337 517 | 898 310 567 | 785 335 475 | 834 319 499 | 807 319 488 | 1 041 473 568 | — — — | B36 |
| 172 68 104 | 188 67 121 | 189 61 128 | 180 66 114 | 235 88 147 | 211 82 129 | 267 122 145 | — — — | B36.a |
| 558 213 345 | 666 270 396 | 709 270 439 | 605 244 361 | 599 247 352 | 596 237 359 | 774 351 423 | — — — | B36.b |
| 819 552 267 | 804 535 269 | 740 503 237 | 745 488 257 | 848 554 294 | 939 629 310 | 880 587 293 | — — — | B37 |
| 790 433 357 | 731 368 363 | 711 342 369 | 667 339 328 | 810 437 373 | 877 467 410 | 898 436 462 | — — — | B38 |
| 173 93 80 | 172 90 82 | 167 79 88 | 132 69 63 | 179 106 73 | 196 111 85 | 199 99 100 | — — — | B38.a |
| 617 340 277 | 559 278 281 | 544 263 281 | 535 270 265 | 631 331 300 | 681 356 325 | 699 337 362 | — — — | B38.b |
| 45 45 | 51 51 | 53 53 | 58 58 | 72 72 | 49 49 | 66 66 | — — | B39 |
| 107 107 | 109 109 | 97 97 | 108 108 | 99 99 | 103 103 | 114 114 | — — | B40 |
| 359 190 169 | 345 194 151 | 313 186 127 | 328 190 138 | 368 205 163 | 388 217 171 | 478 253 225 | — — — | B41 |
| 223 134 89 | 213 132 81 | 214 135 79 | 258 165 93 | 225 135 90 | 240 150 90 | 265 146 119 | — — — | B42 |
| 104 57 47 | 105 64 41 | 104 65 39 | 115 69 46 | 121 62 59 | 135 70 65 | 183 97 86 | — — — | B43 |
| 88 47 41 | 83 49 34 | 88 57 31 | 102 65 39 | 109 56 53 | 113 57 56 | 169 90 79 | — — — | B43.a |
| 11 9 2 | 9 7 2 | 12 5 7 | 10 5 5 | 8 4 4 | 8 5 3 | 9 5 4 | — — — | B43.b |

54表(7-6)

第54表 死亡者数

TABLE 54 DEATHS FROM CAUSES (ABBREVIATED LIST)

性・月・死因(簡単分類)別

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 1月 January | 2月 February | 3月 March | 4月 April | 5月 May | 6月 June | 7月 July | 8月 August | 9月 September | 10月 October | 11月 November | 12月 December | 不詳 Unknown | | | | | | | | |
|---|--------------------------------|----------------|---------------|----------------|-------------|-------------|------------|------------|------------|--------------|-----------------|----------------|-----------------|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------|--------|--------|
| | | | | | | | | | | | | | | | | | | | | | | | |
| B43.c | その他の新生児の感染 | 99 | 9 | 13 | 9 | 13 | 7 | 5 | 13 | 4 | 3 | 4 | 14 | 5 | - | | | | | | | | |
| | 男 M. 女 F. | 51 48 | 6 3 | 5 8 | 5 4 | 6 7 | 4 3 | 1 4 | 8 5 | 3 1 | 2 | 2 | 8 6 | 2 3 | B43.c | | | | | | | | |
| B44 | その他の新生児固有の疾患および性質不明の未熟児 | 9 866 | 1 045 | 867 | 825 | 778 | 717 | 5620 | 474 | 452 | 427 | 371 | 418 | 1 139 | - | | | | | | | | |
| | 男 M. 女 F. | 5 620 4 246 | 568 477 | 474 393 | 483 342 | 427 351 | 417 300 | 302 | 313 | 309 | 322 | 322 | 309 | 665 474 | - | B44 | | | | | | | |
| B45 | 精神病の記載のない老衰ならびに診断名不明および不明の原因 | 56 843 | 7 006 | 5 567 | 5 289 | 5 045 | 4 059 | 22 830 | 2 800 | 2 117 | 1 942 | 1 687 | 1 468 | 4 681 1 945 | 6 178 2 496 | 9 6 | | | | | | | |
| | 男 M. 女 F. | 34 013 | 4 206 | 3 450 | 3 164 | 3 103 | 2 372 | 2 189 | 2 288 | 2 216 | 2 130 | 2 130 | 2 474 | 2 736 | 3 682 | B45 | | | | | | | |
| B45.a | 精神病の記載のない老衰 | 44 209 | 5 527 | 4 438 | 4 141 | 3 948 | 3 020 | 15 531 | 1 991 | 1 512 | 1 442 | 1 311 | 1 050 | 3 317 1 228 | 3 648 1 357 | - | | | | | | | |
| | 男 M. 女 F. | 28 678 | 3 536 | 2 926 | 2 699 | 2 637 | 1 970 | 1 823 | 1 923 | 1 859 | 1 771 | 1 771 | 2 089 | 2 291 | 4 974 1 820 | B45.a | | | | | | | |
| B45.b | その他の診断名不明確および不明の原因 | 12 634 | 1 479 | 1 129 | 1 148 | 1 097 | 1 039 | 7 299 | 809 | 605 | 631 | 637 | 540 | 950 588 | 1 033 445 | 9 6 | | | | | | | |
| | 男 M. 女 F. | 5 335 | 670 | 524 | 465 | 466 | 402 | 366 | 365 | 357 | 359 | 359 | 385 | 676 528 | 1 204 2 342 | B45.b | | | | | | | |
| B46 | その他のすべての疾患 | 50 682 | 5 000 | 4 653 | 4 705 | 4 410 | 3 924 | 26 035 | 2 444 | 2 454 | 2 252 | 2 014 | 1 907 | 3 922 2 048 | 4 016 2 037 | - | | | | | | | |
| | 男 M. 女 F. | 24 647 | 2 395 | 2 209 | 2 251 | 2 158 | 1 910 | 1 873 | 1 873 | 1 920 | 2 013 | 1 723 | 1 874 | 1 979 | 4 930 2 588 | B46 | | | | | | | |
| B46.a | その他の循環器系の疾患(先天性を除く) | 5 373 | 587 | 528 | 505 | 498 | 381 | 2 607 | 305 | 270 | 240 | 252 | 190 | 394 215 | 408 224 | 554 278 | | | | | | | |
| | 男 M. 女 F. | 2 566 | 282 | 258 | 265 | 246 | 191 | 161 | 161 | 183 | 211 | 189 | 184 | 211 | 276 | - | B46.a | | | | | | |
| B46.b | その他のすべての疾患 | 45 309 | 4 413 | 4 125 | 4 200 | 3 912 | 3 543 | 23 328 | 2 300 | 2 174 | 2 214 | 2 000 | 1 824 | 3 450 1 746 | 3 461 1 752 | 3 149 1 610 | 3 581 1 813 | 4 376 2 310 | | | | | |
| | 男 M. 女 F. | 21 981 | 2 113 | 1 951 | 1 986 | 1 912 | 1 719 | 1 704 | 1 704 | 1 709 | 1 709 | 1 539 | 1 539 | 1 690 | 1 768 | 2 066 | - | B46.b | | | | | |
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) | 59 025 | 4 635 | 4 287 | 5 169 | 4 925 | 4 889 | 41 907 | 3 299 | 3 041 | 3 656 | 3 477 | 3 440 | 4 610 3 181 | 5 459 3 884 | 5 665 4 192 | 4 924 3 496 | 4 719 3 410 | 4 958 3 336 | 13 11 | | | |
| | 男 M. 女 F. | 17 118 | 1 336 | 1 246 | 1 513 | 1 448 | 1 449 | 1 429 | 1 429 | 1 429 | 1 429 | 1 429 | 1 429 | 1 473 | 1 428 | 1 383 | 1 474 | "E" | | | | | |
| BE47 | 自動車事故 | 17 979 | 1 410 | 1 165 | 1 572 | 1 541 | 1 442 | 14 352 | 1 156 | 923 | 1 259 | 1 261 | 1 173 | 1 294 1 012 | 1 451 1 156 | 1 688 1 329 | 1 620 1 288 | 1 573 1 260 | 1 597 1 246 | - | | | |
| | 男 M. 女 F. | 3 627 | 254 | 242 | 313 | 280 | 269 | 2 259 | 2 259 | 2 259 | 2 259 | 2 259 | 2 259 | 359 | 332 | 337 | 313 | 351 | - | BE47 | | | |
| BE48 | その他の不慮の事故 | 24 568 | 2 157 | 2 004 | 2 175 | 1 873 | 1 841 | 18 178 | 1 522 | 1 462 | 1 570 | 1 352 | 1 356 | 1 853 1 380 | 2 438 1 896 | 2 521 1 416 | 1 960 1 416 | 1 728 1 301 | 1 891 1 401 | 2 124 1 533 | 3 2 | | |
| | 男 M. 女 F. | 6 390 | 635 | 542 | 605 | 521 | 485 | 473 | 473 | 473 | 473 | 534 | 534 | 544 | 544 | 490 | 490 | - | BE48 | | | | |
| BE48.a | 自動車以外の交通事故 | 3 406 | 263 | 410 | 320 | 263 | 276 | 2 722 | 218 | 341 | 248 | 204 | 211 | 249 209 | 251 197 | 262 208 | 248 198 | 269 209 | 319 251 | 276 228 | - | | |
| | 男 M. 女 F. | 684 | 45 | 69 | 72 | 59 | 65 | 45 | 45 | 45 | 45 | 45 | 45 | 54 | 54 | 60 | 68 | 48 | - | BE48.a | | | |
| BE48.b | 不慮の墜落 | 4 643 | 364 | 323 | 399 | 370 | 400 | 3 362 | 246 | 234 | 305 | 267 | 303 | 365 261 | 355 240 | 400 288 | 357 262 | 455 322 | 431 312 | 424 312 | - | | |
| | 男 M. 女 F. | 1 281 | 118 | 89 | 94 | 103 | 97 | 1 281 | 118 | 89 | 94 | 103 | 97 | 104 | 115 | 112 | 95 | 123 | 119 | 122 | - | BE48.b | |
| BE48.c | 不慮の溺死および溺水 | 5 906 | 257 | 280 | 375 | 470 | 497 | 4 325 | 160 | 185 | 249 | 313 | 339 | 566 403 | 1 060 861 | 1 092 910 | 460 337 | 295 194 | 292 193 | 259 179 | 3 2 | | |
| | 男 M. 女 F. | 1 581 | 97 | 95 | 126 | 157 | 158 | 1 581 | 97 | 95 | 126 | 157 | 158 | 165 | 199 | 182 | 123 | 101 | 99 | 80 | - | BE48.c | |
| BE48.d | 天災 | 366 | - | - | - | - | - | 149 | - | - | - | - | - | 48 21 | 14 | 44 | 239 | 21 | - | - | - | - | BE48.d |
| | 男 M. 女 F. | 217 | - | - | - | - | - | - | - | - | - | - | - | 27 | 8 | 30 | 145 | 7 | - | - | - | - | - |
| BE48.e | その他 | 10 247 | 1 273 | 991 | 1 081 | 770 | 668 | 7 620 | 898 | 702 | 568 | 503 | 465 | 625 486 | 758 592 | 723 567 | 656 166 | 688 156 | 849 131 | 1 165 136 | - | BE48.e | |
| | 男 M. 女 F. | 2 627 | 375 | 289 | 313 | 202 | 165 | 2 627 | 375 | 289 | 313 | 202 | 165 | 139 | 139 | 131 | 131 | 131 | 849 645 | 814 204 | 351 | - | - |

54 表 (7-7)

第54表 死亡者数

TABLE 54 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 1月 January | 2月 February | 3月 March | 4月 April | 5月 May | |
|---|--------------------------------|------------------|----------------|----------------|----------------|----------------|----------------|--|
| | | | | | | | | |
| BE49 | 自殺および自傷 | 15 050 | 974 | 1 009 | 1 316 | 1 420 | 1 477 | |
| | 男 M. 女 F. | 8 450 6 600 | 559 415 | 583 426 | 758 558 | 803 617 | 838 639 | |
| BE50 | 他殺および戦争行為 | 1 428 | 94 | 109 | 106 | 91 | 129 | |
| | 男 M. 女 F. | 927 501 | 62 32 | 73 36 | 69 37 | 61 30 | 73 56 | |
| BE50.a | 他殺 | 1 407 | 93 | 108 | 103 | 89 | 127 | |
| | 男 M. 女 F. | 907 500 | 61 32 | 72 36 | 66 37 | 59 30 | 72 55 | |
| BE50.b | 処刑および戦争行為 | 21 | 1 | 1 | 3 | 2 | 2 | |
| | 男 M. 女 F. | 20 1 | 1 — | 1 — | 3 — | 2 — | 1 — | |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) | 59 025 | 4 635 | 4 287 | 5 169 | 4 925 | 4 889 | |
| | 男 M. 女 F. | 41 907 17 118 | 3 299 1 336 | 3 041 1 246 | 3 656 1 513 | 3 477 1 448 | 3 440 1 449 | |
| BN47 | 骨折、頭部損傷および内部損傷 | 28 836 | 2 258 | 2 094 | 2 524 | 2 396 | 2 367 | |
| | 男 M. 女 F. | 22 748 6 088 | 1 806 452 | 1 641 453 | 2 018 506 | 1 916 480 | 1 894 473 | |
| BN47.a | 頭蓋骨折 | 13 966 | 1 108 | 1 022 | 1 240 | 1 216 | 1 133 | |
| | 男 M. 女 F. | 11 380 2 586 | 938 170 | 836 186 | 1 016 224 | 933 215 | 200 | |
| BN47.b | その他の骨の骨折 | 3 580 | 284 | 273 | 320 | 304 | 296 | |
| | 男 M. 女 F. | 2 414 1 166 | 170 114 | 183 90 | 229 91 | 218 86 | 207 89 | |
| BN47.c | 頭部の損傷(骨折を除く) | 6 885 | 561 | 494 | 605 | 551 | 549 | |
| | 男 M. 女 F. | 5 260 1 625 | 431 130 | 373 121 | 471 134 | 426 125 | 426 123 | |
| BN47.d | 胸、腹、骨盤腔の内部損傷 | 4 405 | 305 | 305 | 359 | 325 | 389 | |
| | 男 M. 女 F. | 3 694 711 | 267 38 | 249 56 | 302 57 | 271 54 | 328 61 | |
| BN48 | 熱傷 | 2 213 | 310 | 247 | 302 | 203 | 119 | |
| | 男 M. 女 F. | 1 272 941 | 169 141 | 130 117 | 162 140 | 121 82 | 69 50 | |
| BN49 | 毒物の作用 | 6 038 | 503 | 549 | 528 | 534 | 546 | |
| | 男 M. 女 F. | 3 200 2 838 | 262 241 | 321 228 | 302 226 | 278 256 | 272 274 | |
| BN50 | その他の損傷 | 21 938 | 1 564 | 1 397 | 1 815 | 1 792 | 1 857 | |
| | 男 M. 女 F. | 14 687 7 251 | 1 062 502 | 949 448 | 1 174 641 | 1 162 630 | 1 205 652 | |
| BN50.a | 裂傷および開放創 | 1 440 | 100 | 109 | 134 | 122 | 108 | |
| | 男 M. 女 F. | 1 038 402 | 72 28 | 82 27 | 98 36 | 79 43 | 71 37 | |
| BN50.b | 溺死および死にいたらぬ溺水 | 8 775 | 456 | 470 | 652 | 691 | 741 | |
| | 男 M. 女 F. | 5 784 2 991 | 273 183 | 299 171 | 391 261 | 422 269 | 466 275 | |
| BN50.c | 窒息および絞首 | 8 199 | 552 | 520 | 719 | 758 | 789 | |
| | 男 M. 女 F. | 5 107 3 092 | 356 196 | 331 189 | 451 268 | 488 270 | 497 292 | |
| BN50.d | その他 | 3 524 | 456 | 298 | 310 | 221 | 219 | |
| | 男 M. 女 F. | 2 758 766 | 361 95 | 237 61 | 234 76 | 173 48 | 171 48 | |

性・月・死因(簡単分類)別

BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和41年
1966

| 6月 June | 7月 July | 8月 August | 9月 September | 10月 October | 11月 November | 12月 December | 不詳 Unknown | 国際簡単分類番号 International abbreviated list number |
|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|---------------|---|
| 1 345 721 624 | 1 444 754 690 | 1 303 769 534 | 1 211 701 510 | 1 286 728 558 | 1 142 605 537 | 1 113 622 491 | 10 9 1 | BE49 |
| 118 68 50 | 126 78 48 | 153 107 46 | 133 91 42 | 132 92 40 | 113 70 43 | 124 83 41 | — — — | BE50 |
| 117 67 50 | 124 76 48 | 150 104 46 | 131 89 42 | 132 92 40 | 111 68 43 | 122 81 41 | — — — | BE50.a |
| 1 1 | 2 2 | 3 3 | 2 2 | — — | 2 2 | 2 2 | — — | BE50.b |
| 4 610 3 181 1 429 | 5 459 3 884 1 575 | 5 665 4 192 1 428 | 4 924 3 496 1 428 | 4 772 3 410 1 362 | 4 719 3 336 1 383 | 4 958 3 484 1 474 | 13 11 2 | "N" |
| 2 113 1 633 480 | 2 303 1 795 508 | 2 554 2 004 550 | 2 497 1 947 557 | 2 617 2 060 547 | 2 587 2 040 532 | 2 525 2 040 532 | 1 1 — | BN47 |
| 988 798 190 | 1 076 860 216 | 1 224 974 250 | 1 216 981 235 | 1 266 981 247 | 1 285 1 045 240 | 1 191 978 213 | 1 1 — | BN47.a |
| 270 175 95 | 300 200 100 | 291 201 90 | 284 199 85 | 315 222 93 | 324 209 115 | 319 201 118 | — — — | BN47.b |
| 511 376 135 | 555 425 145 | 590 445 141 | 578 437 158 | 655 497 158 | 598 461 137 | 638 492 146 | — — — | BN47.c |
| 344 284 60 | 372 310 62 | 449 384 65 | 419 330 89 | 381 322 59 | 380 325 55 | 377 322 55 | — — — | BN47.d |
| 108 72 36 | 107 73 34 | 105 67 38 | 117 73 44 | 115 69 46 | 166 101 65 | 314 166 148 | — — — | BN48 |
| 480 250 230 | 509 271 238 | 462 255 207 | 446 248 198 | 461 225 236 | 446 224 222 | 572 290 282 | 2 2 — | BN49 |
| 1 909 1 226 683 | 2 540 1 745 795 | 2 544 1 866 678 | 1 864 1 228 636 | 1 579 1 056 523 | 1 520 971 549 | 1 547 1 035 512 | 10 8 2 | BN50 |
| 101 76 25 | 135 98 37 | 153 107 46 | 135 103 32 | 127 90 37 | 98 70 28 | 118 92 26 | — — — | BN50.a |
| 847 529 318 | 1 350 991 359 | 1 353 1 041 312 | 1 353 483 256 | 739 307 217 | 524 307 200 | 510 310 168 | 5 3 2 | BN50.b |
| 714 425 289 | 799 458 341 | 703 463 240 | 700 462 280 | 694 462 232 | 647 390 257 | 599 361 238 | 5 5 — | BN50.c |
| 247 196 51 | 256 198 58 | 335 255 80 | 290 222 68 | 234 197 37 | 265 201 64 | 393 313 80 | — — — | BN50.d |

55 表 (14—1)

第55表 死亡者数,

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単 分類番号 International abbreviated list number | 死因・性 Cause of death and sex | All Japan | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |
|---|------------------------------------|--------------------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | | 全 国 | 北 海 道 | 青 森 | 岩 手 | 宮 城 | 秋 田 | 山 形 | 福 島 | 茨 城 | 群 馬 |
| | 総 数 Total | 670 342 | 30 966 | 9 509 | 10 287 | 11 854 | 9 266 | 10 083 | 15 010 | 15 996 | 11 746 | 12 226 |
| | 男 M. 女 F. | 363 356 306 986 | 17 769 13 197 | 5 293 4 216 | 5 669 4 618 | 6 523 5 331 | 5 178 4 088 | 5 347 4 736 | 8 119 6 891 | 8 542 7 454 | 6 358 5 388 | 6 605 5 624 |
| B1 | 呼吸器系の結核 | 18 896 | 1 090 | 321 | 204 | 205 | 136 | 165 | 249 | 253 | 236 | 222 |
| | 男 M. 女 F. | 12 642 6 254 | 716 374 | 186 135 | 128 76 | 143 62 | 90 46 | 117 48 | 169 80 | 179 74 | 155 80 | 140 77 |
| B2 | その他の結核 | 1 168 | 97 | 27 | 21 | 19 | 15 | 9 | 25 | 14 | 15 | 14 |
| | 男 M. 女 F. | 562 606 | 48 49 | 12 15 | 10 11 | 7 12 | 4 11 | 4 5 | 10 5 | 11 3 | 9 6 | 7 |
| B3 | 梅毒およびその続発症 | 1 388 | 82 | 20 | 14 | 30 | 17 | 13 | 21 | 27 | 17 | 14 |
| | 男 M. 女 F. | 986 402 | 57 25 | 18 2 | 10 4 | 26 4 | 10 7 | 10 3 | 14 7 | 22 5 | 8 9 | 11 3 |
| B4 | 腸チフス | 13 | — | 1 | 1 | — | — | — | — | — | 1 | — |
| | 男 M. 女 F. | 6 7 | — — | — 1 | — 1 | — — | — — | — — | — — | — — | — 1 | — — |
| B5 | コレラ | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B6 | 赤痢 | 265 | 9 | 1 | 2 | 2 | 2 | 4 | 10 | 13 | 9 | 22 |
| | 男 M. 女 F. | 115 150 | 3 6 | 1 | 1 | 1 | 1 | 2 | 4 2 6 | 4 9 | 1 8 | 2 |
| B6.a | 細菌性赤痢(症状を呈するもの) | 140 | 3 | 1 | 2 | 2 | 1 | 3 | 10 | 9 | 4 | 11 |
| | 男 M. 女 F. | 62 78 | 2 1 | — 1 | 1 1 | 1 1 | — 1 | 1 2 | 4 4 6 | 2 7 | 1 3 | — |
| B6.b | 細菌性赤痢(その他) | 124 | 6 | — | — | — | 1 | 1 | — | 4 | 5 | 11 |
| | 男 M. 女 F. | 53 71 | 1 5 | — — | — — | — — | — — | — — | — — | 2 2 | — 2 | — |
| B6.c | アメーバ症 | 1 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B6.d | その他の原虫性および詳細不明の赤痢 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B7 | 猩紅熱およびレンサ球菌性口歎炎 | 15 | 1 | — | — | — | — | — | — | — | — | 2 |
| | 男 M. 女 F. | 4 11 | — 1 | — — | 2 |
| B7.a | 猩紅熱 | 15 | 1 | — | — | — | — | — | — | — | — | 2 |
| | 男 M. 女 F. | 4 11 | — 1 | — — | 2 |
| B7.b | レンサ球菌性口歎炎 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B8 | ジフテリア | 22 | 1 | 1 | — | — | 1 | — | — | — | — | — |
| | 男 M. 女 F. | 10 12 | 1 — | 1 — | — — | — — | 1 — | — — | — — | — — | — — | — — |
| B9 | 百日咳 | 15 | 1 | — | — | — | 1 | — | — | — | 1 | 2 |
| | 男 M. 女 F. | 11 4 | 1 — | — — | — — | — — | 1 — | — — | — — | — — | 1 1 | 2 |

注：本年報には掲載していないが、本表をさらに年齢（5才階級）別ならびに月別に集計した特別製表がある。

性・死因（簡単分類）・都道府県—七大都市（再掲）別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和 41 年
1966

| 国際簡単分類番号 | | | | | | | | | | | | | | | | | | |
|---------------------------|---------------------------|----------------------------|----------------------------|--------------------------|-------------------------|-------------------------|-------------------------|-------------------------|--------------------------|--------------------------|---------------------------|----------------------------|--------------------------|-------------------------|--------------------------|---|------|--|
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | International abbreviated list number | | |
| 埼玉 | 千葉 | 東京 | 神奈川 | 新潟 | 富山 | 石川 | 福井 | 山梨 | 長野 | 岐阜 | 静岡 | 愛知 | 三重 | 滋賀 | 京都 | | | |
| 19 145 10 494 8 651 | 18 760 10 065 8 695 | 50 797 28 196 22 601 | 22 533 12 516 10 017 | 18 581 9 735 8 846 | 7 945 4 183 3 762 | 7 643 3 959 3 684 | 5 905 3 069 2 836 | 6 222 3 311 2 911 | 15 935 8 301 7 634 | 12 359 6 614 5 745 | 19 216 10 641 8 575 | 27 756 15 025 12 731 | 11 777 6 241 5 536 | 7 279 3 808 3 471 | 14 732 7 693 7 039 | | | |
| 417 289 128 | 375 243 132 | 1 680 1 150 530 | 638 445 193 | 284 187 97 | 155 107 48 | 208 132 76 | 175 128 47 | 111 75 36 | 183 113 70 | 375 243 132 | 475 299 176 | 985 661 324 | 317 215 102 | 175 119 56 | 458 326 132 | B1 | | |
| 33 16 17 | 16 9 7 | 104 43 61 | 44 22 22 | 22 7 15 | 18 8 10 | 11 4 7 | 8 2 6 | 7 6 1 | 27 17 10 | 28 15 13 | 16 9 7 | 47 21 26 | 19 11 8 | 4 2 2 | 20 10 10 | B2 | | |
| 31 21 10 | 43 33 10 | 156 101 55 | 64 51 13 | 17 10 7 | 12 6 6 | 14 11 3 | 2 2 - | 5 3 2 | 29 19 10 | 18 13 5 | 39 26 13 | 68 49 19 | 25 17 8 | 7 6 1 | 32 25 7 | B3 | | |
| - - - | - - - | 1 1 - | - - - | 1 1 - | - - - | - - - | - - - | - - - | 1 1 - | - - - | 1 1 1 | - - - | - - - | - - - | B4 | | | |
| - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B5 | | | |
| 14 6 8 | 12 6 6 | 17 10 7 | 2 1 1 | 7 2 5 | 1 1 1 | 1 1 1 | 2 - 2 | 1 1 1 | - - - | 4 2 2 | 9 6 3 | 15 7 8 | 1 - 1 | - - - | 10 8 2 | B6 | | |
| 7 4 3 | 7 3 4 | II 6 5 | I - I | 6 2 4 | - - - | - - - | - - - | - - - | - - - | 2 1 1 | 4 3 1 | 10 5 5 | I - I | - - - | I I - | B6.a | | |
| 7 2 5 | 5 3 2 | 6 4 2 | I - I | I - I | I - I | I - I | 2 - 2 | I - I | - - - | 2 1 1 | 5 3 2 | 5 2 3 | - - - | - - - | 9 7 2 | B6.b | | |
| - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B6.c | | | |
| - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B6.d | | | |
| 1 1 | - - | 1 1 | - - | 1 1 | - - | - - | - - | - - | - - | 1 1 1 | - - - | 1 1 1 | - - - | - - - | - - - | 1 1 - | B7 | |
| I I | - - | I I | - - | I I | - - | - - | - - | - - | - - | I I I | - - - | I I I | - - - | - - - | - - - | I I - | B7.a | |
| - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B7.b | | |
| - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B8 | | |
| - - - | 3 1 2 | - - - | 2 1 1 | 1 - 1 | - - - | - - - | - - - | - - - | - - - | 1 1 1 | 1 1 1 | - - - | - - - | - - - | - - - | - - - | B9 | |

Note: Special tabulation that table 55 is more enumerated by age (5 years of age groups) and month of occurrence is prepared otherwise, so it is not presented here in this annual report.

55表(14-2)

第55表 死亡者数

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | All Japan | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |
|---|--------------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|---------------|----------------|----------------|----------------|----------------|
| | | 全国 | 北海道 | 青森 | 岩手 | 宮城 | 秋田 | 山形 | 福島 | 茨城 | 栃木 | 群馬 |
| B10 | 脳膜炎菌感染 | 33 19 14 | 2 1 2 | 1 1 — | 1 — — | 1 — — | 3 1 2 | — — — | 1 — — | — — — | — — — | 1 — 1 |
| B11 | ペスト | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B12 | 急性灰白髄炎 | 17 14 3 | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — 1 | — — — |
| B13 | 痘瘡 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B14 | 麻疹 | 671 336 335 | 61 27 34 | 21 12 9 | 24 10 14 | 4 3 1 | 18 11 7 | 13 7 6 | 28 15 13 | 21 12 9 | 19 7 12 | 11 8 3 |
| B15 | 発疹チフスおよびその他のリケッチャ病 | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B15.a | シラミ媒介の流行性発疹チフス | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B15.b | 恙虫病およびその他のコダニ媒介の発疹チフス様疾患 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B15.c | その他 | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B16 | マラリア | 4 4 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B17 | 伝染性および寄生性として分類されたその他疾患 | 3 488 1 811 1 677 | 82 52 30 | 43 18 25 | 41 20 21 | 39 27 12 | 22 14 8 | 22 13 9 | 49 29 20 | 66 44 22 | 34 24 10 | 33 18 15 |
| B17.a | ペラチフス | 6 2 4 | — — — | 1 1 — | — — — | 1 — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B17.b | 瘧 | 4 2 2 | — — — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B17.c | 破傷風 | 318 207 111 | 5 4 1 | 8 7 1 | 6 5 1 | 5 3 2 | 2 — — | 3 2 1 | 4 2 2 | 18 14 4 | 6 6 — | 8 5 3 |
| B17.d | 炭疽 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B17.e | 回帰熱 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 国際簡単分類番号 International abbreviated list number |
|----|----|----|-----|----|----|----|----|----|----|----|----|----|----|----|----|---|
| 埼玉 | 千葉 | 東京 | 神奈川 | 新潟 | 富山 | 石川 | 福井 | 山梨 | 長野 | 岐阜 | 静岡 | 愛知 | 三重 | 滋賀 | 京都 | B10 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B11 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B12 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B13 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B14 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.c |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B16 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.c |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.d |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.e |

55 表 (14—3)

第55表 死亡者数,

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | All Japan 全 国 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |
|---|--|------------------|----------------|------------|------------|--------------|------------|------------|----------------|----------------|--------------|--------------|
| | | | 北海道 | 青 森 | 岩 手 | 宮 城 | 秋 田 | 山 形 | 福 島 | 茨 城 | 栃 木 | 群 馬 |
| B17.f | 日本脳炎..... | 1 500 | — | 2 | 4 | 3 | — | 2 | 6 | 11 | 1 | 2 |
| | 男 M. 女 F. | 724 776 | — | 2 — | 2 2 | 3 — | — | 1 1 | 3 3 | 7 4 | 1 1 | 1 1 |
| B17.g | 黄 熱..... | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — | — — | — — | — — | — | — |
| B17.h | 狂 犬 病..... | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — | — — | — — | — — | — | — |
| B17.i | 伝染性下痢症..... | 1 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — 1 | — — | — — | — — | — — | — | — — | — — | — — | — | — |
| B17.j | 日本住血吸虫症..... | 16 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 7 9 | — — | — — | — — | — — | — | — — | — — | — — | — | — |
| B17.k | 糸状虫症..... | 28 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 20 8 | — — | — — | — — | — — | — | — — | — — | — — | — | — |
| B17.l | その他の伝染性および寄生性として分類された疾患..... | 1 615 | 77 | 31 | 31 | 30 | 20 | 17 | 39 | 37 | 27 | 23 |
| | 男 M. 女 F. | 849 766 | 48 29 | 7 24 | 13 18 | 21 9 | 12 8 | 10 7 | 23 15 | 23 14 | 17 10 | 12 11 |
| 818 | 悪性新生物(リンパ組織および造血組織の... 新生物を含む)..... | 109 805 | 4 974 | 1 412 | 1 337 | 1 931 | 1 568 | 1 749 | 2 455 | 2 377 | 1 785 | 1 987 |
| | 男 M. 女 F. | 60 803 49 002 | 2 890 2 084 | 753 659 | 723 614 | 1 069 862 | 869 699 | 930 819 | 1 361 1 094 | 1 299 1 078 | 1 008 777 | 1 078 909 |
| B18.a | 胃の悪性新生物..... | 46 772 | 1 968 | 572 | 481 | 756 | 737 | 835 | 1 077 | 1 089 | 821 | 961 |
| | 男 M. 女 F. | 28 923 17 849 | 1 277 691 | 352 220 | 291 190 | 475 281 | 446 291 | 519 316 | 687 390 | 666 423 | 532 289 | 587 374 |
| B18.b | 気管、気管支および肺の悪性新生物..... | 8 365 | 439 | 110 | 115 | 172 | 114 | 124 | 169 | 125 | 119 | 140 |
| | 男 M. 女 F. | 5 857 2 508 | 305 134 | 75 35 | 81 34 | 109 63 | 79 35 | 81 43 | 102 67 | 89 56 | 81 38 | 92 48 |
| B18.c | 乳房の悪性新生物..... | 2 129 | 98 | 29 | 40 | 42 | 24 | 26 | 42 | 49 | 39 | 37 |
| | 男 M. 女 F. | 29 2 100 | — 98 | 1 28 | — 40 | — 42 | 1 23 | 1 25 | 3 39 | — 49 | — 39 | 1 36 |
| B18.d | 子宮の悪性新生物..... | 6 667 | 286 | 102 | 87 | 94 | 90 | 85 | 128 | 130 | 105 | 92 |
| | 男 M. 女 F. | 6 667 | 286 | 102 | 87 | 94 | 90 | 85 | 128 | 130 | 105 | 92 |
| B18.e | 白血病および無白血病..... | 3 266 | 198 | 53 | 52 | 46 | 41 | 51 | 59 | 62 | 45 | 62 |
| | 男 M. 女 F. | 1 801 1 465 | 121 77 | 26 27 | 34 18 | 23 23 | 26 15 | 28 23 | 31 28 | 37 25 | 25 20 | 36 26 |
| B18.f | そ の 他..... | 42 606 | 1 985 | 546 | 562 | 821 | 562 | 628 | 980 | 922 | 656 | 695 |
| | 男 M. 女 F. | 24 193 18 413 | 1 187 798 | 299 247 | 317 245 | 462 359 | 317 245 | 301 327 | 538 442 | 507 415 | 370 286 | 362 333 |
| 819 | 良性および性質不詳の新生物..... | 5 458 | 316 | 70 | 61 | 78 | 73 | 77 | 47 | 115 | 86 | 97 |
| | 男 M. 女 F. | 2 861 2 597 | 171 145 | 35 35 | 31 30 | 40 38 | 32 41 | 43 34 | 20 27 | 61 54 | 46 40 | 45 52 |
| 820 | 糖 尿 病..... | 5 750 | 271 | 68 | 79 | 111 | 55 | 49 | 78 | 102 | 86 | 84 |
| | 男 M. 女 F. | 2 735 3 015 | 136 135 | 29 39 | 40 39 | 51 60 | 33 22 | 25 24 | 35 43 | 53 49 | 42 44 | 44 40 |

性・死因（簡単分類）・都道府県—七大都市（再掲）別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和 41 年
1966

| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 国際簡単分類番号 International abbreviated list number |
|----------------------|----------------------|--------------------------|-------------------------|-------------------------|---------------------|---------------------|-------------------|---------------------|-------------------------|-------------------------|-------------------------|-----------------------|-----------------------|---------------------|-------------------------|---|
| 埼玉 | 千葉 | 東京 | 神奈川 | 新潟 | 富山 | 石川 | 福井 | 山梨 | 長野 | 岐阜 | 静岡 | 愛知 | 三重 | 滋賀 | 京都 | |
| 7 3 4 | 7 1 6 | -14 5 9 | 10 6 4 | 2 - 2 | 3 3 - | 3 3 - | 5 5 - | 3 2 1 | 7 2 5 | 13 7 6 | 4 4 - | 20 10 10 | 16 8 8 | 15 9 6 | 86 32 54 | B17.f |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.g |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.h |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.i |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.j |
| - | - | I | - | - | - | - | - | 12 4 8 | - | - | - | - | - | - | - | |
| - | - | I | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| - | - | I | - | - | - | - | - | - | - | - | 1 | - | - | - | - | B17.k |
| 51 27 24 | 40 17 23 | 116 62 54 | 52 25 27 | 29 14 15 | 17 8 9 | 11 5 6 | 15 9 6 | 12 5 7 | 33 18 15 | 26 15 11 | 54 32 24 | 63 39 24 | 20 13 7 | 10 7 3 | 35 14 21 | B17.l |
| 2984 1647 1337 | 2972 1626 1346 | 10 057 5 530 4 527 | 3 959 2 214 1 745 | 3 215 1 766 1 449 | 1 332 749 583 | 1 171 639 532 | 909 488 421 | 1 022 572 450 | 2 510 1 380 1 130 | 1 915 1 051 1 251 | 2 713 1 462 1 991 | 4 375 2 384 892 | 1 972 1 080 892 | 1 120 625 495 | 2 646 1 467 1 179 | B18 |
| 1397 853 544 | 1 402 848 554 | 4 115 2 541 1 574 | 1 703 1 090 613 | 1 526 890 636 | 630 388 242 | 528 321 207 | 380 234 146 | 431 267 164 | 1 118 680 438 | 906 543 363 | 1 063 630 433 | 2 007 1 237 770 | 856 528 328 | 481 281 200 | 1 153 710 443 | B18.a |
| 207 140 67 | 196 140 56 | 845 573 272 | 311 210 101 | 211 151 60 | 90 63 27 | 88 67 21 | 49 38 11 | 60 44 16 | 164 111 53 | 127 87 40 | 225 163 62 | 280 203 77 | 146 111 35 | 72 60 12 | 246 166 80 | B18.b |
| 53 - 53 | 71 2 69 | 280 105 278 | 105 2 103 | 57 2 55 | 17 1 16 | 13 - 13 | 19 - 19 | 26 - 26 | 50 - 50 | 30 - 30 | 54 1 53 | 88 1 87 | 32 - 32 | 27 - 27 | 46 - 46 | B18.c |
| 146 | 158 | 559 | 255 | 148 | 83 | 53 | 64 | 46 | 103 | 104 | 178 | 285 | 136 | 68 | 157 | B18.d |
| 146 | 158 | 559 | 255 | 148 | 83 | 53 | 64 | 46 | 103 | 104 | 178 | 285 | 136 | 68 | 157 | |
| 83 43 40 | 87 50 37 | 344 200 144 | 140 71 69 | 92 51 41 | 38 25 14 | 39 12 9 | 21 20 7 | 27 37 24 | 61 37 27 | 57 30 27 | 94 52 42 | 150 79 71 | 55 37 18 | 24 12 12 | 61 28 33 | B18.e |
| 1098 611 487 | 1058 586 472 | 3914 2214 1700 | 1445 841 604 | 1181 672 509 | 474 273 201 | 450 226 224 | 376 204 172 | 432 241 191 | 1014 552 462 | 691 391 300 | 1099 616 483 | 1565 864 701 | 747 404 343 | 448 272 176 | 983 563 420 | B18.f |
| 173 86 87 | 140 70 70 | 492 277 215 | 175 95 80 | 87 44 43 | 71 36 35 | 79 37 42 | 44 27 17 | 44 19 25 | 120 54 66 | 72 37 35 | 90 41 49 | 271 146 125 | 105 54 51 | 66 34 32 | 175 104 71 | B19 |
| 136 67 69 | 133 62 71 | 483 244 239 | 191 96 95 | 128 57 71 | 91 43 48 | 95 48 47 | 62 27 35 | 24 15 9 | 106 59 47 | 123 57 66 | 168 81 87 | 245 116 129 | 123 53 70 | 84 67 51 | 166 67 99 | B20 |

55 表 (14-4)

第55表 死亡者数

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | All Japan | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |
|---|--------------------------------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | 全 国 | 北 海 道 | 青 森 | 岩 手 | 宮 城 | 秋 田 | 山 形 | 福 島 | 茨 城 | 栃 木 | 群 馬 |
| B21 | 貧 血 | 1 373 | 47 | 16 | 15 | 25 | 17 | 19 | 10 | 31 | 17 | 30 |
| | 男 M. 女 F. | 616 757 | 23 24 | 9 7 | 7 8 | 17 | 10 | 8 | 16 | 9 8 | 18 12 | |
| B22 | 中枢神経系の血管損傷 | 172 186 | 7 326 | 2 670 | 3 369 | 3 751 | 3 189 | 3 192 | 4 816 | 4 610 | 3 489 | 3 596 |
| | 男 M. 女 F. | 92 066 80 120 | 4 089 3 237 | 1 521 1 149 | 1 876 1 493 | 1 988 1 763 | 1 815 1 374 | 1 691 1 501 | 2 554 2 262 | 2 495 2 115 | 1 886 1 603 | 1 932 1 664 |
| B23 | 結膜炎(結膜炎菌性および結核性を除く) | 814 | 22 | 6 | 9 | 12 | 6 | 19 | 13 | 11 | 16 | 16 |
| | 男 M. 女 F. | 432 382 | 12 10 | 3 3 | 3 2 | 8 4 | 2 4 | 9 5 | 5 8 | 3 8 | 4 12 | |
| B24 | リューマチ熱 | 592 | 42 | 9 | 13 | 7 | 6 | 11 | 10 | 17 | 14 | 5 |
| | 男 M. 女 F. | 208 384 | 18 24 | 2 7 | 5 8 | 3 4 | 3 7 | 7 11 | 3 11 | 3 1 | 1 4 | |
| B25 | 慢性リューマチ性心臓疾患 | 4 606 | 330 | 35 | 116 | 67 | 50 | 52 | 146 | 80 | 126 | 75 |
| | 男 M. 女 F. | 1 617 2 989 | 151 179 | 15 20 | 34 82 | 22 45 | 20 30 | 23 29 | 58 57 | 23 81 | 27 48 | |
| B26 | 動脈硬化性および変性性心臓疾患 | 55 102 | 2 209 | 706 | 735 | 1 006 | 739 | 753 | 1 082 | 1 394 | 830 | 1 164 |
| | 男 M. 女 F. | 28 970 26 132 | 1 246 963 | 385 321 | 370 365 | 555 451 | 389 350 | 388 365 | 549 533 | 439 391 | 608 556 | |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 28 016 | 1 439 | 300 | 406 | 572 | 353 | 374 | 687 | 636 | 619 | 586 |
| | 男 M. 女 F. | 16 663 11 353 | 898 541 | 196 104 | 226 180 | 343 229 | 222 148 | 377 152 | 381 259 | 342 277 | 340 246 | |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | 6 509 | 255 | 72 | 102 | 131 | 112 | 99 | 135 | 225 | 73 | 131 |
| | 男 M. 女 F. | 2 651 3 858 | 115 140 | 34 38 | 44 58 | 60 71 | 60 52 | 38 61 | 60 75 | 31 42 | 48 83 | |
| B26.c | その他の心筋変性 | 20 577 | 515 | 334 | 227 | 303 | 274 | 280 | 260 | 533 | 138 | 447 |
| | 男 M. 女 F. | 9 656 10 921 | 233 282 | 155 179 | 100 127 | 152 150 | 124 152 | 128 152 | 108 298 | 235 72 | 66 227 | |
| B27 | その他の心臓疾患 | 11 480 | 1 072 | 138 | 227 | 201 | 131 | 181 | 396 | 262 | 371 | 235 |
| | 男 M. 女 F. | 6 020 5 460 | 546 526 | 81 57 | 108 119 | 106 95 | 83 48 | 101 80 | 213 183 | 143 119 | 162 209 | 126 109 |
| B28 | 高血圧性心臓疾患 | 10 626 | 663 | 74 | 153 | 212 | 116 | 108 | 209 | 260 | 169 | 136 |
| | 男 M. 女 F. | 5 106 5 520 | 316 347 | 43 31 | 65 88 | 104 53 | 63 49 | 59 110 | 99 135 | 125 81 | 63 73 | |
| B29 | その他の高血圧性疾患 | 7 779 | 627 | 71 | 94 | 118 | 99 | 81 | 176 | 152 | 125 | 74 |
| | 男 M. 女 F. | 3 706 4 073 | 318 309 | 35 36 | 47 47 | 68 50 | 45 54 | 45 36 | 88 88 | 59 63 | 62 63 | 35 39 |
| B30 | インフルエンザ | 383 | 2 | 4 | 3 | 9 | 4 | 8 | 5 | 15 | 24 | 9 |
| | 男 M. 女 F. | 199 184 | 2 — | 2 2 | 2 1 | 5 4 | 2 2 | 3 1 | 4 6 | 9 12 | 6 4 | 4 3 |
| B31 | 肺炎(新生児肺炎を除く) | 21 140 | 1 058 | 388 | 530 | 362 | 280 | 284 | 568 | 486 | 382 | 455 |
| | 男 M. 女 F. | 11 343 9 797 | 597 461 | 210 178 | 309 221 | 200 162 | 171 109 | 144 140 | 320 226 | 260 182 | 238 217 | |
| B32 | 気管支炎 | 5 288 | 214 | 48 | 76 | 59 | 46 | 58 | 116 | 134 | 119 | 122 |
| | 男 M. 女 F. | 2 728 2 560 | 126 88 | 21 27 | 35 41 | 32 21 | 25 32 | 53 63 | 57 77 | 61 58 | 61 61 | |
| B33 | 胃および十二指腸の潰瘍 | 8 816 | 317 | 105 | 130 | 135 | 103 | 123 | 187 | 263 | 162 | 168 |
| | 男 M. 女 F. | 6 151 2 665 | 220 97 | 73 32 | 96 34 | 88 47 | 78 25 | 91 32 | 136 51 | 189 74 | 113 49 | 119 49 |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

昭和41年
1966

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 国際簡単分類番号 International abbreviated list number |
|-------|-------|---------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---|
| 埼玉 | 千葉 | 東京 | 神奈川 | 新潟 | 富山 | 石川 | 福井 | 山梨 | 長野 | 岐阜 | 静岡 | 愛知 | 三重 | 滋賀 | 京都 | B21 |
| 41 | 36 | 134 | 44 | 29 | 16 | 17 | 18 | 5 | 29 | 23 | 47 | 53 | 21 | 12 | 42 | B21 |
| 22 | 17 | 74 | 24 | 9 | 3 | 10 | 6 | 2 | 12 | 22 | 29 | 24 | 7 | 8 | 28 | B21 |
| 19 | 19 | 60 | 20 | 20 | 13 | 7 | 12 | 3 | 16 | 11 | 25 | 24 | 14 | 14 | 28 | B21 |
| 5 121 | 4 982 | 12 218 | 5 568 | 5 767 | 2 161 | 1 907 | 1 450 | 1 826 | 5 298 | 3 195 | 5 231 | 6 247 | 2 805 | 1 755 | 3 303 | B22 |
| 2 807 | 2 690 | 6 681 | 3 006 | 2 949 | 1 152 | 1 000 | 763 | 941 | 2 671 | 1 658 | 2 870 | 3 304 | 1 467 | 870 | 1 725 | B22 |
| 2 314 | 2 292 | 5 537 | 2 562 | 2 818 | 1 009 | 907 | 687 | 885 | 2 627 | 1 537 | 2 361 | 2 943 | 1 338 | 885 | 1 578 | B22 |
| 24 | 27 | 78 | 22 | 14 | 8 | 9 | 7 | 8 | 20 | 15 | 18 | 45 | 15 | 9 | 16 | B23 |
| 11 | 11 | 40 | 12 | 10 | 6 | 4 | 2 | 5 | 16 | 8 | 10 | 25 | 7 | 8 | 8 | B23 |
| 13 | 16 | 38 | 10 | 7 | 12 | 6 | 2 | 5 | 4 | 12 | 5 | 14 | 5 | 1 | 4 | B23 |
| 18 | 12 | 47 | 11 | 19 | 7 | 1 | 1 | 2 | 4 | 12 | 14 | 1 | 1 | 2 | 6 | B24 |
| 6 | 9 | 33 | 7 | 12 | 6 | 2 | 5 | 4 | 12 | 5 | 14 | 1 | 1 | 2 | 4 | B24 |
| 12 | 9 | 33 | 7 | 12 | 6 | 2 | 5 | 4 | 12 | 5 | 14 | 1 | 1 | 2 | 4 | B24 |
| 85 | 119 | 373 | 110 | 229 | 42 | 58 | 47 | 43 | 100 | 119 | 135 | 79 | 48 | 110 | 110 | B25 |
| 31 | 41 | 114 | 37 | 92 | 13 | 14 | 20 | 10 | 32 | 45 | 39 | 42 | 27 | 19 | 19 | B25 |
| 54 | 78 | 259 | 73 | 137 | 29 | 44 | 27 | 33 | 68 | 55 | 80 | 93 | 52 | 31 | 91 | B25 |
| 1 626 | 1 676 | 4 685</ | | | | | | | | | | | | | | |

55 表 (14-5)

第55表 死亡者数

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | All Japan | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |
|---|--------------------------------|-----------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | 全 国 | 北 海 道 | 青 森 | 岩 手 | 宮 城 | 秋 田 | 山 形 | 福 島 | 茨 城 | 栃 木 | 群 馬 |
| B34 | 虫 痘 炎 | 707 | 42 | 10 | 13 | 21 | 11 | 8 | 24 | 23 | 14 | 23 |
| | 男 M. 女 F. | 382 | 22 | 6 | 9 | 12 | 8 | 5 | 14 | 7 | 9 | 13 |
| | | 325 | 20 | 4 | 4 | 9 | 3 | 3 | 10 | 16 | 5 | 10 |
| B35 | 腸閉塞およびヘルニア | 3 496 | 204 | 58 | 55 | 48 | 46 | 45 | 78 | 72 | 49 | 60 |
| | 男 M. 女 F. | 1 934 | 112 | 40 | 40 | 27 | 27 | 29 | 41 | 40 | 30 | 32 |
| | | 1 562 | 92 | 18 | 15 | 21 | 19 | 16 | 37 | 32 | 19 | 28 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) | 11 023 | 407 | 157 | 153 | 106 | 140 | 138 | 191 | 253 | 247 | 170 |
| | 男 M. 女 F. | 4 617 | 182 | 63 | 65 | 50 | 52 | 46 | 81 | 93 | 109 | 75 |
| | | 6 406 | 225 | 94 | 88 | 56 | 88 | 92 | 110 | 160 | 138 | 95 |
| B36.a | 胃炎および十二指腸炎 | 2 706 | 71 | 29 | 45 | 23 | 21 | 21 | 40 | 72 | 73 | 43 |
| | 男 M. 女 F. | 1 083 | 23 | 11 | 17 | 11 | 3 | 3 | 10 | 23 | 30 | 12 |
| | | 1 623 | 48 | 18 | 28 | 12 | 18 | 18 | 30 | 49 | 43 | 31 |
| B36.b | 胃腸炎、腸炎および大腸炎 | 8 317 | 336 | 128 | 108 | 83 | 119 | 117 | 151 | 181 | 174 | 127 |
| | 男 M. 女 F. | 3 534 | 159 | 52 | 48 | 39 | 49 | 43 | 71 | 70 | 79 | 63 |
| | | 4 783 | 177 | 76 | 60 | 44 | 70 | 74 | 80 | 111 | 95 | 64 |
| B37 | 肝硬変 | 10 059 | 417 | 90 | 99 | 107 | 73 | 79 | 139 | 200 | 131 | 150 |
| | 男 M. 女 F. | 6 739 | 278 | 68 | 63 | 61 | 49 | 51 | 93 | 119 | 87 | 84 |
| | | 3 320 | 139 | 22 | 36 | 46 | 24 | 28 | 46 | 81 | 44 | 66 |
| B38 | 腎炎およびネフローゼ | 10 360 | 428 | 118 | 140 | 168 | 126 | 158 | 153 | 276 | 170 | 155 |
| | 男 M. 女 F. | 5 362 | 234 | 54 | 75 | 93 | 59 | 87 | 79 | 145 | 91 | 79 |
| | | 4 998 | 194 | 64 | 65 | 75 | 67 | 71 | 74 | 131 | 79 | 76 |
| B38.a | 急性腎炎およびネフローゼ | 2 370 | 116 | 30 | 37 | 37 | 30 | 44 | 43 | 71 | 56 | 35 |
| | 男 M. 女 F. | 1 245 | 68 | 13 | 21 | 22 | 14 | 29 | 32 | 38 | 14 | 21 |
| | | 1 125 | 48 | 17 | 16 | 15 | 16 | 15 | 39 | 18 | 21 | |
| B38.b | その他 | 7 990 | 312 | 88 | 103 | 131 | 96 | 114 | 110 | 205 | 114 | 120 |
| | 男 M. 女 F. | 4 117 | 166 | 41 | 54 | 71 | 51 | 58 | 51 | 113 | 53 | 65 |
| | | 3 873 | 146 | 47 | 49 | 60 | 51 | 56 | 59 | 92 | 61 | 55 |
| B39 | 前立腺肥大症 | 635 | 36 | 16 | 13 | 8 | 3 | 10 | 14 | 14 | 6 | 10 |
| | 男 M. 女 F. | 635 | 36 | 16 | 13 | 8 | 3 | 10 | 14 | 14 | 6 | 10 |
| B40 | 妊娠、分娩および産褥の合併症 | 1 266 | 61 | 19 | 21 | 17 | 13 | 9 | 23 | 27 | 16 | 21 |
| | 男 M. 女 F. | 1 266 | 61 | 19 | 21 | 17 | 13 | 9 | 23 | 27 | 16 | 21 |
| B41 | 先天奇形 | 4 687 | 268 | 76 | 88 | 103 | 59 | 49 | 90 | 106 | 60 | 77 |
| | 男 M. 女 F. | 2 575 | 157 | 42 | 51 | 63 | 33 | 26 | 44 | 54 | 34 | 44 |
| | | 2 112 | 111 | 34 | 37 | 40 | 26 | 23 | 46 | 52 | 26 | 33 |
| B42 | 出生時の損傷、分娩後窒息および肺不全挾張 | 2 747 | 141 | 64 | 74 | 42 | 43 | 38 | 40 | 46 | 51 | 42 |
| | 男 M. 女 F. | 1 668 | 78 | 37 | 46 | 33 | 28 | 21 | 20 | 28 | 34 | 24 |
| | | 1 079 | 63 | 27 | 28 | 9 | 15 | 17 | 20 | 18 | 17 | 18 |
| B43 | 新生児の感染 | 1 751 | 93 | 55 | 43 | 33 | 21 | 16 | 54 | 49 | 41 | 34 |
| | 男 M. 女 F. | 970 | 51 | 37 | 30 | 17 | 12 | 8 | 36 | 29 | 18 | 16 |
| | | 781 | 42 | 18 | 13 | 16 | 9 | 8 | 18 | 20 | 23 | 18 |
| B43.a | 新生児肺炎 | 1 514 | 78 | 45 | 37 | 26 | 18 | 12 | 46 | 45 | 37 | 31 |
| | 男 M. 女 F. | 843 | 44 | 30 | 26 | 15 | 11 | 7 | 28 | 27 | 28 | 24 |
| | | 671 | 34 | 15 | 11 | 7 | 5 | 18 | 18 | 22 | 16 | 16 |
| B43.b | 新生児下痢 | 138 | 9 | 7 | 3 | 4 | 2 | 3 | 7 | 3 | 2 | 2 |
| | 男 M. 女 F. | 76 | 4 | 5 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 1 |
| | | 62 | 5 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 |

性・死因(簡単分類)・都道府県—七大都市(再掲)別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 国際簡単分類番号 International abbreviated list number |
|-------------------|-------------------|-------------------|-------------------|------------------|-----------------|-----------------|-----------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------------|---|
| 埼玉 | 千葉 | 東京 | 神奈川 | 新潟 | 富山 | 石川 | 福井 | 山梨 | 長野 | 岐阜 | 静岡 | 愛知 | 三重 | 滋賀 | 京都 | B34 |
| 15 14 1 | 15 7 8 | 61 35 26 | 25 16 9 | 18 6 4 | 7 3 5 | 6 1 4 | 4 2 5 | 6 1 5 | 6 1 5 | 10 5 4 | 14 10 12 | 24 22 12 | 12 6 6 | 9 6 3 | 21 11 10 | B34 |
| 90 49 41 | 95 54 41 | 268 159 109 | 125 69 56 | 92 55 37 | 32 16 15 | 39 24 11 | 25 14 9 | 19 10 41 | 71 30 154 | 61 111 154 | 91 132 176 | 171 265 346 | 70 43 138 | 43 26 111 | 71 30 41 | B35 |
| 368 163 205 | 308 123 185 | 464 181 283 | 232 124 120 | 377 55 93 | 148 55 55 | 93 47 97 | 144 46 83 | 129 111 134 | 245 111 176 | 265 111 154 | 308 126 176 | 611 265 111 | 239 101 111 | 184 264 159 | B36 | |
| 112 42 70 | 107 30 77 | 114 40 74 | 55 28 27 | 105 34 71 | 25 7 18 | 33 7 26 | 25 7 18 | 62 23 39 | 66 24 42 | 94 44 50 | 212 124 124 | 70 37 45 | 37 33 24 | 82 33 49 | B36.a | |
| 256 121 135 | 201 93 108 | 350 141 209 | 177 84 93 | 272 90 182 | 123 48 75 | 111 40 71 | 104 39 65 | 183 88 95 | 199 126 112 | 214 87 126 | 399 177 222 | 169 76 93 | 147 60 87 | 182 72 110 | B36.b | |
| 217 140 77 | 183 133 50 | 777 564 213 | 370 270 100 | 165 99 66 | 94 50 44 | 77 42 37 | 137 95 42 | 191 120 71 | 158 94 64 | 304 205 99 | 369 241 128 | 136 87 49 | 85 46 39 | 228 152 76 | B37 | |
| 241 123 118 | 250 138 112 | 860 419 441 | 348 187 161 | 203 111 92 | 153 85 68 | 128 76 52 | 100 | | | | | | | | | |

55表(14-6)

第55表 死亡者数

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | All Japan | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |
|---|--------------------------------|----------------------------|-----------------------|-------------------|-------------------|-------------------|-------------------|---------------------|---------------------|---------------------|-------------------|-------------------|
| | | 全 国 | 北 海 道 | 青 森 | 岩 手 | 宮 埼 | 秋 田 | 山 形 | 福 島 | 茨 城 | 栃 木 | 群 馬 |
| B43.c | その他の新生児の感染 | 99 51 48 | 6 3 3 | 3 2 1 | 3 2 1 | 3 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |
| | 男 M. 女 F. | | | | | | | | | | | |
| B44 | その他の新生児固有の疾患および性質不明の未熟児 | 9 866 5 620 4 246 | 492 272 220 | 183 105 78 | 176 103 73 | 158 84 74 | 145 87 58 | 129 78 51 | 240 141 100 | 243 143 65 | 143 78 65 | 165 87 78 |
| | 男 M. 女 F. | | | | | | | | | | | |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 | 56 843 22 830 34 013 | 1 979 920 1 059 | 838 336 502 | 503 216 287 | 876 329 547 | 609 247 362 | 1 007 480 612 | 1 208 625 728 | 1 587 289 483 | 772 368 522 | 890 |
| | 男 M. 女 F. | | | | | | | | | | | |
| B45.a | 精神病の記載のない老衰 | 44 209 15 531 28 678 | 1 488 584 904 | 640 227 413 | 383 139 244 | 669 208 461 | 417 132 285 | 752 256 496 | 985 365 830 | 1 262 432 405 | 583 178 408 | 625 217 408 |
| | 男 M. 女 F. | | | | | | | | | | | |
| B45.b | その他の診断名不明確および不明の原因 | 12 634 7 299 5 335 | 491 336 155 | 198 109 89 | 120 77 43 | 207 121 86 | 192 115 77 | 255 139 116 | 223 193 132 | 325 111 78 | 189 151 114 | 265 |
| | 男 M. 女 F. | | | | | | | | | | | |
| B46 | その他のすべての疾患 | 50 682 26 035 24 647 | 2 117 1 150 967 | 598 302 296 | 692 345 347 | 796 425 371 | 531 262 269 | 690 335 355 | 974 545 429 | 1 224 622 602 | 975 495 480 | 835 |
| | 男 M. 女 F. | | | | | | | | | | | |
| B46.a | その他の循環器系の疾患(先天性を除く) | 5 373 2 707 2 666 | 245 128 117 | 40 25 15 | 95 51 44 | 82 48 34 | 70 38 32 | 67 34 38 | 87 47 53 | 113 54 66 | 105 33 51 | 63 |
| | 男 M. 女 F. | | | | | | | | | | | |
| B46.b | その他のすべての疾患 | 45 309 23 328 21 981 | 1 872 1 022 850 | 558 277 281 | 597 294 337 | 714 377 317 | 461 224 376 | 623 306 536 | 887 511 429 | 1 111 575 382 | 870 441 382 | 772 |
| | 男 M. 女 F. | | | | | | | | | | | |
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) | 59 025 41 907 17 118 | 3 364 2 510 854 | 971 722 249 | 962 679 283 | 986 763 223 | 747 537 210 | 727 518 209 | 1 080 840 328 | 1 168 692 251 | 943 749 291 | 1 040 |
| | 男 M. 女 F. | | | | | | | | | | | |
| BE47 | 自動車事故 | 17 979 14 352 3 627 | 870 666 204 | 288 225 63 | 210 167 43 | 351 296 55 | 177 138 39 | 176 287 38 | 357 332 70 | 415 328 83 | 379 341 51 | 415 341 74 |
| | 男 M. 女 F. | | | | | | | | | | | |
| BE48 | その他の不慮の事故 | 24 568 18 178 6 390 | 1 631 1 305 326 | 470 362 108 | 474 359 115 | 439 352 87 | 339 264 75 | 336 353 81 | 462 337 109 | 467 244 96 | 340 254 99 | 353 |
| | 男 M. 女 F. | | | | | | | | | | | |
| BE48.a | 自動車以外の交通事故 | 3 406 2 722 684 | 238 203 35 | 81 65 16 | 56 47 9 | 67 63 4 | 56 53 3 | 22 20 2 | 59 50 7 | 52 45 7 | 44 37 11 | 42 |
| | 男 M. 女 F. | | | | | | | | | | | |
| BE48.b | 不慮の墜落 | 4 643 3 362 1 281 | 176 131 45 | 56 43 13 | 65 53 12 | 55 48 7 | 38 30 8 | 53 44 9 | 67 51 16 | 72 52 10 | 57 58 18 | 76 |
| | 男 M. 女 F. | | | | | | | | | | | |
| BE48.c | 不慮の溺死および溺水 | 5 906 4 325 1 581 | 372 288 84 | 153 117 36 | 120 113 42 | 155 113 41 | 114 80 38 | 115 74 26 | 134 96 24 | 130 51 21 | 75 53 21 | 74 |
| | 男 M. 女 F. | | | | | | | | | | | |
| BE48.d | 天災 | 366 149 217 | 8 4 4 | 6 3 3 | 11 8 3 | 6 2 4 | — — — | 7 3 1 | 1 4 4 | 8 14 19 | 33 — — | — |
| | 男 M. 女 F. | | | | | | | | | | | |
| BE48.e | その他 | 10 247 7 620 2 627 | 837 679 158 | 174 134 40 | 222 162 60 | 156 126 30 | 131 101 25 | 139 114 43 | 195 152 76 | 212 136 51 | 156 104 51 | 142 38 |
| | 男 M. 女 F. | | | | | | | | | | | |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 国際簡単分類番号 International abbreviated list number |
|---------------------|-----------------------|-------------------------|---------------------|---------------------|-------------------|-------------------|-------------------|-------------------|-----------------------|-----------------------|-------------------------|-----------------------|---------------------|---------------------|-------------------|---|
| 埼玉 | 千葉 | 東京 | 神奈川 | 新潟 | 富山 | 石川 | 福井 | 山梨 | 長野 | 岐阜 | 静岡 | 愛知 | 三重 | 滋賀 | 京都 | B43.c |
| 3 1 2 | 1 6 — | 8 6 2 | 1 1 — | 3 3 — | 1 1 — | 2 1 1 | 4 — 2 | 1 — 1 | — — — | 6 2 4 | 6 3 3 | 1 1 1 | 4 2 2 | 4 2 2 | B43.c | |
| 414 257 157 | 313 178 135 | 901 472 429 | 371 216 155 | 227 138 89 | 142 81 61 | 119 59 31 | 94 63 27 | 57 30 69 | 159 106 79 | 243 144 64 | 459 266 193 | 146 82 49 | 103 117 70 | 187 117 70 | B44 | |
| 1 515 619 896 | 2 001 768 1 233 | 2 534 917 1 617 | 1 609 636 772 | 1 215 443 393 | 642 249 393 | 855 298 358 | 556 167 226 | 393 226 710 | 1 139 426 1 474 | 1 726 488 1 474 | 2 525 1 051 1 474 | 1 059 416 643 | 589 214 375 | 1 369 506 863 | B45 | |
| 1 182 414 768 | 1 577 521 1 056 | 2 204 731 1 473 | 1 242 421 821 | 947 304 643 | 470 145 325 | 658 198 460 | 424 135 289 | 292 173 594 | 880 340 814 | 1 335 521 1 229 | 777 244 533 | 423 127 296 | 1 084 367 717 | B45.a | | |
| 333 205 128 | 424 247 177 | 330 215 144 | 367 125 152 | 268 139 129 | 172 104 68 | 197 100 97 | 132 63 47 | 101 54 47 | 256 140 100 | 248 148 100 | 391 228 163 | 588 343 245 | 282 172 110 | 166 87 79 | 285 139 146 | B45.b |
| 1 333 678 655 | 1 227 641 586 | 3 654 1 902 1 752 | 1 593 846 747 | 1 363 690 673 | 612 276 336 | 634 304 330 | 479 217 262 | 455 246 209 | 1 205 519 470 | 989 1 247 694 | 1 427 1 048 1 042 | 2 090 1 048 542 | 708 365 343 | 1 218 565 653 | B46 | |
| 130 59 71 | 93 51 42 | 363 188 175 | 131 66 65 | 253 122 131 | 111 51 60 | 157 78 79 | 84 36 48 | 32 20 12 | 154 78 76 | 121 57 64 | | | | | | |

55 表 (14-7)

第55表 死亡者数

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因性 Cause of death and sex | All Japan | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |
|---|-------------------------------|----------------------------|-----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---------------------|---------------------|-------------------|-------------------|
| | | 全 国 | 北 海 道 | 青 森 | 岩 手 | 宮 城 | 秋 田 | 山 形 | 福 島 | 茨 城 | 栃 木 | 群 馬 |
| BE49 | 自殺および自傷 | 15 050 8 450 6 600 | 776 472 304 | 194 118 76 | 268 146 122 | 183 108 75 | 219 125 94 | 204 118 86 | 250 137 113 | 254 148 101 | 209 108 143 | 256 143 113 |
| BE50 | 他殺および戦争行為 | 1 428 927 501 | 87 67 20 | 19 17 2 | 10 7 3 | 13 7 6 | 12 10 2 | 11 7 4 | 32 23 9 | 15 12 3 | 16 11 5 | |
| BE50.a | 他殺 | 1 407 907 500 | 86 66 20 | 19 17 2 | 10 7 3 | 13 7 6 | 12 10 2 | 11 7 4 | 32 23 9 | 15 12 3 | 16 11 5 | |
| BE50.b | 処刑および戦争行為 | 21 20 1 | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) | 59 025 41 907 17 118 | 3 364 2 510 854 | 971 722 249 | 962 679 283 | 986 763 223 | 747 537 210 | 727 518 209 | 1 080 840 295 | 1 168 692 328 | 943 749 251 | 1 040 291 |
| BN47 | 骨折、頭部損傷および内部損傷 | 28 836 22 748 6 088 | 1 515 1 220 295 | 432 336 96 | 364 288 76 | 492 413 79 | 281 232 48 | 286 413 54 | 519 466 106 | 581 440 115 | 515 459 75 | 576 117 |
| BN47.a | 頭蓋骨折 | 13 966 11 380 2 586 | 710 581 129 | 204 163 41 | 215 178 37 | 254 217 22 | 149 127 21 | 136 115 46 | 268 222 48 | 276 229 34 | 263 249 54 | 303 303 54 |
| BN47.b | その他の骨の骨折 | 3 580 2 414 1 166 | 217 178 39 | 38 23 15 | 41 27 14 | 65 52 13 | 30 22 9 | 33 43 11 | 63 55 20 | 70 55 15 | 59 46 13 | 66 20 |
| BN47.c | 頭部の損傷(骨折を除く) | 6 885 5 260 1 625 | 285 197 88 | 117 89 28 | 73 55 18 | 98 80 12 | 48 36 15 | 80 65 28 | 121 93 38 | 147 109 102 | 120 122 35 | 157 157 35 |
| BN47.d | 胸、腹、骨盤腔の内部損傷 | 4 405 3 694 711 | 303 264 39 | 73 61 12 | 35 28 7 | 75 64 11 | 54 49 5 | 37 30 7 | 67 55 12 | 88 74 14 | 73 63 10 | 50 42 8 |
| BN48 | 熱傷 | 2 213 1 272 941 | 135 79 56 | 47 33 14 | 55 31 24 | 22 17 5 | 21 13 8 | 18 13 5 | 32 24 15 | 64 23 40 | 23 18 13 | 35 35 17 |
| BN49 | 毒物の作用 | 6 038 3 200 2 838 | 270 152 118 | 75 48 27 | 59 40 19 | 61 32 29 | 47 33 14 | 69 42 27 | 81 52 29 | 132 73 59 | 107 57 50 | 85 53 32 |
| BN50 | その他の損傷 | 21 938 14 687 7 251 | 1 444 1 059 385 | 417 305 112 | 484 320 164 | 411 301 110 | 398 258 140 | 354 231 123 | 448 303 145 | 391 277 114 | 298 185 113 | 344 219 125 |
| BN50.a | 裂傷および開放創 | 1 440 1 038 402 | 90 75 15 | 21 16 5 | 18 12 6 | 18 14 4 | 20 15 5 | 11 7 4 | 31 22 9 | 37 27 10 | 15 7 8 | 21 16 5 |
| BN50.b | 溺死および死にいたらぬ溺水 | 8 775 5 784 2 991 | 573 424 149 | 209 157 52 | 178 118 60 | 207 150 57 | 153 99 54 | 143 87 56 | 182 119 63 | 192 133 59 | 96 62 34 | 133 82 51 |
| BN50.c | 窒息および絞首 | 8 199 5 107 3 092 | 548 374 174 | 134 89 45 | 200 122 78 | 117 81 36 | 175 105 70 | 138 87 51 | 163 101 62 | 98 63 35 | 127 75 52 | 143 86 57 |
| BN50.d | その他 | 3 524 2 758 766 | 233 186 47 | 53 43 10 | 88 68 20 | 69 56 13 | 50 39 11 | 62 50 12 | 72 61 11 | 64 54 10 | 60 41 19 | 47 35 12 |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 国際簡単分類番号 International abbreviated list number |
|-----------------------|-----------------------|-------------------------|-----------------------|-----------------------|-------------------|-------------------|-------------------|-------------------|---------------------|---------------------|-----------------------|-----------------------|-------------------|-------------------|---------------------|---|
| 埼玉 | 千葉 | 東京 | 神奈川 | 新潟 | 富山 | 石川 | 福井 | 山梨 | 長野 | 岐阜 | 静岡 | 愛知 | 三重 | 滋賀 | 京都 | BE49 |
| 408 218 190 | 318 186 132 | 1 489 852 637 | 512 287 225 | 458 248 210 | 183 106 77 | 159 95 64 | 106 53 53 | 89 52 37 | 339 159 180 | 282 128 154 | 360 322 135 | 671 363 308 | 209 113 96 | 154 79 75 | 343 169 174 | BE49 |
| 44 33 11 | 44 24 20 | 150 91 59 | 75 46 29 | 16 8 8 | 10 10 — | 13 9 4 | 2 2 — | 11 9 2 | 7 4 3 | 26 15 11 | 47 31 16 | 55 27 28 | 15 8 7 | 8 2 6 | 32 16 16 | BE50 |
| 44 33 11 | 44 24 20 | 149 90 59 | 71 43 28 | 16 8 8 | 10 10 — | 13 9 4 | 2 2 — | 11 9 2 | 7 4 3 | 24 13 11 | 47 31 16 | 55 27 28 | 15 8 7 | 8 2 6 | 32 16 16 | BE50.a |
| — — — | — — — | — — — | 1 1 1 | 4 3 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | BE50.b |
| 1 798 1 293 505 | 1 464 1 085 379 | 4 669 3 269 1 400 | 2 283 1 675 608 | 1 484 1 023 461 | 681 475 206 | 586 409 177 | 497 329 168 | 621 413 369 | 1 140 771 369 | 1 019 643 376 | 1 856 1 410 446 | 2 686 1 863 823 | 915 652 263 | 565 423 142 | 1 153 755 398 | "N" |
| 1 023 821 202 | 765 622 143 | 2 175 1 713 269 | 1 264 995 269 | 583 463 120 | 309 228 81 | 276 208 68 | 241 208 62 | 341 265 79 | 532 425 115 | 492 377 215 | 1 083 1 123 215 | 1 477 868 354 | 491 383 108 | 304 255 49 | 567 426 141 | BN47 |
| 496 406 90 | 348 291 57 | 887 717 170 | 635 523 112 | 260 217 43 | 160 120 40 | 157 120 43 | 121 95 26 | 190 149 41 | 265 208 50 | 258 208 95 | 529 570 178 | 748 570 48 | 256 208 48 | 150 127 23 | 251 201 50 | BN47.a |
| 140 92 48 | 95 63 32 | 260 165 95 | 160 99 61 | 68 50 18 | 32 29 13 | 42 32 9 | 30 27 10 | 63 56 27 | 59 56 26 | 139 115 45 | 158 115 43 | 52 36 16 | 37 31 6 | 71 45 26 | BN47.b | |
| 252 216 36 | 203 167 36 | 577 451 126 | 258 197 44 | 174 130 22 | 73 51 9 | 45 36 23 | 65 42 22 | 73 56 28 | 124 114 17 | 114 85 28 | 263 213 50 | 360 213 50 | 111 81 30 | 72 59 13 | 164 117 47 | BN47.c |
| 135 107 28 | 119 101 18 | 451 380 71 | 211 176 35 | 81 66 15 | 44 38 6 | 32 29 3 | 23 19 4 | 38 27 11 | 80 75 5 | 61 51 10 | 152 127 25 | 211 172 39 | 72 58 14 | 45 38 7 | 81 63 18 | BN47.d |
| 77 40 37 | 51 20 31 | 199 | | | | | | | | | | | | | | |

55 表 (14—8)

第55表 死亡者数,

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

性・死因（簡単分類）・都道府県—七大都市（再掲）別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和 41 年
1966

55表(14-9)

第55表 死亡者数

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
|---|--------------------------------|-------------------|-------------------|----------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|----------------|----------------|
| | | 大阪 | 兵庫 | 奈良 | 和歌山 | 鳥取 | 島根 | 岡山 | 広島 | 山口 | 徳島 | 香川 |
| B10 | 結膜炎感染 | 1 | — | — | — | 2 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | 1 | — | — | — | — | — | — |
| B11 | ベスト | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B12 | 急性灰白髄炎 | 1 | 2 | 1 | — | — | — | — | 2 | — | — | — |
| | 男 M. 女 F. | — | 1 | 1 | — | — | — | — | 2 | — | — | — |
| B13 | 痘瘡 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B14 | 麻疹 | 40 | 37 | 4 | 10 | — | — | 8 | 16 | 4 | — | 2 |
| | 男 M. 女 F. | 22 18 | 19 18 | 3 1 | 7 3 | — | — | 3 5 | 10 6 | 1 3 | — | 1 1 |
| B15 | 癆疹チフスおよびその他のリッケチア病 | — | — | — | — | — | — | — | 1 | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | 1 | — | — | — |
| B15.a | シラミ媒介の流行性癆疹チフス | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B15.b | 恙虫病およびその他のコダニ媒介の癆疹チフス様疾患 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B15.c | その他 | — | — | — | — | — | — | — | 1 | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | 1 | — | — | — |
| B16 | マラリア | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17 | 伝染性および寄生性として分類されたその他の疾患 | 303 144 159 | 263 128 135 | 32 17 15 | 44 23 21 | 45 24 21 | 64 28 36 | 119 50 69 | 124 56 68 | 131 63 68 | 79 45 34 | 48 24 24 |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.a | バラチフス | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.b | 痘瘡 | — | — | — | — | I | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | I | — | — | — | — | — | — |
| B17.c | 破傷風 | 8 6 2 | 11 6 5 | 4 3 1 | 2 2 — | 4 2 2 | 3 1 2 | 8 5 3 | 11 6 5 | 9 4 5 | 2 2 — | 3 2 1 |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.d | 炭疽 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.e | 回帰熱 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |

性・死因(簡単分類)・都道府県—七大都市(再掲)別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | Residence unknown 不詳 | 七大都市(再掲) 7 largest cities (secondary mention) | | | | | | | 国際簡単分類番号 International abbreviated list number | | |
|----------------|----------------|-------------------|----------------|----------------|----------------|----------------|----------------|-----------------|-------------------------|--|----------------|----------------|----------------|-----------------|----------------|----------------|---|-------|-------|
| | | | | | | | | | | 愛媛 | 高知 | 福岡 | 佐賀 | 長崎 | 熊本 | 大分 | 宮崎 | 鹿児島 | |
| 2 | — | — | — | — | 2 | 1 | 2 | — | — | 6 4 2 | — | — | — | — | — | — | — | — | B10 |
| 2 | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | B11 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B12 |
| — | — | — | — | — | 2 | 1 | 1 | — | — | 1 1 | — | — | — | — | — | — | — | — | B13 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B14 |
| 7 3 4 | 13 11 2 | 8 8 10 | 18 10 | 1 | 27 10 17 | 4 1 3 | 4 2 2 | 2 | — | 42 23 19 | 8 5 6 | 9 3 2 | 2 2 — | 21 9 12 | 8 2 6 | 3 2 3 | — | — | B15 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.c |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B16 |
| 68 36 32 | 57 28 29 | 267 147 120 | 38 16 22 | 97 50 47 | 93 50 45 | 92 42 40 | 31 17 14 | 114 60 54 | 7 5 2 | 114 62 52 | 24 12 12 | 33 21 12 | 77 36 41 | 166 79 87 | 40 18 22 | 55 32 23 | — | B17 | |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.c |
| 8 6 2 | 4 2 — | 10 8 2 | 3 — 3 | 5 4 1 | 6 3 3 | 5 3 2 | 5 3 2 | 17 12 5 | 1 1 — | 10 8 2 | 5 2 3 | — | 3 2 — | 5 4 1 | 3 2 — | 2 2 — | — | B17.d | |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.e |

55 表 (14-10)

第55表 死亡者数

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
|---|--------------------------------|-------------------------|-------------------------|---------------------|---------------------|-------------------|---------------------|-----------------------|-------------------------|-----------------------|---------------------|---------------------|
| | | 大阪 大坂 | 兵庫 兵庫 | 奈良 奈良 | 和歌山 和歌山 | 鳥取 鳥取 | 島根 島根 | 岡山 岡山 | 広島 広島 | 山口 山口 | 徳島 徳島 | 香川 香川 |
| B17.f | 日本脳炎 | 207 96 111 | 182 92 90 | 14 5 9 | 19 9 10 | 21 9 12 | 33 12 21 | 62 24 38 | 65 33 32 | 98 52 46 | 62 34 28 | 15 7 8 |
| B17.g | 黄熱 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B17.h | 狂犬病 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B17.i | 伝染性下痢症 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B17.j | 日本住血吸虫症 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B17.k | 糸状虫症 | 1 1 — | 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B17.l | その他の伝染性および寄生性として分類された疾患 | 87 41 46 | 69 29 40 | 13 8 5 | 23 12 11 | 20 13 7 | 27 14 13 | 49 21 28 | 48 17 31 | 24 7 17 | 15 9 6 | 30 15 15 |
| B18 | 悪性新生物(リンパ組織および造血組織の新生物を含む) | 6 714 3 779 2 935 | 4 956 2 749 2 207 | 1 262 723 539 | 1 420 851 569 | 770 435 335 | 1 098 627 471 | 2 139 1 157 982 | 2 849 1 608 1 241 | 1 955 1 116 839 | 1 001 565 436 | 1 287 718 569 |
| B18.a | 胃の悪性新生物 | 2 837 1 768 1 069 | 2 094 1 286 808 | 621 398 223 | 614 402 212 | 351 228 123 | 492 319 173 | 896 536 360 | 1 222 771 451 | 787 479 290 | 418 382 151 | 582 200 |
| B18.b | 気管、気管支および肺の悪性新生物 | 505 371 134 | 430 316 114 | 90 67 23 | 101 41 22 | 57 44 16 | 63 126 19 | 177 159 51 | 232 126 73 | 179 48 19 | 67 69 31 | 100 |
| B18.c | 乳房の悪性新生物 | 132 3 129 | 100 1 99 | 16 — 16 | 18 1 18 | 14 — 13 | 13 1 29 | 30 1 51 | 52 1 27 | 28 13 13 | 13 — 28 | 28 |
| B18.d | 子宮の悪性新生物 | 472 472 | 346 346 | 77 77 | 93 93 | 41 41 | 87 87 | 127 163 | 163 121 | 121 73 | 73 78 | 78 |
| B18.e | 白血病および無白血病 | 186 96 90 | 149 81 68 | 18 11 7 | 29 13 16 | 27 15 12 | 38 19 28 | 58 30 51 | 92 41 17 | 46 29 14 | 27 11 18 | 29 |
| B18.f | その他 | 2 582 1 541 1 041 | 1 837 1 065 772 | 440 247 193 | 565 357 208 | 280 150 130 | 405 245 160 | 851 464 387 | 1 088 463 452 | 794 463 331 | 403 237 166 | 470 256 214 |
| B19 | 良性および性質不詳の新生物 | 416 229 187 | 266 134 132 | 75 40 35 | 62 29 33 | 36 20 16 | 47 25 22 | 82 44 38 | 149 86 63 | 88 49 51 | 53 23 30 | 45 23 22 |
| B20 | 糖尿病 | 373 187 186 | 313 164 149 | 85 30 55 | 75 32 43 | 42 20 22 | 88 41 47 | 129 63 66 | 208 99 109 | 102 51 51 | 61 25 36 | 78 26 52 |

性・死因(簡単分類)・都道府県—七大都市(再掲)別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | Residence unknown 不詳 | 七大都市(再掲) 7 largest cities (secondary mention) | | | | | | | 国際簡単分類番号 International abbreviated list number |
|----------------------|---------------------|-------------------------|---------------------|-----------------------|-----------------------|---------------------|---------------------|-----------------------|-------------------------|--|---------------------|---------------------|---------------------|-------------------------|---------------------|---------------------|---|
| | | | | | | | | | | 東京都の区部 Area of wards in Tokyo-to | 横浜 Yokohama | 名古屋 Nagoya | 京都 Kyoto | 大阪 Osaka | 神戸 Kobe | 北九州 Kita-Kyusyu | |
| 29 14 15 | 30 15 15 | 187 97 90 | 19 8 11 | 56 21 35 | 52 25 27 | 60 31 29 | 13 7 6 | 27 11 16 | 3 2 1 | 10 5 5 | 3 1 2 | 9 6 3 | 52 22 30 | 116 54 62 | 19 9 10 | 43 24 19 | B17.f |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.g | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.h | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.i | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.j | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.k | |
| 30 15 10 | 23 13 28 | 69 41 8 | 14 6 8 | 29 19 10 | 33 18 15 | 26 16 10 | 13 7 6 | 54 29 25 | 3 2 1 | 92 48 44 | 16 9 7 | 24 15 9 | 22 11 11 | 44 20 24 | 17 7 10 | 10 6 4 | B17.l |
| 1969 1 093 876 | 1 030 567 463 | 4 739 2 537 2 202 | 1 214 676 538 | 2 013 1 117 896 | 2 051 1 115 936 | 1 512 805 707 | 1 162 565 506 | 2 121 1 175 946 | 96 74 22 | 8 288 4 583 3 705 | 1 633 881 752 | 1 694 918 776 | 1 663 900 763 | 3 212 1 800 1 412 | 1 405 784 621 | 1 104 578 526 | B18 |
| 825 521 324 | 436 261 175 | 1 963 1 170 793 | 514 321 193 | 700 418 282 | 735 451 218 | 568 350 218 | 425 278 147 | 654 490 245 | 45 37 8 | 3 333 2 067 1 266 | 696 431 265 | 741 454 287 | 740 458 282 | 1 317 821 496 | 588 360 228 | 428 243 185 | B18.a |
| 132 95 37 | 89 57 32 | 378 250 128 | 93 65 54 | 188 134 28 | 168 119 49 | 101 73 28 | 91 62 29 | 171 126 45 | 9 9 — | 713 493 220 | 131 85 46 | 114 84 30 | 152 99 53 | 265 201 53 | 122 88 34 | 102 71 31 | B18.b |
| 35 — 35 | 15 — 15 | 85 2 83 | 17 1 17 | 32 1 31 | 29 — 29 | 26 — 22 | 30 — 30 | — — | — — | 235 1 234 | 48 46 | 43 — 43 | 26 — 26 | 75 2 46 | 32 — 32 | 27 1 26 | B18.c |

55 表 (14-11)

第55表 死亡者数

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
|---|--------------------------------|-----------------------|-------------------------|-------------------------|-----------------------|---------------------|-----------------------|-------------------------|-------------------------|---------------------|---------------------|-------------------|
| | | 大阪 大坂 | 兵庫 兵庫 | 奈良 奈良 | 和歌山 和歌山 | 島取 島根 | 島根 岡山 | 岡山 広島 | 岡山 山口 | 広島 徳島 | 徳島 香川 | 香川 |
| B21 | 貧血 | 81 男 M. 女 F. | 68 40 41 | 10 5 5 | 15 6 9 | 7 2 5 | 13 5 8 | 26 9 17 | 34 15 19 | 39 18 21 | 9 4 5 | 14 5 9 |
| B22 | 中枢神経系の血管損傷 | 7 379 男 M. 女 F. | 6 308 4 007 3 372 | 1 463 3 439 2 869 | 1 958 1 032 926 | 1 343 715 628 | 1 999 1 049 950 | 3 460 2 105 1 632 | 3 967 1 656 1 466 | 3 122 912 773 | 1 685 882 766 | |
| B23 | 髄膜炎(髄膜炎菌性および結核性を除く) | 67 男 M. 女 F. | 30 19 11 | 9 5 4 | 8 5 3 | 10 6 4 | 15 5 10 | 20 12 8 | 14 6 8 | 10 5 5 | 6 1 5 | |
| B24 | リューマチ熱 | 32 男 M. 女 F. | 25 7 18 | 5 2 3 | 10 3 7 | 3 1 2 | 9 2 7 | 16 10 6 | 7 2 5 | 7 2 5 | 7 2 5 | |
| B25 | 慢性リューマチ性心臓疾患 | 183 男 M. 女 F. | 180 62 115 | 33 10 23 | 45 17 28 | 21 8 13 | 96 42 54 | 73 30 43 | 97 27 70 | 133 46 87 | 60 23 37 | 54 24 30 |
| B26 | 動脈硬化性および変性性心臓疾患 | 3 110 男 M. 女 F. | 2 336 1 190 1 472 | 500 245 255 | 683 378 305 | 431 229 202 | 435 242 193 | 1 061 542 519 | 1 421 710 711 | 767 403 364 | 625 327 298 | 616 337 279 |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 1 309 男 M. 女 F. | 973 580 518 | 176 111 393 | 276 182 65 | 171 109 94 | 299 172 127 | 464 285 269 | 638 369 278 | 490 182 129 | 311 169 124 | 293 124 |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | 391 男 M. 女 F. | 276 92 223 | 65 22 43 | 75 30 45 | 62 23 39 | 41 19 22 | 134 19 74 | 142 51 62 | 93 31 43 | 79 36 47 | 86 39 47 |
| B26.c | その他の心筋変性 | 1 410 男 M. 女 F. | 1 087 518 731 | 259 112 147 | 332 166 166 | 198 97 101 | 95 51 44 | 463 197 266 | 641 290 351 | 184 94 90 | 235 109 126 | 237 129 108 |
| B27 | その他の心臓疾患 | 481 男 M. 女 F. | 391 201 222 | 97 51 46 | 117 60 57 | 74 43 31 | 240 118 122 | 146 85 61 | 197 115 82 | 339 168 171 | 159 90 69 | 94 53 41 |
| B28 | 高血圧性心臓疾患 | 623 男 M. 女 F. | 436 211 331 | 92 39 53 | 106 49 57 | 75 36 39 | 145 79 66 | 107 110 101 | 211 104 123 | 227 116 144 | 116 53 83 | 95 41 54 |
| B29 | その他の高血圧性疾患 | 451 男 M. 女 F. | 306 144 234 | 76 33 43 | 82 44 38 | 46 28 18 | 212 103 109 | 151 75 76 | 171 82 89 | 200 94 106 | 74 35 39 | 81 40 41 |
| B30 | インフルエンザ | 7 男 M. 女 F. | 18 10 8 | 2 1 1 | 20 13 7 | 3 2 1 | 2 1 2 | 8 6 4 | 10 2 2 | 4 5 3 | 2 1 1 | 2 1 1 |
| B31 | 肺炎(新生児肺炎を除く) | 1 182 男 M. 女 F. | 742 384 526 | 174 83 91 | 216 126 90 | 122 68 54 | 231 124 107 | 401 199 202 | 483 239 244 | 386 196 190 | 240 124 116 | 203 104 99 |
| B32 | 気管支炎 | 223 男 M. 女 F. | 209 115 94 | 61 28 33 | 42 20 22 | 26 18 8 | 63 33 29 | 76 47 63 | 146 83 42 | 102 59 30 | 81 47 50 | 80 50 30 |
| B33 | 胃および十二指腸の潰瘍 | 515 男 M. 女 F. | 475 347 134 | 94 65 29 | 101 72 29 | 74 54 20 | 147 121 51 | 186 134 65 | 192 149 56 | 205 149 56 | 103 69 34 | 102 60 42 |

性・死因(簡単分類)・都道府県—七大都市(再掲)別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | Residence unknown 不詳 | 七大都市(再掲) 7 largest cities (secondary mention) | | | | | | | 国際簡単分類番号 International abbreviated list number |
|-------------------------|-------------------------|-------------------------|---------------------|-------------------------|-------------------------|-------------------------|-----------------------|-------------------------|-------------------------|--|-----------------------|-----------------------|---------------------|-------------------------|---------------------|---------------------|---|
| | | | | | | | | | | 東京都の区部 Area of wards in Tokyo-to | 横浜 Yokohama | 名古屋 Nagoya | 京都 Kyoto | 大阪 Osaka | 神戸 Kobe | 北九州 Kita-Kyusyu | |
| 32 18 14 | 13 5 8 | 66 26 40 | 17 6 11 | 22 8 14 | 31 11 20 | 27 9 18 | 20 5 15 | 33 18 15 | 2 1 1 | 103 60 43 | 19 14 5 | 18 10 8 | 29 9 20 | 36 19 17 | 18 8 10 | 10 5 5 | B21 |
| 2 919 1 588 1 331 | 2 186 1 154 1 032 | 6 399 3 443 2 956 | 1 684 834 850 | 3 034 1 557 1 477 | 3 697 1 921 1 776 | 2 615 1 391 1 224 | 2 197 1 219 978 | 3 970 1 958 2 012 | 311 273 38 | 9 833 5 409 4 424 | 2 108 1 162 946 | 2 093 1 111 982 | 1 830 978 852 | 3 516 1 936 1 580 | 1 521 847 674 | 1 361 755 606 | B22 |
| 16 8 6 | 10 4 6 | 28 16 12 | 10 8 2 | 21 10 11 | 20 8 12 | 18 7 4 | 11 10 12 | 22 10 12 | — — — | 59 28 31 | 13 8 5 | 13 8 6 | 11 5 6 | 30 17 13 | 7 4 3 | 6 3 3 | B23 |
| 12 6 6 | 1 — 1 | 29 10 19 | 10 2 8 | 13 6 7 | 10 5 5 | 13 5 8 | 4 1 3 | 18 8 10 | 1 1 1 | 40 13 27 | 4 1 3 | 10 4 6 | 4 — 4 | 18 6 12 | 6 2 4 | 4 1 3 | B24 |
| 75 20 55 | 51 21 30 | 157 48 109 | 37 14 23 | 113 40 73 | 83 24 59 | 53 20 33 | 70 23 47 | 110 37 73 | 8 2 6 | 306 96 210 | 45 18 27 | 51 16 35 | 63 12 51 | 82 34 48 | 50 11 19 | 30 11 19 | B25 |
| 964 491 473 | 577 295 282 | 2 225 1 147 1 078 | 539 253 286 | 933 493 440 | 1 252 644 608 | 928 476 452 | 675 346 329 | 1 098 499 599 | 115 94 21 | 3 831 2 226 1 605 | 816 440 376 | 940 526 414 | 798 399 376 | 1 490 812 678 | 562 299 263 | 432 239 193 | B26 |
| 369 226 143 | 229 136 93 | 1 202 703 499 | 290 154 136 | 456 388 185 | 569 338 231 | 509 292 217 | 333 232 215 | 447 232 215 | 54 47 7 | 2 492 1 540 952 | 445 260 185 | 480 291 189 | 437 245 192 | 626 397 229 | 271 245 172 | 215 129 86 | B26.a |
| 168 115 | 68 42 | 233 149 | 65 39 | 130 72 | 170 58 | 114 64 | 108 60 | 197 116 | 12 | 359 213 | 78 48 | 95 50 | 60 40 | 208 109 | 61 41 | 44 29 | B26.b |
| 427 212 215 | 280 133 147 | 790 360 430 | 184 164 111 | 347 253 278 | 513 134 171 | 305 97 137 | 234 186 137 | 454 268 268 | 49 10 10 | 980 540 440 | 293 150 143 | 365 340 175 | 301 134 175 | 656 316 340 | 230 107 123 | 173 95 78 | B26.c |
| 145 84 61 | 97 46 51 | 3 | | | | | | | | | | | | | | | |

第55表 死亡者数

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
|---|--------------------------------|---------------------|-------------------|-----------------|-----------------|----------------|------------------|-------------------|-------------------|------------------|------------------|------------------|
| | | 大阪 Osaka | 兵庫 Hyogo | 奈良 Nara | 和歌山 Wakayama | 鳥取 Tottori | 島根 Ishigaki | 岡山 Okayama | 広島 Hiroshima | 山口 Yamaguchi | 徳島 Tokushima | 香川 Kagawa |
| B34 | 虫垂炎 | 42 男 M. 女 F. | 27 17 10 | 4 3 1 | 11 6 5 | 3 — | 11 5 6 | 11 5 6 | 14 9 6 | 17 11 2 | 4 2 2 | 6 4 4 |
| B35 | 腸閉塞およびヘルニア | 232 男 M. 女 F. | 170 82 88 | 39 17 22 | 54 30 24 | 34 17 17 | 38 24 14 | 72 31 41 | 87 45 32 | 57 25 9 | 28 19 20 | 45 25 20 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) | 575 男 M. 女 F. | 562 220 342 | 126 66 60 | 112 43 69 | 92 44 48 | 155 63 92 | 247 114 133 | 255 103 152 | 174 73 101 | 156 72 84 | 166 65 101 |
| B36.a | 胃炎および十二指腸炎 | 121 男 M. 女 F. | 124 50 74 | 34 19 15 | 25 10 15 | 27 13 14 | 31 15 16 | 64 37 27 | 66 21 39 | 41 17 20 | 32 17 15 | 42 14 28 |
| B36.b | 胃腸炎、腸炎および大腸炎 | 454 男 M. 女 F. | 438 170 268 | 92 47 45 | 87 33 34 | 65 48 76 | 124 77 106 | 183 113 81 | 189 52 69 | 133 55 73 | 124 51 73 | 124 51 73 |
| B37 | 肝硬変 | 755 男 M. 女 F. | 545 389 208 | 92 57 35 | 140 93 47 | 88 66 22 | 118 75 43 | 217 151 112 | 376 264 50 | 203 153 57 | 173 116 40 | 113 73 40 |
| B38 | 腎炎およびネフローゼ | 594 男 M. 女 F. | 487 231 300 | 83 41 42 | 97 62 39 | 74 56 60 | 120 124 83 | 192 124 146 | 270 98 101 | 199 66 54 | 120 59 76 | 135 59 76 |
| B38.a | 急性腎炎およびネフローゼ | 137 男 M. 女 F. | 115 57 67 | 20 10 10 | 21 14 7 | 11 4 7 | 24 14 10 | 39 22 32 | 67 51 24 | 51 27 10 | 20 19 10 | 19 9 10 |
| B38.b | その他 | 457 男 M. 女 F. | 372 224 233 | 63 31 32 | 76 48 28 | 63 31 50 | 96 46 66 | 153 87 114 | 203 89 77 | 148 71 44 | 100 56 44 | 116 50 66 |
| B39 | 前立腺肥大症 | 32 男 M. 女 F. | 23 23 | 7 3 | 3 4 | 4 9 | 13 13 | 21 13 | 13 8 | 8 8 | 8 8 | 8 8 |
| B40 | 妊娠、分娩および産褥の合併症 | 99 男 M. 女 F. | 67 67 | 18 18 | 20 20 | 6 6 | 9 9 | 11 11 | 25 25 | 23 23 | 13 13 | 11 11 |
| B41 | 先天奇形 | 302 男 M. 女 F. | 198 111 87 | 36 22 14 | 37 19 18 | 18 12 6 | 29 13 16 | 75 37 38 | 101 51 50 | 66 38 28 | 26 12 14 | 35 19 16 |
| B42 | 出生時の損傷、分娩後窒息および肺不全症 | 217 男 M. 女 F. | 83 49 93 | 15 9 6 | 40 26 14 | 12 4 8 | 13 9 4 | 41 33 23 | 56 24 19 | 43 14 3 | 32 14 10 | 32 17 10 |
| B43 | 新生児の感染 | 117 男 M. 女 F. | 65 37 28 | 13 10 3 | 21 11 10 | 4 3 1 | 18 12 6 | 28 21 18 | 39 24 14 | 23 9 7 | 26 11 14 | 17 7 9 |
| B43.a | 新生児肺炎 | 101 男 M. 女 F. | 55 30 25 | 12 10 10 | 20 10 10 | 4 3 1 | 14 9 5 | 31 16 15 | 22 8 14 | 14 7 7 | 14 6 7 | 14 6 7 |
| B43.b | 新生児下痢 | 6 男 M. 女 F. | 9 6 3 | 1 — 1 | — — — | — — — | 2 1 2 | 4 2 2 | 5 1 2 | 1 3 1 | 3 1 2 | 3 1 2 |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | Residence unknown 不詳 | 七大都市(再掲) 7 largest cities (secondary mention) | | | | | | | 国際簡単分類番号 International abbreviated list number |
|------------------|-----------------|-------------------|-----------------|-------------------|-------------------|------------------|-------------------|-------------------|-------------------------|--|------------------|------------------|-------------------|-------------------|------------------|----------------|---|
| | | | | | | | | | | 愛媛 Ehime | 高知 Kochi | 福岡 Fukuoka | 佐賀 Saga | 長崎 Nagasaki | 熊本 Kumamoto | 大分 Oita | 宮崎 Miyazaki |
| 9 2 7 | 5 3 2 | 31 13 18 | 7 3 4 | 6 4 2 | 16 8 8 | 5 2 3 | 16 5 11 | 17 10 7 | 3 1 2 | 51 28 23 | 4 3 1 | 13 7 6 | 12 7 5 | 21 12 9 | 7 3 4 | 5 3 2 | B34 |
| 60 39 21 | 35 18 17 | 135 68 67 | 35 24 11 | 74 44 30 | 54 27 27 | 50 27 23 | 62 32 30 | 225 138 87 | 5 5 2 | 50 32 18 | 76 41 35 | 44 19 25 | 111 63 48 | 250 117 103 | 106 48 133 | 70 33 37 | B35 |
| 185 76 109 | 152 69 83 | 417 184 233 | 121 43 78 | 233 92 141 | 194 84 110 | 194 62 162 | 123 164 196 | 360 48 196 | 5 5 — | 354 134 220 | 94 46 48 | 148 61 86 | 164 117 103 | 250 117 133 | 106 48 58 | 70 33 37 | B36 |
| 41 18 23 | 33 13 20 | 102 46 56 | 18 9 9 | 39 21 18 | 58 20 25 | 45 21 13 | 72 30 42 | — — — | 83 28 55 | 28 16 12 | 43 17 26 | 48 16 32 | 50 23 27 | 22 11 11 | 15 7 8 | B36.a | |
| 144 58 86 | 119 56 63 | 315 138 177 | 103 34 69 | 194 71 123 | 214 64 85 | 149 41 48 | 89 134 154 | 288 134 154 | 5 5 — | 271 106 165 | 66 30 36 | 105 45 60 | 116 45 71 | 200 94 106 | 84 37 47 | 55 26 29 | B36.b |
| 179 116 63 | 132 82 50 | 577 400 177 | 136 83 53 | 255 154 101 | 230 138 92 | 190 124 66 | 155 102 53 | 268 164 104 | 47 44 3 | 657 482 175 | 177 140 37 | 158 144 51 | 400 295 105 | 168 122 46 | 130 95 35 | B37 | |
| 167 84 83 | 163 84 79 | 444 228 216 | 130 60 70 | 225 134 91 | 262 129 133 | 151 74 77 | 165 82 83 | 314 138 176 | 12 9 3 | 698 339 359 | 117 61 56 | 140 66 63 | 136 70 70 | 291 142 149 | 126 59 76 | 105 46 | B38 |
| 46 24 22 | 44 19 25 | 87 47 40 | 30 13 17 | 45 29 16 | 74 33 41 | 42 23 19 | 48 22 26 | 106 49 57 | 4 3 1 | 137 61 76 | 29 10 19 | 27 13 14 | 21 11 10 | 36 20 20 | 17 13 4 | B38.a | |
| 121 60 61 | 119 54 54 | 357 181 176 | 100 47 53 | 180 75 75 | 188 96 92 | 109 51 57 | 117 60 57 | 208 89 119 | 8 6 2 | 561 278 283 | 88 51 37 | 113 64 49 | 115 55 60 | 220 104 116 | 90 34 56 | 88 46 42 | B38.b |
| 12 12 | 10 10 | 18 18 | 13 13 | 9 9 | 20 20 | 3 3 | 2 2 | 20 20 | 2 2 | 48 48 | 2 2 | 21 21 | 12 12 | 18 18 | 11 11 | 4 4 | B39 |
| 22 22 | 10<br | | | | | | | | | | | | | | | | |

第55表 死亡者数

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
|---|--------------------------------|--------------------------------|-------------------------|-------------------|---------------------|-------------------|-------------------|---------------------|-----------------------|---------------------|-------------------|-------------------|
| | | 大阪 Osaka | 兵庫 Hyogo | 奈良 Nara | 和歌山 Wakayama | 鳥取 Tottori | 島根 Ishigaki | 岡山 Okayama | 広島 Hiroshima | 山口 Yamaguchi | 徳島 Tokushima | 香川 Kagawa |
| B43.c | その他の新生児の感染 | 10 男 M. 5 女 F. | 1 — — | 1 — — | 2 — — | 2 — — | 3 — — | 1 — — | — — — | — — — | — — — | — — — |
| B44 | その他の新生児固有の疾患および性質不明の未熟児 | 649 男 M. 385 女 F. | 356 210 146 | 88 46 42 | 127 69 58 | 51 32 19 | 78 76 41 | 124 118 101 | 143 69 74 | 87 53 34 | 115 63 52 | — — — |
| B45 | 精神病の記載のない老衰ならびに診断名不明の原因 | 2 882 男 M. 1 135 女 F. | 2 670 1 065 1 605 | 558 233 325 | 1 021 447 574 | 595 226 369 | 670 275 395 | 1 648 710 938 | 1 809 735 673 | 1 123 450 382 | 698 316 313 | 706 313 393 |
| B45.a | 精神病の記載のない老衰 | 2 131 男 M. 693 1 438 | 2 161 765 1 396 | 363 131 232 | 804 323 481 | 491 166 325 | 567 216 351 | 1 318 529 789 | 1 447 339 603 | 942 209 296 | 505 227 315 | 542 — — |
| B45.b | その他の診断名不明確および不明の原因 | 751 男 M. 442 309 | 509 300 209 | 195 102 93 | 217 124 44 | 104 60 44 | 103 59 149 | 330 213 149 | 362 181 70 | 181 107 86 | 193 164 78 | 164 — — |
| B46 | その他のすべての疾患 | 2 753 男 M. 1 386 | 2 261 1 168 1 093 | 518 274 244 | 600 337 263 | 350 289 161 | 543 540 494 | 1 034 760 494 | 1 445 454 427 | 881 284 286 | 570 340 334 | 674 — — |
| B46.a | その他の循環器系の疾患(先天性を除く) | 246 男 M. 110 136 | 205 114 91 | 59 30 29 | 36 15 21 | 28 15 13 | 62 60 26 | 123 63 98 | 187 52 53 | 105 30 27 | 57 22 29 | 51 — — |
| B46.b | その他のすべての疾患 | 2 507 男 M. 1 276 | 2 056 1 054 1 002 | 459 244 215 | 564 322 242 | 322 174 148 | 481 480 431 | 911 402 374 | 1 258 254 259 | 776 318 305 | 513 623 623 | 878 — — |
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) | 3 678 男 M. 2 545 | 2 640 1 876 1 133 | 505 342 163 | 726 487 239 | 421 400 189 | 589 336 344 | 1 098 754 468 | 1 576 1 108 336 | 1 215 879 186 | 566 380 222 | 731 509 222 |
| BE47 | 自動車事故 | 1 007 男 M. 792 | 810 639 215 | 163 127 171 | 260 202 36 | 122 92 58 | 135 104 31 | 363 361 62 | 454 361 93 | 360 288 72 | 174 140 34 | 239 187 52 |
| BE48 | その他の不慮の事故 | 1 319 男 M. 1 000 | 1 094 811 283 | 213 150 63 | 265 181 84 | 196 133 79 | 277 332 146 | 478 544 154 | 765 405 79 | 559 159 82 | 238 235 82 | 317 — — |
| BE48.a | 自動車以外の交通事故 | 203 男 M. 149 | 179 138 41 | 22 15 7 | 51 37 14 | 19 24 5 | 39 40 15 | 53 13 30 | 126 96 11 | 79 68 6 | 20 14 6 | 52 44 8 |
| BE48.b | 不慮の墜落 | 283 男 M. 215 | 243 173 70 | 50 38 12 | 54 30 24 | 49 29 20 | 66 49 17 | 110 70 40 | 197 63 67 | 104 46 21 | 67 41 10 | 51 — — |
| BE48.c | 不慮の溺死および溺水 | 222 男 M. 174 | 206 149 57 | 42 30 12 | 55 40 15 | 55 43 12 | 79 52 27 | 126 80 46 | 177 138 39 | 132 42 41 | 67 68 25 | 96 68 28 |
| BE48.d | 天災 | — 男 M. — | — 351 115 | — 67 32 | — 74 31 | — 47 26 | — 73 20 | — 142 47 | — 180 84 | — 181 59 | — 82 27 | — 118 36 |
| BE48.e | その他 | 611 男 M. 462 | 466 351 115 | 99 67 32 | 105 74 31 | 73 47 26 | 93 73 20 | 189 142 47 | 264 180 84 | 240 181 59 | 84 82 27 | 118 — — |

性・死因(簡単分類)・都道府県—七大都市(再掲)別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | Residence unknown 不詳 | 東京都の部 Area of wards in Tokyo-to | 七大都市(再掲) 7 largest cities (secondary mention) | | | | | | 国際簡単分類番号 International abbreviated list number | | |
|---------------------|-------------------|-------------------------|-------------------|---------------------|---------------------|-------------------|-------------------|-----------------------|-------------------------|------------------------------------|--|-------------------|---------------------|---------------------|-------------------|-------------------|---|----------------|------------------|
| | | | | | | | | | | | 愛媛 Ehime | 高知 Kochi | 福岡 Fukuoka | 佐賀 Saga | 長崎 Nagasaki | 熊本 Kumamoto | 大分 Oita | 宮崎 Miyazaki | 鹿児島 Kagoshima |
| 2 | 2 | — | 1 | 2 | 4 | 2 | — | 2 | — | 6 | — | 2 | 3 | 4 | 1 | — | — | B43.c | |
| — 2 | — 1 | — | — 1 | — 2 | — 2 | — 1 | — | — 2 | — | — 2 | — 2 | — 1 | — 2 | — 1 | — 2 | — 2 | — 2 | — 2 | B44 |
| 141 79 62 | 83 44 39 | 374 206 168 | 100 53 47 | 191 121 70 | 247 80 65 | 145 79 55 | 134 129 103 | 232 — — | — | 699 363 336 | 154 84 70 | 146 87 59 | 118 69 49 | 251 145 106 | 54 32 22 | 102 59 43 | — — — | B45 | |
| 1 573 682 891 | 726 323 403 | 2 259 2 908 1 351 | 619 231 388 | 1 207 460 747 | 1 474 554 920 | 969 419 550 | 616 264 352 | 1 812 676 1 136 | 76 58 18 | 1 900 686 1 214 | 579 220 359 | 716 258 417 | 720 1 287 462 | 1 287 536 788 | 536 467 259 | 338 121 217 | — — — | B45.a | |
| 1 270 491 779 | 534 210 324 | 1 708 568 1 140 | 473 154 319 | 995 337 658 | 1 192 400 792 | 763 287 476 | 490 185 305 | 1 382 918 | 4 | 1 670 1 113 | 453 134 | 526 344 | 552 381 | 960 146 646 | 416 140 276 | 338 121 217 | — — — | B45.b | |
| 303 191 112 | 192 113 79 | 551 340 211 | 146 77 69 | 212 123 128 | 282 154 74 | 206 132 74 | 126 129 47 | 430 212 218 | 72 56 16 | 230 129 101 | 126 72 54 | 190 117 73 | 168 87 81 | 327 185 142 | 120 74 46 | 129 87 42 | — — — | B45.b | |
| 965 478 487 | 673 357 316 | 2 073 1 083 990 | 592 300 292 | 1 093 564 529 | 1 251 644 398 | 765 367 328 | 615 287 661 | 1 365 764 661 | 144 112 32 | 2 935 1 525 1 410 | 606 310 296 | 793 301 395 | 696 656 616 | 1 272 578 616 | 578 456 255 | 416 201 201 | — — — | B46 | |
| 87 42 45 | 50 29 21 | 154 83 21 | 48 26 22 | 127 70 57 | 131 66 53 | 65 32 33 | 43 26 17 | 105 47 58 | 5 4 1 | 304 162 142 | 50 23 27 | 99 48 51 | 101 40 61 | | | | | | |

55 表 (14-14)

第55表 死亡者数

TABLE 55 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
|---|--------------------------------|-------------|-------------|------------|-----------------|---------------|---------------|---------------|-----------------|-----------------|-----------------|--------------|
| | | 大阪 Osaka | 兵庫 Hyogo | 奈良 Nara | 和歌山 Wakayama | 鳥取 Tottori | 島根 Shimane | 岡山 Okayama | 広島 Hiroshima | 山口 Yamaguchi | 徳島 Tokushima | 香川 Kagawa |
| BE49 | 自殺および自傷 | 1 207 | 663 | 125 | 185 | 94 | 172 | 239 | 328 | 277 | 139 | 153 |
| | 男 M. 女 F. | 660 | 375 | 64 | 92 | 55 | 96 | 111 | 186 | 173 | 74 | 75 |
| | | 547 | 288 | 61 | 93 | 39 | 76 | 128 | 142 | 104 | 65 | 78 |
| BE50 | 他殺および戦争行為 | 145 | 73 | 4 | 16 | 9 | 5 | 18 | 29 | 19 | 15 | 22 |
| | 男 M. 女 F. | 93 | 51 | 1 | 12 | 6 | 2 | 10 | 17 | 13 | 7 | 12 |
| | | 52 | 22 | 3 | 4 | 3 | 3 | 8 | 12 | 6 | 8 | 10 |
| BE50.a | 他殺 | 145 | 73 | 4 | 16 | 9 | 5 | 18 | 25 | 19 | 15 | 21 |
| | 男 M. 女 F. | 93 | 51 | 1 | 12 | 6 | 2 | 10 | 13 | 13 | 7 | 11 |
| | | 52 | 22 | 3 | 4 | 3 | 3 | 8 | 12 | 6 | 8 | 10 |
| BE50.b | 処刑および戦争行為 | — | — | — | — | — | — | — | 4 | — | — | 1 |
| | 男 M. 女 F. | — | — | — | — | — | — | — | 4 | — | — | 1 |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) | 3 678 | 2 640 | 505 | 726 | 421 | 589 | 1 098 | 1 576 | 1 215 | 566 | 731 |
| | 男 M. 女 F. | 2 545 | 1 876 | 342 | 487 | 286 | 400 | 754 | 1 108 | 879 | 380 | 509 |
| | | 1 133 | 764 | 163 | 239 | 135 | 189 | 344 | 468 | 336 | 186 | 222 |
| BN47 | 骨折、頭部損傷および内部損傷 | 1 778 | 1 377 | 257 | 394 | 218 | 255 | 547 | 816 | 580 | 281 | 365 |
| | 男 M. 女 F. | 1 391 | 1 077 | 193 | 291 | 158 | 191 | 431 | 627 | 454 | 216 | 293 |
| | | 387 | 300 | 64 | 103 | 60 | 64 | 116 | 189 | 126 | 65 | 72 |
| BN47.a | 頭蓋骨折 | 821 | 713 | 126 | 196 | 117 | 118 | 297 | 402 | 303 | 148 | 191 |
| | 男 M. 女 F. | 660 | 584 | 100 | 157 | 89 | 89 | 246 | 325 | 251 | 125 | 160 |
| | | 161 | 129 | 26 | 39 | 28 | 29 | 51 | 77 | 52 | 23 | 31 |
| BN47.b | その他の骨の骨折 | 206 | 177 | 32 | 53 | 23 | 34 | 70 | 115 | 71 | 41 | 33 |
| | 男 M. 女 F. | 133 | 115 | 19 | 26 | 15 | 24 | 46 | 69 | 48 | 23 | 19 |
| | | 73 | 62 | 13 | 27 | 8 | 10 | 24 | 46 | 23 | 18 | 14 |
| BN47.c | 頭部の損傷(骨折を除く) | 427 | 284 | 62 | 89 | 51 | 64 | 112 | 190 | 135 | 53 | 92 |
| | 男 M. 女 F. | 326 | 211 | 48 | 63 | 32 | 47 | 82 | 136 | 99 | 39 | 72 |
| | | 101 | 73 | 14 | 26 | 19 | 17 | 30 | 54 | 36 | 14 | 20 |
| BN47.d | 胸、腹、骨盤腔の内部損傷 | 324 | 203 | 37 | 56 | 27 | 39 | 68 | 109 | 71 | 39 | 49 |
| | 男 M. 女 F. | 272 | 167 | 26 | 45 | 22 | 31 | 57 | 97 | 56 | 29 | 42 |
| | | 52 | 36 | 11 | 11 | 5 | 8 | 11 | 12 | 15 | 10 | 7 |
| BN48 | 熱傷 | 113 | 123 | 31 | 23 | 13 | 24 | 45 | 66 | 57 | 23 | 30 |
| | 男 M. 女 F. | 64 | 82 | 17 | 12 | 3 | 17 | 24 | 29 | 32 | 10 | 16 |
| | | 49 | 41 | 14 | 11 | 10 | 7 | 21 | 37 | 25 | 13 | 14 |
| BN49 | 毒物の作用 | 751 | 314 | 54 | 67 | 28 | 31 | 79 | 135 | 104 | 55 | 71 |
| | 男 M. 女 F. | 368 | 176 | 24 | 34 | 18 | 18 | 33 | 66 | 58 | 28 | 33 |
| | | 383 | 138 | 30 | 33 | 10 | 13 | 46 | 69 | 46 | 27 | 38 |
| BN50 | その他の損傷 | 1 036 | 826 | 163 | 242 | 162 | 279 | 427 | 559 | 474 | 207 | 265 |
| | 男 M. 女 F. | 722 | 541 | 108 | 150 | 107 | 174 | 266 | 386 | 335 | 126 | 167 |
| | | 314 | 285 | 55 | 92 | 55 | 105 | 161 | 173 | 139 | 81 | 98 |
| BN50.a | 裂傷および開放創 | 95 | 49 | 13 | 21 | 14 | 11 | 14 | 32 | 32 | 12 | 14 |
| | 男 M. 女 F. | 75 | 35 | 11 | 9 | 8 | 5 | 5 | 21 | 22 | 10 | 7 |
| | | 20 | 14 | 2 | 12 | 5 | 3 | 11 | 10 | 2 | 7 | 7 |
| BN50.b | 溺死および死にいたらぬ溺水 | 367 | 339 | 60 | 90 | 63 | 121 | 187 | 258 | 190 | 103 | 145 |
| | 男 M. 女 F. | 249 | 207 | 36 | 61 | 43 | 70 | 107 | 183 | 125 | 62 | 88 |
| | | 118 | 132 | 24 | 29 | 20 | 51 | 80 | 75 | 65 | 41 | 57 |
| BN50.c | 窒息および絞首 | 367 | 315 | 56 | 96 | 61 | 113 | 148 | 192 | 182 | 69 | 74 |
| | 男 M. 女 F. | 230 | 207 | 32 | 51 | 36 | 68 | 85 | 129 | 130 | 37 | 51 |
| | | 137 | 108 | 24 | 45 | 25 | 45 | 63 | 63 | 52 | 32 | 23 |
| BN50.d | その他 | 207 | 123 | 34 | 35 | 24 | 34 | 78 | 77 | 70 | 23 | 32 |
| | 男 M. 女 F. | 168 | 92 | 29 | 29 | 6 | 5 | 28 | 65 | 53 | 17 | 21 |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | Residence unknown 不詳 | 東京都の区部 Area of wards in Tokyo-to | 七大都市(再掲) 7 largest cities (secondary mention) | | | | | | 国際簡単分類番号 International abbreviated list number | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------------|-------------------------------------|--|-------------|---------------|------------|----------------|----------------|---|----------------|
| | | | | | | | | | | | 愛媛 Ehime | 高知 Kochi | 福岡 Fukuoka | 佐賀 Saga | 長崎 Nagasaki | 熊本 Kumamoto | 大分 Oita | 宮崎 Miyazaki |
| 257 | 163 | 547 | 106 | 239 | 250 | 170 | 171 | 316 | 356 | 1 239 | 227 | 267 | 211 | 629 | 226 | 159 | BE49 | |
| 136 | 98 | 335 | 56 | 124 | 126 | 87 | 104 | 180 | 287 | 711 | 124 | 151 | 104 | 339 | 141 | 94 | 65 | |
| 121 | 65 | 212 | 50 | 115 | 124 | 83 | 67 | 136 | 69 | 528 | 103 | 116 | 290 | 85 | | | | |
| 35 | 21 | 90 | 8 | 30 | 33 | 16 | 12 | 25 | 22 | 129 | 34 | 28 | 24 | 75 | 31 | 28 | 22 | BE50 |
| 21 | 12 | 64 | 4 | 22 | 23 | 8 | 9 | 17 | 19 | 81 | 19 | 12 | 50 | 25 | 6 | 6 | 6 | |
| 14 | 9</ | | | | | | | | | | | | | | | | | |

第56表 死亡者数

TABLE 56 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 病院 Hospital | 診療所 Clinic | 助産所 Midwife home | 自宅 Home | その他 Other |
|---|--|--------------------|-------------------|------------------|---------------------|--------------------|------------------|
| | | | | | | | |
| | 総 数..... Total | 670 342 | 179 699 | 25 952 | 532 | 420 085 | 44 074 |
| | 男 M. 女 F. | 363 356 306 986 | 109 069 70 630 | 15 592 10 360 | 283 249 | 209 893 210 192 | 28 519 15 555 |
| B1 | 呼吸器系の結核..... Male M. Female F. | 18 896 | 12 604 | 376 | — | 5 646 | 270 |
| | 男 M. 女 F. | 12 642 6 254 | 8 443 4 161 | 248 128 | — | 3 778 1 868 | 173 97 |
| B2 | その他の結核..... Male M. Female F. | 1 168 | 774 | 53 | — | 326 | 15 |
| | 男 M. 女 F. | 562 606 | 383 391 | 26 27 | — | 148 178 | 5 10 |
| B3 | 梅毒およびその統発症..... Male M. Female F. | 1 388 | 905 | 36 | — | 411 | 36 |
| | 男 M. 女 F. | 986 402 | 657 248 | 29 7 | — | 278 133 | 22 14 |
| B4 | 腸チフス..... Male M. Female F. | 13 | 11 | — | — | 2 | — |
| | 男 M. 女 F. | 6 7 | 6 5 | — | — | — 2 | — |
| B5 | コレラ..... Male M. Female F. | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — — | — |
| B6 | 赤痢..... Male M. Female F. | 265 | 148 | 32 | — | 74 | 11 |
| | 男 M. 女 F. | 115 150 | 69 79 | 11 21 | — | 30 44 | 5 6 |
| B6.a | 細菌性赤痢(疫痢症状を呈するもの)..... Male M. Female F. | 140 | 70 | 23 | — | 40 | 7 |
| | 男 M. 女 F. | 62 78 | 31 39 | 6 17 | — | 21 19 | 4 3 |
| B6.b | 細菌性赤痢(その他)..... Male M. Female F. | 124 | 77 | 9 | — | 34 | 4 |
| | 男 M. 女 F. | 53 71 | 38 39 | 5 4 | — | 9 25 | 1 3 |
| B6.c | アメーバ症..... Male M. Female F. | 1 | 1 | — | — | — | — |
| | 男 M. 女 F. | — 1 | — 1 | — | — | — — | — |
| B6.d | その他の原虫性および詳細不明の赤痢..... Male M. Female F. | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — — | — |
| B7 | 猩紅熱およびレンサ球菌性口炎..... Male M. Female F. | 15 | 10 | 2 | — | 1 | 2 |
| | 男 M. 女 F. | 4 11 | 3 7 | 1 1 | — | — 1 | — 2 |
| B7.a | 猩紅熱..... Male M. Female F. | 15 | 10 | 2 | — | 1 | 2 |
| | 男 M. 女 F. | 4 11 | 3 7 | 1 1 | — | — 1 | — 2 |
| B7.b | レンサ球菌性口炎..... Male M. Female F. | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — — | — |
| B8 | ジフテリア..... Male M. Female F. | 22 | 15 | 5 | — | 1 | 1 |
| | 男 M. 女 F. | 10 12 | 8 7 | 2 3 | — | — 1 | — 1 |
| B9 | 百日咳..... Male M. Female F. | 15 | 3 | 6 | — | 6 | — |
| | 男 M. 女 F. | 11 4 | 2 1 | 4 2 | — | 5 1 | — — |

性・施設・死因(簡単分類)別

BY SEX AND HOSPITALIZATION; FOR ALL JAPAN

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 病院 Hospital | 診療所 Clinic | 助産所 Midwife home | 自宅 Home | その他 Other |
|---|---|----------------|----------------|---------------|---------------------|------------|--------------|
| | | | | | | | |
| B10 | 髓膜炎感染..... Male M. Female F. | 33 | 32 | — | — | 1 | — |
| | 男 M. 女 F. | 19 14 | 19 13 | — | — | — 1 | — |
| B11 | ベスト..... Male M. Female F. | — | — | — | — | — — | — |
| | 男 M. 女 F. | — — | — — | — | — | — — | — |
| B12 | 急性灰白髓炎..... Male M. Female F. | 17 | 8 | 2 | — | 5 4 | 2 1 |
| | 男 M. 女 F. | 14 3 | 7 1 | 2 — | — | — 1 | 1 1 |
| B13 | 痘瘡..... Male M. Female F. | — | — | — | — | — — | — |
| | 男 M. 女 F. | — — | — — | — | — | — — | — |
| B14 | 麻疹..... Male M. Female F. | 671 | 228 | 104 | — | 322 160 | 17 12 |
| | 男 M. 女 F. | 336 335 | 108 120 | 56 48 | — | 162 162 | 5 5 |
| B15 | 発疹チフスおよびその他のリケッチャ病..... Male M. Female F. | 2 | 1 | — | — | 1 1 | — |
| | 男 M. 女 F. | 1 1 | 1 — | — | — | — 1 | — |
| B15.a | シラミ媒介の流行性発疹チフス..... Male M. Female F. | — | — | — | — | — — | — |
| | 男 M. 女 F. | — — | — — | — | — | — — | — |
| B15.b | 恙虫病およびその他のコダニ媒介の発疹チフス様疾患..... Male M. Female F. | — | — | — | — | — — | — |
| | 男 M. 女 F. | — — | — — | — | — | — — | — |
| B15.c | その他..... Male M. Female F. | 2 | 1 | — | — | 1 1 | — |
| | 男 M. 女 F. | 1 1 | 1 — | — | — | — 1 | — |
| B16 | マラリア..... Male M. Female F. | 4 | 2 | — | — | 2 2 | — |
| | 男 M. 女 F. | 4 | 2 | — | — | — — | — |
| B17 | 伝染性および寄生性として分類されたその他の疾患..... Male M. Female F. | 3 488 | 2 427 | 188 | — | 768 376 | 105 56 |
| | 男 M. 女 F. | 1 811 1 677 | 1 274 1 153 | 105 83 | — | 392 — | 49 — |
| B17.a | ペラチフス..... Male M. Female F. | 6 | 2 | — | — | — — | — |
| | 男 M. 女 F. | 2 4 | 2 4 | — | — | — — | — |
| B17.b | 痘..... Male M. Female F. | 4 | 1 | — | — | 3 2 | — |
| | 男 M. 女 F. | 2 2 | 1 — | — | — | — 2 | — |
| B17.c | 破傷風..... Male M. Female F. | 318 | 231 | 51 | — | 35 20 | 1 1 |
| | 男 M. 女 F. | 207 111 | 154 77 | 33 18 | — | 15 — | — |
| B17.d | 炭疽..... Male M. Female F. | — | — | — | — | — — | — |
| | 男 M. 女 F. | — — | — — | — | — | — — | — |
| B17.e | 回帰熱..... Male M. Female F. | — | — | — | — | — — | — |
| | 男 M. 女 F. | — — | — — | — | — | — — | — |

56表(4-2)

第56表 死亡者数

TABLE 56 DEATHS FROM CAUSES (ABBREVIATION LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 总数 Total | 病院 Hospital | 診療所 Clinic | 助産所 Midwife home | 自宅 Home | その他 Other |
|---|-----------------------------------|------------------|------------------|----------------|---------------------|------------------|--------------|
| | | | | | | | |
| B17.f | 日本脳炎 | 1 500 | 1 277 | 22 | — | 129 | 72 |
| | 男 M. 女 F. | 724 776 | 618 659 | 14 8 | — | 53 76 | 39 33 |
| B17.g | 黄熱 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B17.h | 狂犬病 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B17.i | 伝染性下痢症 | 1 | — | — | — | 1 | — |
| | 男 M. 女 F. | 1 1 | — | — | — | 1 | — |
| B17.j | 日本住血吸虫症 | 16 | 9 | — | — | 7 | — |
| | 男 M. 女 F. | 7 9 | 4 5 | — | — | 3 4 | — |
| B17.k | 糸状虫症 | 28 | 4 | — | — | 18 | 6 |
| | 男 M. 女 F. | 20 8 | 4 — | — | — | 13 5 | 3 3 |
| B17.l | その他の伝染性および寄生性として分類された疾患 | 1 615 | 899 | 115 | — | 575 | 26 |
| | 男 M. 女 F. | 849 766 | 491 408 | 58 57 | — | 286 289 | 14 12 |
| B18 | 悪性新生物(リンパ組織および造血組織の... 新生物を含む) | 109 805 | 51 043 | 3 723 | — | 53 273 | 1 766 |
| | 男 M. 女 F. | 60 803 49 002 | 29 714 21 329 | 2 125 1 598 | — | 28 239 25 034 | 725 1 041 |
| B18.a | 胃の悪性新生物 | 46 772 | 18 552 | 1 710 | — | 25 687 | 823 |
| | 男 M. 女 F. | 28 923 17 849 | 12 220 6 332 | 1 100 610 | — | 15 228 10 459 | 375 448 |
| B18.b | 気管、気管支および肺の悪性新生物 | 8 365 | 4 591 | 217 | — | 3 434 | 123 |
| | 男 M. 女 F. | 5 857 2 508 | 3 269 1 322 | 155 62 | — | 2 357 1 077 | 76 47 |
| B18.c | 乳房の悪性新生物 | 2 129 | 1 084 | 83 | — | 922 | 40 |
| | 男 M. 女 F. | 29 2 100 | 8 1 076 | 3 80 | — | 18 904 | — 40 |
| B18.d | 子宮の悪性新生物 | 6 667 | 3 073 | 211 | — | 3 238 | 145 |
| | 男 M. 女 F. | 6 667 | 3 073 | 211 | — | 3 238 | 145 |
| B18.e | 白血病および無白血病 | 3 266 | 2 809 | 115 | — | 322 | 20 |
| | 男 M. 女 F. | 1 801 1 465 | 1 582 1 227 | 57 58 | — | 153 169 | 9 11 |
| B18.f | その他 | 42 606 | 20 934 | 1 387 | — | 19 670 | 615 |
| | 男 M. 女 F. | 24 193 18 413 | 12 635 8 299 | 810 577 | — | 10 483 9 187 | 265 350 |
| B19 | 良性および性質不詳の新生物 | 5 458 | 3 165 | 160 | 1 | 2 045 | 87 |
| | 男 M. 女 F. | 2 861 2 597 | 1 759 1 406 | 71 89 | 1 | 1 000 1 045 | 31 56 |
| B20 | 糖尿病 | 5 750 | 1 684 | 172 | — | 3 760 | 134 |
| | 男 M. 女 F. | 2 735 3 015 | 819 865 | 86 | — | 1 763 1 997 | 67 67 |

性・施設・死因(簡単分類)別

BY SEX AND HOSPITALIZATION; FOR ALL JAPAN

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 总数 Total | 病院 Hospital | 診療所 Clinic | 助産所 Midwife home | 自宅 Home | その他 Other |
|---|--------------------------------|------------------|-----------------|----------------|---------------------|------------------|----------------|
| | | | | | | | |
| B21 | 貧血 | 1 373 | 799 | 54 | — | 489 | 31 |
| | 男 M. 女 F. | 616 757 | 382 417 | 22 32 | — | 202 287 | 10 21 |
| B22 | 中枢神経系の血管損傷 | 172 186 | 20 852 | 3 028 | 1 | 141 294 | 7 011 |
| | 男 M. 女 F. | 92 066 80 120 | 12 942 7 910 | 1 915 1 113 | — | 73 418 67 876 | 3 791 3 220 |
| B23 | 結膜炎(結膜炎菌性および結核性を除く) | 814 | 594 | 69 | — | 138 | 13 |
| | 男 M. 女 F. | 432 382 | 318 276 | 35 34 | — | 72 66 | 7 6 |
| B24 | リューマチ熱 | 592 | 217 | 34 | — | 328 | 13 |
| | 男 M. 女 F. | 208 384 | 79 138 | 20 14 | — | 103 225 | 6 7 |
| B25 | 慢性リューマチ性心臓疾患 | 4 606 | 1 436 | 170 | — | 2 875 | 125 |
| | 男 M. 女 F. | 1 617 2 989 | 579 857 | 68 102 | — | 925 1 950 | 45 80 |
| B26 | 動脈硬化性および変性性心臓疾患 | 55 102 | 8 735 | 1 499 | 13 | 41 735 | 3 120 |
| | 男 M. 女 F. | 28 970 26 132 | 4 976 3 759 | 875 624 | 9 | 21 160 20 575 | 1 950 1 170 |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 28 016 | 4 572 | 838 | 2 | 20 746 | 1 858 |
| | 男 M. 女 F. | 16 663 11 353 | 2 909 1 663 | 544 294 | — | 11 919 8 827 | 1 291 567 |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | 6 509 | 1 407 | 244 | — | 4 616 | 242 |
| | 男 M. 女 F. | 2 651 3 858 | 660 747 | 105 139 | — | 1 777 2 839 | 109 133 |
| B26.c | その他の心筋変性 | 20 577 | 2 756 | 417 | 11 | 16 373 | 1 020 |
| | 男 M. 女 F. | 9 656 10 921 | 1 407 1 349 | 226 191 | 9 | 7 464 8 909 | 550 470 |
| B27 | その他の心臓疾患 | 11 480 | 1 794 | 295 | 2 | 8 963 | 426 |
| | 男 M. 女 F. | 6 020 5 460 | 1 004 790 | 171 124 | — | 4 598 4 365 | 247 179 |
| B28 | 高血圧性心臓疾患 | 10 626 | 1 580 | 222 | — | 8 485 | 339 |
| | 男 M. 女 F. | 5 106 5 520 | 846 734 | 129 93 | — | 3 987 4 498 | 144 195 |
| B29 | その他の高血圧性疾患 | 7 779 | 1 191 | 139 | 1 | 6 143 | 305 |
| | 男 M. 女 F. | 3 706 4 073 | 697 494 | 86 53 | — | 2 773 3 370 | 150 155 |
| B30 | インフルエンザ | 383 | 21 | 19 | — | 329 | 14 |
| | 男 M. 女 F. | 199 184 | 9 12 | 9 10 | — | 174 155 | 7 7 |
| B31 | 肺炎(新生児肺炎を除く) | 21 140 | 4 728 | 1 067 | 4 | 14 718 | 623 |
| | 男 M. 女 F. | 11 343 9 797 | 2 661 2 067 | 611 456 | 2 | 7 792 6 926 | 277 346 |
| B32 | 気管支炎 | 5 288 | 275 | 90 | — | 4 783 | 140 |
| | 男 M. 女 F. | 2 728 2 560 | 164 111 | 47 43 | — | 2 461 2 322 | 56 84 |
| B33 | 胃および十二指腸の潰瘍 | 8 816 | 3 173 | 585 | — | 4 866 | 192 |
| | 男 M. 女 F. | 6 151 2 665 | 2 510 663 | 456 129 | — | 3 073 1 793 | 112 80 |

56表(4-3)

第56表 死亡者数

TABLE 56 DEATHS FROM CAUSES (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 病院 Hospital | 診療所 Clinic | 助産所 Midwife home | 自宅 Home | その他 Other |
|---|--------------------------------|----------------|----------------|---------------|---------------------|----------------|--------------|
| | | | | | | | |
| B34 | 虫垂炎 | 707 | 419 | 172 | — | 108 | 8 |
| | 男 M. 女 F. | 382 325 | 255 164 | 80 92 | — | 44 64 | 3 5 |
| B35 | 腸閉塞およびヘルニア | 3 496 | 2 179 | 411 | 9 | 844 | 53 |
| | 男 M. 女 F. | 1 934 1 562 | 1 274 905 | 245 166 | 2 7 | 390 454 | 23 30 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) | 11 023 | 1 141 | 509 | — | 9 069 | 304 |
| | 男 M. 女 F. | 4 617 6 406 | 630 511 | 280 229 | — | 3 602 5 467 | 105 199 |
| B36.a | 胃炎および十二指腸炎 | 2 706 | 83 | 23 | — | 2 530 | 70 |
| | 男 M. 女 F. | 1 083 1 623 | 46 37 | 12 11 | — | 1 002 1 528 | 23 47 |
| B36.b | 胃腸炎、腸炎および大腸炎 | 8 317 | 1 058 | 486 | — | 6 539 | 234 |
| | 男 M. 女 F. | 3 534 4 783 | 584 474 | 268 218 | — | 2 600 3 939 | 82 152 |
| B37 | 肝硬変 | 10 059 | 4 640 | 503 | — | 4 723 | 193 |
| | 男 M. 女 F. | 6 739 3 320 | 3 387 1 253 | 335 168 | — | 2 894 1 829 | 123 70 |
| B38 | 腎炎およびネフローゼ | 10 360 | 4 364 | 476 | — | 5 320 | 200 |
| | 男 M. 女 F. | 5 362 4 998 | 2 525 1 839 | 247 229 | — | 2 520 2 800 | 70 130 |
| B38.a | 急性腎炎およびネフローゼ | 2 370 | 897 | 153 | — | 1 275 | 45 |
| | 男 M. 女 F. | 1 245 1 125 | 519 378 | 82 71 | — | 628 647 | 16 29 |
| B38.b | その他 | 7 990 | 3 467 | 323 | — | 4 045 | 155 |
| | 男 M. 女 F. | 4 117 3 873 | 2 006 1 461 | 165 158 | — | 1 892 2 153 | 54 101 |
| B39 | 前立腺肥大症 | 635 | 306 | 30 | — | 291 | 8 |
| | 男 M. 女 F. | 635 | 306 | 30 | — | 291 | 8 |
| B40 | 妊娠、分娩および産褥の合併症 | 1 266 | 597 | 483 | 35 | 128 | 23 |
| | 男 M. 女 F. | 1 266 | 597 | 483 | 35 | 128 | 23 |
| B41 | 先天奇形 | 4 687 | 3 131 | 452 | 48 | 944 | 112 |
| | 男 M. 女 F. | 2 575 2 112 | 1 758 1 373 | 237 215 | 27 21 | 487 457 | 66 46 |
| B42 | 出生時の損傷、分娩後窒息および肺不全拡張 | 2 747 | 1 815 | 616 | 95 | 171 | 50 |
| | 男 M. 女 F. | 1 668 1 079 | 1 113 702 | 377 239 | 60 35 | 92 79 | 26 24 |
| B43 | 新生児の感染 | 1 751 | 822 | 380 | 32 | 442 | 75 |
| | 男 M. 女 F. | 970 781 | 455 367 | 214 166 | 18 14 | 245 197 | 38 37 |
| B43.a | 新生児肺炎 | 1 514 | 714 | 337 | 30 | 374 | 59 |
| | 男 M. 女 F. | 843 671 | 396 318 | 191 146 | 18 12 | 208 166 | 30 29 |
| B43.b | 新生児下痢 | 138 | 43 | 33 | — | 51 | 11 |
| | 男 M. 女 F. | 76 62 | 27 16 | 18 15 | — | 27 24 | 4 7 |

性・施設・死因(簡単分類)別

BY SEX AND HOSPITALIZATION; FOR ALL JAPAN

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 病院 Hospital | 診療所 Clinic | 助産所 Midwife home | 自宅 Home | その他 Other |
|---|--------------------------------|------------------|-----------------|----------------|---------------------|------------------|-----------------|
| B43.c | その他の新生児の感染 | 99 | 65 | 10 | 2 | 17 | 5 |
| | 男 M. 女 F. | 51 48 | 32 33 | 5 5 | — 2 | 10 7 | 4 1 |
| B44 | その他の新生児固有の疾患および性質不明の未熟児 | 9 866 | 5 494 | 2 471 | 264 | 1 448 | 189 |
| | 男 M. 女 F. | 5 620 4 246 | 3 160 2 334 | 1 404 1 067 | 151 113 | 793 655 | 112 77 |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 | 56 843 | 1 971 | 551 | 19 | 51 052 | 3 250 |
| | 男 M. 女 F. | 22 830 34 013 | 1 093 878 | 285 266 | 11 8 | 19 709 31 343 | 1 732 1 518 |
| B45.a | 精神病の記載のない老衰 | 44 209 | 509 | 143 | — | 42 046 | 1 511 |
| | 男 M. 女 F. | 15 531 28 678 | 207 302 | 49 94 | — | 14 788 27 258 | 487 1 024 |
| B45.b | その他の診断名不明確および不明の原因 | 12 634 | 1 462 | 408 | 19 | 9 006 | 1 739 |
| | 男 M. 女 F. | 7 299 5 335 | 886 576 | 236 172 | 11 8 | 4 921 4 085 | 1 245 494 |
| B46 | その他のすべての疾患 | 50 682 | 15 787 | 2 010 | 5 | 31 208 | 1 672 |
| | 男 M. 女 F. | 26 035 24 647 | 8 501 7 286 | 1 080 930 | 2 3 | 15 592 15 616 | 860 812 |
| B46.a | その他の循環器系の疾患(先天性を除く) | 5 373 | 827 | 102 | — | 4 250 | 194 |
| | 男 M. 女 F. | 2 707 2 666 | 491 336 | 63 39 | — | 2 065 2 185 | 88 106 |
| B46.b | その他のすべての疾患 | 45 309 | 14 960 | 1 908 | 5 | 26 958 | 1 478 |
| | 男 M. 女 F. | 23 328 21 981 | 8 010 6 950 | 1 017 891 | 2 3 | 13 527 13 431 | 772 706 |
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) | 59 025 | 18 578 | 4 758 | 3 | 12 547 | 23 139 |
| | 男 M. 女 F. | 41 907 17 118 | 14 171 4 407 | 3 568 1 190 | 1 2 | 6 713 5 834 | 17 454 5 685 |
| BE47 | 自動車事故 | 17 979 | 9 789 | 2 808 | — | 229 | 5 153 |
| | 男 M. 女 F. | 14 352 3 627 | 7 782 2 007 | 2 205 603 | — | 150 79 | 4 215 938 |
| BE48 | その他の不慮の事故 | 24 568 | 6 304 | 1 524 | 3 | 5 174 | 11 563 |
| | 男 M. 女 F. | 18 178 6 390 | 4 899 1 405 | 1 140 384 | 1 2 | 2 764 2 410 | 9 374 2 189 |
| BE48.a | 自動車以外の交通事故 | 3 406 | 770 | 228 | — | 42 | 2 366 |
| | 男 M. 女 F. | 2 722 684 | 600 170 | 184 44 | — | 32 10 | 1 906 460 |
| BE48.b | 不慮の墜落 | 4 643 | 2 188 | 481 | — | 1 055 | 919 |
| | 男 M. 女 F. | 3 362 1 281 | 1 741 447 | 361 120 | — | 466 589 | 794 125 |
| BE48.c | 不慮の溺死および漏水 | 5 906 | 172 | 53 | — | 771 | 4 910 |
| | 男 M. 女 F. | 4 325 1 581 | 123 49 | 34 19 | — | 361 410 | 3 807 1 103 |
| BE48.d | 天災 | 366 | 16 | 5 | — | 167 | 178 |
| | 男 M. 女 F. | 149 217 | 8 8 | 1 4 | — | 62 105 | 78 100 |
| BE48.e | その他 | 10 247 | 3 158 | 757 | 3 | 3 139 | 3 190 |
| | 男 M. 女 F. | 7 620 2 627 | 2 427 731 | 560 197 | 1 2 | 1 843 1 296 | 2 789 401 |

第56表 死亡者数、性・施設・死因(簡単分類)別

TABLE 56 DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX AND

HOSPITALIZATION; FOR ALL JAPAN

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 病院 Hospital | 診療所 Clinic | 助産所 Midwife home | 自宅 Home | その他 Other |
|---|--------------------------------|--------------------|----------------|---------------|---------------------|------------|--------------|
| | | | | | | | |
| BE49 | 自殺および自傷 | 15 050 | 2 120 | 331 | — | 6 667 | 5 932 |
| | 男 M. | 8 450 | 1 191 | 146 | — | 3 557 | 3 556 |
| | 女 F. | 6 600 | 929 | 185 | — | 3 110 | 2 376 |
| BE50 | 他殺および戦争行為 | 1 428 | 365 | 95 | — | 477 | 491 |
| | 男 M. | 927 | 299 | 77 | — | 242 | 309 |
| | 女 F. | 501 | 66 | 18 | — | 235 | 182 |
| BE50.a | 他殺 | 1 407 | 358 | 95 | — | 468 | 486 |
| | 男 M. | 907 | 293 | 77 | — | 233 | 304 |
| | 女 F. | 500 | 65 | 18 | — | 235 | 182 |
| BE50.b | 処刑および戦争行為 | 21 | 7 | — | — | 9 | 5 |
| | 男 M. | 20 | 6 | — | — | 9 | 5 |
| | 女 F. | 1 | 1 | — | — | — | — |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) | 59 025 | 18 578 | 4 758 | 3 | 12 547 | 23 139 |
| | 男 M. | 41 907 | 14 171 | 3 568 | 1 | 6 713 | 17 454 |
| | 女 F. | 17 118 | 4 407 | 1 190 | 2 | 5 834 | 5 685 |
| BN47 | 骨折、頭部損傷および内部損傷 | 28 836 | 14 228 | 3 818 | — | 1 670 | 9 120 |
| | 男 M. | 22 748 | 11 397 | 3 019 | — | 901 | 7 431 |
| | 女 F. | 6 088 | 2 831 | 799 | — | 769 | 1 689 |
| BN47.a | 頭蓋骨折 | 13 966 | 6 211 | 1 703 | — | 276 | 5 776 |
| | 男 M. | 11 380 | 5 156 | 1 400 | — | 172 | 4 652 |
| | 女 F. | 2 586 | 1 055 | 303 | — | 104 | 1 124 |
| BN47.b | その他の骨の骨折 | 3 580 | 1 585 | 438 | — | 589 | 968 |
| | 男 M. | 2 414 | 1 113 | 313 | — | 207 | 781 |
| | 女 F. | 1 166 | 472 | 125 | — | 382 | 187 |
| BN47.c | 頭部の損傷(骨折を除く) | 6 885 | 4 084 | 1 085 | — | 596 | 1 120 |
| | 男 M. | 5 260 | 3 133 | 822 | — | 388 | 917 |
| | 女 F. | 1 625 | 951 | 263 | — | 208 | 203 |
| BN47.d | 胸、腹、骨盤腔の内部損傷 | 4 405 | 2 348 | 592 | — | 209 | 1 256 |
| | 男 M. | 3 694 | 1 995 | 484 | — | 134 | 1 081 |
| | 女 F. | 711 | 353 | 108 | — | 75 | 175 |
| BN48 | 熱傷 | 2 213 | 904 | 221 | — | 797 | 291 |
| | 男 M. | 1 272 | 565 | 114 | — | 395 | 198 |
| | 女 F. | 941 | 339 | 107 | — | 402 | 93 |
| BN49 | 毒物の作用 | 6 038 | 1 625 | 372 | — | 2 745 | 1 296 |
| | 男 M. | 3 200 | 826 | 166 | — | 1 343 | 865 |
| | 女 F. | 2 838 | 799 | 206 | — | 1 402 | 431 |
| BN50 | その他の損傷 | 21 938 | 1 821 | 347 | 3 | 7 335 | 12 432 |
| | 男 M. | 14 687 | 1 383 | 269 | 1 | 4 074 | 8 960 |
| | 女 F. | 7 251 | 438 | 78 | 2 | 3 261 | 3 472 |
| BN50.a | 裂傷および開放創 | 1 440 | 233 | 77 | — | 171 | 959 |
| | 男 M. | 1 038 | 196 | 63 | — | 98 | 681 |
| | 女 F. | 402 | 37 | 14 | — | 73 | 278 |
| BN50.b | 溺死および死にいたらぬ溺水 | 8 775 ¹ | 204 | 59 | — | 947 | 7 565 |
| | 男 M. | 5 784 | 145 | 39 | — | 407 | 5 193 |
| | 女 F. | 2 991 | 59 | 20 | — | 540 | 2 372 |
| BN50.c | 窒息および絞首 | 8 199 | 583 | 38 | 2 | 5 086 | 2 490 |
| | 男 M. | 5 107 | 383 | 24 | 1 | 2 819 | 1 880 |
| | 女 F. | 3 092 | 200 | 14 | 1 | 2 267 | 610 |
| BN50.d | その他 | 3 524 | 801 | 173 | 1 | 1 131 | 1 418 |
| | 男 M. | 2 758 | 659 | 143 | 1 | 750 | 1 206 |
| | 女 F. | 766 | 142 | 30 | — | 381 | 212 |

57 表 (4—1)

第57表 乳児（1才未満）死亡者数

TABLE 57 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 1月 Jan. | 2月 Feb. | 3月 Mar. | 4月 Apr. | 5月 May | 6月 June | 7月 July | 8月 Aug. | 9月 Sep. | 10月 Oct. | 11月 Nov. | 12月 Dec. |
|---|--------------------------------|------------------|----------------|----------------|----------------|--------------|--------------|--------------|--------------|--------------|------------|--------------|--------------|----------------|
| | | | | | | | | | | | | | | |
| | 总数 Total | 26 217 | 3 194 | 2 691 | 2 434 | 2 157 | 1 983 | 1 960 | 1 937 | 1 757 | 1 696 | 1 741 | 2 008 | 2 659 |
| | 男 M. 女 F. | 15 024 11 193 | 1 795 1 399 | 1 536 1 155 | 1 419 1 015 | 1 215 942 | 1 147 836 | 1 111 849 | 1 119 818 | 1 023 734 | 974 722 | 1 007 734 | 1 160 848 | 1 518 1 141 |
| B1 | 呼吸器系の結核..... | 10 | 1 | — | 1 | — | 3 | 2 | — | 1 | 1 | — | 1 | — |
| | 男 M. 女 F. | 8 2 | 1 — | — | 1 — | — | 3 — | 2 — | — | 1 — | 1 | — | 1 | — |
| B2 | その他の結核..... | 22 | 5 | 2 | 1 | — | 2 | 2 | 1 | 4 | 1 | 1 | 1 | 2 |
| | 男 M. 女 F. | 13 9 | 2 3 | 2 | 1 | — | 2 — | 2 — | 1 | 2 | 1 | 1 | 1 | 1 |
| B3 | 梅毒およびその続発症..... | 13 | 2 | 2 | 2 | 2 | — | — | 1 | 2 | 1 | — | — | 1 |
| | 男 M. 女 F. | 11 2 | 2 — | 2 | 2 | 2 | — | — | 1 | 1 | 1 | — | — | 1 |
| B4 | 腸チフス..... | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — | — | — | — | — | — | — |
| B5 | コレラ..... | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — | — | — | — | — | — | — |
| B6 | 赤痢..... | 21 | 3 | 2 | 1 | 1 | 2 | 3 | 5 | 2 | — | — | 1 | 1 |
| | 男 M. 女 F. | 9 12 | 2 1 | 2 | 1 | 1 | 2 — | 1 2 | 1 4 | 2 | — | — | 1 | 1 |
| B6.a | 細菌性赤痢(疫病症状を呈するもの)..... | 18 | 3 | 1 | — | — | 2 | 3 | 5 | 2 | — | — | 1 | 1 |
| | 男 M. 女 F. | 6 12 | 2 1 | 1 | — | — | — 2 | 1 2 | 1 4 | 2 | — | — | 1 | 1 |
| B6.b | 細菌性赤痢(その他)..... | 3 | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 3 — | — — | 1 | 1 | 1 | — | — | — | — | — | — | — | — |
| B6.c | アメーバ症..... | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — | — | — | — | — | — | — |
| B6.d | その他の原虫性および詳細不明の赤痢..... | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — | — | — | — | — | — | — |
| B7 | 猩紅熱およびレンサ球菌性口喰炎..... | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — | — | — | — | — | — | — |
| B7.a | 猩紅熱..... | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — | — | — | — | — | — | — |
| B7.b | レンサ球菌性口喰炎..... | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — | — | — | — | — | — | — |
| B8 | ジフテリア..... | 2 | — | 1 | — | — | — | — | — | — | — | — | 1 | — |
| | 男 M. 女 F. | 2 — | — — | 1 | — | — | — | — | — | — | — | — | 1 | — |
| B9 | 百日咳..... | 9 | — | — | — | 5 | — | — | — | 3 | — | — | 1 | — |
| | 男 M. 女 F. | 7 2 | — — | — — | — | 4 1 | — | — | 2 1 | — | — | — | 1 | — |

注：本年報には掲載していないが、本表をさらに都道府県一七大都市（再掲）別に集計した特別製表がある

性・月・死因(簡単分類)別

(ABBREVIATED LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和 41 年
1966

Note: Special tabulation that table 57 is more computed by prefectures and seven largest cities (secondary mention) is prepared otherwise, so it is not presented here in this annual.

57表(4-2)

第57表 乳児(1才未満)死亡者数

TABLE 57 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 | 1月 | 2月 | 3月 | 4月 | 5月 | 6月 | 7月 | 8月 | 9月 | 10月 | 11月 | 12月 |
|---|--------------------------------|-----------------|--------------|---------------|--------------|--------------|-------------|--------------|--------------|--------------|-------------|-------------|-------------|--------------|
| | | Total | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sep. | Oct. | Nov. | Dec. |
| B17.f | 日本脳炎 | 2 | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| | 男 M. 女 F. | 2 | - | - | - | - | - | - | - | 1 | 1 | - | - | - |
| B17.g | 黄熱 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B17.h | 狂犬病 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B17.i | 伝染性下痢症 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B17.j | 日本住血吸虫症 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B17.k | 糸状虫症 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B17.l | その他の伝染性および寄生性として分類された疾患 | 131 64 67 | 11 5 6 | 15 10 5 | 15 8 7 | 11 5 6 | 9 3 6 | 15 8 7 | 14 7 7 | 13 4 9 | 9 5 4 | 5 3 2 | 6 2 4 | 8 4 4 |
| B18 | 悪性新生物(リンパ組織および造血組織の新生物を含む) | 98 52 46 | 7 4 3 | 4 3 1 | 13 8 5 | 5 2 3 | 7 5 4 | 9 4 5 | 12 7 5 | 9 4 5 | 9 4 5 | 8 6 2 | 5 3 2 | 10 4 6 |
| B18.a | 胃の悪性新生物 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B18.b | 気管、気管支および肺の悪性新生物 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B18.c | 乳房の悪性新生物 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B18.d | 子宮の悪性新生物 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B18.e | 白血病および無白血病 | 46 24 22 | 4 2 2 | 2 1 1 | 6 4 2 | 2 1 2 | 2 1 2 | 3 5 3 | 9 5 4 | 5 2 3 | 2 2 2 | 5 3 2 | 3 2 1 | 3 2 1 |
| B18.f | その他 | 52 28 24 | 3 2 1 | 2 2 3 | 7 4 2 | 3 1 2 | 5 2 3 | 6 4 2 | 3 2 2 | 4 2 5 | 7 3 2 | 2 2 1 | 7 5 5 | 7 5 5 |
| B19 | 良性および性質不詳の新生物 | 67 27 40 | 5 2 3 | 5 4 1 | 8 5 3 | 7 4 6 | 7 4 5 | 9 2 3 | 5 3 2 | 3 4 3 | 7 4 3 | 3 2 3 | 5 4 3 | 5 4 2 |
| B20 | 糖尿病 | 1 1 - | - | - | - | - | - | 1 1 - | - | - | - | - | - | - |
| | 男 M. 女 F. | 1 1 - | - | - | - | - | - | 1 1 - | - | - | - | - | - | - |

性・月・死因(簡单分類)別

(ABBREVIATED LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 | 1月 | 2月 | 3月 | 4月 | 5月 | 6月 | 7月 | 8月 | 9月 | 10月 | 11月 | 12月 |
|---|--------------------------------|----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------|
| | | Total | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sep. | Oct. | Nov. | Dec. |
| B21 | 貧血 | 21 14 7 | 1 1 - | 2 1 1 | 4 4 - | 1 1 - | 1 1 1 | 2 2 2 | - - - | 3 2 1 | 2 2 1 | 2 1 1 | 2 2 1 | |
| B22 | 中枢神経系の血管損傷 | 57 29 28 | 3 1 2 | 4 1 3 | 5 4 1 | 2 1 4 | 8 4 1 | 3 2 1 | 6 3 3 | 5 2 3 | 4 1 3 | 6 4 2 | 6 4 2 | 5 2 3 |
| B23 | 髄膜炎(髄膜炎菌性および結核性を除く) | 157 86 71 | 17 8 9 | 15 9 6 | 11 4 7 | 15 9 6 | 15 8 7 | 13 7 6 | 16 9 7 | 11 7 4 | 16 9 7 | 8 5 3 | 12 9 3 | 8 2 6 |
| B24 | リューマチ熱 | 3 2 1 | - - - | 1 1 - | - - - | - - - | 1 1 - | 1 1 - | - - - | - - - | - - - | - - - | - - - | |
| B25 | 慢性リューマチ性心臓疾患 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B26 | 動脈硬化性および変性性心臓疾患 | 194 105 89 | 19 9 10 | 20 12 8 | 23 14 9 | 21 12 9 | 10 3 7 | 10 7 3 | 11 6 5 | 12 6 6 | 13 7 7 | 9 7 2 | 19 7 12 | 27 16 11 |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 2 1 1 | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | 1 1 1 | - - - | 1 1 1 | |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | 2 2 | 1 1 | - - | 1 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| B26.c | その他の心筋変性 | 190 104 86 | 18 9 9 | 20 12 8 | 22 14 8 | 21 12 9 | 10 3 7 | 10 7 3 | 11 6 5 | 12 6 6 | 12 6 6 | 9 7 2 | 19 7 12 | 26 15 11 |
| B27 | その他の心臓疾患 | 34 15 19 | 4 2 2 | 3 1 2 | 6 5 1 | 2 1 3 | 4 1 3 | 1 1 1 | 2 1 1 | 1 1 1 | 1 1 1 | 5 4 4 | 2 1 1 | 3 1 2 |
| B28 | 高血圧性心臓疾患 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B29 | その他の高血圧性疾患 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B30 | インフルエンザ | 47 26 21 | 5 2 3 | 11 8 3 | 13 7 6 | 3 2 2 | 4 2 1 | 2 1 2 | 3 1 2 | 1 1 1 | 1 1 1 | 2 1 1 | 2 1 1 | 3 1 2 |
| B31 | 肺炎(新生児肺炎を除く) | 2898 1640 1258 | 437 258 179 | 390 215 175 | 339 203 136 | 281 169 112 | 263 139 100 | 213 113 82 | 171 89 82 | 124 66 58 | 124 77 47 | 116 68 48 | 162 85 77 | 278 158 120 |
| B32 | 気管支炎 | 257 149 108 | 49 26 23 | 33 19 14 | 30 19 11 | 17 12 5 | 18 9 5 | 13 9 4 | 11 6 5 | 9 5 4 | 13 6 5 | 16 11 7 | 21 10 5 | 27 19 8 |
| B33 | 胃および十二指腸の潰瘍 | 26 17 9 | 4 2 2 | 2 2 2 | 4 2 1 | 1 1 1 | 3 3 1 | 3 3 1 | 1 1 1 | 2 2 1 | 2 1 1 | 2 1 1 | 2 1 1 | 3 2 1 |

57表(4-3)

第57表 乳児(1才未満)死亡者数

TABLE 57 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 月別 Month | | | | | | | | | | | |
|---|---------------------------------|-------------------------|-------------------|-------------------|-------------------|-------------------|------------------|-------------------|------------------|------------------|------------------|-------------------|-------------------|-----------------|
| | | | 1月 Jan. | 2月 Feb. | 3月 Mar. | 4月 Apr. | 5月 May | 6月 June | 7月 July | 8月 Aug. | 9月 Sep. | 10月 Oct. | 11月 Nov. | 12月 Dec. |
| B34 | 虫垂炎 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B35 | 腸閉塞およびヘルニア | 445 284 161 | 45 31 14 | 49 30 19 | 38 20 18 | 33 21 12 | 43 26 8 | 34 22 8 | 43 32 11 | 33 15 18 | 38 21 16 | 37 17 10 | 27 14 11 | 25 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎 (新生児下痢を除く) | 1 302 770 532 | 315 202 113 | 263 148 39 | 94 55 32 | 88 56 32 | 62 33 29 | 66 54 44 | 98 31 27 | 58 20 15 | 35 23 18 | 41 32 29 | 61 83 38 | 121 |
| B36.a | 胃炎および十二指腸炎 | 2 1 1 | - - - | 1 1 1 | - - - | 1 1 1 | - - - | 1 1 1 | - - - | 1 1 1 | - - - | - - - | - | |
| B36.b | 胃腸炎、腸炎および大腸炎 | 1 300 769 531 | 315 202 113 | 262 147 39 | 94 55 31 | 87 56 29 | 62 33 33 | 66 54 44 | 98 31 27 | 58 20 15 | 35 23 18 | 41 32 29 | 61 83 38 | 121 |
| B37 | 肝硬変 | 13 9 4 | 3 3 - | - 1 - | 1 - 1 | - - 1 | 1 2 1 | - - 1 | 1 - 1 | - - - | 2 2 - | 1 1 - | - | |
| B38 | 腎炎およびネフローゼ | 10 4 6 | - - 1 | 1 1 1 | - - - | 4 1 3 | 1 1 1 | 1 1 1 | - - - | 1 1 - | 1 1 - | 1 1 - | - | 1 |
| B38.a | 急性腎炎およびネフローゼ | 9 4 5 | - - 1 | 1 1 1 | - - - | 3 1 2 | 1 1 1 | 1 1 1 | - - - | 1 1 - | 1 1 - | - | - | 1 |
| B38.b | その他 | 1 1 | - - | - - | - - | - - | 1 1 | - - | - - | - - | - - | - - | - | 1 |
| B39 | 前立腺肥大症 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B40 | 妊娠、分娩および産褥の合併症 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B41 | 先天奇形 | 3 082 1 770 1 312 | 337 174 163 | 292 189 103 | 302 169 133 | 252 128 124 | 233 135 98 | 237 133 104 | 228 126 74 | 219 145 83 | 194 148 92 | 240 141 93 | 234 171 143 | 314 |
| B42 | 出生時の損傷、分娩後窒息および肺不全拡張 | 2 747 1 668 1 079 | 259 154 105 | 228 138 90 | 225 131 69 | 197 117 80 | 200 131 89 | 223 134 81 | 214 135 79 | 258 165 93 | 225 150 90 | 240 146 119 | 265 | - |
| B43 | 新生児の感染 | 1 751 970 781 | 262 146 116 | 190 107 83 | 175 94 81 | 145 69 76 | 112 70 42 | 104 57 47 | 105 64 41 | 104 65 39 | 115 69 46 | 121 62 59 | 135 70 65 | 183 97 86 |
| B43.a | 新生児肺炎 | 1 514 843 671 | 235 131 104 | 160 94 66 | 155 83 72 | 116 55 61 | 96 61 41 | 88 47 34 | 83 49 31 | 88 57 39 | 102 56 39 | 109 57 56 | 113 57 56 | 169 90 79 |
| B43.b | 新生児下痢 | 138 76 62 | 18 9 9 | 17 8 9 | 11 6 5 | 16 8 8 | 9 5 4 | 11 7 2 | 9 5 2 | 12 5 7 | 10 5 4 | 8 5 3 | 8 5 4 | 9 |

性・月・死因(簡単分類)別

(ABBREVIATED LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 月別 Month | | | | | | | | | | | |
|---|--------------------------------|-------------------------|---------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---------------------|
| | | | 1月 Jan. | 2月 Feb. | 3月 Mar. | 4月 Apr. | 5月 May | 6月 June | 7月 July | 8月 Aug. | 9月 Sep. | 10月 Oct. | 11月 Nov. | 12月 Dec. |
| B43.c | その他の新生児の感染 | 99 51 48 | 9 6 3 | 13 5 8 | 19 4 4 | 13 7 3 | 7 4 4 | 5 1 4 | 13 4 5 | 4 3 1 | 3 2 2 | 4 2 2 | 5 2 3 | 5 2 3 |
| B44 | その他の新生児固有の疾患および性質不明の未熟児 | 9 866 5 620 4 246 | 1 045 568 477 | 867 474 393 | 825 483 342 | 778 427 351 | 717 417 300 | 703 401 302 | 765 452 313 | 736 427 309 | 693 371 322 | 727 418 309 | 871 517 354 | 1 139 665 474 |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 | 632 366 266 | 90 51 39 | 57 35 22 | 62 35 27 | 59 34 25 | 45 31 14 | 37 20 17 | 45 23 22 | 55 32 23 | 44 26 18 | 41 20 21 | 46 29 21 | 51 30 21 |
| B45.a | 精神病の記載のない老衰 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| B45.b | その他の診断名不明確および不明の原因 | 632 366 266 | 90 51 39 | 57 35 22 | 62 35 27 | 59 34 25 | 45 31 14 | 37 20 17 | 45 23 22 | 55 32 23 | 44 26 18 | 41 20 21 | 46 29 21 | 51 30 21 |
| B46 | その他のすべての疾患 | 819 486 333 | 111 64 47 | 84 49 35 | 77 52 25 | 90 57 33 | 64 36 28 | 81 45 36 | 55 32 23 | 45 27 18 | 49 31 18 | 47 27 20 | 58 36 22 | 58 36 22 |
| B46.a | その他の循環器系の疾患(先天性を除く) | 5 2 3 | 3 2 1 | - - - | - - - | - - - | - - - | - - - | - - - | 1 1 - | - - - | - - - | 1 1 - | |
| B46.b | その他のすべての疾患 | 814 484 330 | 108 62 46 | 84 49 35 | 77 52 25 | 90 57 33 | 64 45 28 | 81 45 36 | 55 32 23 | 44 27 17 | 49 31 18 | 47 27 20 | 58 36 21 | 57 36 21 |
| "E" | 不慮の事故、中毒および暴力の二重分類 (外因) | 1 138 620 518 | 134 66 68 | 123 59 64 | 120 68 52 | 99 61 38 | 87 52 35 | 105 59 46 | 79 42 37 | 74 41 37 | 60 40 31 | 71 40 31 | 79 40 39 | 107 55 52 |
| BE47 | 自動車事故 | 35 19 16 | 9 3 6 | 4 2 2 | 3 1 2 | 1 1 - | 1 1 - | 5 3 5 | 3 3 - | 3 2 - | 2 2 - | 2 1 - | 2 1 - | |
| BE48 | その他の不慮の事故 | 978 534 444 | 117 57 60 | 104 50 54 | 106 61 45 | 90 54 29 | 74 45 29 | 89 51 38 | 70 36 34 | 61 31 30 | 44 31 13 | 56 32 13 | 68 34 24 | 99 50 49 |
| BE48.a | 自動車以外の交通事故 | 2 2 - | - - - | 1 1 - | - - - | - - - | - - - | - - - | - - - | 1 1 - | - - - | - - - | - - - | |
| BE48.b | 不慮の墜落 | 36 24 12 | 3 2 1 | 3 2 1 | 2 1 1 | 5 3 2 | 3 2 1 | 5 4 1 | 3 2 1 | 3 2 1 | 2 1 1 | 5 2 3 | 2 1 1 | 2 1 1 |
| BE48.c | 不慮の溺死および溺水 | 36 16 20 | 3 3 - | - - - | 3 2 1 | - - - | 4 2 2 | 4 3 2 | 3 2 1 | 6 4 4 | 4 3 2 | 2 1 1 | 2 1 1 | 3 2 2 |
| BE48.d | 天災 | 6 4 2 | - - - | - - - | - - - | - - - | - - - | 1 1 - | 1 1 - | 4 3 1 | - - - | - - - | - - - | |
| BE48.e | その他 | 898 488 410 | 111 52 59 | 100 47 53 | 101 58 43 | 85 53 32 | 67 41 2 | | | | | | | |

57表(4-4)

第57表 乳児(1才未満)死亡者数、性・月・死因(簡単分類)別

TABLE 57 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES (ABBREVIATED LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN
昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 1月 Jan. | 2月 Feb. | 3月 Mar. | 4月 Apr. | 5月 May | 6月 June | 7月 July | 8月 Aug. | 9月 Sep. | 10月 Oct. | 11月 Nov. | 12月 Dec. |
|---|---|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| | | | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sep. | Oct. | Nov. | Dec. |
| BE49 | 自殺および自傷····· 男 M. 女 F. | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - |
| BE50 | 他殺および戦争行為····· 男 M. 女 F. | 125 67 58 | 8 6 2 | 15 7 8 | 11 6 5 | 8 4 4 | 12 6 6 | 11 8 3 | 6 3 3 | 10 3 7 | 14 8 6 | 13 7 7 | 9 5 4 | 8 5 3 |
| BE50.a | 他殺····· 男 M. 女 F. | 125 67 58 | 8 6 2 | 15 7 8 | 11 6 5 | 8 4 4 | 12 6 6 | 11 8 3 | 6 3 3 | 10 3 7 | 14 8 6 | 13 7 7 | 9 5 4 | 8 5 3 |
| BE50.b | 処刑および戦争行為····· 男 M. 女 F. | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) 男 M. 女 F. | 1,138 620 518 | 134 66 68 | 123 59 64 | 120 68 52 | 99 61 38 | 87 52 35 | 105 59 46 | 79 42 37 | 74 37 37 | 60 41 19 | 71 40 31 | 79 40 39 | 107 55 52 |
| BN47 | 骨折、頭部損傷および内部損傷····· 男 M. 女 F. | 89 54 35 | 16 6 10 | 11 7 4 | 5 2 3 | 7 5 2 | 4 4 — | 9 4 5 | 6 6 2 | 9 7 2 | 6 4 2 | 11 6 5 | 4 2 2 | 1 1 — |
| BN47.a | 頸蓋骨折····· 男 M. 女 F. | 33 20 13 | 5 2 3 | 4 3 1 | 2 1 1 | 3 1 — | 1 1 — | 4 1 3 | 2 2 — | 5 4 1 | 2 1 1 | 3 1 2 | 2 1 1 | — — — |
| BN47.b | その他の骨の骨折····· 男 M. 女 F. | 4 2 2 | — — — | 2 1 1 | — — — | 1 1 1 | — — — | — — — |
| BN47.c | 頭部の損傷(骨折を除く) 男 M. 女 F. | 48 31 17 | 10 4 6 | 5 4 1 | 3 1 2 | 4 2 2 | 3 3 — | 5 3 2 | 4 4 — | 2 2 1 | 3 2 3 | 7 4 3 | 1 1 — | 1 1 — |
| BN47.d | 胸、腹、骨盤腔の内部損傷····· 男 M. 女 F. | 4 1 3 | — — 1 | 2 — 2 | — — — |
| BN48 | 熱傷····· 男 M. 女 F. | 107 58 49 | 17 7 10 | 12 4 8 | 16 8 8 | 7 6 1 | 9 5 4 | 9 4 5 | 3 2 1 | 5 1 4 | 1 1 — | 7 5 2 | 9 7 2 | 12 8 4 |
| BN49 | 毒物の作用····· 男 M. 女 F. | 47 30 17 | 7 2 5 | 6 5 1 | 9 5 4 | 6 5 1 | 1 — 1 | 5 3 2 | 1 1 — | 2 2 — | 1 1 — | 2 2 1 | 1 1 — | 6 4 2 |
| BN50 | その他の損傷····· 男 M. 女 F. | 895 478 417 | 94 51 43 | 94 53 37 | 90 45 34 | 79 43 30 | 73 43 30 | 82 48 34 | 69 33 36 | 58 27 31 | 52 35 17 | 51 27 24 | 65 31 24 | 88 42 46 |
| BN50.a | 裂傷および開放創····· 男 M. 女 F. | 6 3 3 | — — — | 2 1 1 | 1 1 — | — — — | — — — | 1 1 — | — — — | 1 1 — | — — — | 1 1 — | — — — | — — — |
| BN50.b | 溺死および死にいたらぬ溺水····· 男 M. 女 F. | 66 36 30 | 6 6 — | 2 1 1 | 5 4 1 | 1 3 — | 6 3 5 | 10 5 3 | 5 2 4 | 6 2 3 | 8 5 3 | 6 2 4 | 7 5 2 | 4 1 3 |
| BN50.c | 窒息および絞首····· 男 M. 女 F. | 535 275 260 | 50 21 29 | 57 26 31 | 56 34 22 | 43 22 21 | 50 31 19 | 47 27 20 | 47 23 24 | 33 18 15 | 33 23 10 | 31 18 11 | 39 17 13 | 49 20 29 |
| BN50.d | その他····· 男 M. 女 F. | 288 164 124 | 38 24 14 | 33 15 18 | 28 14 14 | 35 23 12 | 17 9 8 | 24 15 9 | 17 8 9 | 18 7 11 | 11 7 4 | 13 12 1 | 19 9 10 | 35 21 14 |

58表(9-1)

第58表 乳児(1才未満)死亡者数
TABLE 58 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 1年未満総数 Total of infant deaths under 1 year of age | 4週未満 | | | | | | | | |
|---|---|--|--------------------------|--------------------------------|-------------------------|-----------------------|---------------------|---------------------|-------------------|--------------|-------------------|
| | | | 総数 Total | 1週未満 Under 1 day (24 hours) | | | | | | | |
| | | | | 1日 day | 2日 | 3日 | 4日 | 5日 | 6日 | Under 1 week | |
| | 総数----- Total----- | 26 217 15 024 9 430 11 193 | 16 296 6 883 4 882 | 11 765 2 126 1 504 | 3 630 1 631 1 136 | 2 767 1 154 819 | 1 973 647 473 | 1 120 516 339 | 855 439 330 | 769 330 | 651 370 281 |
| B1 | 呼吸器系の結核----- Respiratory tract tuberculosis----- | 10 8 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B2 | その他の結核----- Other tuberculosis----- | 22 13 9 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| (010) | 結膜および中枢神経系の結核----- Tuberculosis of eye and central nervous system----- | 17 9 8 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| (011-019) | その他の結核----- Other tuberculosis----- | 5 4 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B3 | 梅毒およびその疾患症----- Syphilis and its diseases----- | 13 11 2 | 8 6 2 | 4 3 1 | 2 1 1 | 2 — — | — — — | — — — | — — — | — — — | — — — |
| B4 | 腸チフス----- Cholera----- | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B5 | コレラ----- Cholera----- | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B6 | 赤痢----- Diarrhea----- | 21 9 12 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B6.a | 細菌性赤痢(症状を呈するもの)----- Bacterial diarrhea (symptomatic)----- | 18 6 12 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B6.b | 細菌性赤痢(その他)----- Bacterial diarrhea (other)----- | 3 3 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B6.c | アメーバ症----- Amoebiasis----- | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B6.d | その他の原虫性および詳細不明の赤痢----- Other protozoal and unclassified diarrhea----- | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B7 | 猩紅熱およびレンサ球菌性口炎----- Scarlet fever and streptococcal pharyngitis----- | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B7.a | 猩紅熱----- Scarlet fever----- | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B7.b | レンサ球菌性口炎----- Streptococcal pharyngitis----- | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |

性・日一月齢・死因(簡単分類)別

(ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭和41年
1966

| Under 4 weeks | | | 4週～2か月未満 | | | 2か月 months | 3か月 | 4か月 | 5か月 | 6か月 | 7か月 | 8か月 | 9か月 | 10か月 | 11か月 | 不詳 Unknown | 国際簡単分類番号 International abbreviated list number |
|---|---------------------|-------------------|---|---------------------|---------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------|-------------|---------------|---|
| 1～2週未満 & over, less than 2 weeks | 2～3週未満 | 3～4週未満 | 4 weeks & over, less than 2 months | | | | | | | | | | | | | | |
| 2 539 1 408 1 131 | 1 204 694 510 | 788 445 343 | 2 184 1 272 912 | 1 262 712 550 | 1 036 565 471 | 911 508 403 | 884 494 390 | 760 417 343 | 699 405 294 | 591 336 255 | 616 349 267 | 547 285 262 | 431 251 180 | — — — | — — — | B1 | |

第58表 乳児(1才未満)死亡者数

TABLE 58 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 1年未満総数 Total of infant deaths under 1 year of age | 4週未満 | | | | | | | | |
|---|--------------------------------|--|-------------|--------------------------------|-----------|-----------|-----------|-----------|-----------|--------------|---|
| | | | 総数 Total | 1週未満 Under 1 day (24 hours) | | | | | | | |
| | | | | 1日 day | 2日 day | 3日 day | 4日 day | 5日 day | 6日 day | Under 1 week | |
| B8 | ジフテリア..... | 2 | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 2 — | — | — | — | — | — | — | — | — | — |
| B9 | 百日咳..... | 9 | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 7 2 | — | — | — | — | — | — | — | — | — |
| B10 | 髄膜炎菌感染..... | 3 | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 1 2 | — | — | — | — | — | — | — | — | — |
| B11 | ベスト..... | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| B12 | 急性灰白髄炎..... | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| B13 | 痘瘡..... | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| B14 | 麻疹..... | 311 | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 159 152 | — | — | — | — | — | — | — | — | — |
| B15 | 発疹チフスおよびその他のリッカチア病..... | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| B15.a | シラミ媒介の流行性発疹チフス..... | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| B15.b | 恙虫病およびその他のコダニ媒介の発疹チフス様疾患 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| B15.c | その他..... | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| B16 | マラリア..... | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| B17 | 伝染性および寄生性として分類されたその他の疾患 | 161 | 44 | 11 | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 84 77 | 23 21 | 5 6 | — | — | — | — | — | — | — |
| B17.a | バラチフス..... | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| B17.b | 頬..... | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| B17.c | 破傷風..... | 28 | 24 | 7 | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 20 8 | 17 7 | 3 4 | — | — | — | — | — | — | — |

性・日一月齢・死因(簡単分類)別

(ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭和41年
1966

| Under 4 weeks | | | 4週～2ヶ月未満 & over, less than 2 weeks | 2ヶ月 months | 3ヶ月 | 4ヶ月 | 5ヶ月 | 6ヶ月 | 7ヶ月 | 8ヶ月 | 9ヶ月 | 10ヶ月 | 11ヶ月 | 不詳 Unknown | 国際簡単分類番号 International abbreviated list number | |
|--|---|---|---|---------------|-----|-----|-----|-----|-----|-----|-----|------|------|---------------|---|-------|
| 1～2週未満 1 week & less than 2 weeks | 2～3週未満 2 weeks & less than 3 weeks | 3～4週未満 3 weeks & less than 4 weeks | | | | | | | | | | | | | | |
| — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | B8 |
| — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | B9 |
| — | — | — | 4 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | B10 |
| — | — | — | 4 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | B11 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B12 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B13 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B14 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.c |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B16 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.c |

58表(9-3)

第58表 乳児(1才未満)死亡者数

TABLE 58 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 1年未満総数 Total of infant deaths under 1 year of age | 4週未満 | | | | | | | |
|---|--------------------------------|--|---------------|--------------------------------|-------------|-------------|-------------|-------------|-------------|--------------|
| | | | 総数 Total | 1週未満 Under 1 day (24 hours) | | | | | | |
| | | | | 1日 day | 2日 | 3日 | 4日 | 5日 | 6日 | Under 1 week |
| B17.d | 炭疽 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - |
| B17.e | 回帰熱 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - |
| B17.f | 日本脳炎 | 2 | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | 2 | - | - | - | - | - | - | - | - |
| B17.g | 黄熱 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - |
| B17.h | 狂犬病 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - |
| B17.i | 伝染性下痢症 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - |
| B17.j | 日本住血吸虫症 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - |
| B17.k | 糸状虫症 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - |
| B17.l | その他の伝染性および寄生性として分類された疾患 | 131 64 67 | 20 6 14 | 4 2 2 | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 |
| | 男 M. 女 F. | | | | | | | | | |
| B18 | 悪性新生物(リンパ組織および造血組織の新生物を含む) | 98 52 46 | 5 2 3 | 1 1 - | - | - | - | 1 | - | - |
| | 男 M. 女 F. | | | | | | | | | |
| B18.a | 胃の悪性新生物 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - |
| B18.b | 気管、気管支および肺の悪性新生物 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - |
| B18.c | 乳房の悪性新生物 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - |
| B18.d | 子宮の悪性新生物 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - |
| B18.e | 白血病および無白血病 | 46 24 22 | 1 1 1 | - - | - - | - - | - - | - - | - - | - - |
| | 男 M. 女 F. | | | | | | | | | |
| B18.f | その他 | 52 28 24 | 4 2 2 | 1 1 1 | - - | - - | - - | - - | - - | - - |
| | 男 M. 女 F. | | | | | | | | | |

性・日一月齢・死因(簡単分類)別

(ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭和41年
1966

| Under 4 weeks | | | 4週～2ヶ月未満 | 2か月 | 3か月 | 4か月 | 5か月 | 6か月 | 7か月 | 8か月 | 9か月 | 10か月 | 11か月 | 不詳 | 国際簡単分類番号 International abbreviated list number |
|---|-------------|-------------|---------------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|-------------|--------------|-------------|----|---|
| 1～2週未満 1 week & over, less than 2 weeks | 2～3週未満 | 3～4週未満 | 4 weeks & over, less than 2 months | months | | | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.d |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.e |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.f |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.g |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.h |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.i |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.j |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.k |
| 7 2 5 | 6 1 5 | 3 1 2 | 23 14 9 | 13 9 4 | 14 5 9 | 12 7 5 | 10 6 4 | 10 7 7 | 8 4 4 | 3 1 2 | 7 4 3 | 10 4 6 | 1 1 1 | - | B17.l |
| 3 1 2 | 1 1 1 | - - - | 14 8 6 | 5 3 2 | 8 4 6 | 9 3 6 | 6 4 2 | 10 9 6 | 12 9 3 | 4 1 3 | 8 6 3 | 10 5 2 | 7 3 4 | - | B18 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B18.a |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B18.b |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B18.c |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B18.d |
| 1 1 | - - | - - | - - | 12 6 6 | 1 1 1 | 6 3 3 | 3 2 2 | 3 2 1 | 7 3 4 | 5 4 1 | - - | 2 2 - | 3 1 2 | - | B18.e |
| 2 1 | 1 1 | 1 1 | - - | 2 2 - | 4 2 - | 2 1 1 | 6 2 4 | 3 2 1 | 7 5 2 | 4 3 1 | 6 4 2 | 7 4 3 | 4 2 2 | - | B18.f |

58 表 (9-4)

第58表 乳児(1才未満)死亡者数,

TABLE 58 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 1年未満総数 Total of infant deaths under 1 year of age | 4週未満 | | | | | | | |
|---|--------------------------------|--|-----------------|--------------------------------------|----------------|---------------|---------------|-------------|-------------------|-------------------|
| | | | 総数 Total | 1週未満 Under 1 week | | | | | | |
| | | | | 1日(24時間)未満 Under 1 day (24 hours) | 1日 day | 2日 | 3日 | 4日 | 5日 | 6日 |
| B19 | 良性および性質不詳の新生児 | 67 27 40 | 17 7 10 | 13 5 8 | 1 1 1 | 1 2 2 | 3 1 2 | 2 2 — | 4 1 3 | — — — |
| B20 | 糖尿病 | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B21 | 貧血 | 21 14 7 | 1 1 — | 1 1 — | — — — | 1 1 — | — — — | — — — | — — — | — — — |
| B22 | 中枢神経系の血管損傷 | 57 29 28 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B23 | 結膜炎(結膜炎性および結核性を除く) | 157 86 71 | 28 13 15 | 6 3 3 | — — — | 2 1 1 | 1 1 — | — — — | 1 1 1 | 2 1 1 |
| B24 | リューマチ熱 | 3 2 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B25 | 慢性リューマチ性心臓疾患 | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B26 | 動脈硬化性および変性性心臓疾患 | 194 105 89 | 114 69 45 | 90 55 35 | 34 18 16 | 20 11 9 | 13 10 3 | 9 7 2 | 8 5 3 | 3 2 1 |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | 2 — 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B26.c | その他の心筋変性 | 190 104 86 | 114 69 45 | 90 55 35 | 34 18 16 | 20 11 9 | 13 10 3 | 9 7 2 | 8 5 3 | 3 2 1 |
| B27 | その他の心臓疾患 | 34 15 19 | 8 2 6 | 6 1 5 | 1 — 1 | 4 1 3 | — — — | — — — | 1 1 — | — — — |
| B28 | 高血圧性心臓疾患 | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B29 | その他の高血圧性疾患 | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B30 | インフルエンザ | 47 26 21 | 7 6 1 | 2 — — | — — — | — — — | — — — | — — — | 2 1 — | — — — |
| B31 | 肺炎(新生児肺炎を除く) | 2898 1640 1258 | — — — | — — — | — — — | — — — | — — — | — — — | 663 426 261 | 426 323 187 |

性・日一月齢・死因(簡単分類)別

(ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 1年未満総数 Total of infant deaths under 1 year of age | Under 4 weeks | | | 4週～2ヶ月未満 4 weeks & over, less than 2 months | 2ヶ月 months | 3ヶ月 | 4ヶ月 | 5ヶ月 | 6ヶ月 | 7ヶ月 | 8ヶ月 | 9ヶ月 | 10ヶ月 | 11ヶ月 | 不詳 Unknown | 国際簡単分類番号 International abbreviated list number | | | | | |
|---|--------------------------------|--|--|---|---|--|----------------|--------------|--------------|--------------|--------------|--------------|-------------|----------------|-------------|--------------|---------------|---|-------------|-------------|-------------|-------------|-------|
| | | | 1～2週未満 1 week & over, less than 2 weeks | 2～3週未満 2 weeks & over, less than 3 weeks | 3～4週未満 3 weeks & over, less than 4 weeks | | | | | | | | | | | | | | | | | | |
| | | | 2 | 2 | — | | | | | | | | | | | | | | | | | | |
| B19 | 良性および性質不詳の新生児 | 67 27 40 | 8 4 4 | 7 2 5 | 5 2 3 | 4 1 3 | 3 1 2 | 5 4 1 | 7 2 5 | 2 2 2 | 2 2 2 | 3 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | B19 | | | | |
| B20 | 糖尿病 | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B20 | | | | | |
| B21 | 貧血 | 21 14 7 | — — — | — — — | — — — | 3 2 1 | 6 4 2 | 2 1 1 | 3 2 1 | 1 1 1 | 1 1 1 | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | B21 | | | | |
| B22 | 中枢神経系の血管損傷 | 57 29 28 | — — — | — — — | — — — | — — — | 31 16 15 | 7 3 4 | 1 2 1 | 3 2 1 | 1 1 1 | 2 2 2 | 3 2 1 | 5 3 2 | 1 1 1 | — — — | — — — | — — — | — — — | B22 | | | |
| B23 | 結膜炎(結膜炎性および結核性を除く) | 157 86 71 | 8 2 6 | 7 4 3 | 7 4 3 | 28 19 9 | 20 15 5 | 12 6 6 | 16 7 9 | 10 3 7 | 4 2 2 | 7 2 5 | 9 6 3 | 12 5 7 | 5 5 5 | — — — | — — — | — — — | — — — | B23 | | | |
| B24 | リューマチ熱 | 3 2 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B24 | | | | |
| B25 | 慢性リューマチ性心臓疾患 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B25 | | | |
| B26 | 動脈硬化性および変性性心臓疾患 | 194 105 89 | 114 69 45 | 90 55 35 | 34 18 16 | 20 11 9 | 13 10 3 | 9 7 2 | 8 5 3 | 3 2 1 | 12 7 5 | 10 6 4 | 2 1 1 | 27 14 13 | 2 2 — | 12 4 8 | 7 4 8 | 6 4 2 | 4 3 1 | 3 2 4 | 4 1 3 | B26 | |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B26.a | | | |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | 2 — 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B26.b | | | |
| B26.c | その他の心筋変性 | 190 104 86 | 114 69 45 | 90 55 35 | 34 18 16 | 20 11 9 | 13 10 3 | 9 7 2 | 8 5 3 | 3 2 1 | 12 7 5 | 10 6 4 | 2 1 1 | 27 14 13 | 2 2 — | 12 4 8 | 7 4 8 | 5 3 2 | 4 3 1 | 3 2 3 | 2 1 3 | 4 1 3 | B26.c |
| B27 | その他の心臓疾患 | 34 15 19 | 8 2 6 | 6 1 5 | 1 — 1 | 4 1<br | | | | | | | | | | | | | | | | | |

58表(9-5)

第58表 乳児(1才未満)死亡者数

TABLE 58 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因性 Cause of death and sex | 1年未満総数 Total of infant deaths under 1 year of age | 4週未満 | | | | | | | |
|---|---|--|-----------------|--------------------------------|--------------|--------------|---------------|-------------|-------------|--------------|
| | | | 総数 Total | Under 1 week | | | | | | |
| | | | | 1週未満 Under 1 day (24 hours) | 1日 day | 2日 day | 3日 day | 4日 day | 5日 day | 6日 day |
| (491) | 気管支肺炎(生後4週以上) 男 M. 女 F. | 930 527 403 | - | - | - | - | - | - | - | - |
| (490,492, 493) | その他の肺炎 男 M. 女 F. | 1968 1113 855 | - | - | - | - | - | - | - | - |
| B32 | 気管支炎 男 M. 女 F. | 257 149 108 | 47 27 20 | 15 7 8 | - | 4 3 1 | 1 - 3 | 3 1 1 | 2 1 1 | 1 2 2 |
| B33 | 胃および十二指腸の潰瘍 男 M. 女 F. | 26 17 9 | 20 13 7 | 19 12 7 | - | 1 1 - | 1 2 2 | 4 3 1 | 6 4 2 | 3 1 2 |
| B34 | 虫垂炎 男 M. 女 F. | - - | - - | - - | - | - - | - - | - - | - - | - - |
| B35 | 腸閉塞およびヘルニア 男 M. 女 F. | 445 284 161 | 128 77 51 | 71 38 33 | 13 4 9 | 12 5 7 | 17 10 7 | 7 5 2 | 6 4 3 | 10 7 3 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) 男 M. 女 F. | 1302 770 532 | - | - | - | - | - | - | - | - |
| B36.a | 胃炎および十二指腸炎 男 M. 女 F. | 2 1 1 | - - | - - | - | - | - | - | - | - |
| B36.b | 胃腸炎、腸炎および大腸炎 男 M. 女 F. | 1300 769 531 | - - | - - | - | - | - | - | - | - |
| (571) | 胃腸炎および大腸炎(潰瘍性を除く) (生後4週以上) 男 M. 女 F. | 1294 767 527 | - - | - - | - | - | - | - | - | - |
| (572) | 慢性腸炎および潰瘍性大腸炎 男 M. 女 F. | 6 2 4 | - - - | - - | - | - | - | - | - | - |
| B37 | 肝硬変 男 M. 女 F. | 13 9 4 | 1 1 - | 1 1 - | - | - | - | 1 1 - | - | - |
| B38 | 腎炎およびネフローゼ 男 M. 女 F. | 10 4 6 | - - - | - - | - | - | - | 1 1 - | - | - |
| B38.a | 急性腎炎およびネフローゼ 男 M. 女 F. | 9 4 5 | - - - | - - | - | - | - | 1 1 - | - | - |
| B38.b | その他 男 M. 女 F. | 1 1 | - - | - - | - | - | - | - | - | - |
| B39 | 前立腺肥大症 男 M. 女 F. | - - | - - | - - | - | - | - | - | - | - |

性・日一月齢・死因(簡単分類)別

(ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭和41年
1966

| Under 4 weeks | | | 4週～2ヶ月未満 4 weeks & over, less than 2 months | 2ヶ月 months | 3ヶ月 | 4ヶ月 | 5ヶ月 | 6ヶ月 | 7ヶ月 | 8ヶ月 | 9ヶ月 | 10ヶ月 | 11ヶ月 | 不詳 Unknown | 国際簡単分類番号 International abbreviated list number |
|--|---|---|--|-------------------|-------------------|------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|---------------|---|
| 1～2週未満 1 week & over, less than 2 weeks | 2～3週未満 2 weeks & over, less than 3 weeks | 3～4週未満 3 weeks & over, less than 4 weeks | | | | | | | | | | | | | (491) |
| - | - | - | 202 122 80 | 146 80 66 | 88 57 40 | 94 45 38 | 83 40 33 | 73 39 29 | 68 39 21 | 51 30 21 | 49 26 23 | 42 23 19 | 34 17 17 | - | (490,492, 493) |
| 12 8 4 | 14 7 7 | 6 5 1 | 461 280 181 | 280 159 121 | 235 111 110 | 207 100 88 | 188 72 69 | 141 71 47 | 118 56 34 | 90 56 32 | 88 56 42 | 89 47 42 | 71 36 35 | - | B32 |
| - | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | B33 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B34 |
| 26 17 9 | 19 12 7 | 12 10 2 | 43 24 19 | 36 19 17 | 32 29 17 | 39 24 10 | 36 24 12 | 35 24 11 | 29 22 7 | 29 20 9 | 17 12 5 | 12 10 2 | 9 8 1 | - | B35 |
| - | - | - | 132 78 54 | 99 47 52 | 100 58 42 | 117 73 61 | 136 75 53 | 125 72 54 | 138 84 54 | 110 71 39 | 141 86 55 | 117 67 50 | 87 59 28 | - | B36 |
| 2 1 1 | - | - | 2 1 1 | - | - | - | - | - | - | - | - | - | - | - | B36.a |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B36.b |
| - | - | - | 130 53 | 99 52 | 100 42 | 117 44 | 136 61 | 125 53 | 138 54 | 110 53 | 141 39 | 117 55 | 87 28 | - | (571) |
| - | - | - | 130 77 53 | 98 47 51 | 99 57 42 | 117 73 61 | 136 75 61 | 124 72 52 | 136 83 53 | 110 71 39 | 140 86 54 | 117 67 50 | 87 59 28 | - | (571) |
| - | - | - | - | - | - | 1 1 1 | - | - | 1 1 1 | - | 1 1 1 | 2 1 1 | 1 1 1 | - | (572) |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B37 |
| - | - | - | - | - | - | 1 1 1 | - | - | 1 1 1 | - | 1 1 1 | 2 1 1 | 1 1 1 | - | B38 |
| - | - | - | - | - | - | 1 1 1 | - | - | 2 1 1 | - | 2 1 1 | 1 1 1 | 2 1 1 | - | B38.a |
| - | - | - | - | - | - | 1 1 1 | - | - | 2 1 1 | - | 2 1 1 | 1 1 1 | 2 1 1 | - | B38.b |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B39 |

58表(9-6)

第58表 乳児(1才未満)死亡者数

TABLE 58 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 1年未満総数 Total of infant deaths under 1 year of age | 4週未満 | | | | | | | | | 国際簡単分類番号 International abbreviated list number | |
|---|--------------------------------|--|--------------------------------|-------|--------------|-----|-----|-----|----|----|----|---|---|
| | | | 総数 Total | | Under 1 week | | | | | | | | |
| | | | 1日未満 Under 1 day (24 hours) | 2日 | 3日 | 4日 | 5日 | 6日 | 7日 | 8日 | 9日 | 10日 | |
| B40 | 妊娠、分娩および産褥の合併症 | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| B41 | 先天奇形 | 3 082 | 1 384 | 788 | 166 | 178 | 120 | 102 | 88 | 73 | 61 | - | - |
| | 男 M. 女 F. | 1 770 | 811 | 463 | 97 | 95 | 71 | 63 | 52 | 47 | 38 | - | - |
| (750) | 奇形 | 25 | 25 | 21 | 10 | 9 | - | 1 | - | 1 | - | - | - |
| | 男 M. 女 F. | 16 | 16 | 14 | 8 | 6 | - | 1 | - | 1 | - | - | - |
| (751) | 二分脊椎および髓膜瘤 | 92 | 57 | 28 | 4 | 5 | 2 | 3 | 3 | 5 | 6 | - | - |
| | 男 M. 女 F. | 58 | 34 | 18 | 3 | 2 | 1 | 1 | 1 | 3 | 1 | - | - |
| (752) | 先天性水頭体 | 130 | 46 | 33 | 11 | 4 | 5 | 3 | 6 | 3 | 1 | - | - |
| | 男 M. 女 F. | 73 | 26 | 17 | 6 | 3 | 2 | 2 | 3 | 2 | 1 | - | - |
| (753) | その他の神経系および感覚器の先天奇形 | 38 | 14 | 8 | 3 | 2 | 1 | 1 | - | 1 | - | - | - |
| | 男 M. 女 F. | 18 | 8 | 5 | 2 | 1 | 1 | 1 | - | 1 | - | - | - |
| (754) | 循環器系の先天奇形 | 1 617 | 558 | 345 | 93 | 95 | 60 | 38 | 25 | 20 | 14 | - | - |
| | 男 M. 女 F. | 924 | 336 | 211 | 55 | 56 | 38 | 25 | 15 | 10 | 5 | - | - |
| | | 693 | 222 | 134 | 38 | 39 | 22 | 13 | 10 | 4 | 8 | - | - |
| (755) | 口蓋裂および兔唇 | 194 | 123 | 50 | 3 | 12 | 8 | 5 | 9 | 7 | 6 | - | - |
| | 男 M. 女 F. | 117 | 69 | 26 | 1 | 3 | 5 | 4 | 5 | 4 | 3 | - | - |
| (756) | 消化器系の先天奇形 | 844 | 473 | 237 | 18 | 29 | 37 | 48 | 41 | 35 | 29 | - | - |
| | 男 M. 女 F. | 485 | 269 | 134 | 6 | 13 | 23 | 28 | 24 | 22 | 18 | - | - |
| (757) | 性尿器系の先天奇形 | 20 | 9 | 2 | - | 1 | 1 | - | - | - | - | - | - |
| | 男 M. 女 F. | 17 | 9 | 2 | - | 1 | 1 | - | - | - | - | - | - |
| (758) | 骨および関節の先天奇形 | 30 | 16 | 11 | 5 | 3 | 1 | 2 | - | - | - | - | - |
| | 男 M. 女 F. | 14 | 7 | 4 | 2 | 3 | 1 | 1 | - | - | - | - | - |
| (759) | その他および詳細不明の先天奇形(他に分類されないもの) | 92 | 63 | 53 | 19 | 18 | 5 | 2 | 3 | 2 | 4 | - | - |
| | 男 M. 女 F. | 48 | 37 | 32 | 14 | 11 | 4 | 2 | 1 | 1 | 3 | - | - |
| | | 44 | 26 | 21 | 5 | 7 | 4 | 2 | 1 | 1 | 1 | - | - |
| B42 | 出生時の損傷、分娩後窒息および肺不全拡張 | 2 747 | 2 709 | 2 458 | 1 059 | 690 | 342 | 143 | 93 | 77 | 54 | - | - |
| | 男 M. 女 F. | 1 668 | 1 643 | 1 498 | 652 | 426 | 202 | 86 | 55 | 41 | 36 | - | - |
| | | 1 079 | 1 066 | 960 | 407 | 264 | 140 | 57 | 38 | 36 | 18 | - | - |
| (760) | 出生における頭蓋内および脊柱内の損傷 | 940 | 930 | 807 | 233 | 253 | 160 | 58 | 45 | 38 | 20 | - | - |
| | 男 M. 女 F. | 604 | 594 | 526 | 163 | 165 | 103 | 35 | 27 | 18 | 15 | - | - |
| (761) | その他の出生時の損傷 | 503 | 499 | 481 | 319 | 84 | 33 | 20 | 10 | 7 | 8 | - | - |
| | 男 M. 女 F. | 271 | 270 | 262 | 168 | 47 | 16 | 13 | 6 | 5 | 7 | - | - |
| (762) | 分娩後窒息および肺不全拡張 | 1 304 | 1 280 | 1 170 | 507 | 353 | 149 | 65 | 38 | 32 | 26 | - | - |
| | 男 M. 女 F. | 793 | 779 | 710 | 321 | 214 | 83 | 38 | 22 | 18 | 14 | - | - |
| | | 511 | 501 | 460 | 186 | 139 | 66 | 27 | 16 | 14 | 12 | - | - |

性・日一月齢・死因(簡単分類)別

(ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭和41年
1966

| Under 4 weeks | 4週～2ヶ月未満 | | | months | 2か月 | 3か月 | 4か月 | 5か月 | 6か月 | 7か月 | 8か月 | 9か月 | 10か月 | 11か月 | 不詳 | International abbreviated list number |
|---------------|---|--------|--------|--------|-----|-----|-----|-----|-----|-----|-----|-----|------|------|----|---------------------------------------|
| | 1～2週未満 & over, less than 2 weeks | 2～3週未満 | 3～4週未満 | | | | | | | | | | | | | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B40 |
| 296 | 178 | 122 | 391 | 266 | 228 | 158 | 140 | 128 | 96 | 99 | 70 | 76 | 46 | - | - | B41 |
| 173 | 113 | 62 | 248 | 163 | 140 | 87 | 67 | 72 | 52 | 49 | 43 | 30 | 23 | - | - | (750) |
| 123 | 65 | 60 | 143 | 103 | 88 | 71 | 73 | 56 | 44 | 46 | 46 | 46 | - | - | - | (751) |
| 2 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | (752) |
| 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | (753) |
| 12 | 8 | 9 | 11 | 5 | 4 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | - | - | - | (754) |
| 8 | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - | (755) |
| 4 | 4 | 5 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - | (756) |
| 6 | 5 | 2 | 12 | 11 | 10 | 8 | 10 | 7 | 10 | 6 | 7 | 6 | - | - | - | (757) |
| 5 | 4 | 2 | 8 | 7 | 6 | 5 | 5 | 4 | 5 | 4 | 3 | 2 | - | - | - | (758) |
| 1 | 1 | 2 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | - | - | (759) |
| 99 | 60 | 54 | 214 | 159 | 148 | 113 | 97 | 85 | 58 | 61 | 43 | 50 | 31 | - | - | B42 |
| 54 | 40 | 31 | 131 | 102 | 107 | 87 | 78 | 75 | 47 | 50 | 38 | 27 | 16 | 15 | 16 | (760) |
| 45 | 20 | 23 | 83 | 57 | 61 | 55 | 55 | 55 | 38 | 38 | 27 | 26 | 31 | 31 | 31 | (761) |
| 31 | 31 | 11 | 30 | 17 | 17 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | (762) |
| 22 | 18 | 13 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | - |
| 136 | 62 | 38 | 104 | 64 | 47 | 20 | 21 | 24 | 19 | 21 | 22 | 16 | 16 | 16 | 16 | - |
| 75 | 39 | 21 | 71 | 33 | 31 | 16 | 16 | 16 | 1 | | | | | | | |

58 表 (9-7)

第58表 乳児(1才未満)死亡者数

TABLE 58 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 1年未満総数 Total of infant deaths under 1 year of age | 4週未満 | | | | | | | | |
|---|--------------------------------|--|-------------------------|--------------------------------------|-----------------------|---------------------|---------------------|-------------------|-------------------|-------------------|-------------------|
| | | | 1週未満 | | Under 1 week | | | | | | |
| | | | 総数 Total | 1日(24時間)未満 Under 1 day (24 hours) | 1日 day | 2日 day | 3日 day | 4日 day | 5日 day | 6日 day | |
| B43 | 新生児の感染 | 1 751 970 781 | 1 744 965 779 | 634 361 273 | 68 41 27 | 124 73 51 | 143 77 66 | 76 42 34 | 75 52 23 | 77 43 34 | 71 33 36 |
| (763) | 新生児肺炎 | 1 514 843 671 | 1 514 843 671 | 586 337 249 | 66 39 27 | 120 73 47 | 131 72 59 | 68 37 31 | 65 46 19 | 74 42 32 | 62 28 34 |
| (764) | 新生児下痢 | 138 76 62 | 137 75 62 | 20 10 10 | 1 1 — | — — 3 | 5 2 1 | 2 1 3 | 6 3 — | — — — | 6 3 3 |
| (765) | 新生児眼炎 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| (766) | 新生児天疱瘡 | 15 8 7 | 13 6 7 | 1 — 1 | — — — | — — 1 | 1 — — | — — — | — — — | — — — | — — — |
| (767) | 敗血症 | 10 5 5 | 9 4 5 | 3 2 1 | — — — | — — — | — — — | 1 1 — | — — — | 2 1 1 | — — — |
| (768) | その他の新生児敗血症 | 74 38 36 | 71 37 34 | 24 12 12 | 1 1 — | 4 — 4 | 6 3 2 | 6 4 1 | 3 2 2 | 3 1 — | 1 1 — |
| B44 | その他の新生児固有の疾患および性質不明の未熟児 | 9 866 5 620 4 246 | 9 307 5 334 3 973 | 7 271 4 211 3 060 | 2 202 1 275 927 | 1 699 993 706 | 1 277 750 527 | 716 313 220 | 533 244 197 | 441 234 169 | 403 234 169 |
| (769) | 母の妊娠時の疾患による新生児の障害 | 167 104 63 | 166 103 63 | 157 97 60 | 51 32 19 | 41 27 14 | 33 20 13 | 10 7 3 | 8 4 5 | 9 4 5 | 5 3 2 |
| (770) | 新生児の溶血性疾患(赤芽球症) | 181 110 71 | 162 97 65 | 99 56 43 | 7 5 2 | 11 6 5 | 17 8 9 | 9 6 7 | 13 13 8 | 21 14 7 | 21 14 7 |
| (771) | 新生児の出血性疾患 | 1 064 601 463 | 1 030 582 448 | 724 426 298 | 90 53 37 | 129 80 49 | 175 101 74 | 112 67 45 | 84 37 29 | 66 41 27 | 68 41 27 |
| (772) | 乳児栄養失調症(1才未満) | 139 86 53 | 55 39 16 | 11 8 3 | — — — | 2 2 1 | 1 3 1 | 4 2 — | 2 — — | 2 1 1 | — — — |
| (773) | 新生児固有の疾患にして診断名不明確のもの | 4 901 2 775 2 126 | 4 640 2 649 1 991 | 3 718 2 138 1 580 | 1 266 726 540 | 885 505 380 | 615 368 247 | 344 190 154 | 256 152 104 | 189 109 80 | 163 88 75 |
| (774) | その他の副次疾患のある未熟児 | 388 228 160 | 329 195 134 | 200 120 80 | 37 20 17 | 23 13 10 | 29 19 11 | 24 19 6 | 35 18 17 | 27 18 9 | — — — |
| (775) | その他の原因に附隨する未熟児 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| (776) | 性質不明の未熟児 | 3 026 1 716 1 310 | 2 925 1 669 1 256 | 2 362 1 366 996 | 751 439 312 | 608 360 248 | 407 234 173 | 213 118 95 | 145 62 | 121 58 | 117 48 |

性・日一月齢・死因(簡単分類)別

(ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭和41年
1966

| Under 4 weeks | | | 4週～2か月未満 4 weeks & over, less than 2 months | 2か月 months | 3か月 | 4か月 | 5か月 | 6か月 | 7か月 | 8か月 | 9か月 | 10か月 | 11か月 | 不詳 | International abbreviated list number | 国際簡単分類番号 International abbreviated list number | |
|---|--|--|---|----------------|----------------|----------------|--------------|--------------|----------------|--------------|-------------|-------------|-------------|-------------|---------------------------------------|---|-------|
| 1～2週未満 1 week & over, less than 2 weeks | 2～3週未満 2 weeks & over, less than 3 weeks | 3～4週未満 3 weeks & over, less than 4 weeks | | | | | | | | | | | | | | | |
| 498 254 244 | 324 179 145 | 288 171 117 | 7 5 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B43 | |
| 415 214 201 | 272 153 119 | 241 139 102 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | (763) | |
| 53 30 23 | 30 15 15 | 34 20 14 | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | (764) | |
| 5 1 4 | 4 3 1 | 3 2 1 | 2 2 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | (765) | |
| 23 9 14 | 16 8 8 | 8 8 — | 3 1 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | (766) | |
| 1 323 725 598 | 474 265 209 | 239 133 106 | 331 160 171 | 87 44 43 | 47 22 25 | 26 13 13 | 12 5 5 | 11 6 6 | 17 11 11 | 11 9 2 | 5 5 — | 7 7 — | 5 5 — | 2 2 — | — — — | B44 | |
| 5 2 3 | 2 2 — | 2 2 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | (769) | |
| 54 37 17 | 5 3 2 | 4 1 3 | 6 4 2 | 2 2 — | 2 2 — | 3 2 — | 1 1 — | 1 1 — | 2 1 — | 1 1 — | 2 2 — | 1 1 — | 2 2 — | 1 1 — | 1 1 — | — — — | (770) |
| 202 104 98 | 74 38 36 | 30 14 16 | 26 15 11 | 4 2 2 | 4 2 2 | 2 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | — — — | (771) |
| 13 10 3 | 17 11 6 | 14 10 4 | 14 15 9 | 24 15 9 | 14 15 9 | 16 15 9 | 6 5 3 | 7 6 3 | 7 6 3 | 7 5 2 | 4 3 1 | 4 3 1 | 4 3 1 | 4 3 1 | 2 1 — | — — — | (772) |
| 609 320 289 | 208 126 82 | 105 65 40 | 173 77 56 | 36 21 15 | 16 10 6 | 12 4 8 | 5 2 3 | 3 1 2 | 8 5 3 | 2 1 2 | 2 1 — | 2 1 — | 2 1 — | 2 1 — | 2 1 — | 2 1 — | (773) |
| 82 52 30 | 26 12 14 | 21 11 10 | 32 16 16 | 13 7 6 | 2 1 — | 2 1 — | 3 2 1 | 3 2 1 | 8 5 3 | 2 1 1 | 2 1 — | 2 1 — | 2 1 — | 2 1 — | 2 1 | | |

58表(9-8)

第58表 乳児(1才未満)死亡者数,
TABLE 58 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 1年未満 Total of infant deaths under 1 year of age | 4週未満 | | | | | | | | |
|---|---|--|-------------------|--|----------------|---------------|----------------|----------------|----------------|----------------|----------------|
| | | | 総数 Total | Under 1 week | | | | | | | |
| | | | | 1日(24時間) 未満 Under 1 day (24 hours) | 1日 day | 2日 day | 3日 day | 4日 day | 5日 day | 6日 day | |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 男 M. 女 F. | 632 366 266 | 383 238 145 | 228 138 90 | 24 12 12 | 15 10 5 | 35 18 17 | 38 27 11 | 36 23 13 | 54 34 20 | 26 14 12 |
| B45.a | 精神病の記載のない老衰 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | |
| B45.b | その他の診断名不明確および不明の原因 男 M. 女 F. | 632 366 266 | 383 238 145 | 228 138 90 | 24 12 12 | 15 10 5 | 35 18 17 | 38 27 11 | 36 23 13 | 54 34 20 | 26 14 12 |
| B46 | その他のすべての疾患 男 M. 女 F. | 819 486 333 | 161 99 62 | 46 29 17 | 3 6 3 | 7 6 4 | 10 4 1 | 5 8 3 | 5 8 1 | 11 3 4 | 5 1 4 |
| B46.a | その他の循環器系の疾患(先天性を除く) 男 M. 女 F. | 5 2 3 | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | |
| B46.b | その他のすべての疾患 男 M. 女 F. | 814 484 330 | 161 99 62 | 46 29 17 | 3 6 3 | 7 6 4 | 10 4 1 | 5 8 1 | 11 3 4 | 5 1 4 | 26 13 14 |
| "E" | 不慮の事故、中毒および暴力の二重分類 (外因) 男 M. 女 F. | 1138 620 518 | 180 93 87 | 100 49 51 | 57 26 31 | 8 3 5 | 7 6 1 | 12 7 5 | 2 5 1 | 7 1 6 | 27 14 13 |
| BE47 | 自動車事故 男 M. 女 F. | 35 19 16 | 2 2 - | 1 1 - | - - - | - - - | 1 1 - | - - - | - - - | - - - | |
| BE48 | その他の不慮の事故 男 M. 女 F. | 978 534 444 | 124 65 59 | 55 29 26 | 18 10 8 | 8 3 5 | 5 4 1 | 11 6 5 | 1 6 1 | 6 1 5 | 23 11 12 |
| BE48.a | 自動車以外の交通事故 男 M. 女 F. | 2 2 - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | |
| BE48.b | 不慮の墜落 男 M. 女 F. | 36 24 12 | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | |
| BE48.c | 不慮の溺死および溺水 男 M. 女 F. | 36 16 20 | 2 1 1 | 2 1 1 | 2 1 1 | - - - | - - - | - - - | - - - | - - - | |
| BE48.d | 天災 男 M. 女 F. | 6 4 2 | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | |
| BE48.e | その他 男 M. 女 F. | 898 488 410 | 122 64 58 | 53 28 25 | 16 9 7 | 8 3 5 | 5 4 1 | 11 6 5 | 1 1 1 | 6 1 5 | 23 11 12 |
| (E921-E925) | 窒息 男 M. 女 F. | 728 399 329 | 111 58 53 | 48 25 23 | 12 6 6 | 7 3 4 | 5 4 1 | 11 6 5 | 1 1 1 | 6 1 5 | 21 11 10 |
| (E926) | 乳児の養育不注意(1才未満) 男 M. 女 F. | 3 2 1 | 3 2 1 | 2 2 - | 2 2 - | - - - | - - - | - - - | - - - | - - - | 1 1 1 |
| (E921-E926 以外の項目) | その他 男 M. 女 F. | 167 87 80 | 8 4 4 | 3 1 2 | 2 1 1 | 1 1 1 | - - - | - - - | - - - | - - - | 1 1 1 |

性・日一月齢・死因(簡単分類)別

(ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭和41年
1966

| Under 4 weeks | | 4週～2ヶ月未満 | | 2ヶ月 months | 3ヶ月 | 4ヶ月 | 5ヶ月 | 6ヶ月 | 7ヶ月 | 8ヶ月 | 9ヶ月 | 10ヶ月 | 11ヶ月 | 不詳 | 国際簡単分類番号 International abbreviated list number | |
|---|--|--|---------------------------------------|-----------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|---------|---|----------------------|
| 1～2週未満 1 week & over, less than 2 weeks | 2～3週未満 2 weeks & over, less than 3 weeks | 3～4週未満 3 weeks & over, less than 4 weeks | 4 weeks & over, less than 2 months | | | | | | | | | | | | | |
| 103 66 37 | 34 25 9 | 18 9 9 | 67 33 34 | 24 12 | 23 12 | 18 9 | 22 5 | 21 10 | 22 14 | 18 9 | 12 5 | 9 6 | 13 7 | - | B45 | |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | B45.a | |
| 103 66 37 | 34 25 9 | 18 9 9 | 67 33 34 | 24 12 | 23 12 | 18 9 | 22 5 | 21 10 | 22 14 | 18 9 | 12 5 | 9 6 | 13 7 | - | B45.b | |
| 45 25 20 | 39 27 12 | 31 18 13 | 147 86 61 | 89 50 39 | 71 41 30 | 56 36 20 | 54 35 19 | 54 30 24 | 45 25 20 | 30 15 15 | 41 29 20 | 40 24 12 | 31 24 7 | - | B46 | |
| - - | - - | - - | - - | 1 1 | - - | - - | 1 1 | - - | - - | - - | 1 1 | 1 1 | - - | - - | B46.a | |
| 45 25 20 | 39 27 12 | 31 18 13 | 146 86 60 | 88 49 39 | 71 41 30 | 56 36 20 | 53 35 18 | 54 30 24 | 45 25 20 | 30 15 15 | 40 28 20 | 39 24 12 | 31 24 7 | - | B46.b | |
| 27 14 13 | 20 13 7 | 33 17 16 | 163 87 76 | 125 72 53 | 114 59 55 | 104 50 49 | 111 62 49 | 59 34 25 | 53 33 20 | 50 30 20 | 65 33 20 | 61 37 24 | 53 30 23 | - | "E" | |
| - - | 1 1 | - - | 1 1 | 4 2 | 3 2 | 3 2 | 3 2 | 3 2 | 3 2 | 3 2 | 3 2 | 3 2 | 3 2 | - - | BE47 | |
| 23 11 12 | 15 10 5 | 31 15 16 | 156 84 72 | 114 65 49 | 105 52 48 | 92 44 40 | 95 55 40 | 52 31 21 | 43 27 16 | 45 28 17 | 54 30 24 | 52 30 22 | 46 23 22 | - | BE48 | |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | BE48.a | |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | BE48.b | |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | BE48.c | |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | BE48.d | |
| 23 11 12 | 15 10 5 | 31 15 16 | 154 83 71 | 113 65 48 | 102 51 45 | 89 44 40 | 93 53 40 | 45 27 18 | 38 22 16 | 37 21 16 | 43 25 18 | 32 25 18 | 30 25 16 | - | BE48.e | |
| 21 11 10 | 14 9 5 | 28 13 15 | 140 76 64 | 98 59 41 | 86 45 39 | 76 40 33 | 73 40 33 | 36 22 14 | 25 17 11 | 23 12 11 | 25 14 11 | 19 11 8 | 16 8 8 | - | (E921-E925) | |
| 1 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | (E926) | |
| 1 1 | 1 1 | 3 2 | 14 7 | 15 6 | 16 6 | 13 7 | 13 6 | 13 7 | 9 5 | 13 5 | 14 9 | 18 11 | 13 7 | 14 6 | - | (E921-E926 以外の項目) |

58 表 (9-9)

第58表 乳児(1才未満)死亡者数

TABLE 58 INFANT DEATH (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 1年未満総数 Total of infant deaths under 1 year of age | 4週未満 | | | | | | | |
|---|---------------------------------|--|-------------|--------------|--------------------------------------|-----------|----|----|----|----|
| | | | 総数 Total | Under 1 week | | | | | | |
| | | | | 総数 Total | 1日(24時間)未満 Under 1 day (24 hours) | 1日 day | 2日 | 3日 | 4日 | 5日 |
| BE49 | 自殺および自傷 | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - |
| BE50 | 他殺および戦争行為 | 125 | 54 | 44 | 39 | - | 2 | - | 1 | 1 |
| | 男 M. | 67 | 26 | 19 | 16 | - | 2 | - | 1 | 1 |
| | 女 F. | 58 | 28 | 25 | 23 | - | - | - | 1 | 1 |
| BE50.a | 他殺 | 125 | 54 | 44 | 39 | - | 2 | - | 1 | 1 |
| | 男 M. | 67 | 26 | 19 | 16 | - | 2 | - | 1 | 1 |
| | 女 F. | 58 | 28 | 25 | 23 | - | - | - | 1 | 1 |
| BE50.b | 処刑および戦争行為 | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) | 1 138 | 180 | 100 | 57 | 8 | 7 | 12 | 2 | 7 |
| | 男 M. | 620 | 93 | 49 | 26 | 3 | 6 | 7 | 1 | 5 |
| | 女 F. | 518 | 87 | 51 | 31 | 5 | 1 | 5 | 1 | 2 |
| BN47 | 骨折、頭部損傷および内部損傷 | 89 | 4 | 2 | 1 | - | - | 1 | - | - |
| | 男 M. | 54 | 2 | 1 | 1 | - | - | 1 | - | - |
| | 女 F. | 35 | 2 | 1 | 1 | - | - | - | - | - |
| BN47.a | 頭蓋骨折 | 33 | 1 | 1 | 1 | - | - | - | - | - |
| | 男 M. | 20 | 1 | 1 | 1 | - | - | - | - | - |
| | 女 F. | 13 | 1 | 1 | 1 | - | - | - | - | - |
| BN47.b | その他の骨の骨折 | 4 | - | - | - | - | - | - | - | - |
| | 男 M. | 2 | - | - | - | - | - | - | - | - |
| | 女 F. | 2 | - | - | - | - | - | - | - | - |
| BN47.c | 頭部の損傷(骨折を除く) | 48 | 2 | 1 | 1 | - | - | - | 1 | - |
| | 男 M. | 31 | 2 | 1 | 1 | - | - | - | 1 | - |
| | 女 F. | 17 | - | - | - | - | - | - | - | - |
| BN47.d | 胸、腹、骨盤腔の内部損傷 | 4 | 1 | - | - | - | - | - | - | - |
| | 男 M. | 1 | 1 | - | - | - | - | - | - | - |
| | 女 F. | 3 | 1 | - | - | - | - | - | - | - |
| BN48 | 熱傷 | 107 | 3 | - | - | - | - | - | - | - |
| | 男 M. | 58 | 2 | - | - | - | - | - | - | - |
| | 女 F. | 49 | 1 | - | - | - | - | - | - | - |
| BN49 | 毒物の作用 | 47 | 3 | - | - | - | - | - | - | - |
| | 男 M. | 30 | 2 | - | - | - | - | - | - | - |
| | 女 F. | 17 | 1 | - | - | - | - | - | - | - |
| BN50 | その他の損傷 | 895 | 170 | 98 | 56 | 8 | 7 | 11 | 2 | 7 |
| | 男 M. | 478 | 87 | 48 | 26 | 3 | 6 | 6 | 1 | 1 |
| | 女 F. | 417 | 83 | 50 | 30 | 5 | 1 | 5 | 1 | 2 |
| BN50.a | 裂傷および開放創 | 6 | 3 | 2 | 1 | - | - | - | 1 | - |
| | 男 M. | 3 | 2 | 1 | 1 | - | - | - | 1 | - |
| | 女 F. | 1 | 1 | 1 | 1 | - | - | - | - | - |
| BN50.b | 溺死および死にいたらない溺水 | 66 | 12 | 8 | 8 | - | - | - | - | - |
| | 男 M. | 36 | 8 | 5 | 5 | - | - | - | - | - |
| | 女 F. | 30 | 4 | 3 | 3 | - | - | - | - | - |
| BN50.c | 窒息および絞首 | 535 | 102 | 59 | 42 | 3 | 3 | 2 | 1 | 4 |
| | 男 M. | 275 | 51 | 28 | 20 | 1 | 2 | 3 | 2 | 2 |
| | 女 F. | 260 | 51 | 31 | 22 | - | - | - | 1 | 4 |
| BN50.d | その他 | 288 | 53 | 29 | 5 | 5 | 4 | 9 | - | 3 |
| | 男 M. | 164 | 26 | 14 | 1 | 2 | 3 | 4 | - | 3 |
| | 女 F. | 124 | 27 | 15 | 4 | 3 | 1 | 5 | - | 2 |

性・日一月齢・死因(簡単分類)別

(ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭和 41 年
1966

| Under 4 weeks | | | 4週～月未 | 2か月 | 3か月 | 4か月 | 5か月 | 6か月 | 7か月 | 8か月 | 9か月 | 10か月 | 11か月 | 不詳 | 国際簡単分類番号 |
|--|---|---|--|-----------------|-----------------|-----------------|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|---------|---------------------------------------|
| 1～2週未 1 week & over, less than 2 weeks | 2～3週未 2 weeks & over, less than 3 weeks | 3～4週未 3 weeks & over, less than 4 weeks | 4週～月未 4 weeks & over, less than 2 months | months | | | | | | | | | | Unknown | International abbreviated list number |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BE49 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 4 3 1 | 4 2 2 | 2 2 - | 6 2 4 | 7 5 2 | 6 4 2 | 9 6 3 | 9 4 5 | 5 3 2 | 7 4 3 | 4 2 2 | 8 2 6 | 7 6 1 | 3 3 - | - | BE50 |
| 4 3 1 | 4 2 2 | 2 2 - | 6 2 4 | 7 5 2 | 6 4 2 | 9 6 3 | 9 4 5 | 5 3 2 | 7 4 3 | 4 2 2 | 8 2 6 | 7 6 1 | 3 3 - | - | BE50.a |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BE50.b |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 27 14 13 | 20 13 7 | 33 87 16 | 163 72 53 | 125 59 55 | 114 50 54 | 104 62 49 | 111 34 25 | 59 20 | 53 20 | 50 20 | 65 32 | 61 24 | 53 30 23 | - | "N" |
| - | 2 1 1 | - 3 3 | 6 2 3 | 5 4 1 | 5 2 5 | 7 2 3 | 8 5 3 | 8 5 3 | 7 5 2 | 9 6 3 | 7 4 3 | 13 7 6 | 10 9 1 | - | BN47 |
| - | - | - | 3 1 2 | 1 2 2 | 4 3 - | 3 1 1 | 2 1 3 | 4 1 - | 3 1 - | 1 2 1 | 3 1 2 | 1 1 2 | 5 5 - | - | BN47.a |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BN47.b |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - | 1 1 1 | - 2 1 | 3 2 1 | 1 1 1 | 1 1 4 | 1 1 4 | 3 2 - | 4 2 2 | 6 5 1 | 5 4 1 | 4 3 1 | 10 6 4 | 4 3 1 | - | BN47.c |
| - | 1 1 | - - | - - | - - | - - | 1 1 | - - | 1 1 | - - | 1 1 | - - | 1 1 | - - | - | BN47.d |
| 1 1 - | - 1 1 | 2 4 3 | 7 2 6 | 8 3 4 | 7 6 5 | 11 8 4 | 12 3 3 | 6 2 3 | 7 2 5 | 11 9 2 | 15 8 7 | 10 5 5 | 10 6 4 | - | BN48 |
| 1 - 1 | 1 - 1 | 1 1 - | 1 4 3 | 1 3 | 5 1 | 1 1 | 10 6 4 | 3 2 1 | 7 5 2 | 1 1 | 2 1 1 | 4 4 1 | 3 1 2 | - | BN49 |
| 25 13 12 | 17 11 6 | 30 80 15 | 149 64 41 | 105 48 49 | 97 41 44 | 85 43 38 | 81 24 18 | 42 21 11 | 32 15 14 | 29 20 14 | 41 21 21 | 34 21 21 | 30 14 16 | - | BN50 |
| - | - | - | 1 1 - | 1 1 - | - 1 - | - 1 - | 1 - | - - | - - | 1 - | - - | - - | - | - | BN50.a |
| 2 1 1 | 1 1 - | 1 1 2 | 3 2 1 | 3 3 - | 4 1 3 | 3 2 1 | 2 1 1 | 2 2 1 | 3 2 1 | 8 2 6 | 14 9 5 | 9 3 6 | - | - | BN50.b |
| 13 7 6 | 11 7 4 | 19 9 10 | 92 47 45 | 65 35 30 | 54 26 28 | 58 27 31 | 48 25 23 | 28 16 12 | 21 14 7 | 14 6 8 | 22 11 11 | 15 8 7 | 16 9 7 | - | BN50.c |
| 10 5 5 | 5 3 2 | 9 4 5 | 53 31 22 | 37 27 10 | 40 19 21 | 22 13 9 | 30 16 14 | 12 7 5 | 9 5 4 | 11 7 4 | 11 7 4 | 5 4 1 | 5 2 3 | - | BN50.d |

59表(14-1)

第59表 乳児(1才未満)死亡者数

TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | All Japan | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |
|---|-----------------------------------|----------------------------|---------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | 全 国 | 北 海 道 | 青 森 | 岩 手 | 宮 城 | 秋 田 | 山 形 | 福 島 | 茨 城 | 栃 木 | 群 馬 |
| | 总数 Total 男 M. 女 F. | 26 217 15 024 11 193 | 1 511 875 636 | 606 356 250 | 559 345 214 | 440 265 175 | 356 202 154 | 295 168 127 | 637 363 274 | 615 357 258 | 431 247 184 | 423 238 185 |
| B1 | 呼吸器系の結核 男 M. 女 F. | 10 8 2 | 1 1 — | 1 1 — | — — — |
| B2 | その他の結核 男 M. 女 F. | 22 13 9 | 1 1 — | 2 2 — | — — — | — — — | — — — | — — — | 1 1 — | 2 2 — | — — — | — — — |
| B3 | 梅毒およびその続発症 男 M. 女 F. | 13 11 2 | — — — | — — — | — — — | 1 1 — | — — — | — — — | 1 1 — | — — — | — — — | — — — |
| B4 | 腸チフス 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B5 | コレラ 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B6 | 赤痢 男 M. 女 F. | 21 9 12 | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | — — — | — — — |
| B6.a | 細菌性赤痢(疫病症状を呈するもの) 男 M. 女 F. | 18 6 12 | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | 1 1 — | — — — | — — — | — — — |
| B6.b | 細菌性赤痢(その他) 男 M. 女 F. | 3 3 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B6.c | アメーバ症 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B6.d | その他の原虫性および詳細不明の赤痢 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B7 | 猩紅熱およびレンサ球菌性口炎 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B7.a | 猩紅熱 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B7.b | レンサ球菌性口炎 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B8 | ジフテリア 男 M. 女 F. | 2 2 — | 1 1 — | — — — |
| B9 | 百日咳 男 M. 女 F. | 9 7 2 | 1 1 — | — — — | — — — | — — — | — — — | — — — | 1 1 — | 1 1 — | — — — | — — — |

注: 本年報には掲載していないが、本表をさらに月別に集計した特別製表がある

性・死因(簡単分類)・都道府県-七大都市(再掲)別

(ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 11 埼玉 | 12 千葉 | 13 東京 | 14 神奈川 | 15 新潟 | 16 富山 | 17 石川 | 18 福井 | 19 山梨 | 20 長野 | 21 岐阜 | 22 静岡 | 23 愛知 | 24 三重 | 25 滋賀 | 26 京都 | 国際簡単分類番号 International abbreviated list number |
|---------------------|-------------------|-------------------------|---------------------|-------------------|-------------------|-------------------|------------------|------------------|-------------------|-------------------|-------------------|---------------------|-------------------|-------------------|-------------------|---|
| 1 038 611 427 | 782 458 324 | 2 468 1 378 1 090 | 1 114 646 468 | 585 348 237 | 298 161 137 | 281 150 131 | 214 132 82 | 191 110 81 | 404 228 176 | 482 284 198 | 670 390 280 | 1 268 726 542 | 368 196 172 | 268 147 121 | 475 270 205 | B1 |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B2 | |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B3 | |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B4 | |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B5 | |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B6 | |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B6.a | |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B6.b | |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B6.c | |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B6.d | |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B7 | |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B7.a | |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B7.b | |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B8 | |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B9 | |

Note: Special tabulation that Table 59 is more enumerated by month of occurrence is not presented in this annual report, but it is prepared otherwise.

59 表 (14-2)

第59表 乳児(1才未満)死亡者数

TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | All Japan | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |
|---|--------------------------------|-------------------|----------------|--------------|--------------|-------------|-------------|-------------|--------------|--------------|-------------|-------------|
| | | 全国 | 北海道 | 青森 | 岩手 | 宮城 | 秋田 | 山形 | 福島 | 茨城 | 栃木 | 群馬 |
| B10 | 細膜炎感染 | 31 | 1 | 1 | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 1 2 | — 1 | — 1 | — | — | — | — | — | — | — | — |
| B11 | ベスト | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B12 | 急性灰白髄炎 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B13 | 痘瘡 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B14 | 麻疹 | 311 159 152 | 30 17 13 | 14 7 7 | 10 6 4 | 2 1 1 | 9 5 4 | 8 4 4 | 18 9 9 | 11 6 5 | 8 3 5 | 4 2 2 |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B15 | 発疹チフスおよびその他のリケッタ病 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B15.a | シラミ媒介の流行性発疹チフス | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B15.b | 恙虫病およびその他のコダニ媒介の発疹チフス様疾患 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B15.c | その他 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B16 | マラリア | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17 | 伝染性および寄生性として分類されたその他の疾患 | 161 84 77 | 10 9 1 | 9 3 6 | — — — | 2 1 1 | — — — | 3 1 2 | 7 5 2 | — — — | 3 2 1 | — — — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.a | バラチフス | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.b | 瘧 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.c | 破傷風 | 28 20 8 | — — — | 1 1 — | — — — | — — — | — — — | 2 2 — | — — — | — — — | — — — | — — — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.d | 炭疽 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.e | 回帰熱 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

(ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 国際簡単分類番号 International abbreviated list number |
|-------------|-------------|----------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|-------------|-------------|-------------|---|
| 埼玉 | 千葉 | 東京 | 神奈川 | 新潟 | 富山 | 石川 | 福井 | 山梨 | 長野 | 岐阜 | 静岡 | 愛知 | 三重 | 滋賀 | 京都 | B10 |
| — | — | — | 1 1 | — | — | — | — | — | — | — | — | — | — | — | — | B11 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B12 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B13 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B14 |
| 9 3 6 | 5 2 3 | 30 17 13 | 14 8 6 | 1 1 — | 4 3 1 | 6 3 3 | 3 1 2 | 6 3 3 | 4 1 1 | 2 1 1 | 2 1 1 | 10 6 4 | 1 1 1 | 4 2 2 | 1 1 1 | B15 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.c |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B16 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17 |
| 9 2 7 | 3 2 1 | 19 11 8 | 4 1 3 | — — — | 2 1 1 | 1 1 1 | 2 1 1 | 2 1 1 | 4 1 3 | 3 1 2 | 12 6 6 | 3 2 1 | 1 1 1 | 3 2 1 | 3 2 1 | B17.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.c |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.d |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.e |

59表(14-3)

第59表 乳児(1才未満)死亡者数

TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | All Japan | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |
|---|--|-----------------|--------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | 全 国 | 北海道 | 青 森 | 岩 手 | 宮 城 | 秋 田 | 山 形 | 福 島 | 茨 城 | 栃 木 | 群 馬 |
| B17.f | 日本脳炎..... 男 M. 女 F. | 2 2 | - | - | - | - | - | - | - | - | - | - |
| B17.g | 黄 热..... 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - |
| B17.h | 狂犬病..... 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - |
| B17.i | 伝染性下痢症..... 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - |
| B17.j | 日本住血吸虫症..... 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - |
| B17.k | 糸状虫症..... 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - |
| B17.l | その他の伝染性および寄生性として分類された疾患 男 M. 女 F. | 131 64 67 | 10 9 1 | 8 2 6 | 2 1 | 1 | - | 3 1 2 | 5 3 2 | 1 1 | 1 1 | - |
| B18 | 悪性新生物(リンパ組織および造血組織の新生物を含む) 男 M. 女 F. | 98 52 46 | 6 3 3 | - - - | 2 2 1 | 2 2 1 | 1 1 1 | 1 2 1 | 2 2 1 | 2 1 1 | 1 1 1 | 1 1 1 |
| B18.a | 胃の悪性新生物..... 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - |
| B18.b | 気管、気管支および肺の悪性新生物..... 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - |
| B18.c | 乳房の悪性新生物..... 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - |
| B18.d | 子宮の悪性新生物..... 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - |
| B18.e | 白血病および無白血病..... 男 M. 女 F. | 46 24 22 | 3 2 1 | - - - | 1 1 | 1 1 | - | 1 1 1 | 3 2 1 | 2 2 1 | 1 1 1 | 1 1 1 |
| B18.f | その他..... 男 M. 女 F. | 52 28 24 | 3 2 2 | - - - | 2 2 1 | 1 1 | - | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | 2 2 1 |
| B19 | 良性および性質不詳の新生物..... 男 M. 女 F. | 67 27 40 | 4 2 2 | 2 1 1 | 1 1 | 1 1 | - | 2 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 |
| B20 | 糖尿病..... 男 M. 女 F. | 1 1 | - - | - - | - - | - - | - | - - | - - | - - | - - | - - |

性・死因(簡単分類)・都道府県-七大都市(再掲)別

(ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 国際簡単分類番号 International abbreviated list number |
|----|----|----|--------|----|----|----|----|----|----|----|----|----|----|----|----|---|
| - | - | - | 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | B17.f |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.g |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.h |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.i |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.j |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.k |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B17.l |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B18 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B18.a |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B18.b |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B18.c |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B18.d |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B18.e |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B18.f |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B19 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B20 |

59 表 (14—4)

第59表 乳児(1才未満)死亡者数

TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | All Japan | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |
|---|--------------------------------|----------------------|------------------|----------------|-----------------|----------------|---------------|----------------|----------------|----------------|----------------|----------------|
| | | 全 国 | 北 海 道 | 青 森 | 岩 手 | 宮 城 | 秋 田 | 山 形 | 福 島 | 茨 城 | 栃 木 | 群 馬 |
| B21 | 貧 血 | 21 14 7 | 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — | 1 1 — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B22 | 中枢神経系の血管損傷 | 57 29 28 | 4 2 2 | — — — | — — — | — — — | 1 1 | — — — | — — — | 1 1 — | — — — | — — — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B23 | 脳膜炎(脳膜炎菌性および結核性を除く) | 157 86 71 | 4 1 3 | 1 1 — | 1 1 — | 2 1 — | — — — | 4 2 2 | 5 3 2 | — — — | — — — | 1 1 — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B24 | リューマチ熱 | 3 2 1 | — — — | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B25 | 慢性リューマチ性心臓疾患 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B26 | 動脈硬化性および変性性心臓疾患 | 194 105 89 | 7 4 3 | 8 6 2 | 4 3 1 | 4 3 1 | 4 2 2 | 6 2 6 | 5 2 3 | — — — | — — — | 1 1 — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | 2 — 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B26.c | その他の心筋変性 | 190 104 86 | 7 4 3 | 8 6 2 | 4 3 1 | 4 4 — | 4 3 1 | 6 2 6 | 5 2 3 | — — — | — — — | 1 1 — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B27 | その他の心臓疾患 | 34 15 19 | 8 3 5 | 1 — 1 | 1 1 — | — — — | — — — | 1 1 — | — — — | — — — | — — — | — — — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B28 | 高血圧性心臓疾患 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B29 | その他の高血圧性疾患 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B30 | インフルエンザ | 47 26 21 | 1 1 — | 1 1 — | 1 1 — | — — — | — — — | 3 2 1 | 3 2 1 | 1 — — | 4 2 — | 2 — — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B31 | 肺炎(新生児肺炎を除く) | 2898 1640 1258 | 185 115 70 | 94 55 39 | 104 29 12 | 41 16 15 | 31 19 6 | 25 35 22 | 91 37 24 | 59 26 21 | 50 28 21 | 49 33 27 |
| | 男 M. 女 F. | | | | | | | | | | | |
| B32 | 気管支炎 | 257 149 108 | 28 21 7 | 3 2 1 | 2 2 — | 3 3 — | 3 — — | 8 5 7 | 9 2 1 | 9 4 — | 5 4 — | 5 4 — |
| | 男 M. 女 F. | | | | | | | | | | | |
| B33 | 胃および十二指腸の潰瘍 | 26 17 9 | 1 1 — | — — — | — — — | — — — | 1 — — | 2 — — | 3 2 — | 1 — — | 1 — — | 3 3 — |
| | 男 M. 女 F. | | | | | | | | | | | |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

(ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 国際簡単分類番号 International abbreviated list number |
|-----------------|----------------|-------------------|-----------------|----------------|---------------|----------------|--------------|----------------|----------------|----------------|----------------|-----------------|----------|-------------|-------------|---|
| 埼玉 | 千葉 | 東京 | 神奈川 | 新潟 | 富山 | 石川 | 福井 | 山梨 | 長野 | 岐阜 | 静岡 | 愛知 | 三重 | 滋賀 | 京都 | B21 |
| 1 1 | — — | 2 2 | — — | — — | — — | — — | — — | 1 1 | — — | — — | — — | — — | 2 2 | — — | — — | B21 |
| 1 1 | 5 1 4 | 9 6 3 | 3 1 2 | — — | — — | 1 1 | 1 1 | — — | — — | 1 1 | 1 1 | 4 2 2 | — — | — — | 2 1 1 | B22 |
| 9 4 5 | 6 2 4 | 19 10 9 | 6 4 2 | 4 3 1 | 1 1 | 2 2 | 1 1 | — — | 3 3 | — — | 3 3 | 13 7 6 | 2 2 | 3 3 | 3 3 | B23 |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B24 |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B25 |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B26 |
| — — | 5 4 1 | 18 7 11 | 13 6 7 | 2 2 | 3 1 2 | 5 4 1 | 1 1 | — — | 5 3 2 | 5 4 1 | 5 4 1 | 7 6 1 | 1 1 | 2 1 1 | 2 2 | B26.a |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B26.b |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B26.c |
| — — | 5 4 1 | 18 7 11 | 13 6 7 | 2 2 | 3 1 2 | 5 4 1 | 1 1 | — — | 5 3 2 | 5 4 1 | 4 3 1 | 7 6 1 | 1 1 | 2 1 1 | 2 2 | B27 |
| — — | 1 1 | 2 1 1 | — — | 3 2 1 | — — | 2 2 | — — | — — | — — | — — | — — | — — | — — | — — | — — | B28 |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B29 |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B30 |
| 123 64 59 | 84 52 32 | 217 116 101 | 119 62 57 | 66 39 27 | 20 12 8 | 37 18 19 | 12 6 6 | 27 13 14 | 33 19 14 | 48 29 31 | 71 40 31 | 124 40 51 | 44 31 | | | |

59表(14-5)

第59表 乳児(1才未満)死亡者数

TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因性 Cause of death and sex | All Japan | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |
|---|-------------------------------|----------------------|------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|
| | | 全国 | 北海道 | 青森 | 岩手 | 宮城 | 秋田 | 山形 | 福島 | 茨城 | 栃木 | 群馬 |
| B34 | 虫垂炎 | | | | | | | | | | | |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B35 | 腸閉塞およびヘルニア | 445 284 161 | 32 17 15 | 14 10 4 | 9 8 1 | 12 8 4 | 8 5 3 | 4 2 3 | 7 4 3 | 8 6 2 | 6 4 2 | 5 4 1 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) | 1302 770 532 | 110 64 46 | 45 25 20 | 31 19 12 | 23 13 10 | 21 8 13 | 16 5 11 | 38 20 18 | 18 10 8 | 23 14 9 | 14 12 2 |
| B36.a | 胃炎および十二指腸炎 | 2 1 1 | — | — | 1 | — | — | — | — | 1 | — | — |
| B36.b | 胃腸炎、腸炎および大腸炎 | 1300 769 531 | 110 64 46 | 45 25 20 | 30 19 11 | 23 13 10 | 21 8 13 | 16 5 11 | 38 20 18 | 18 10 8 | 22 13 9 | 14 12 2 |
| B37 | 肝硬変 | 13 9 4 | 1 1 — | — | — | — | — | — | — | — | — | — |
| B38 | 腎炎およびネフローゼ | 10 4 6 | — | 1 — | — | — | — | — | 1 — | — | — | — |
| B38.a | 急性腎炎およびネフローゼ | 9 4 5 | — | 1 — | — | — | — | — | 1 — | — | — | — |
| B38.b | その他 | 1 — | — | — | — | — | — | — | — | — | — | — |
| B39 | 前立腺肥大症 | — | — | — | — | — | — | — | — | — | — | — |
| B40 | 妊娠、分娩および産褥の合併症 | — | — | — | — | — | — | — | — | — | — | — |
| B41 | 先天奇形 | 3082 1770 1312 | 186 115 71 | 48 30 18 | 56 37 19 | 68 39 29 | 36 20 16 | 26 13 25 | 52 42 36 | 78 46 15 | 35 32 24 | 56 |
| B42 | 出生時の損傷、分娩後窒息および肺不全症 | 2747 1668 1079 | 141 78 63 | 64 37 27 | 74 46 28 | 42 33 9 | 43 28 15 | 38 21 17 | 40 20 18 | 46 34 17 | 51 42 18 | 42 |
| B43 | 新生児の感染 | 1751 970 781 | 93 51 42 | 55 37 18 | 43 30 13 | 33 17 16 | 21 12 9 | 16 8 8 | 54 36 20 | 49 29 23 | 41 18 16 | 34 |
| B43.a | 新生児肺炎 | 1514 843 671 | 78 44 34 | 45 30 15 | 37 26 11 | 26 15 7 | 18 11 5 | 12 7 18 | 46 28 18 | 45 37 22 | 31 15 16 | 31 |
| B43.b | 新生児下痢 | 138 76 62 | 9 4 5 | 7 5 2 | 3 2 1 | 4 2 2 | 2 1 3 | 3 7 1 | 3 2 1 | 3 1 1 | 2 1 1 | 2 |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

(ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 国際簡単分類番号 International abbreviated list number |
|-----------------|-----------------|-------------------|-----------------|----------------|----------------|----------------|---------------|---------------|----------------|----------------|----------------|-----------------|----------------|----------------|----------------|---|
| 埼玉 | 千葉 | 東京 | 神奈川 | 新潟 | 富山 | 石川 | 福井 | 山梨 | 長野 | 岐阜 | 静岡 | 愛知 | 三重 | 滋賀 | 京都 | B34 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B34 |
| 16 9 7 | 7 3 4 | 27 16 11 | 16 11 5 | 11 8 3 | 4 3 1 | 8 1 — | 1 4 — | 4 6 7 | 15 10 7 | 9 4 5 | 28 18 10 | 5 3 2 | 7 5 2 | 10 4 6 | B35 | |
| 49 31 18 | 43 29 14 | 64 32 32 | 51 34 17 | 29 15 14 | 13 3 10 | 8 4 4 | 10 6 4 | 12 7 5 | 17 10 7 | 32 19 13 | 46 26 20 | 70 40 30 | 17 14 3 | 13 12 1 | 16 8 8 | B36 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B36.a |
| 49 31 18 | 43 29 14 | 64 32 32 | 51 34 17 | 29 15 14 | 13 3 10 | 8 4 4 | 10 6 4 | 12 7 5 | 17 10 7 | 32 19 13 | 46 26 20 | 70 40 30 | 17 14 3 | 13 12 1 | 16 8 8 | B36.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B37 |
| 1 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B37 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B38 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B38 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B38.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B38.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B39 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B40 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B41 |
| 125 72 53 | 101 65 36 | 373 226 147 | 178 97 81 | 71 42 29 | 31 18 13 | 28 13 15 | 19 11 8 | 24 17 7 | 37 20 17 | 50 35 15 | 75 39 15 | 168 91 77 | 47 36 25 | 31 16 15 | 78 39 39 | B41 |
| 86 58 28 | 61 39 22 | 351 212 139 | 144 84 60 | 74 45 29 | 36 22 14 | 17 9 8 | 20 12 8 | 12 9 3 | 49 28 21 | 66 44 22 | 74 43 31 | 138 84 54 | 49 24 25 | 60 35 25 | B42 | |
| 76 42 34 | 61 33 28 | 150 87 63 | 78 42 36 | 29 17 12 | 14 7 7 | 12 6 6 | 17 9 8 | 19 11 7 | 21 14 9 | 20 11 9 | 40 26 14 | 72 35 37 | 15 6 9 | 23 14 13 | B43 | |
| 66 39 27 | 58 30 28 | 135 80 55 | 74 40 34 | 24 13 11 | 12 7 5 | 9 4 6 | 13 7 6 | 17 11 7 | 19 10 7 | 32 23 9 | 63 30 33 | 13 6 7 | 22 14 8 | 23 12 11 | B43.a | |
| 7 2 5 | 2 2 2 | 7 1 6 | 3 1 2 | 2 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | 2 1 1 | 3 2 1 | 1 1 1 | — — — | — — — | B43.b | |

59 表 (14-6)

第59表 乳児(1才未満)死亡者数

TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | All Japan | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 |
|---|--------------------------------|-------------------------|-------------------|------------------|------------------|-----------------|-----------------|-----------------|------------------|-------------------|-----------------|-----------------|
| | | 全国 | 北海道 | 青森 | 岩手 | 宮城 | 秋田 | 山形 | 福島 | 茨城 | 栃木 | 群馬 |
| B43.c | その他の新生児の感染 | 99 51 48 | 6 3 3 | 3 2 1 | 3 2 1 | 3 — 3 | 1 — 1 | 1 — 1 | 1 — 1 | 1 — 1 | 1 — 1 | 1 — 1 |
| B44 | その他の新生児固有の疾患および性質不明の未熟児 | 9 866 5 620 4 246 | 492 272 220 | 183 105 78 | 176 103 73 | 158 84 74 | 145 87 58 | 129 78 51 | 240 141 99 | 243 143 100 | 143 78 65 | 165 87 78 |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 | 632 366 266 | 26 14 12 | 18 7 11 | 8 6 2 | 9 6 3 | 7 3 4 | 5 3 2 | 15 7 8 | 24 12 12 | 13 8 5 | 13 9 4 |
| B45.a | 精神病の記載のない老衰 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B45.b | その他の診断名不明確および不明の原因 | 632 366 266 | 26 14 12 | 18 7 11 | 8 6 2 | 9 6 3 | 7 3 4 | 5 3 2 | 15 7 8 | 24 12 12 | 13 8 5 | 13 9 4 |
| B46 | その他のすべての疾患 | 819 486 333 | 53 33 20 | 19 11 8 | 8 4 4 | 18 13 5 | 8 4 3 | 8 4 4 | 25 16 9 | 21 14 7 | 18 15 3 | 8 4 4 |
| B46.a | その他の循環器系の疾患(先天性を除く) | 5 2 3 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B46.b | その他のすべての疾患 | 814 484 330 | 53 33 20 | 19 11 8 | 8 4 4 | 18 13 5 | 8 4 3 | 8 4 4 | 25 16 9 | 21 14 7 | 18 15 3 | 8 4 4 |
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) | 1 138 620 518 | 82 47 35 | 18 14 4 | 27 11 16 | 19 13 6 | 15 6 9 | 14 9 5 | 30 18 12 | 19 11 11 | 22 11 11 | 15 8 7 |
| BE47 | 自動車事故 | 35 19 16 | 1 1 — | — — 1 | 1 — 1 | — — — | — — — | 1 1 — | 2 — 2 | 1 — 1 | 1 — — | 1 — — |
| BE48 | その他の不慮の事故 | 978 534 444 | 76 42 34 | 17 13 4 | 25 11 14 | 16 12 4 | 11 4 7 | 14 9 5 | 28 16 12 | 15 10 8 | 21 10 11 | 13 7 6 |
| BE48.a | 自動車以外の交通事故 | 2 2 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| BE48.b | 不慮の墜落 | 36 24 12 | 1 — 1 | 1 — — | — — — | — — — | — — — | — — — | 1 — — | 1 — — | 1 — — | 1 — — |
| BE48.c | 不慮の溺死および溺水 | 36 16 20 | — — — | 1 1 — | — 1 — | 2 1 1 | 1 — — | 1 — — | — — — | — — — | — — — | — — — |
| BE48.d | 天災 | 6 4 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| BE48.e | その他 | 898 485 410 | 75 42 33 | 15 11 4 | 25 11 14 | 14 11 3 | 10 3 7 | 12 8 4 | 28 16 12 | 15 7 8 | 20 9 11 | 12 6 6 |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

昭和41年
1966

(ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 国際簡単分類番号 International abbreviated list number |
|-------------------|-------------------|-------------------|-------------------|------------------|-----------------|-----------------|----------------|----------------|-----------------|------------------|------------------|-------------------|------------------|------------------|------------------|---|
| 埼玉 | 千葉 | 東京 | 神奈川 | 新潟 | 富山 | 石川 | 福井 | 山梨 | 長野 | 岐阜 | 静岡 | 愛知 | 三重 | 滋賀 | 京都 | B43.c |
| 3 1 2 | 1 1 — | 8 6 2 | 1 1 — | 3 3 — | 1 1 — | 2 1 1 | 4 2 2 | 1 1 — | — — — | 6 2 4 | 6 3 3 | 1 1 — | 1 1 — | 4 2 2 | B43.c | |
| 414 257 157 | 313 178 135 | 901 472 429 | 371 216 155 | 227 138 89 | 142 81 61 | 119 59 31 | 94 60 27 | 57 30 27 | 159 90 69 | 173 106 67 | 243 144 99 | 459 266 193 | 146 144 64 | 103 149 49 | 187 117 70 | B44 |
| 22 16 6 | 22 11 11 | 41 22 19 | 19 15 4 | 8 6 2 | 13 5 8 | 8 6 2 | 5 3 2 | 12 8 4 | 14 7 7 | 17 8 7 | 31 18 13 | 9 4 5 | 7 3 4 | 8 3 5 | B45 | |
| 22 16 | 22 11 | 41 22 19 | 19 15 4 | 8 6 2 | 13 5 8 | 8 6 2 | 5 3 2 | 12 8 4 | 14 7 7 | 17 8 7 | 31 18 13 | 9 4 5 | 7 3 4 | 8 3 5 | B45.a | |
| 36 20 | 25 14 | 60 35 | 32 25 | 20 11 | 7 3 9 | 12 7 5 | 4 3 1 | 15 10 5 | 16 9 7 | 22 14 8 | 38 19 19 | 9 4 5 | 5 4 1 | 13 6 7 | B45.b | |
| 3 1 — | — — — | — — — | 2 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B46 | |
| 35 20 15 | 25 14 11 | 60 35 25 | 30 21 9 | 20 11 9 | 7 3 4 | 12 7 5 | 4 3 1 | 15 10 5 | 16 9 7 | 22 14 8 | 38 19 19 | 9 4 5 | 5 4 1 | 13 6 7 | B46.b | |
| 35 20 | 21 12 | 143 81 | 41 26 | 17 11 | 9 3 6 | 14 7 4 | 12 8 4 | 11 4 7 | 14 5 9 | 27 11 16 | 36 20 16 | 61 36 25 | 7 4 3 | 10 5 5 | 17 9 8 | "E" |
| 3 2 | 3 2 | 3 2 | — — 1 | — — 1 | — — 1 | — — 1 | — — 1 | — — 1 | — — 1 | — — 1 | — — 1 | — — 1 | — — 1 | — — 1 | — — 1 | BE47 |
| 25 10 15 | 18 10 8 | 123 70 53 | 39 25 14 | 14 10 4 | 8 3 5 | 11 4 7 | 12 8 4 | 9 2 7 | 13 4 9 | 26 10 16 | 51 32 19 | 6 4 2 | 8 4 4 | 13 6 7 | BE48 | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | BE48.a | |
| 3 3 — | 1 1 — | 6 5 1 | 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | 2 1 1 | 1 1 — | 2 1 1 | — — — | — — — | — — — | BE48.b |
| 1 — — | — — — | 1 1 — | 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | BE48.c |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | BE48.d |
| 21 14 | 17 9 8 | 116 64 52 | 37 23 14 | 13 10 3 | 7 2 5 | 11 4 7 | 9 5 4 | 5 2 5 | 11 4 7 | 24 10 14 | 22 13 9 | 47 30 17 | 6 4 2 | 7 4 3 | 11 5 6 | BE48.e |

59表 (14-7)

第59表 乳児(1才未満)死亡者数
TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | All Japan | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | |
|---|--------------------------------|---------------------|----------------|---------------|----------------|---------------|--------------|--------------|----------------|---------------|----------------|--------------|---|
| | | 全 国 | 北 海 道 | 青 森 | 岩 手 | 宮 城 | 秋 田 | 山 形 | 福 島 | 茨 城 | 栃 木 | 群 馬 | |
| BE49 | 自殺および自傷 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| BE50 | 他殺および戦争行為 | 125 | 5 67 58 | 1 4 1 | 1 1 - | 2 1 1 | 4 2 2 | - | 1 1 - | 2 1 1 | - | 1 | |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BE50.a | 他 殺 | 125 | 5 67 58 | 1 4 1 | 1 1 - | 2 1 1 | 4 2 2 | - | 1 1 - | 2 1 1 | - | 1 | |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BE50.b | 処刑および戦争行為 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) | 1 138 620 518 | 82 47 35 | 18 14 4 | 27 11 16 | 19 13 6 | 15 9 5 | 14 9 5 | 30 18 12 | 19 8 11 | 22 11 11 | 15 8 7 | |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BN47 | 骨折、頭部損傷および内部損傷 | 89 | 4 54 35 | 1 2 2 | 1 - - | 1 1 1 | 1 - - | - | 1 1 2 | 2 2 - | 2 1 1 | 2 | |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BN47.a | 頭蓋骨折 | 33 | 2 20 13 | 2 - - | - - - | 1 - 1 | - - - | - | 1 1 - | - - - | 1 1 - | 1 | |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BN47.b | その他の骨の骨折 | 4 2 2 | 1 - 1 | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - | |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BN47.c | 頭部の損傷(骨折を除く) | 48 31 17 | 1 1 1 | 1 1 - | 1 1 - | - - - | - - - | - - - | 2 2 2 | 2 2 1 | 2 2 1 | - | |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BN47.d | 胸、腹、骨盤腔の内部損傷 | 4 1 3 | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - | |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BN48 | 熱傷 | 107 58 49 | 5 1 4 | 3 2 1 | 3 1 - | 1 1 - | - - - | 1 1 2 | 6 4 2 | 1 1 - | 4 4 - | - | |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BN49 | 毒物の作用 | 47 30 17 | 1 1 - | - - - | 1 1 - | - - - | - - - | - - - | 2 2 - | 1 1 - | - - - | - | |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BN50 | その他の損傷 | 895 478 417 | 72 43 29 | 14 11 3 | 22 8 14 | 17 12 5 | 15 6 9 | 13 8 5 | 23 13 10 | 14 7 7 | 18 9 9 | 9 3 6 | - |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BN50.a | 裂傷および開放創 | 6 3 3 | - - - | - - - | - - - | 1 1 - | - - - | - - - | 2 1 1 | - - - | - - - | - | |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BN50.b | 溺死および死にいたらない溺水 | 66 36 30 | 1 1 - | 2 - - | 1 1 1 | 2 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | - |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BN50.c | 窒息および絞首 | 535 275 260 | 49 30 19 | 10 7 3 | 20 7 13 | 12 9 3 | 10 7 7 | 9 7 2 | 20 12 8 | 8 4 4 | 8 4 4 | 7 2 5 | - |
| | 男 M. 女 F. | | | | | | | | | | | | |
| BN50.d | その他の | 288 164 124 | 22 12 10 | 2 2 - | 1 1 1 | 3 1 2 | 3 1 2 | 2 2 2 | 3 1 2 | 10 5 5 | 1 1 1 | 1 1 1 | - |
| | 男 M. 女 F. | | | | | | | | | | | | |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 国際簡単分類番号 International abbreviated list number | |
|----------------|--------------|-----------------|----------------|---------------|-------------|--------------|--------------|--------------|--------------|----------------|----------------|----------------|-------------|--------------|--------------|---|--------|
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BE49 | |
| 7 4 3 | - | 17 9 8 | 2 1 1 | 3 1 2 | - | 3 3 | - | 2 2 | 1 1 | - | 7 3 4 | 8 3 5 | 1 1 | 1 1 | 4 3 1 | BE50 | |
| 7 4 3 | - | 17 9 8 | 2 1 1 | 3 1 2 | - | 3 3 | - | 2 2 | 1 1 | - | 7 3 4 | 8 3 5 | 1 1 | 1 1 | 4 3 1 | BE50.a | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BE50.b | |
| 35 15 20 | 21 | 143 81 62 | 41 26 15 | 17 11 6 | 9 3 6 | 14 7 7 | 12 8 4 | 11 7 7 | 14 5 9 | 27 11 16 | 36 20 16 | 61 36 25 | 7 4 3 | 10 5 5 | 17 9 8 | "N" | |
| 6 4 2 | 4 | 16 12 4 | 1 1 - | 1 1 1 | 2 1 1 | - | 1 1 1 | 3 1 1 | 1 1 1 | 2 1 1 | 7 3 4 | 2 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | BN47 | |
| 2 2 | 1 1 | 6 4 2 | - | - | 1 1 | - | 1 1 | 1 1 | 1 1 | 1 1 | 2 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | BN47.a | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BN47.b | |
| 4 4 | 2 | 10 8 2 | - | - | 1 1 | - | 1 1 | 1 1 | 1 1 | 1 1 | 2 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | BN47.c | |
| - | - | 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | BN47.d | |
| 3 2 1 | 2 | 8 5 3 | 5 3 2 | 3 2 1 | 2 1 1 | - | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | 2 1 1 | 1 1 1 | 2 1 1 | 1 1 1 | 1 1 1 | BN48 | |
| 2 1 1 | 1 1 | 4 2 2 | 2 1 1 | 2 1 1 | 1 1 1 | - | 1 1 1 | 2 1 1 | 1 1 1 | 2 1 1 | 3 2 2 | 2 1 1 | 2 1 1 | 1 1 1 | 1 1 1 | BN49 | |
| 24 8 16 | 14 7 7 | 115 62 53 | 33 21 12 | 13 9 4 | 7 2 5 | 9 5 4 | 8 5 3 | 6 4 3 | 11 3 8 | 22 9 13 | 53 32 21 | 5 3 2 | 7 3 4 | 12 7 5 | BN50 | | |
| 1 1 | - | 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | BN50.a | |
| 1 1 | - | 2 2 | 2 1 | 1 1 | - | 1 1 | 2 2 | 1 1 | 1 1 | 1 1 | 2 2 | 5 3 2 | 1 1 | 1 1 | 1 1 | 1 1 | BN50.b |
| 19 7 12 | 9 4 5 | 43 20 23 | 16 11 5 | 9 5 4 | 5 3 3 | 6 3 3 | 3 2 3 | 8 2 6 | 11 5 6 | 18 9 9 | 37 21 16 | 2 1 1 | 5 3 2 | 5 3 2 | 5 3 2 | BN50.c | |
| 3 1 2 | 5 3 2 | 69 40 29 | 15 8 7 | 3 3 2 | 2 1 1 | 2 1 1 | 2 1 1 | 2 1 1 | 2 1 1 | 10 4 6 | 11 8 2 | 2 1 1 | 2 1 1 | 2 1 1 | 2 1 1 | BN | |

59 表 (14—8)

第59表 乳児(1才未満)死亡者数

TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

性・死因（簡単分類）・都道府県—七大都市（再掲）別

(ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和 41 年
1966

第59表 乳児(1才未満)死亡者数

TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
|---|--|-------------|-------------|-------------|-----------------|---------------|----------------|---------------|-----------------|-----------------|-----------------|--------------|
| | | 大阪 Osaka | 兵庫 Hyogo | 奈良 Nara | 和歌山 Wakayama | 鳥取 Tottori | 島根 Ishigaki | 岡山 Okayama | 広島 Hiroshima | 山口 Yamaguchi | 徳島 Tokushima | 香川 Kagawa |
| B10 | 細膜炎菌感染 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B11 | ベスト 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B12 | 急性灰白髄炎 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B13 | 痘瘡 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B14 | 麻疹 男 M. 女 F. | 12 9 | 20 7 | 2 2 | 3 2 | — | — | 3 1 | 4 4 | 1 1 | — | — |
| B15 | 発疹チフスおよびその他のリケッチア病 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B15.a | シラミ媒介の流行性発疹チフス 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B15.b | 恙虫病およびその他のコダニ媒介の発疹チフス様疾患 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B15.c | その他 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B16 | マラリア 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17 | 伝染性および寄生性として分類されたその他の疾患 男 M. 女 F. | 9 6 3 | 6 4 2 | 1 1 — | 1 1 — | 1 1 — | 3 1 2 | 4 2 1 | 4 3 1 | — — — | 1 1 — | — |
| B17.a | バラチフス 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.b | 瘧 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.c | 破傷風 男 M. 女 F. | — | — | — | — | — | — | — | 2 2 | — | — | — |
| B17.d | 炭疽 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.e | 回帰熱 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

(ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 38 愛媛 | 39 高知 | 40 福岡 | 41 佐賀 | 42 長崎 | 43 熊本 | 44 大分 | 45 宮崎 | 46 鹿児島 | Residence unknown 不詳 | 七大都市(再掲) 7 largest cities (secondary mention) | | | | | | 国際簡単分類番号 International abbreviated list number |
|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-------------------------|--|----------------|---------------|-------------|-------------|------------|---|
| | | | | | | | | | | 東京都の部 Area of wards in Tokyo-to | 横浜 Yokohama | 名古屋 Nagoya | 京都 Kyoto | 大阪 Osaka | 神戸 Kobe | 北九州 Kita-Kyusyu |
| — | — | — | — | — | — | — | — | — | — | 1 1 | — | — | — | — | — | B10 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B11 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B12 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B13 |
| 2 1 | 7 7 | 5 3 | 1 1 | 15 6 | 2 1 | 3 1 | — | 2 2 | — | 22 12 | 4 2 | 6 3 | 1 1 | 6 3 | 5 1 | B14 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B15.c |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B16 |
| 5 2 | 2 2 | 5 3 | 2 1 | 2 2 | 2 1 | 1 1 | 1 1 | 5 2 | — | 17 10 | 2 1 | 5 4 | 2 1 | 3 1 | 2 1 | B17 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.c |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.d |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.e |

59表(14-10)

第59表 乳児(1才未満)死亡者数

TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
|---|--|-------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | | 大阪 | 兵庫 | 奈良 | 和歌山 | 鳥取 | 島根 | 岡山 | 広島 | 山口 | 徳島 | 香川 |
| B17.f | 日本脳炎 男女 M. F. | 1 1 | — | — | — | — | — | — | — | — | — | — |
| B17.g | 黄熱 男女 M. F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.h | 狂犬病 男女 M. F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.i | 伝染性下痢症 男女 M. F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.j | 日本住血吸虫症 男女 M. F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.k | 糸状虫症 男女 M. F. | — | — | — | — | — | — | — | — | — | — | — |
| B17.l | その他の伝染性および寄生性として分類された疾患 男女 M. F. | 8 6 2 | 6 4 2 | 1 1 | 1 1 | 1 1 | 1 1 | 3 1 | 4 2 | 2 1 | — | 1 1 |
| B18 | 悪性新生物(リンパ組織および造血組織の... 新生物を含む) 男女 M. F. | 9 6 3 | 6 3 3 | — | — | 1 1 | 1 1 | 1 1 | 2 1 | — | — | — |
| B18.a | 胃の悪性新生物 男女 M. F. | — | — | — | — | — | — | — | — | — | — | — |
| B18.b | 気管、気管支および肺の悪性新生物 男女 M. F. | — | — | — | — | — | — | — | — | — | — | — |
| B18.c | 乳房の悪性新生物 男女 M. F. | — | — | — | — | — | — | — | — | — | — | — |
| B18.d | 子宮の悪性新生物 男女 M. F. | — | — | — | — | — | — | — | — | — | — | — |
| B18.e | 白血病および無白血病 男女 M. F. | 4 3 1 | 1 1 | — | — | — | 1 1 | 1 1 | — | — | — | — |
| B18.f | その他 男女 M. F. | 5 3 2 | 5 3 2 | — | — | 1 1 | — | — | 2 1 | — | 2 1 | — |
| B19 | 良性および性質不詳の新生物 男女 M. F. | 4 3 1 | 2 1 | 2 1 | — | — | 2 2 | 3 2 | 2 1 | 1 1 | — | 2 1 |
| B20 | 糖尿病 男女 M. F. | — | — | — | — | — | — | — | — | — | — | — |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

(ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 38 愛媛 | 39 高知 | 40 福岡 | 41 佐賀 | 42 長崎 | 43 熊本 | 44 大分 | 45 宮崎 | 46 鹿児島 | Residence unknown 不詳 | 七大都市(再掲) 7 largest cities (secondary mention) | | | | | | 国際簡単分類番号 International abbreviated list number |
|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-------------------------|--|----------------|---------------|-------------|-------------|------------|---|
| | | | | | | | | | | 東京都の区部 Area of wards in Tokyo-to | 横浜 Yokohama | 名古屋 Nagoya | 京都 Kyoto | 大阪 Osaka | 神戸 Kobe | 北九州 Kita-Kyusyu |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.f |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.g |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.h |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.i |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.j |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.k |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B17.l |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B18 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B18.a |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B18.b |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B18.c |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B18.d |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B18.e |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B18.f |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B19 |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | B20 |

59表(14-11)

第59表 乳児(1才未満)死亡者数

TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
|---|--------------------------------|-------------|-------------|------------|-----------------|---------------|----------------|---------------|-----------------|-----------------|-----------------|--------------|
| | | 大阪 Osaka | 兵庫 Hyogo | 奈良 Nara | 和歌山 Wakayama | 鳥取 Tottori | 島根 Ishigaki | 岡山 Okayama | 広島 Hiroshima | 山口 Yamaguchi | 徳島 Tokushima | 香川 Kagawa |
| | 貧血..... | | | | | | | | | | | |
| | 男女 M.F. | - | 2 | 1 | 1 | 1 | 1 | - | 1 | 1 | - | - |
| B22 | 中枢神経系の血管損傷..... | 7 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | - | - |
| | 男女 M.F. | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | - |
| B23 | 結膜炎(結膜炎菌性および結核性を除く)..... | 15 | 3 | 1 | 1 | 1 | 1 | 3 | 3 | 1 | 1 | 3 |
| | 男女 M.F. | 6 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 3 |
| B24 | リューマチ熱..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - |
| B25 | 慢性リューマチ性心臓疾患..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - |
| B26 | 動脈硬化性および変性性心臓疾患..... | 19 | 18 | 1 | 3 | 3 | 2 | - | 8 | 1 | 1 | - |
| | 男女 M.F. | 12 | 10 | 1 | 2 | 1 | 3 | 2 | 4 | 1 | 1 | - |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む)..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - |
| B26.b | リューマチ性と明示されない慢性心内膜炎..... | - | 1 | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | 1 | - | - | - | - | - | - | - | - | - |
| B26.c | その他の心筋変性..... | 19 | 17 | 1 | 3 | 3 | 2 | - | 8 | 1 | 1 | - |
| | 男女 M.F. | 12 | 10 | 1 | 2 | 1 | 3 | 2 | 4 | 1 | 1 | - |
| B27 | その他の心臓疾患..... | 4 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | - |
| | 男女 M.F. | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 1 | - |
| B28 | 高血圧性心臓疾患..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - |
| B29 | その他の高血圧性疾患..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男女 M.F. | - | - | - | - | - | - | - | - | - | - | - |
| B30 | インフルエンザ..... | 1 | - | - | 3 | 1 | 1 | - | - | - | - | - |
| | 男女 M.F. | 1 | - | - | 3 | 1 | 1 | - | - | - | - | - |
| B31 | 肺炎(新生児肺炎を除く)..... | 243 | 120 | 20 | 27 | 15 | 23 | 38 | 60 | 33 | 31 | 24 |
| | 男女 M.F. | 145 | 67 | 10 | 15 | 12 | 14 | 18 | 29 | 18 | 13 | 12 |
| B32 | 気管支炎..... | 15 | 7 | 3 | 2 | 2 | 1 | 3 | 4 | 2 | 2 | 4 |
| | 男女 M.F. | 7 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 4 |
| B33 | 胃および十二指腸の潰瘍..... | 5 | 1 | - | - | 1 | 1 | - | - | - | - | - |
| | 男女 M.F. | 2 | 1 | - | - | 1 | 1 | - | - | - | - | - |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

(ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | Residence unknown 不詳 | 七大都市(再掲) 7 largest cities (secondary mention) | | | | | | 国際簡単分類番号 International abbreviated list number |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------------------|--|----------------|---------------|-------------|-------------|----------------------|---|
| | | | | | | | | | | 東京都の区部 Area of wards in Tokyo | 横浜 Yokohama | 名古屋 Nagoya | 京都 Kyoto | 大阪 Osaka | 神戸 Kobe | 北九州 Kita-Kyusyu |
| - | - | 2 | - | - | 1 | - | - | - | - | 2 | - | - | - | - | - | B21 |
| - | - | 2 | - | - | 1 | - | - | - | - | 2 | - | - | - | - | - | B22 |
| - | - | 5 3 2 | - | 1 | 1 | - | - | - | - | 6 4 2 | - | 1 | 2 | 5 1 4 | - | B23 |
| 4 3 1 | 2 - 2 | 9 6 3 | 2 1 1 | 3 2 1 | 3 1 2 | 2 3 - | 2 2 1 | 2 1 1 | - | 16 7 9 | 4 3 1 | 3 1 2 | 4 2 2 | 8 4 4 | 1 2 1 | B24 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B25 |
| 2 | - | 5 4 1 | 2 | 1 | 2 | 2 | 2 | 2 | - | 15 5 10 | 8 3 5 | 1 1 1 | 6 3 3 | 1 1 1 | - | B26 |
| 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B26.a |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B26.b |
| 1 1 | - | 5 4 1 | 1 1 | 1 1 | 1 1 | 2 2 | 2 2 | 2 2 | - | 15 5 10 | 8 3 5 | 1 1 1 | 6 3 3 | 1 1 1 | - | B26.c |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B27 |
| 1 1 | - | 5 4 1 | 1 1 | 1 1 | 1 1 | 2 2 | 2 2 | 2 2 | - | 1 | - | - | - | 2 1 1 | 1 1 1 | B28 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B29 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B30 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B31 |
| 42 | 24 | 83 | 24 | 71 | 49 | 41 | 26 | 78 | 1 | 180 | 48 | 43 | 24 | 108 | 30 17 15 11 | B32 |
| 21 | 17 | 45 | 16 | 27 | 30 | 19 | 12 | 28 | 1 | 97 | 23 | 18 | 16 | 67 | 41 | B33 |
| 2 | 2 | 5 | 4 | 8 | 3 | 4 | 5 | 9 | - | 8 | 2 | 5 | 1 | 8 | 5 | - |
| 1 | 2 | 3 | 2 | 6 | 3 | 3 | 4 | 7 | - | 3 | 2 | 1 | 1 | 1 | 1 | - |

59 表 (14—12)

第59表 乳児(1才未満)死亡者数

TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 27 大阪 | 28 兵庫 | 29 奈良 | 30 和歌山 | 31 鳥取 | 32 島根 | 33 岡山 | 34 広島 | 35 山口 | 36 徳島 | 37 香川 |
|---|---|------------------|-----------------|---------------|----------------|--------------|---------------|----------------|----------------|----------------|----------------|----------------|
| B34 | 虫垂炎 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B35 | 腸閉塞およびヘルニア 男 M. 女 F. | 40 31 9 | 24 11 13 | 2 1 1 | 6 3 3 | 2 2 — | — — — | 2 — 2 | 5 5 — | 2 — 2 | 3 2 1 | 4 3 1 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) 男 M. 女 F. | 85 55 30 | 58 30 28 | 12 6 6 | 11 6 5 | 7 4 3 | 6 3 3 | 17 14 12 | 26 14 12 | 21 12 9 | 15 12 3 | 10 6 4 |
| B36.a | 胃炎および十二指腸炎 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B36.b | 胃腸炎、腸炎および大腸炎 男 M. 女 F. | 85 55 30 | 58 30 28 | 12 6 6 | 11 6 5 | 7 4 3 | 6 3 3 | 17 14 12 | 26 14 12 | 21 12 9 | 15 12 3 | 10 6 4 |
| B37 | 肝硬変 男 M. 女 F. | 2 2 — | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — |
| B38 | 腎炎およびネフローゼ 男 M. 女 F. | — — | 1 1 | — — | — — | — — | — — | — — | — — | — — | 1 1 | — — |
| B38.a | 急性腎炎およびネフローゼ 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | 1 1 | — — |
| B38.b | その他 男 M. 女 F. | — — | 1 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B39 | 前立腺肥大症 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B40 | 妊娠、分娩および産褥の合併症 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B41 | 先天奇形 男 M. 女 F. | 220 137 83 | 130 80 50 | 22 14 8 | 16 10 6 | 11 7 4 | 19 7 12 | 45 25 20 | 71 39 32 | 44 25 19 | 16 5 11 | 21 12 9 |
| B42 | 出産時の損傷、分娩後窒息および肺不全拡張 男 M. 女 F. | 217 124 93 | 83 49 34 | 15 9 6 | 40 26 14 | 12 4 8 | 13 9 4 | 41 18 23 | 56 33 23 | 43 24 19 | 10 7 3 | 32 22 10 |
| B43 | 新生児の感染 男 M. 女 F. | 117 63 54 | 65 37 28 | 13 10 3 | 21 11 10 | 4 3 1 | 18 12 6 | 28 12 16 | 39 21 18 | 23 9 14 | 26 11 15 | 17 8 9 |
| B43.a | 新生児肺炎 男 M. 女 F. | 101 54 47 | 55 30 25 | 12 10 2 | 20 10 10 | 4 3 1 | 14 9 5 | 22 8 14 | 31 16 15 | 22 8 14 | 22 8 14 | 14 7 7 |
| B43.b | 新生児下痢 男 M. 女 F. | 6 4 2 | 9 6 3 | 1 — — | — — — | — — — | 2 1 1 | 4 2 2 | 5 3 2 | 1 1 — | 3 3 — | 3 1 2 |

性・死因（簡単分類）・都道府県一七大都市（再掲）別

(ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和 41 年
1966

| 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | Residence unknown | 不詳 | 七大都市(再掲) 7 largest cities (secondary mention) | | | | | | | 国際簡単分類番号 International abbreviated list number |
|----|----|----|----|----|----|----|----|-----|-------------------|-----|--|----------------|---------------|-------------|-------------|------------|-------------------|---|
| | | | | | | | | | | | 東京都の区部 Area of wards in Tokyo-to | 横浜 Yokohama | 名古屋 Nagoya | 京都 Kyoto | 大阪 Osaka | 神戸 Kobe | 北九州 Kitakyusyu | |
| 愛媛 | 高知 | 福岡 | 佐賀 | 長崎 | 熊本 | 大分 | 宮崎 | 鹿児島 | | | | | | | | | | International abbreviated list number |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B34 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 6 | 5 | 22 | 5 | 4 | 7 | 7 | 7 | 10 | - | - | 19 | 4 | 13 | 8 | 20 | 5 | 7 | B35 |
| 5 | 3 | 16 | 3 | 4 | 3 | 3 | 4 | 7 | - | - | 14 | 2 | 5 | 4 | 16 | 2 | 5 | - |
| 1 | 2 | 6 | 2 | - | 4 | 4 | 3 | 3 | - | - | 5 | 2 | - | 4 | 4 | 3 | 2 | - |
| 16 | 5 | 50 | 13 | 36 | 24 | 15 | 14 | 31 | 1 | 48 | 22 | 22 | 12 | 41 | 17 | 9 | 9 | B36 |
| 8 | 3 | 34 | 7 | 19 | 17 | 9 | 8 | 22 | 1 | 25 | 13 | 11 | 6 | 25 | 9 | 6 | 6 | - |
| 8 | 2 | 16 | 6 | 17 | 7 | 6 | 6 | 9 | - | 23 | 9 | 11 | 6 | 16 | 8 | 3 | 3 | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B36.a |
| 16 | 5 | 50 | 13 | 36 | 24 | 15 | 14 | 31 | 1 | 48 | 22 | 22 | 12 | 41 | 17 | 9 | 9 | B36.b |
| 8 | 3 | 34 | 7 | 19 | 17 | 9 | 8 | 22 | 1 | 25 | 13 | 11 | 6 | 25 | 9 | 6 | 6 | - |
| 8 | 2 | 16 | 6 | 17 | 7 | 6 | 6 | 9 | - | 23 | 9 | 11 | 6 | 16 | 8 | 3 | 3 | - |
| - | - | 1 | - | - | - | - | 1 | - | - | 2 | - | - | - | - | - | - | - | B37 |
| - | - | 1 | - | - | - | - | 1 | - | - | 2 | - | - | - | - | - | - | - | - |
| - | - | 1 | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - | B38 |
| - | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - | - | 1 | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - | B38.a |
| - | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - | - | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | B38.b |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B39 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | B40 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 45 | 17 | 94 | 29 | 45 | 55 | 31 | 35 | 39 | - | 301 | 68 | 59 | 51 | 111 | 39 | 24 | 24 | B41 |
| 21 | 12 | 54 | 13 | 24 | 32 | 13 | 22 | 20 | - | 180 | 34 | 30 | 24 | 70 | 23 | 13 | 11 | - |
| 24 | 5 | 40 | 16 | 21 | 23 | 18 | 13 | 19 | - | 121 | 34 | 29 | 27 | 41 | 16 | 11 | - | - |
| 40 | 17 | 58 | 22 | 56 | 50 | 24 | 33 | 41 | 2 | 282 | 58 | 41 | 29 | 97 | 14 | 20 | 20 | B42 |
| 24 | 14 | 40 | 19 | 36 | 32 | 14 | 23 | 28 | 1 | 171 | 32 | 31 | 17 | 54 | 9 | 15 | 5 | - |
| 16 | 3 | 18 | 3 | 20 | 18 | 10 | 10 | 13 | 1 | 111 | 26 | 10 | 12 | 43 | 5 | 5 | 5 | - |
| 19 | 13 | 42 | 15 | 54 | 48 | 16 | 17 | 43 | - | 113 | 30 | 20 | 16 | 57 | 21 | 12 | 12 | B43 |
| 8 | 7 | 18 | 8 | 28 | 32 | 11 | 11 | 22 | - | 64 | 16 | 11 | 7 | 32 | 10 | 5 | 5 | - |
| 11 | 6 | 24 | 7 | 26 | 16 | 5 | 6 | 21 | - | 49 | 14 | 9 | 9 | 25 | 11 | 7 | 7 | - |
| 17 | 10 | 40 | 10 | 48 | 41 | 13 | 15 | 29 | - | 103 | 29 | 17 | 13 | 49 | 15 | 11 | 11 | B43.a |
| 8 | 6 | 18 | 6 | 24 | 27 | 10 | 11 | 13 | - | 60 | 16 | 9 | 6 | 28 | 6 | 6 | 6 | - |
| 9 | 4 | 22 | 4 | 24 | 14 | 3 | 4 | 16 | - | 43 | 13 | 8 | 7 | 21 | 9 | 9 | 9 | - |
| - | I | 2 | 4 | 4 | 3 | 1 | 2 | 12 | - | 4 | 1 | 1 | 1 | - | 4 | 5 | 1 | B43.b |
| - | I | 2 | 2 | 2 | 2 | - | 1 | 2 | - | 4 | 1 | 1 | - | 2 | 5 | 3 | 1 | - |

59 表 (14-13)

第59表 乳児(1才未満)死亡者数

TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
|---|--------------------------------|-------------------|-------------------|----------------|-----------------|----------------|----------------|-----------------|-------------------|-----------------|-----------------|-----------------|
| | | 大阪 Osaka | 兵庫 Hyogo | 奈良 Nara | 和歌山 Wakayama | 鳥取 Tottori | 島根 Ishigaki | 岡山 Okayama | 広島 Hiroshima | 山口 Yamaguchi | 徳島 Tokushima | 香川 Kagawa |
| B43.c | その他の新生児の感染 | 10 5 | 1 1 | — | 1 1 | — | 2 2 | 2 2 | 3 2 | — | 1 1 | — |
| | 男 M. 女 F. | 5 5 | — | — | — | — | — | — | — | — | — | — |
| B44 | その他の新生児固有の疾患および性質不明の未熟児 | 649 385 264 | 356 210 146 | 88 46 42 | 127 69 58 | 51 32 19 | 78 37 41 | 124 76 48 | 219 118 101 | 143 69 74 | 87 53 34 | 115 63 52 |
| B45 | 精神病の記載のない老衰ならびに診断名不明の原因 | 26 19 7 | 21 12 9 | 10 8 2 | 9 7 2 | 3 2 1 | 3 1 2 | 7 4 3 | 16 9 7 | 9 3 6 | 6 3 3 | 5 2 3 |
| B45.a | 精神病の記載のない老衰 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B45.b | その他の診断名不明確および不明の原因 | 26 19 7 | 21 12 9 | 10 8 2 | 9 7 2 | 3 2 1 | 3 1 2 | 7 4 3 | 16 9 7 | 9 3 6 | 6 3 3 | 5 2 3 |
| B46 | その他のすべての疾患 | 66 37 29 | 35 21 14 | 10 6 4 | 9 8 1 | 8 3 5 | 5 3 2 | 12 10 2 | 22 11 11 | 10 6 4 | 3 3 2 | 3 2 1 |
| B46.a | その他の循環器系の疾患(先天性を除く) | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| B46.b | その他のすべての疾患 | 66 37 29 | 35 21 14 | 10 6 4 | 9 8 1 | 8 3 5 | 5 3 2 | 12 10 2 | 22 11 11 | 9 5 4 | 3 3 2 | 3 2 1 |
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) | 100 57 43 | 37 14 23 | 7 4 3 | 12 8 4 | 8 4 4 | 5 2 3 | 16 6 10 | 23 14 9 | 12 9 3 | 5 1 4 | 10 7 3 |
| BE47 | 自動車事故 | 3 3 — | 2 1 — | — — | 3 1 2 | — — | — — | — — | — — | — — | — — | — — |
| BE48 | その他の不慮の事故 | 77 42 35 | 33 11 22 | 7 4 3 | 8 6 2 | 7 4 3 | 5 2 3 | 15 6 9 | 19 12 7 | 12 9 3 | 5 1 4 | 10 7 3 |
| BE48.a | 自動車以外の交通事故 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| BE48.b | 不慮の墜落 | 5 1 4 | 1 — 1 | — — | — — | 1 1 — | 1 1 — | — — | — — | — — | — — | — — |
| BE48.c | 不慮の溺死および溺水 | 3 1 2 | 1 — 1 | — — | 2 1 1 | — — 1 | 1 1 2 | — — — | — — — | — — — | — — — | — — — |
| BE48.d | 天災 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| BE48.e | その他 | 69 40 29 | 31 11 20 | 7 4 3 | 6 5 1 | 6 4 2 | 3 1 2 | 12 5 7 | 19 12 7 | 12 9 3 | 5 1 4 | 9 6 3 |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

(ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | Residence unknown | 不詳 | 七大都市(再掲) 7 largest cities (secondary mention) | | | | | | 国際簡単分類番号 International abbreviated list number | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------------------|-------------------|------------------------------------|
| | | | | | | | | | | | 愛媛 Ehime | 高知 Kochi | 福岡 Fukuoka | 佐賀 Saga | 長崎 Nagasaki | 熊本 Kumamoto | 大分 Oita | 宮崎 Miyazaki | 鹿児島 Kagoshima | 東京都の部 Area of wards in Tokyo-to |
| 2 — 2 | 2 1 1 | — — — | 1 1 1 | 2 2 — | 4 2 2 | 2 1 1 | — — — | 2 2 2 | — — — | — — — | 6 4 2 | — — — | 2 1 1 | 3 2 2 | 4 2 2 | 1 1 — | — — — | — — — | B43.c | |
| 141 79 62 | 83 44 39 | 374 206 168 | 100 53 47 | 191 121 107 | 247 140 65 | 145 80 55 | 134 79 103 | 232 129 103 | — — — | 699 363 336 | 154 84 70 | 146 87 59 | 118 69 49 | 251 145 106 | 54 32 22 | 102 59 43 | B44 | | | |
| 6 3 3 | 9 7 2 | 28 18 10 | 12 8 4 | 19 10 13 | 17 8 7 | 10 8 2 | 7 7 13 | 25 12 13 | 2 1 1 | 29 16 13 | 10 7 3 | 12 9 3 | 3 1 2 | 11 9 2 | 5 3 2 | 8 4 4 | — — — | B45 | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B45.a | | | |
| 5 3 3 | 9 7 2 | 28 18 10 | 12 8 4 | 19 10 13 | 17 8 7 | 10 8 2 | 7 7 13 | 25 12 13 | 2 1 1 | 29 16 13 | 10 7 3 | 12 9 3 | 3 1 2 | 11 9 2 | 5 3 2 | 8 4 4 | — — — | B45.b | | |
| 11 5 6 | 4 3 1 | 35 18 17 | 9 5 4 | 16 12 4 | 12 8 4 | 8 4 4 | 10 4 6 | 27 16 11 | — — — | 45 25 20 | 9 7 2 | 12 8 4 | 8 4 4 | 24 12 12 | 9 8 1 | 10 6 4 | — — — | B46 | | |
| — — — | — — — | — — — | 1 — 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B46.a | | | |
| 11 5 6 | 4 3 1 | 34 18 16 | 9 5 4 | 16 12 4 | 12 8 4 | 8 4 4 | 10 4 6 | 27 16 11 | — — — | 45 25 20 | 9 7 2 | 12 8 4 | 8 4 4 | 24 12 12 | 9 8 1 | 10 6 4 | — — — | B46.b | | |
| 21 12 9 | 10 7 3 | 41 21 20 | 15 10 5 | 20 9 3 | 13 10 2 | 5 3 2 | 13 6 7 | 27 14 13 | 2 — 2 | 116 70 46 | 18 12 6 | 21 15 6 | 8 5 3 | 47 29 18 | 11 6 5 | 14 8 6 | — — — | "E" | | |
| — — — | 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | BE47 | | |
| 16 10 6 | 8 6 2 | 39 20 19 | 13 10 3 | 17 9 8 | 11 9 2 | 2 1 1 | 12 5 7 | 24 11 13 | — — — | 98 59 39 | 17 12 5 | 19 15 4 | 7 4 3 | 37 23 14 | 10 5 6 | 14 8 6 | — — — | BE48 | | |
| 1 1 | — <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td></td></td></td></td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td></td></td></td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td></td></td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td></td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td></td> | — <td>—<td>—<td>—<td>—<td>BE48.a</td></td></td></td></td> | — <td>—<td>—<td>—<td>BE48.a</td></td></td></td> | — <td>—<td>—<td>BE48.a</td></td></td> | — <td>—<td>BE48.a</td></td> | — <td>BE48.a</td> | BE48.a |
| — — — | — — — | — — | | | | | | | | | | | | | | | | | | |

59 表 (14-14)

第59表 乳児(1才未満)死亡者数
TABLE 59 INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
|---|--------------------------------|-----------------|----------------|-------------|-----------------|---------------|----------------|---------------|-----------------|-----------------|-----------------|----------------|
| | | 大阪 Osaka | 兵庫 Hyogo | 奈良 Nara | 和歌山 Wakayama | 鳥取 Tottori | 島根 Ishigaki | 岡山 Okayama | 広島 Hiroshima | 山口 Yamaguchi | 徳島 Tokushima | 香川 Kagawa |
| BE49 | 自殺および自傷 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| BE50 | 他殺および戦争行為 | 20 12 8 | 2 2 - | - | 1 1 - | 1 1 - | 1 1 - | 4 2 - | - | - | - | - |
| BE50.a | 他殺 | 20 12 8 | 2 2 - | - | 1 1 - | 1 1 - | 1 1 - | 4 2 - | - | - | - | - |
| BE50.b | 処刑および戦争行為 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) | 100 57 43 | 37 14 23 | 7 4 3 | 12 8 4 | 8 4 4 | 5 2 3 | 16 6 10 | 23 9 3 | 12 9 3 | 5 1 4 | 10 7 3 |
| BN47 | 骨折、頭部損傷および内部損傷 | 7 3 4 | 4 2 2 | - | 3 1 2 | 1 1 1 | 1 1 - | 1 1 - | - | - | 1 1 - | - |
| BN47.a | 頭蓋骨折 | 4 3 1 | 1 1 - | - | 2 - 2 | - - - | - - - | - - - | - - - | - - - | - - - | |
| BN47.b | その他の骨の骨折 | - | 1 1 | - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | |
| BN47.c | 頭部の損傷(骨折を除く) | 3 3 | 1 1 | - | 1 1 | 1 1 | - | - | - | - | 1 1 | - |
| BN47.d | 胸、腹、骨盤腔の内部損傷 | - | 1 1 | - | - - - | - - - | - - - | 1 1 - | - - - | - - - | - - - | |
| BN48 | 熱傷 | 5 3 2 | 3 1 2 | 1 1 | - - - | 1 1 1 | 1 1 2 | 3 1 - | 1 1 - | 1 1 - | 1 1 - | - |
| BN49 | 毒物の作用 | 8 7 1 | 3 1 2 | - | - - - | 2 2 - | - - - | 1 1 - | - - - | 1 1 - | 1 1 - | - |
| BN50 | その他の損傷 | 80 44 36 | 27 10 17 | 6 4 2 | 9 7 2 | 4 2 2 | 3 1 2 | 12 4 8 | 20 12 8 | 9 6 3 | 4 6 4 | 8 8 2 |
| BN50.a | 裂傷および開放創 | 1 1 - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - |
| BN50.b | 溺死および死にいたらない溺水 | 6 2 4 | 2 1 1 | - | 2 1 1 | 1 1 1 | 1 1 1 | 12 8 4 | 2 2 1 | 2 2 1 | 3 1 1 | 1 1 1 |
| BN50.c | 窒息および絞首 | 35 20 15 | 14 3 11 | 4 2 2 | 3 2 1 | 2 1 1 | 7 2 5 | 12 8 4 | 2 1 1 | 3 2 1 | 12 8 4 | 31 15 16 |
| BN50.d | その他 | 38 21 17 | 11 6 5 | 2 2 - | 4 4 - | - - - | 2 1 1 | 7 4 3 | 7 5 2 | 1 1 1 | 10 4 6 | 60 36 24 |

性・死因(簡単分類)・都道府県一七大都市(再掲)別

(ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, AND 7 LARGEST CITIES

昭和41年
1966

| 38 愛媛 | 39 高知 | 40 福岡 | 41 佐賀 | 42 長崎 | 43 熊本 | 44 大分 | 45 宮崎 | 46 鹿児島 | Residence unknown 不詳 | 七大都市(再掲) 7 largest cities (secondary mention) | | | | | | | 国際簡単分類番号 International abbreviated list number |
|---------------|--------------|----------------|---------------|---------------|---------------|-------------|--------------|----------------|-------------------------|--|----------------|---------------|-------------|----------------|--------------|--------------------|---|
| | | | | | | | | | | 東京都の部 Area of wards in Tokyo-to | 横浜 Yokohama | 名古屋 Nagoya | 京都 Kyoto | 大阪 Osaka | 神戸 Kobe | 北九州 Kita-Kyusyu | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BE49 |
| 5 2 3 | 1 1 1 | 1 1 1 | 2 2 1 | 3 3 1 | 2 1 1 | 3 2 1 | 1 1 1 | 3 3 1 | 2 2 1 | 15 9 6 | 1 1 1 | 1 1 1 | 1 1 1 | 9 5 4 | 1 1 1 | 1 1 1 | BE50 |
| 5 2 3 | 1 1 1 | 1 1 1 | 2 2 1 | 3 3 1 | 2 1 1 | 3 2 1 | 1 1 1 | 3 3 1 | 2 2 1 | 15 9 6 | 1 1 1 | 1 1 1 | 1 1 1 | 5 4 4 | 1 1 1 | 1 1 1 | BE50.a |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BE50.b. |
| 21 12 9 | 10 7 3 | 41 21 20 | 15 10 5 | 20 9 11 | 13 10 3 | 5 3 2 | 13 6 7 | 27 14 13 | 2 2 2 | 116 70 46 | 18 12 6 | 21 15 6 | 8 5 3 | 47 29 18 | 11 6 5 | 14 8 6 | "N" |
| 1 1 | 1 1 | 4 4 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | - | - | 15 12 3 | - | 1 1 1 | 1 1 1 | 2 1 1 | 2 2 2 | BN47 |
| 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | - | - | 5 4 1 | - | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | BN47.a |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BN47.b |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BN47.c |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BN47.d |
| 3 2 1 | 3 3 1 | 4 2 1 | 2 2 1 | 2 2 1 | 2 1 1 | 2 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | 4 1 3 | 6 4 2 | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | 1 1 1 | BN48 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BN49 |
| 17 9 8 | 6 3 3 | 33 16 17 | 11 8 3 | 17 8 9 | 10 8 2 | 3 1 2 | 12 6 6 | 22 12 10 | 2 2 2 | 93 52 41 | 16 11 5 | 18 14 4 | 6 4 2 | 36 22 14 | 10 5 5 | 12 6 6 | BN50 |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BN50.a |
| 1 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BN50.b |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | BN50.c |
| 15 9 6 | 4 1 3 | 22 12 10 | 4 2 2 | 13 5 8 | 9 7 2 | 3 1 1 | 7 3 4 | 12 8 4 | 1 1 1 | 31 15 16 | 8 5 4 | 13 9 4 | 2 2 2 | 14 8 6 | 6 4 3 | 7 4 3 | BN50.d |
| 1 1 | 2 2 | 6 3 3 | 5 4 1 | 2 2 1 | 2 1 1 | 1 1 1 | 4 2 1 | 10 4 6 | - | 60 36 24 | 7 5 2 | 4 4 1 | 2 1 1 | 19 14 15 | 3 2 1 | 3 2 1 | BN50.d |

60 表 (21-1)

第60表 15才以上死亡者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 41 年
1966

60表(21-2)

第60表 15才以上死亡者数

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 専門的・技術的職業従事者 Professional and technical workers | | | | | | 管理的職業従事者 Managers and officials |
|---|--------------------------------|-------------------------|--|----------------------------------|-------------------------------|--|--|--|------------------------------------|
| | | | 総数 Total | 技術者 Technicians and engineers | 教員 Professors and teachers | 医療保健技術者 Medical and public health technicians | 芸術家、芸能家 Artists and public entertainers | その他の専門的職業従事者 Other professional workers | |
| B10 | 結膜炎感染 | 24 15 9 | — | — | — | — | — | — | 2 2 |
| | 男 M. 女 F. | | | | | | | | |
| B11 | ベスト | — | — | — | — | — | — | — | |
| | 男 M. 女 F. | | | | | | | | |
| B12 | 急性灰白髄炎 | 15 12 3 | 1 1 — | — | 1 — | — | — | — | |
| | 男 M. 女 F. | | | | | | | | |
| B13 | 痘瘡 | — | — | — | — | — | — | — | |
| | 男 M. 女 F. | | | | | | | | |
| B14 | 麻疹 | 12 8 4 | — | — | — | — | — | — | |
| | 男 M. 女 F. | | | | | | | | |
| B15 | 発疹チフスおよびその他のリッチャ病 | 2 1 1 | — | — | — | — | — | — | |
| | 男 M. 女 F. | | | | | | | | |
| B15.a | シラミ媒介の流行性発疹チフス | — | — | — | — | — | — | — | |
| | 男 M. 女 F. | | | | | | | | |
| B15.b | 恙虫病およびその他のコダニ媒介の発疹チフス様疾患 | — | — | — | — | — | — | — | |
| | 男 M. 女 F. | | | | | | | | |
| B15.c | その他 | 2 1 1 | — | — | — | — | — | — | |
| | 男 M. 女 F. | | | | | | | | |
| B16 | マラリア | 4 4 — | — | — | — | — | — | — | |
| | 男 M. 女 F. | | | | | | | | |
| B17 | 伝染性および寄生性として分類されたその他の疾患 | 2 973 1 529 1 444 | 52 42 10 | 8 8 3 | 15 12 4 | 9 5 4 | 2 2 — | 18 15 3 | 34 30 4 |
| | 男 M. 女 F. | | | | | | | | |
| B17.a | パラチフス | 5 2 3 | — | — | — | — | — | — | |
| | 男 M. 女 F. | | | | | | | | |
| B17.b | 痘 | 4 2 2 | — | — | — | — | — | — | |
| | 男 M. 女 F. | | | | | | | | |
| B17.c | 破傷風 | 233 147 86 | 4 2 2 | — | 3 2 1 | 1 — | — | — | 3 3 — |
| | 男 M. 女 F. | | | | | | | | |
| B17.d | 炭疽 | — | — | — | — | — | — | — | |
| | 男 M. 女 F. | | | | | | | | |
| B17.e | 回帰熱 | — | — | — | — | — | — | — | |
| | 男 M. 女 F. | | | | | | | | |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 事務従事者 Clerical and related workers | 販売従事者 Sales workers | | 農林、漁業従事者 Farmers, lumbermen and fishermen | | | 採鉱・採石従事者 Workers in mining and quarrying occupations | 国際簡単分類番号 International abbreviated list number | | | | | | |
|---------------------------------------|------------------------|-------------------------------------|---|----------------|---|---|---|---------------------------------|--|-------------------|-------------------|---------------|-----|
| | 総数 Total | 一般事務従事者 General clerical workers | その他の事務従事者 Other clerical and related workers | 総数 Total | 商品販売従事者 Sales workers of commodities | その他の販売および類似職業従事者 Other sales and related workers | 総数 Total | 農林業従事者 Farmers and lumbermen | 漁業従事者 Fishermen and kindred workers | | | | |
| 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | 3 3 — | 3 3 — | — — — | B10 | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B11 | | | |
| — — — | — — — | — — — | — — — | 2 2 — | 2 2 — | — — — | 2 2 — | 2 2 — | — — — | B12 | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B13 | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B14 | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B15 | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B15.a | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B15.b | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B15.c | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B16 | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17 | | | |
| — — — | — — — | — — — | — — — | 85 59 26 | 83 57 26 | 2 2 — | 134 108 26 | 118 94 24 | 16 14 2 | 765 470 295 | 749 454 295 | 16 16 6 | B17 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.a | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.b | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.c | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.d | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.e | |

60 表 (21-3)

第60表 15才以上死亡者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 専門的・技術的職業従事者 Professional and technical workers | | | | | | 管理的職業従事者 Managers and officials |
|---|--------------------------------|-------------|--|----------------------------------|-------------------------------|--|---|--|------------------------------------|
| | | | 総数 Total | 技術者 Technicians and engineers | 教員 Professors and teachers | 医療保健技術者 Medical and public health technicians | 芸術家、能家 Artists and public entertainers | その他の専門的職業従事者 Other professional workers | |
| B17.f | 日本脳炎 | 1 415 | 24 | 7 | 4 | 2 | — | 11 | 4 |
| | 男 M. | 676 | 19 | 7 | 3 | 1 | — | 8 | 3 |
| | 女 F. | 739 | 5 | — | 1 | 1 | — | 3 | 1 |
| B17.g | 黄熱 | — | — | — | — | — | — | — | — |
| | 男 M. | — | — | — | — | — | — | — | — |
| | 女 F. | — | — | — | — | — | — | — | — |
| B17.h | 狂犬病 | — | — | — | — | — | — | — | — |
| | 男 M. | — | — | — | — | — | — | — | — |
| | 女 F. | — | — | — | — | — | — | — | — |
| B17.i | 伝染性下痢症 | — | — | — | — | — | — | — | — |
| | 男 M. | — | — | — | — | — | — | — | — |
| | 女 F. | — | — | — | — | — | — | — | — |
| B17.j | 日本住血吸虫症 | 16 | — | — | — | — | — | — | — |
| | 男 M. | 7 | — | — | — | — | — | — | — |
| | 女 F. | 9 | — | — | — | — | — | — | — |
| B17.k | 糸状虫症 | 28 | — | — | — | — | — | — | — |
| | 男 M. | 20 | — | — | — | — | — | — | — |
| | 女 F. | 8 | — | — | — | — | — | — | — |
| B17.l | その他の伝染性および寄生性として分類された疾患 | 1 272 | 24 | 1 | 8 | 6 | 2 | 7 | 27 |
| | 男 M. | 675 | 21 | 1 | 7 | 4 | 2 | 7 | 24 |
| | 女 F. | 597 | 3 | — | 1 | 2 | — | 3 | 3 |
| B18 | 悪性新生物(リンパ組織および造血組織の新生物を含む) | 108 394 | 2 439 | 325 | 613 | 653 | 95 | 753 | 2 532 |
| | 男 M. | 60 020 | 1 969 | 318 | 482 | 460 | 75 | 634 | 2 425 |
| | 女 F. | 48 374 | 470 | 7 | 131 | 193 | 20 | 119 | 107 |
| B18.a | 胃の悪性新生物 | 46 768 | 1 010 | 150 | 245 | 251 | 39 | 325 | 1 050 |
| | 男 M. | 28 920 | 849 | 147 | 194 | 185 | 33 | 290 | 1 027 |
| | 女 F. | 17 848 | 161 | 3 | 51 | 66 | 6 | 35 | 23 |
| B18.b | 気管、気管支および肺の悪性新生物 | 8 361 | 241 | 39 | 47 | 75 | 10 | 70 | 290 |
| | 男 M. | 5 853 | 214 | 39 | 42 | 61 | 7 | 65 | 278 |
| | 女 F. | 2 508 | 27 | — | 5 | 14 | 3 | 5 | 12 |
| B18.c | 乳房の悪性新生物 | 2 129 | 48 | — | 16 | 17 | 3 | 12 | 5 |
| | 男 M. | 29 | 2 | — | 2 | — | — | — | — |
| | 女 F. | 2 100 | 46 | — | 14 | 17 | 3 | 12 | 5 |
| B18.d | 子宮の悪性新生物 | 6 667 | 51 | — | 13 | 21 | 3 | 14 | 16 |
| | 男 M. | 6 667 | 51 | — | 13 | 21 | 3 | 14 | 16 |
| B18.e | 白血病および無白血病 | 2 469 | 73 | 12 | 30 | 19 | 1 | 11 | 65 |
| | 男 M. | 1 362 | 55 | 10 | 25 | 11 | 1 | 8 | 62 |
| | 女 F. | 1 107 | 18 | 2 | 5 | 8 | — | 3 | 3 |
| B18.f | その他 | 42 000 | 1 016 | 124 | 262 | 270 | 39 | 321 | 1 106 |
| | 男 M. | 23 856 | 849 | 122 | 219 | 203 | 34 | 271 | 1 058 |
| | 女 F. | 18 144 | 167 | 2 | 43 | 67 | 5 | 50 | 48 |
| B19 | 良性および性質不詳の新生物 | 5 022 | 134 | 13 | 37 | 46 | 4 | 34 | 116 |
| | 男 M. | 2 623 | 104 | 12 | 31 | 32 | 2 | 27 | 108 |
| | 女 F. | 2 399 | 30 | 1 | 6 | 14 | 2 | 7 | 8 |
| B20 | 糖尿病 | 5 734 | 102 | 7 | 10 | 42 | 2 | 41 | 136 |
| | 男 M. | 2 728 | 90 | 7 | 9 | 37 | 1 | 36 | 130 |
| | 女 F. | 3 006 | 12 | — | 1 | 5 | 1 | 5 | 6 |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 事務従事者 Clerical and related workers | 販売従事者 Sales workers | | | 農林漁業従事者 Farmers, lumbermen and fishermen | | | 採鉱・採石従事者 Workers in mining and quarrying occupations | 国際簡単分類番号 International abbreviated list number | |
|---------------------------------------|------------------------|-------------------------------------|---|---|---|---|---|---|--|
| | 総数 Total | 一般事務従事者 General clerical workers | その他の事務従事者 Other clerical and related workers | 総数 Total | 商品販売従事者 Sales workers of commodities | その他の販売および類似職業従事者 Other sales and related workers | 総数 Total | 農林業従事者 Farmers and lumbermen | 漁業従事者 Fishermen and kindred workers |
| 36 | 34 | 2 | 55 | 47 | 8 | 371 | 366 | 5 | B17.f |
| 26 | 24 | 2 | 44 | 36 | 8 | 213 | 208 | 5 | — |
| 10 | 10 | — | 11 | 11 | — | 158 | 158 | — | — |
| — | — | — | — | — | — | — | — | — | B17.g |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B17.h |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B17.i |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B17.j |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B17.k |
| — | — | — | — | — | — | — | — | — | — |
| 46 | 46 | — | 68 | 60 | 8 | 288 | 278 | 10 | B17.l |
| 30 | 30 | — | 57 | 51 | 6 | 174 | 174 | 10 | — |
| 16 | 16 | — | 11 | 9 | 2 | 104 | 104 | — | — |
| 3 784 | 3 573 | 211 | 5 416 | 4 809 | 607 | 23 562 | 22 717 | 845 | B18 |
| 3 200 | 3 021 | 179 | 4 282 | 3 805 | 477 | 16 102 | 15 287 | 815 | — |
| 584 | 552 | 32 | 1 134 | 1 004 | 130 | 7 460 | 7 430 | 30 | 211 |
| 1 630 | 1 524 | 106 | 2 339 | 2 063 | 276 | 11 388 | 10 997 | 391 | B18.a |
| 1 437 | 1 345 | 92 | 1 967 | 1 728 | 239 | 8 411 | 8 028 | 383 | 101 |
| 193 | 179 | 14 | 372 | 335 | 37 | 2 977 | 2 969 | 8 | 97 |
| 327 | 311 | 16 | 506 | 448 | 58 | 1 753 | 1 654 | 99 | B18.b |
| 298 | 284 | 14 | 443 | 392 | 51 | 1 423 | 1 327 | 96 | 25 |
| 29 | 27 | 2 | 63 | 56 | 7 | 330 | 327 | 3 | 1 |
| 38 | 36 | 2 | 64 | 54 | 10 | 258 | 257 | 1 | B18.c |
| — | 36 | — | 64 | — | — | 9 | 8 | — | — |
| 38 | 36 | 2 | 64 | 54 | 10 | 249 | 249 | — | — |
| 74 | 73 | 1 | 166 | 141 | 25 | 1 004 | 994 | 10 | B18.d |
| 74 | 73 | 1 | 166 | 141 | 25 | 1 004 | 994 | 10 | 2 |
| 220 | 207 | 13 | 141 | 128 | 13 | 454 | 441 | 13 | B18.e |
| 165 | 157 | 8 | 102 | 94 | 8 | 283 | 270 | 13 | 4 |
| 55 | 50 | 5 | 39 | 34 | 5 | 171 | 171 | — | —</ |

第60表 15才以上死亡者数

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 専門的・技術的職業従事者 Professional and technical workers | | | | | | 管理的職業従事者 Managers and officials |
|---|--------------------------------|-------------|--|----------------------------------|-------------------------------|--|--|--|------------------------------------|
| | | | 総数 Total | 技術者 Technicians and engineers | 教員 Professors and teachers | 医療保健技術者 Medical and public health technicians | 芸術家・芸能家 Artists and public entertainers | その他の専門的職業従事者 Other professional workers | |
| B21 | 貧血 | 1 244 | 35 | 5 | 8 | 12 | — | 10 | 10 |
| | 男 M. | 547 | 22 | 5 | 6 | 6 | — | 5 | 9 |
| | 女 F. | 697 | 13 | — | 2 | 6 | — | 5 | 1 |
| B22 | 中枢神経系の血管損傷 | 172 020 | 2 097 | 206 | 332 | 578 | 86 | 895 | 1 773 |
| | 男 M. | 91 970 | 1 864 | 205 | 295 | 480 | 81 | 803 | 1 693 |
| | 女 F. | 80 050 | 233 | 1 | 37 | 98 | 5 | 92 | 80 |
| B23 | 結膜炎(結膜炎菌性および結核性を除く) | 486 | 11 | 2 | 1 | 4 | 2 | 2 | 6 |
| | 男 M. | 266 | 6 | 2 | 1 | 2 | — | 1 | 6 |
| | 女 F. | 220 | 5 | — | — | 2 | — | 1 | — |
| B24 | リューマチ熱 | 520 | 14 | 2 | 5 | 2 | — | 5 | 5 |
| | 男 M. | 180 | 9 | 2 | 3 | 1 | — | 3 | 5 |
| | 女 F. | 340 | 5 | — | 2 | 1 | — | 2 | — |
| B25 | 慢性リューマチ性心臓疾患 | 4 553 | 51 | 6 | 10 | 11 | 2 | 22 | 42 |
| | 男 M. | 1 588 | 37 | 5 | 8 | 5 | 2 | 17 | 36 |
| | 女 F. | 2 965 | 14 | 1 | 2 | 6 | — | 5 | 6 |
| B26 | 動脈硬化性および変性性心臓疾患 | 54 723 | 958 | 91 | 193 | 296 | 38 | 340 | 899 |
| | 男 M. | 28 777 | 853 | 89 | 180 | 257 | 33 | 294 | 864 |
| | 女 F. | 25 946 | 105 | 2 | 13 | 39 | 5 | 46 | 35 |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 28 001 | 689 | 60 | 145 | 220 | 25 | 239 | 716 |
| | 男 M. | 16 656 | 629 | 60 | 139 | 197 | 21 | 212 | 693 |
| | 女 F. | 11 345 | 60 | — | 6 | 23 | 4 | 27 | 23 |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | 6 444 | 74 | 6 | 22 | 20 | 4 | 22 | 56 |
| | 男 M. | 2 627 | 58 | 4 | 17 | 16 | 4 | 17 | 50 |
| | 女 F. | 3 817 | 16 | 2 | 5 | 4 | — | 5 | 6 |
| B26.c | その他の心筋変性 | 20 278 | 195 | 25 | 26 | 56 | 9 | 79 | 127 |
| | 男 M. | 9 494 | 166 | 25 | 24 | 44 | 8 | 65 | 121 |
| | 女 F. | 10 784 | 29 | — | 2 | 12 | 1 | 14 | 6 |
| B27 | その他の心臓疾患 | 11 390 | 129 | 13 | 21 | 28 | 5 | 62 | 117 |
| | 男 M. | 5 975 | 117 | 13 | 17 | 24 | 5 | 58 | 115 |
| | 女 F. | 5 415 | 12 | — | 4 | 4 | — | 4 | 2 |
| B28 | 高血圧性心臓疾患 | 10 626 | 116 | 13 | 18 | 32 | 5 | 48 | 84 |
| | 男 M. | 5 106 | 103 | 13 | 17 | 24 | 5 | 44 | 79 |
| | 女 F. | 5 520 | 13 | — | 1 | 8 | — | 4 | 5 |
| B29 | その他の高血圧性疾患 | 7 779 | 93 | 10 | 13 | 20 | 2 | 48 | 69 |
| | 男 M. | 3 706 | 80 | 10 | 11 | 16 | 1 | 42 | 67 |
| | 女 F. | 4 073 | 13 | — | 2 | 4 | — | 6 | 2 |
| B30 | インフルエンザ | 311 | 3 | — | — | 1 | — | 2 | 1 |
| | 男 M. | 161 | 2 | — | — | — | — | — | — |
| | 女 F. | 150 | 1 | — | — | 1 | — | — | — |
| B31 | 肺炎(新生児肺炎を除く) | 16 960 | 201 | 13 | 31 | 62 | 7 | 88 | 161 |
| | 男 M. | 9 016 | 173 | 13 | 30 | 51 | 6 | 73 | 154 |
| | 女 F. | 7 944 | 28 | — | 1 | 11 | 1 | 15 | 7 |
| B32 | 気管支炎 | 4 894 | 44 | 4 | 3 | 13 | 1 | 23 | 27 |
| | 男 M. | 2 514 | 39 | 4 | 3 | 11 | 1 | 20 | 26 |
| | 女 F. | 2 380 | 5 | — | — | 2 | — | 3 | 1 |
| B33 | 胃および十二指腸の潰瘍 | 8 772 | 173 | 18 | 35 | 42 | 6 | 72 | 140 |
| | 男 M. | 6 126 | 161 | 18 | 32 | 39 | 6 | 66 | 136 |
| | 女 F. | 2 646 | 12 | — | 3 | 3 | — | 6 | 4 |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 事務従事者 Clerical and related workers | 販売従事者 Sales workers | | | 農林漁業従事者 Farmers, lumbermen and fishermen | | | 採鉱・採石従事者 Workers in mining and quarrying occupations | 国際簡単分類番号 International abbreviated list number | |
|---------------------------------------|------------------------|-------------------------------------|---|---|---------------------------------------|---|---|---|--|
| | 総数 Total | 一般事務従事者 General clerical workers | その他の事務従事者 Other clerical and related workers | 総数 Total | 商品販売者 Sales workers of commodities | その他の販売および類似職業従事者 Other sales and related workers | 総数 Total | 農林業従事者 Farmers and lumbermen | 漁業従事者 Fishermen and kindred workers |
| 45 | 40 | 5 | 36 | 34 | 2 | 249 | 244 | 5 | 2 |
| 37 | 32 | 5 | 28 | 26 | 2 | 125 | 120 | 5 | 2 |
| 8 | 8 | — | 8 | 8 | — | 124 | 124 | — | — |
| 2 109 | 1 973 | 136 | 5 328 | 4 729 | 599 | 37 462 | 36 615 | 847 | 242 |
| 1 966 | 1 837 | 129 | 4 423 | 3 899 | 524 | 26 005 | 25 184 | 821 | 239 |
| 143 | 136 | 7 | 905 | 830 | 75 | 11 457 | 11 431 | 26 | 3 |
| 23 | 22 | 1 | 22 | 22 | — | 101 | 100 | 1 | 1 |
| 19 | 18 | 1 | 18 | 18 | — | 63 | 62 | 1 | 1 |
| 4 | 4 | — | 4 | 4 | — | 38 | 38 | — | — |
| 10 | 10 | — | 14 | 14 | — | 92 | 88 | 4 | — |
| 4 | 4 | — | 6 | 6 | — | 44 | 40 | 4 | — |
| 6 | 6 | — | 6 | 6 | — | 48 | 48 | — | — |
| 119 | 110 | 9 | 137 | 127 | 10 | 815 | 798 | 17 | 7 |
| 88 | 80 | 8 | 84 | 76 | 8 | 423 | 407 | 16 | 5 |
| 31 | 30 | 1 | 53 | 51 | 2 | 392 | 391 | 1 | 2 |
| 1 132 | 1 056 | 76 | 1 976 | 1 748 | 228 | 9 734 | 9 488 | 246 | 56 |
| 1 041 | 968 | 73 | 1 661 | 1 455 | 206 | 6 716 | 6 481 | 235 | 56 |
| 91 | 88 | 3 | 315 | 293 | 22 | 3 018 | 3 007 | 11 | — |
| 754 | 695 | 59 | 1 298 | 1 142 | 156 | 5 149 | 4 998 | 151 | 38 |
| 726 | 670 | 56 | 1 128 | 984 | 144 | 3 834 | 3 686 | 148 | 38 |
| 28 | 25 | 3 | 170 | 158 | 12 | 1 315 | 1 312 | 3 | — |
| 138 | 134 | 4 | 207 | 179 | 28 | 1 336 | 1 317 | 19 | 5 |
| 101 | 97 | 4 | 150 | 129 | 21 | 693 | 676 | 17 | 5 |
| 37 | 37 | — | 57 | 50 | 7 | 643 | 641 | 2 | — |
| 240 | 227 | 13 | 471 | 427 | 44 | 3 249 | 3 173 | 76 | 13 |
| 214 | 201 | 13 | 383 | 342 | 41 | 2 189 | 2 119 | 70 | 13 |
| 26 | 26 | — | 88 | 85 | 3 | 1 060 | 1 054 | 6 | — |
| 157 | 144 | 13 | 294 | 262 | 32 | 2 205 | 2 144 | 61 | 14 |
| 135 | 125 | 10 | 243 | | | | | | |

60表(21-5)

第60表 15才以上死者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 専門的・技術的職業従事者 Professional and technical workers | | | | | | 管理的職業従事者 Managers and officials |
|---|--------------------------------|-------------|--|----------------------------------|-------------------------------|--|--|--|------------------------------------|
| | | | 総数 Total | 技術者 Technicians and engineers | 教員 Professors and teachers | 医療保健技術者 Medical and public health technicians | 芸術家、芸能家 Artists and public entertainers | その他の専門的職業従事者 Other professional workers | |
| B34 | 虫垂炎 | 638 | 8 | 1 | 5 | 1 | — | 1 | 6 |
| | 男 M. | 341 | 7 | 1 | 5 | — | — | 1 | 6 |
| | 女 F. | 297 | 1 | — | — | 1 | — | — | — |
| B35 | 腸閉塞およびヘルニア | 2 879 | 49 | 3 | 10 | 19 | 2 | 15 | 49 |
| | 男 M. | 1 537 | 42 | 3 | 10 | 14 | 2 | 13 | 46 |
| | 女 F. | 1 342 | 7 | — | — | 5 | — | 2 | 3 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) | 9 173 | 62 | 3 | 2 | 20 | 1 | 36 | 32 |
| | 男 M. | 3 567 | 51 | 3 | 1 | 17 | 1 | 29 | 30 |
| | 女 F. | 5 606 | 11 | 1 | — | 3 | — | 7 | 2 |
| B36.a | 胃炎および十二指腸炎 | 2 698 | 16 | 1 | — | 5 | 1 | 9 | 10 |
| | 男 M. | 1 077 | 13 | 1 | — | 5 | 1 | 6 | 10 |
| | 女 F. | 1 621 | 3 | — | — | — | — | 3 | — |
| B36.b | 胃腸炎、腸炎および大腸炎 | 6 475 | 46 | 2 | 2 | 15 | — | 27 | 22 |
| | 男 M. | 2 490 | 38 | 2 | 1 | 12 | — | 23 | 20 |
| | 女 F. | 3 985 | 8 | — | 1 | 3 | — | 4 | 2 |
| B37 | 肝硬変 | 10 021 | 189 | 32 | 34 | 44 | 6 | 73 | 231 |
| | 男 M. | 6 719 | 173 | 32 | 32 | 39 | 4 | 66 | 226 |
| | 女 F. | 3 302 | 16 | — | 2 | 5 | 2 | 7 | 5 |
| B38 | 腎炎およびネフローゼ | 9 990 | 204 | 42 | 42 | 51 | 11 | 58 | 110 |
| | 男 M. | 5 148 | 169 | 42 | 33 | 37 | 8 | 49 | 106 |
| | 女 F. | 4 842 | 35 | — | 9 | 14 | 3 | 9 | 4 |
| B38.a | 急性腎炎およびネフローゼ | 2 104 | 26 | 2 | 7 | 8 | 2 | 7 | 13 |
| | 男 M. | 1 090 | 20 | 2 | 4 | 7 | 1 | 5 | 13 |
| | 女 F. | 1 014 | 6 | — | 3 | 1 | — | 2 | — |
| B38.b | その他 | 7 886 | 178 | 40 | 35 | 43 | 9 | 51 | 97 |
| | 男 M. | 4 058 | 149 | 40 | 29 | 30 | 6 | 44 | 93 |
| | 女 F. | 3 828 | 29 | — | 6 | 13 | 3 | 7 | 4 |
| B39 | 前立腺肥大症 | 635 | 18 | — | 1 | 5 | — | 12 | 19 |
| | 男 M. | 635 | 18 | — | 1 | 5 | — | 12 | 19 |
| | 女 F. | • | • | • | • | • | • | • | • |
| B40 | 妊娠、分娩および産褥の合併症 | 1 266 | 24 | 1 | 10 | 8 | — | 5 | — |
| | 男 M. | 1 266 | 24 | 1 | 10 | 8 | — | 5 | — |
| | 女 F. | • | • | • | • | • | • | • | • |
| B41 | 先天奇形 | 611 | 21 | 4 | 9 | 5 | — | 3 | 10 |
| | 男 M. | 292 | 15 | 4 | 7 | 3 | — | • | 10 |
| | 女 F. | 319 | 6 | — | 2 | 2 | — | 2 | 10 |
| B42 | 出生時の損傷、分娩後窒息および肺不全拡張 | • | • | • | • | • | • | • | • |
| | 男 M. | • | • | • | • | • | • | • | • |
| | 女 F. | • | • | • | • | • | • | • | • |
| B43 | 新生児の感染 | • | • | • | • | • | • | • | • |
| | 男 M. | • | • | • | • | • | • | • | • |
| | 女 F. | • | • | • | • | • | • | • | • |
| B43.a | 新生児肺炎 | • | • | • | • | • | • | • | • |
| | 男 M. | • | • | • | • | • | • | • | • |
| | 女 F. | • | • | • | • | • | • | • | • |
| B43.b | 新生児下痢 | • | • | • | • | • | • | • | • |
| | 男 M. | • | • | • | • | • | • | • | • |
| | 女 F. | • | • | • | • | • | • | • | • |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 事務従事者 Clerical and related workers | 販売従事者 Sales workers | | | 農林、漁業従事者 Farmers, lumbermen and fishermen | | | 探鉱・採石従事者 Workers in mining and quarrying occupations | 国際簡単分類番号 International abbreviated list number | | |
|---------------------------------------|------------------------|-------------------------------------|---|--|---|---|---|---|--|-------|
| | 総数 Total | 一般事務従事者 General clerical workers | その他の事務従事者 Other clerical and related workers | 総数 Total | 商品販売従事者 Sales workers of commodities | その他の販売および類似職業従事者 Other sales and related workers | 総数 Total | 農林業従事者 Farmers and lumbermen | 漁業従事者 Fishermen and kindred workers | |
| 41 | 41 | — | — | 24 | 22 | 2 | 135 | 129 | 6 | B34 |
| 31 | 31 | — | — | 19 | 17 | 2 | 85 | 79 | 6 | — |
| 10 | 10 | — | — | 5 | 5 | — | 50 | 50 | — | — |
| 90 | 81 | 9 | 9 | 99 | 86 | 13 | 570 | 554 | 16 | B35 |
| 75 | 66 | — | — | 77 | 64 | 13 | 400 | 384 | 16 | 8 |
| 15 | 15 | — | — | 22 | 22 | — | 170 | 170 | — | — |
| 43 | 40 | 3 | 3 | 129 | 122 | 7 | 1 494 | 1 470 | 24 | B36 |
| 38 | 35 | — | — | 95 | 92 | 3 | 900 | 877 | 23 | 2 |
| 5 | 5 | — | — | 34 | 30 | 4 | 594 | 593 | 1 | — |
| 13 | 13 | — | — | 40 | 38 | 2 | 446 | 435 | 11 | B36.a |
| 10 | 10 | — | — | 33 | 31 | 2 | 283 | 272 | 11 | — |
| 3 | 3 | — | — | 7 | 7 | — | 163 | 163 | — | — |
| 30 | 27 | 3 | 3 | 89 | 84 | 5 | 1 048 | 1 035 | 13 | B36.b |
| 28 | 25 | — | — | 62 | 61 | 1 | 617 | 605 | 12 | — |
| 2 | 2 | — | — | 27 | 23 | 4 | 431 | 430 | 1 | — |
| 367 | 337 | 30 | 30 | 664 | 582 | 82 | 1 866 | 1 783 | 83 | B37 |
| 349 | 320 | 29 | 29 | 603 | 528 | 75 | 1 389 | 1 306 | 83 | 28 |
| 18 | 17 | 1 | 1 | 61 | 54 | 7 | 477 | 477 | — | — |
| 449 | 434 | 15 | 15 | 458 | 421 | 37 | 1 782 | 1 738 | 44 | B38 |
| 356 | 341 | — | — | 355 | 325 | 30 | 1 165 | 1 123 | 42 | 13 |
| 93 | 93 | — | — | 103 | 96 | 7 | 617 | 615 | 2 | — |
| 71 | 67 | 4 | 4 | 94 | 87 | 7 | 381 | 372 | 9 | B38.a |
| 51 | 47 | — | — | 73 | 66 | 7 | 256 | 247 | 9 | — |
| 20 | 20 | — | — | 21 | 21 | — | 125 | 125 | — | — |
| 378 | 367 | 11 | 11 | 364 | 334 | 30 | 1 401 | 1 366 | 35 | B38.b |
| 305 | 294 | — | — | 282 | 259 | 23 | 909 | 876 | 33 | — |
| 73 | 73 | — | — | 82 | 75 | 7 | 492 | 490 | 2 | — |
| 10 | 10 | — | — | 23 | 21 | 2 | 129 | 125 | 4 | B39 |
| — | — | — | — | • | • | • | • | • | 4 | — |
| 49 | 46 | 3 | 3 | 30 | 29 | 1 | 183 | 181 | 2 | B40 |
| — | — | — | — | • | • | 1 | 183 | 181 | 2 | — |
| 50 | 48 | 2 | 2 | | | | | | | |

第60表 15才以上死亡者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

性・死因(簡単分類)・職業(中分類)別

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 専門的・技術的職業従事者 Professional and technical workers | | | | | | 管理的職業従事者 Managers and officials | 事務従事者 Clerical and related workers | | | 販売従事者 Sales workers | | | 農林、漁業従事者 Farmers, lumbermen and fishermen | | | 探鉱・探石従事者 Workers in mining and quarrying occupations | 国際簡単分類番号 International abbreviated list number | |
|---|--------------------------------|--------------|--|----------------------------------|-------------------------------|--|--|--|------------------------------------|---------------------------------------|-------------------------------------|---|------------------------|---|---|--|---------------------------------|--|---|---|--------|
| | | | 総数 Total | 技術者 Technicians and engineers | 教員 Professors and teachers | 医療保健技術者 Medical and public health technicians | 芸術家、芸能家 Artists and public entertainers | その他の専門的職業従事者 Other professional workers | | 総数 Total | 一般事務従事者 General clerical workers | その他の事務従事者 Other clerical and related workers | 総数 Total | 商品販売従事者 Sales workers of commodities | その他の販売および類似職業従事者 Other sales and related workers | 総数 Total | 農林業従事者 Farmers and lumbermen | 漁業従事者 Fishermen and kindred workers | | | |
| B43.c | その他の新生児の感染……… | 男 M. 女 F. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | B43.c | | |
| B44 | その他の新生児固有の疾患および性質不明の未熟兒 | 男 M. 女 F. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | B44 | | |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 | 男 M. 女 F. | 55 840 22 269 33 571 | 364 306 58 | 34 34 — | 52 49 3 | 94 76 18 | 6 5 1 | 178 142 36 | 209 202 7 | 420 384 36 | 391 357 34 | 29 27 2 | 755 632 123 | 679 566 113 | 76 66 10 | 6 950 4 554 2 396 | 6 790 4 402 2 388 | 160 152 8 | 33 32 1 | B45 |
| B45.a | 精神病の記載のない老衰……… | 男 M. 女 F. | 44 209 15 531 28 678 | 163 128 35 | 1 1 — | 5 3 2 | 51 45 6 | 3 3 — | 103 76 27 | 72 67 5 | 30 30 — | 26 26 — | 4 4 — | 275 215 60 | 245 187 58 | 30 28 2 | 4 485 2 805 1 680 | 4 428 2 752 1 676 | 57 53 4 | 4 4 — | B45.a |
| B45.b | その他の診断名不明確および不明の原因……… | 男 M. 女 F. | 11 631 6 738 4 893 | 201 178 23 | 33 33 — | 47 46 1 | 43 31 12 | 3 2 1 | 75 66 9 | 137 135 2 | 390 354 36 | 365 331 34 | 25 23 2 | 480 417 63 | 434 379 55 | 46 38 8 | 2 465 1 749 716 | 2 362 1 650 712 | 103 99 4 | 29 28 1 | B45.b |
| B46 | その他のすべての疾患……… | 男 M. 女 F. | 48 035 24 560 23 475 | 748 614 134 | 84 84 — | 171 134 37 | 224 163 61 | 21 17 4 | 248 216 32 | 558 537 21 | 986 796 190 | 945 760 185 | 41 36 5 | 1 496 1 076 299 | 1 350 1 076 274 | 146 121 25 | 8 335 5 577 2 758 | 8 120 5 374 2 746 | 215 203 12 | 66 63 3 | B46 |
| B46.a | その他の循環器系の疾患(先天性を除く) | 男 M. 女 F. | 5 349 2 692 2 657 | 68 67 1 | 8 8 — | 7 7 — | 17 17 — | 3 3 — | 33 32 1 | 63 59 4 | 60 52 8 | 60 52 8 | — — — | 132 108 24 | 116 94 22 | 16 14 2 | 792 561 231 | 774 543 231 | 18 18 — | 3 3 — | B46.a |
| B46.b | その他のすべての疾患……… | 男 M. 女 F. | 42 686 21 868 20 818 | 680 547 133 | 76 76 — | 164 127 37 | 207 146 61 | 18 14 4 | 215 184 31 | 495 478 17 | 926 744 182 | 885 708 177 | 41 36 5 | 1 364 1 089 275 | 1 234 982 252 | 130 107 23 | 7 543 5 016 2 527 | 7 346 4 831 2 515 | 197 185 12 | 63 60 3 | B46.b |
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) | 男 M. 女 F. | 50 992 36 670 14 322 | 1 197 955 242 | 328 324 4 | 315 264 51 | 287 142 145 | 46 40 6 | 221 185 36 | 648 627 21 | 2 685 2 028 514 | 2 525 2 028 497 | 160 143 17 | 2 794 2 305 489 | 2 518 2 073 445 | 276 232 44 | 9 857 7 555 2 302 | 9 172 6 882 2 290 | 685 673 12 | 734 727 7 | "E" |
| BE47 | 自動車事故……… | 男 M. 女 F. | 15 904 13 040 2 864 | 469 419 50 | 155 154 1 | 150 137 13 | 61 40 21 | 13 12 1 | 90 76 14 | 255 243 12 | 1 128 978 150 | 1 047 903 144 | 81 75 6 | 1 354 1 198 156 | 1 224 1 089 135 | 130 109 21 | 2 848 2 388 460 | 2 757 2 297 460 | 91 91 — | 87 85 2 | BE47 |
| BE48 | その他の不慮の事故……… | 男 M. 女 F. | 19 047 14 502 4 545 | 371 315 56 | 113 113 — | 77 67 10 | 84 53 31 | 22 19 3 | 75 63 12 | 228 222 6 | 751 650 101 | 706 608 98 | 45 42 3 | 657 539 118 | 579 473 106 | 78 66 12 | 3 972 3 298 674 | 3 471 2 805 666 | 501 493 8 | 592 588 4 | BE48 |
| BE48.a | 自動車以外の交通事故……… | 男 M. 女 F. | 2 963 2 399 564 | 75 65 10 | 18 18 2 | 17 15 6 | 17 11 — | 5 5 — | 18 16 2 | 93 88 5 | 187 165 22 | 173 153 20 | 14 12 2 | 120 90 30 | 105 80 25 | 15 10 5 | 729 651 78 | 421 346 75 | 308 305 3 | 15 15 — | BE48.a |
| BE48.b | 不慮の墜落……… | 男 M. 女 F. | 4 367 3 179 1 188 | 77 66 11 | 27 27 1 | 15 14 — | 13 7 6 | 5 5 — | 17 13 4 | 48 48 — | 126 114 12 | 118 107 11 | 8 7 1 | 149 130 19 | 133 115 18 | 16 15 1 | 894 751 143 | 857 714 143 | 37 37 — | 56 56 — | BE48.b |
| BE48.c | 不慮の溺死および溺水……… | 男 M. 女 F. | 3 100 2 310 790 | 61 56 5 | 25 25 — | 13 11 2 | 9 6 3 | 3 3 — | 11 11 — | 13 13 — | 151 140 11 | 143 132 11 | 8 8 — | 141 127 14 | 123 112 11 | 18 15 3 | 588 457 131 | 488 361 127 | 100 96 4 | 21 21 — | BE48.c |
| BE48.d | 天災……… | 男 M. 女 F. | 252 106 146 | 2 2 — | — 2 — | 2 — — | — — — | — — — | 1 1 — | 18 8 10 | 18 8 10 | — — — | 5 4 1 | 3 2 1 | 2 2 1 | 79 49 30 | 73 43 30 | 6 6 — | 3 3 — | BE48.d | |
| BE48.e | その他……… | 男 M. 女 F. | 8 365 6 508 1 857 | 156 126 30 | 43 43 — | 30 25 5 | 45 29 16 | 9 6 3 | 29 23 6 | 73 72 1 | 269 223 46 | 254 208 46 | 15 15 — | 242 188 54 | 215 164 51 | 27 24 3 | 1 682 1 390 292 | 1 632 1 341 291 | 50 49 1 | 497 493 4 | BE48.e |

60 表 (21-7)

第60表 15才以上死亡者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 总数 Total | 専門的・技術的職業従事者 Professional and technical workers | | | | | | 管理的職業従事者 Managers and officials |
|---|--------------------------------|------------------|--|----------------------------------|-------------------------------|--|---|--|------------------------------------|
| | | | 总数 Total | 技術者 Technicians and engineers | 教員 Professors and teachers | 医療保健技術者 Medical and public health technicians | 芸術家芸能家 Artists and public entertainers | その他の専門的職業従事者 Other professional workers | |
| BE49 | 自殺および自傷 | 15 002 | 336 | 55 | 84 | 136 | 10 | 51 | 147 |
| | 男 M. 女 F. | 8 413 6 589 | 208 128 | 52 3 | 58 26 | 47 89 | 8 2 | 43 8 | 145 2 |
| BE50 | 他殺および戦争行為 | 1 039 | 21 | 5 | 4 | 6 | 1 | 5 | 18 |
| | 男 M. 女 F. | 715 324 | 13 8 | 2 — | 2 4 | 2 — | 1 — | 3 2 | 17 1 |
| BE50.a | 他殺 | 1 018 | 19 | 4 | 3 | 6 | 1 | 5 | 18 |
| | 男 M. 女 F. | 695 323 | 11 8 | 4 — | 1 2 | 2 4 | 1 — | 3 2 | 17 1 |
| BE50.b | 処刑および戦争行為 | 21 | 2 | 1 | 1 | — | — | — | — |
| | 男 M. 女 F. | 20 1 | 2 | 1 | 1 | — | — | — | — |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) | 50 992 | 1 197 | 328 | 315 | 287 | 46 | 221 | 648 |
| | 男 M. 女 F. | 36 670 14 322 | 955 242 | 324 4 | 264 51 | 142 145 | 40 6 | 185 36 | 627 21 |
| BN47 | 骨折、頭部損傷および内部損傷 | 26 011 | 642 | 207 | 182 | 95 | 28 | 130 | 426 |
| | 男 M. 女 F. | 20 922 5 089 | 565 77 | 206 1 | 163 19 | 60 35 | 26 2 | 110 20 | 409 17 |
| BN47.a | 頭蓋骨折 | 12 332 | 332 | 116 | 98 | 48 | 13 | 57 | 190 |
| | 男 M. 女 F. | 10 319 2 013 | 295 37 | 116 — | 87 11 | 28 20 | 12 1 | 52 5 | 182 8 |
| BN47.b | その他の骨の骨折 | 3 406 | 58 | 19 | 11 | 10 | 2 | 16 | 49 |
| | 男 M. 女 F. | 2 303 1 103 | 44 14 | 19 — | 10 1 | 6 4 | 2 — | 7 9 | 47 2 |
| BN47.c | 頭部の損傷(骨折を除く) | 6 218 | 159 | 41 | 47 | 25 | 8 | 38 | 92 |
| | 男 M. 女 F. | 4 836 1 382 | 141 18 | 41 — | 42 5 | 17 8 | 7 1 | 34 4 | 87 5 |
| BN47.d | 胸、腹、骨盤腔の内部損傷 | 4 055 | 93 | 31 | 26 | 12 | 5 | 19 | 95 |
| | 男 M. 女 F. | 3 464 591 | 85 8 | 30 1 | 24 2 | 9 3 | 2 — | 17 2 | 93 2 |
| BN48 | 熱傷 | 1 725 | 34 | 4 | 9 | 5 | 4 | 12 | 15 |
| | 男 M. 女 F. | 1 005 720 | 24 10 | 4 — | 5 4 | 3 2 | 2 2 | 10 2 | 14 1 |
| BN49 | 毒物の作用 | 5 749 | 211 | 24 | 40 | 112 | 7 | 28 | 60 |
| | 男 M. 女 F. | 3 019 2 730 | 111 100 | 23 1 | 25 15 | 37 75 | 5 2 | 21 7 | 59 1 |
| BN50 | その他の損傷 | 17 507 | 310 | 93 | 84 | 75 | 7 | 51 | 147 |
| | 男 M. 女 F. | 11 724 5 783 | 255 55 | 91 2 | 71 13 | 42 33 | 7 — | 44 7 | 145 2 |
| BN50.a | 裂傷および開放創 | 1 341 | 29 | 10 | 7 | 5 | — | 7 | 12 |
| | 男 M. 女 F. | 982 359 | 23 6 | 9 1 | 6 1 | 3 — | — — | 6 1 | 11 1 |
| BN50.b | 溺死および死にいたらない溺水 | 5 749 | 104 | 38 | 25 | 24 | 4 | 13 | 31 |
| | 男 M. 女 F. | 3 632 2 117 | 80 24 | 37 1 | 19 6 | 8 16 | 4 — | 12 1 | 31 — |
| BN50.c | 窒息および絞首 | 7 391 | 125 | 25 | 39 | 33 | 1 | 27 | 78 |
| | 男 M. 女 F. | 4 663 2 728 | 103 22 | 25 — | 33 6 | 22 11 | 1 — | 22 5 | 77 1 |
| BN50.d | その他 | 3 026 | 52 | 20 | 13 | 13 | 2 | 4 | 26 |
| | 男 M. 女 F. | 2 447 579 | 49 3 | 20 — | 13 — | 10 3 | 2 — | 4 — | 26 — |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 事務従事者 Clerical and related workers | 販売従事者 Sales workers | | | 農林漁業従事者 Farmers, lumbermen and fishermen | | | 採鉱・採石従事者 Workers in mining and quarrying occupations | 国際簡単分類番号 International abbreviated list number | |
|---------------------------------------|------------------------|-------------------------------------|---|---|---|---|---|---|--|
| | 总数 Total | 一般事務従事者 General clerical workers | その他の事務従事者 Other clerical and related workers | 总数 Total | 商品販売従事者 Sales workers of commodities | その他の販売および類似職業従事者 Other sales and related workers | 总数 Total | 農林業従事者 Farmers and lumbermen | 漁業従事者 Fishermen and kindred workers |
| 770 | 737 | 33 | 246 | 710 | 647 | 63 | 2 906 | 2 840 | 44 |
| 524 | 499 | 25 | 238 | 519 | 466 | 53 | 1 763 | 1 701 | 43 |
| 246 | 238 | 8 | | 191 | 181 | 10 | 1 143 | 1 139 | 1 |
| 36 | 35 | 1 | 17 | 73 | 68 | 5 | 131 | 104 | 27 |
| 19 | 18 | 1 | — | 49 | 45 | 4 | 106 | 79 | 27 |
| 17 | 17 | — | | 24 | 23 | 1 | 25 | 25 | — |
| 36 | 35 | 1 | 17 | 73 | 68 | 5 | 127 | 100 | 27 |
| 19 | 18 | 1 | — | 49 | 45 | 4 | 102 | 75 | 27 |
| 17 | 17 | — | | 24 | 23 | 1 | 25 | 25 | — |
| — | — | — | | — | — | — | 4 | 4 | — |
| — | — | — | | — | — | — | 4 | 4 | — |
| — | — | — | | — | — | — | — | — | — |
| 2 685 | 2 525 | 160 | 514 | 2 794 | 2 518 | 276 | 9 857 | 9 172 | 685 |
| 2 171 | 2 028 | 143 | 497 | 2 305 | 2 073 | 232 | 7 555 | 6 882 | 673 |
| 514 | 497 | 17 | | 489 | 445 | 44 | 2 302 | 2 290 | 12 |
| 1 534 | 1 430 | 104 | 202 | 1 700 | 1 531 | 169 | 4 721 | 4 509 | 212 |
| 1 332 | 1 237 | 95 | 193 | 1 486 | 1 346 | 140 | 3 999 | 3 787 | 494 |
| 202 | 193 | 9 | | 214 | 185 | 29 | 722 | 722 | 5 |
| 808 | 753 | 55 | 110 | 835 | 756 | 79 | 2 249 | 2 157 | 92 |
| 698 | 650 | 48 | 103 | 741 | 672 | 69 | 1 935 | 1 843 | 250 |
| 110 | 103 | 7 | | 94 | 84 | 10 | 314 | 314 | 3 |
| 132 | 126 | 6 | 17 | 177 | 164 | 13 | 619 | 595 | 24 |
| 115 | 109 | 6 | 17 | 151 | 141 | 10 | 507 | 483 | 24 |
| 17 | 17 | — | | 26 | 23 | 3 | 112 | 112 | — |
| 347 | 317 | 30 | 45 | 433 | 388 | 45 | 1 202 | 1 149 | 53 |
| 302 | 274 | 28 | 63 | 370 | 335 | 35 | 1 003 | 950 | 52 |
| 45 | 43 | 2 | | 63 | 53 | 10 | 199 | 199 | 1 |
| 247 | 234 | 13 | 30 | 255 | 223 | 32 | 651 | 608 | 43 |
| 217 | 204 | 13 | 30 | 224 | 198 | 26 | 554 | 511 | 43 |
| 30 | 30 | — | | 31 | 25 | 6 | 97 | 97 | — |
| 41 | 41 | — | | 41 | 34 | 17 | 110 | 110 | 121 |
| 34 | 34 | — | | 34 | 34 | 15 | 293 | 280 | 120 |
| 7 | 7 | — | | 7 | 5 | 2 | 183 | 170 | 1 |
| 41 | 41 | — | | 41 | 36 | 5 | 280 | 280 | 9 |
| 7 | 7 | — | | 7 | 5 | 2 | 13 | 13 | 9 |
| 184 | 179 | 5 | | 184 | 179 | 7 | 385 | | |

60 表 (21-8)

第60表 15才以上死者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 運輸・通信従事者 Workers in transport and communicating occupations | | | | | | |
|---|--------------------------------|--|---|---|--|--------------------------------|-------------|-------------------------------------|
| | | 総数 Total | 陸上運輸機関運転従事者 Workers operating land transport | 水上運輸機関運転従事者 Workers operating marine transport | その他の運輸従事者 Other workers operating transport | 通信従事者 Communication workers | 総数 Total | 金属材料製造従事者 Metal material workers |
| | | | | | | | | |
| | 総数..... | 5 024 | 3 474 | 273 | 848 | 429 | 47 473 | 1 581 |
| | 男 M. | 4 854 | 3 458 | 270 | 807 | 319 | 43 372 | 1 536 |
| | 女 F. | 170 | 16 | 3 | 41 | 110 | 4 101 | 45 |
| B1 | 呼吸器系の結核..... | 94 | 62 | 5 | 15 | 12 | 1 495 | 44 |
| | 男 M. | 89 | 61 | 5 | 15 | 8 | 1 411 | 43 |
| | 女 F. | 5 | 1 | — | — | 4 | 84 | 1 |
| B2 | その他の結核..... | 11 | 9 | 1 | 1 | — | 107 | 4 |
| | 男 M. | 11 | 9 | 1 | 1 | — | 82 | 4 |
| | 女 F. | — | — | — | — | — | 25 | — |
| B3 | 梅毒およびその続発症..... | 12 | 8 | 2 | 2 | — | 137 | 6 |
| | 男 M. | 12 | 8 | 2 | 2 | — | 134 | 6 |
| | 女 F. | — | — | — | — | — | 3 | — |
| B4 | 脳チフス..... | — | — | — | — | — | 2 | — |
| | 男 M. | — | — | — | — | — | 2 | — |
| | 女 F. | — | — | — | — | — | — | — |
| B5 | コレラ..... | — | — | — | — | — | — | — |
| | 男 M. | — | — | — | — | — | — | — |
| | 女 F. | — | — | — | — | — | — | — |
| B6 | 赤痢..... | 1 | — | 1 | — | — | 5 | — |
| | 男 M. | 1 | — | 1 | — | — | 5 | — |
| | 女 F. | — | — | — | — | — | — | — |
| B6.a | 細菌性赤痢(疫病症状を呈するもの)..... | — | — | — | — | — | — | — |
| | 男 M. | — | — | — | — | — | — | — |
| | 女 F. | — | — | — | — | — | — | — |
| B6.b | 細菌性赤痢(その他)..... | 1 | — | 1 | — | — | 5 | — |
| | 男 M. | 1 | — | 1 | — | — | 5 | — |
| | 女 F. | — | — | — | — | — | — | — |
| B6.c | アメーバ症..... | — | — | — | — | — | — | — |
| | 男 M. | — | — | — | — | — | — | — |
| | 女 F. | — | — | — | — | — | — | — |
| B6.d | その他の原虫性および詳細不明の赤痢..... | — | — | — | — | — | — | — |
| | 男 M. | — | — | — | — | — | — | — |
| | 女 F. | — | — | — | — | — | — | — |
| B7 | 猩紅熱およびレンサ球菌性口炎炎..... | — | — | — | — | — | 2 | — |
| | 男 M. | — | — | — | — | — | 2 | — |
| | 女 F. | — | — | — | — | — | 2 | — |
| B7.a | 猩紅熱..... | — | — | — | — | — | 2 | — |
| | 男 M. | — | — | — | — | — | 2 | — |
| | 女 F. | — | — | — | — | — | 2 | — |
| B7.b | レンサ球菌性口炎炎..... | — | — | — | — | — | — | — |
| | 男 M. | — | — | — | — | — | — | — |
| | 女 F. | — | — | — | — | — | — | — |
| B8 | ジフテリア..... | — | — | — | — | — | 1 | — |
| | 男 M. | — | — | — | — | — | 1 | — |
| | 女 F. | — | — | — | — | — | — | — |
| B9 | 百日咳..... | — | — | — | — | — | — | — |
| | 男 M. | — | — | — | — | — | — | — |
| | 女 F. | — | — | — | — | — | — | — |

性・死因(簡単分類)・職業(中分類)別

昭和41年
1966

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

| 国際簡単分類番号 International abbreviated list number | 技能工生産工程従事者および単純労働者 Craftsmen, production process workers and laborers | | | | | | | | | 国際簡単分類番号 International abbreviated list number | |
|---|--|---|--|---|--|---|--|--|--|---|--|
| | | 金属加工および機械組立・修理従事者 Metal processing, machine repairing and assembling workers | 電気機械器具組立・修理従事者 Electric and electronic machine repairing and assembling workers | 輸送機械組立・修理従事者 Transportation equipment repairing and assembling workers | 計器・光学機械器具組立・修理従事者 Meter and optical instrument repairing and assembling workers | 織糸・紡織従事者 Silk reel and textile workers | 織物製造従事者 Garment and related fabrics workers | 木・竹・草・つる製品従事者 Wood, bamboo, grass and vine products workers | ペルプ・紙・紙製品従事者 Pulp, paper and paper products workers | | |
| | | | | | | | | | | | |
| | | 5 685 | 705 | 1 400 | 318 | 2 208 | 1 488 | 3 604 | 547 | 922 | |
| | | 5 446 | 567 | 1 377 | 274 | 1 522 | 1 106 | 3 441 | 474 | 854 | |
| | | 239 | 138 | 23 | 44 | 686 | 382 | 163 | 73 | 68 | |
| B1 | | 186 | 22 | 26 | 9 | 79 | 76 | 96 | 16 | 64 | |
| | | 181 | 21 | 26 | 9 | 62 | 64 | 90 | 16 | 61 | |
| | | 5 | 1 | — | — | 17 | 12 | 6 | — | 3 | |
| B2 | | 13 | 2 | 6 | 3 | 9 | 6 | 5 | 2 | 2 | |
| | | 12 | 1 | 6 | 2 | 1 | 5 | 5 | 1 | 1 | |
| | | 1 | — | — | — | — | — | — | — | — | |
| B3 | | 15 | — | — | — | — | 5 | 4 | — | 6 | |
| | | 15 | — | — | — | — | 5 | 11 | — | 6 | |
| | | — | — | — | — | — | — | — | — | — | |
| B4 | | — | — | — | — | — | — | — | — | — | |
| | | — | — | — | — | — | — | — | — | — | |
| B5 | | — | — | — | — | — | — | — | — | — | |
| | | — | — | — | — | — | — | — | — | — | |
| B6 | | 1 | — | — | — | — | — | — | — | — | |
| | | 1 | — | — | — | — | — | — | — | — | |
| B6.a | | — | — | — | — | — | — | — | — | — | |
| | | — | — | — | — | — | — | — | — | — | |
| B6.b | | 1 | — | — | — | — | — | — | — | — | |
| | | 1 | — | — | — | — | — | — | — | — | |
| B6.c | | — | — | — | — | — | — | — | — | — | |
| | | — | — | — | — | — | — | — | — | — | |
| B6.d | | — | — | — | — | — | — | — | — | — | |
| B7 | | — | — | — | — | — | — | — | — | — | |
| | | — | — | — | — | — | — | — | — | — | |
| B7.a | | — | — | — | — | — | — | — | — | — | |
| | | — | — | — | — | — | — | — | — | — | |
| B7.b | | — | — | — | — | — | — | — | — | — | |
| | | — | — | — | — | — | — | — | — | — | |
| B8 | | — | — | — | — | — | — | — | — | — | |
| | | — | — | — | — | — | — | — | — | — | |
| B9 | | — | — | — | — | — | — | — | — | — | |

第60表 15才以上死亡者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 運輸・通信従事者 Workers in transport and communicating occupations | | | | | 総数 Total | 金属材料従事者 Metal material workers | |
|---|--------------------------------|--|---|--|--------------------------------|-----------------------|--------------------|-----------------------------------|------------------|
| | | 陸上運輸機関運転従事者 Workers operating land transport | 水上運輸機関運転従事者 Workers operating marine transport | その他の運輸従事者 Other workers operating transport | 通信従事者 Communication workers | | | | |
| B10 | 結膜炎感染 | 1 男 M. 女 F. | 1 — | — — | — — | — — | 4 4 — | 1 1 — | |
| B11 | ベスト | — 男 M. 女 F. | — — | — — | — — | — — | — — — | — — — | |
| B12 | 急性灰白髄炎 | 1 男 M. 女 F. | 1 — | — — | 1 — | — — | 1 1 — | — — — | |
| B13 | 痘瘡 | — 男 M. 女 F. | — — | — — | — — | — — | — — — | — — — | |
| B14 | 麻疹 | — 男 M. 女 F. | — — | — — | — — | — — | — — — | — — — | |
| B15 | 発疹チフスおよびその他のリケチア病 | — 男 M. 女 F. | — — | — — | — — | — — | — — — | — — — | |
| B15.a | シラミ媒介の流行性発疹チフス | — 男 M. 女 F. | — — | — — | — — | — — | — — — | — — — | |
| B15.b | 恙虫病およびその他のコダニ媒介の発疹チフス様疾患 | — 男 M. 女 F. | — — | — — | — — | — — | — — — | — — — | |
| B15.c | その他 | — 男 M. 女 F. | — — | — — | — — | — — | — — — | — — — | |
| B16 | マラリア | — 男 M. 女 F. | — — | — — | — — | — — | — — — | — — — | |
| B17 | 伝染性および寄生性として分類されたその他の疾患 | 34 31 3 — | 23 22 1 — | 1 1 — — | 5 5 3 — | 292 250 42 — | 16 15 1 — | 28 5 3 — | 6 5 1 — |
| B17.a | バラチフス | — 男 M. 女 F. | — — | — — | — — | — — | — — — | — — — | — — — |
| B17.b | 瘧 | — 男 M. 女 F. | — — | — — | — — | — — | — — — | — — — | — — — |
| B17.c | 破傷風 | 10 9 1 — | 9 8 1 — | — — — — | 1 1 — — | 31 28 3 — | — — — — | 5 — — — | — — — — |
| B17.d | 炭疽 | — 男 M. 女 F. | — — | — — | — — | — — | — — — | — — — | — — — |
| B17.e | 回帰熱 | — 男 M. 女 F. | — — | — — | — — | — — | — — — | — — — | — — — |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 技能工生産工程従事者および単純労働者 Craftsmen, production process workers and laborers | | | | | | | | | 国際簡単分類番号 International abbreviated list number |
|---|--|---|--|--|--|--|--|--|---|
| 金属加工および機械組立・修理従事者 Metal processing, machine repairing and assembling workers | 電気機械器具組立・修理従事者 Electric and electronic machine repairing and assembling workers | 輸送機械組立・修理従事者 Transportation equipment repairing and assembling workers | 計器・光学機器器具組立・修理従事者 Meter and optical instrument repairing and assembling workers | 織糸・紡織従事者 Silk reel and textile workers | 縫物製品製造従事者 Garment and related textile fabrics workers | 木・竹・草・つる製品製造従事者 Wood, bamboo, grass and vine products workers | ペルブ・紙・紙製品従事者 Pulp, paper and paper products workers | 印刷・製本従事者 Printing and bookbinding workers | 国際簡単分類番号 International abbreviated list number |
| — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | B10 |
| — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | B11 |
| — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | B12 |
| — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | B13 |
| — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | B14 |
| — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | B15 |
| — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | B15.a |
| — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | B15.b |
| — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | B15.c |
| — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — — | B16 |
| — — — — — — — — — — | — — — — — — — — — — | — — — — — — — — — —</td | | | | | | | |

第60表 15才以上死者数

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 運輸・通信従事者 Workers in transport and communicating occupations | | | | | 金属材料製造従事者 Metal material workers | |
|---|---|--|---|---|--|--------------------------------|-------------------------------------|------------------|
| | | 総数 Total | 陸上運輸機関運転従事者 Workers operating land transport | 水上運輸機関運転従事者 Workers operating marine transport | その他の運輸従事者 Other workers operating transport | 通信従事者 Communication workers | 総数 Total | |
| B17.f | 日本脳炎..... 男 M. 女 F. | 14 12 2 | 7 7 — | — — — | 2 2 — | 5 3 2 | 139 119 20 | 13 12 1 |
| B17.g | 黄熱..... 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B17.h | 狂犬病..... 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B17.i | 伝染性下痢症..... 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B17.j | 日本住血吸虫症..... 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| B17.k | 糸状虫症..... 男 M. 女 F. | — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — |
| B17.l | その他の伝染性および寄生性として分類された疾患..... 男 M. 女 F. | 10 10 — | 7 7 — | 1 1 — | 2 2 — | — — — | 121 102 19 | 3 3 — |
| B18 | 悪性新生物(リンパ組織および造血組織の新生物を含む)..... 男 M. 女 F. | 797 754 43 | 462 456 6 | 58 57 1 | 161 159 2 | 116 82 34 | 9 452 8 313 1 139 | 344 329 15 |
| B18.a | 胃の悪性新生物..... 男 M. 女 F. | 337 320 17 | 197 195 2 | 23 23 — | 73 72 1 | 44 30 14 | 4 365 3 971 394 | 159 157 2 |
| B18.b | 気管、気管支および肺の悪性新生物..... 男 M. 女 F. | 57 57 — | 26 26 — | 10 10 — | 10 10 — | 11 11 — | 898 855 43 | 36 33 3 |
| B18.c | 乳房の悪性新生物..... 男 M. 女 F. | 6 6 | 3 3 | — — | — — | 3 3 | 53 30 | — — |
| B18.d | 子宮の悪性新生物..... 男 M. 女 F. | 6 6 | — — | — — | 1 1 | 5 5 | 190 190 | 5 5 |
| B18.e | 白血病および無白血病..... 男 M. 女 F. | 46 42 4 | 33 33 — | 1 1 — | 4 4 — | 8 4 4 | 318 258 60 | 12 11 1 |
| B18.f | その他..... 男 M. 女 F. | 345 335 10 | 203 202 1 | 24 23 1 | 73 73 — | 45 37 8 | 3 628 3 226 402 | 132 128 4 |
| B19 | 良性および性質不詳の新生物..... 男 M. 女 F. | 48 44 4 | 34 34 — | 2 2 — | 7 5 2 | 5 3 2 | 488 417 71 | 18 17 1 |
| B20 | 糖尿病..... 男 M. 女 F. | 26 25 1 | 10 10 — | 5 5 — | 8 8 — | 3 2 1 | 295 259 36 | 9 8 1 |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 技能工生産工程従事者および単純労働者 Craftsmen, production process workers and laborers | | | | | | | | | | | 国際簡単分類番号 International abbreviated list number | | | | | |
|---|--|---|--|---|--|--|--|--|---|----------------|---|-------------------|------------------|------------------|------------------|-------|
| 金属加工および機械組立・修理従事者 Metal processing, machine repairing and assembling workers | 電気機械器具組立・修理従事者 Electric and electronic machine repairing and assembling workers | 輸送機械組立・修理従事者 Transportation equipment repairing and assembling workers | 計器・光学機械器具組立・修理従事者 Metre and optical instrument repairing and assembling workers | 織糸・紡織従事者 Silk reel and textile workers | 織物製品製造従事者 Garment and related textile fabrics workers | 木・竹・草・つる製品製造従事者 Wood, bamboo, grass and vine products workers | パルプ・紙・紙製品製造従事者 Pulp, paper and paper products workers | 印刷・製本従事者 Printing and bookbinding workers | 国際簡単分類番号 International abbreviated list number | | | | | | | |
| 9 8 1 | 3 2 1 | 2 2 — | 1 1 — | 12 8 4 | 10 5 5 | 10 10 — | 2 2 — | 3 3 — | B17.f | | | | | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.g | | | | | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.h | | | | | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.i | | | | | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.j | | | | | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.k | | | | | | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.l | | | | | | | |
| 10 10 — | 7 7 — | 1 1 — | 2 2 — | — — — | 14 12 2 | 2 5 — | 9 4 5 | 3 1 2 | 11 11 — | 3 2 — | B18 | | | | | |
| 797 754 43 | 462 456 6 | 58 57 1 | 161 159 2 | 116 82 34 | 9 452 8 313 1 139 | 344 329 15 | 1 104 1 033 71 | 130 104 26 | 268 262 6 | 75 62 13 | 548 356 192 | 343 235 108 | 792 736 56 | 133 106 27 | 236 219 17 | B18 |
| 337 320 17 | 197 195 2 | 23 23 — | 73 72 1 | 44 30 14 | 4 365 3 971 394 | 159 157 2 | 501 468 33 | 60 47 13 | 120 116 4 | 26 21 5 | 222 165 57 | 144 111 33 | 391 369 22 | 60 53 7 | 111 104 7 | B18.a |
| 57 57 — | 26 26 — | 10 10 — | 10 10 — | 11 11 — | 898 855 43 | 36 33 3 | 103 102 1 | 8 8 — | 33 33 — | 6 6 — | 47 39 8 | 22 19 3 | 97 94 3 | 12 10 2 | 18 18 — | B18.b |
| 6 6 | 3 3 | — — | — — | 3 3 | 53 30 | — — | 2 — | — — | — — | 3 — | 13 13 | 5 5 | 3 — | 1 1 | — — | B18.c |
| 6 6 | — — | — — | — — | 1 1 | 5 5 | 190 190 | 9 9 | 1 1 | — — | — — | 30 30 | 20 20 | 11 11 | 3 3 | 5 5 | B18.d |
| 46 42 4 | 33 33 — | 1 1 — | 4 4 — | 8 4 4 | 318 258 60 | 12 11 1 | 50 45 5 | 11 7 4 | 18 18 — | 8 6 2 | 18 6 12 | 13 6 7 | 9 4 3 | 7 6 2 | 8 6 2 | B18.e |
| 345 335 10 | 203 202 1 | 24 23 1 | 73 73 — | 45 37 8 | 3 628 3 226 402 | 132 128 4 | 439 418 21 | 50 42 8 | 97 95 2 | 32 29 3 | 218 146 72 | 139 99 40 | 281 264 17 | 50 39 11 | 94 91 3 | B18.f |
| 48 44 4 | 34 34 — | 2 2 — | 7 5 2 | 5 3 2 | 488 417 71 | 18 17 1 | 64 60 4 | 8 3 5 | 16 16 1 | 2 1 1 | 35 19 16 | 14 10 4 | 50 49 1 | 5 5 — | 9 8 1 | B19 |
| 26 25 1 | 10 10 — | 5 5 — | 8 8 — | 3 2 1 | 295 259 36 | 9 8 1 | 34 34 — | 2 1 1 | 7 6 1 | 3 3 — | 21 15 6 | 10 10 — | 28 26 2 | — — — | 7 7 — | B20 |

60 表 (21-11)

第60表 15才以上死亡者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 運輸・通信・従事者 Workers in transport and communicating occupations | | | | | 総数 Total | 金属材料製造従事者 Metal material workers |
|---|--------------------------------|---|---|--|--------------------------------|-------------|-------------|-------------------------------------|
| | | 陸上運輸機関運転従事者 Workers operating land transport | 水上運輸機関運転従事者 Workers operating marine transport | その他の運輸従事者 Other workers operating transport | 通信従事者 Communication workers | 総数 Total | | |
| B21 | 貧血 | 8 | 5 | — | 1 | 2 | 105 | 5 |
| | 男 M. | 7 | 5 | — | 1 | 1 | 82 | 5 |
| | 女 F. | 1 | — | — | — | 1 | 23 | — |
| B22 | 中枢神経系の血管損傷 | 525 | 312 | 39 | 119 | 55 | 9 820 | 264 |
| | 男 M. | 515 | 311 | 39 | 116 | 49 | 9 127 | 258 |
| | 女 F. | 10 | 1 | — | 3 | 6 | 693 | 6 |
| B23 | 結膜炎(結膜炎菌性および結核性を除く) | 11 | 9 | — | 2 | — | 82 | 2 |
| | 男 M. | 11 | 9 | — | 2 | — | 66 | 2 |
| | 女 F. | — | — | — | — | — | 16 | — |
| B24 | リューマチ熱 | 5 | 5 | — | — | — | 36 | — |
| | 男 M. | 5 | 5 | — | — | — | 25 | — |
| | 女 F. | — | — | — | — | — | 11 | — |
| B25 | 慢性リューマチ性心臓疾患 | 24 | 12 | 2 | 7 | 3 | 219 | 4 |
| | 男 M. | 21 | 12 | 2 | 6 | 1 | 183 | 4 |
| | 女 F. | 3 | — | — | 1 | 2 | 36 | — |
| B26 | 動脈硬化性および変性性心臓疾患 | 241 | 152 | 17 | 48 | 24 | 3 247 | 102 |
| | 男 M. | 234 | 150 | 17 | 48 | 19 | 2 994 | 99 |
| | 女 F. | 7 | 2 | — | — | 5 | 253 | 3 |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 165 | 102 | 9 | 38 | 16 | 2 064 | 66 |
| | 男 M. | 161 | 100 | 9 | 38 | 14 | 1 940 | 65 |
| | 女 F. | 4 | 2 | — | — | 2 | 124 | 1 |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | 23 | 18 | 3 | 1 | 1 | 362 | 10 |
| | 男 M. | 23 | 18 | 3 | 1 | 1 | 302 | 9 |
| | 女 F. | — | — | — | — | — | 60 | 1 |
| B26.c | その他の心筋変性 | 53 | 32 | 5 | 9 | 7 | 821 | 26 |
| | 男 M. | 50 | 32 | 5 | 9 | 4 | 752 | 25 |
| | 女 F. | 3 | — | — | — | 3 | 69 | 1 |
| B27 | その他の心臓疾患 | 26 | 16 | — | 2 | 8 | 513 | 11 |
| | 男 M. | 24 | 16 | — | 2 | 6 | 458 | 11 |
| | 女 F. | 2 | — | — | — | 2 | 55 | — |
| B28 | 高血圧性心臓疾患 | 20 | 11 | 2 | 5 | 2 | 423 | 14 |
| | 男 M. | 20 | 11 | 2 | 5 | 2 | 400 | 14 |
| | 女 F. | — | — | — | — | — | 23 | — |
| B29 | その他の高血圧性疾患 | 23 | 16 | 1 | 4 | 2 | 342 | 15 |
| | 男 M. | 23 | 16 | 1 | 4 | 2 | 316 | 15 |
| | 女 F. | — | — | — | — | — | 26 | — |
| B30 | インフルエンザ | — | — | — | — | — | 10 | 1 |
| | 男 M. | — | — | — | — | — | 9 | — |
| | 女 F. | — | — | — | — | — | 1 | — |
| B31 | 肺炎(新生児肺炎を除く) | 37 | 23 | 2 | 10 | 2 | 641 | 24 |
| | 男 M. | 34 | 23 | 2 | 8 | 1 | 586 | 24 |
| | 女 F. | 3 | — | — | 2 | 1 | 55 | — |
| B32 | 気管支炎 | 4 | — | — | 3 | 1 | 98 | 4 |
| | 男 M. | 4 | — | — | 3 | 1 | 93 | 3 |
| | 女 F. | — | — | — | — | — | 5 | 1 |
| B33 | 胃および十二指腸の潰瘍 | 69 | 50 | 5 | 6 | 8 | 802 | 27 |
| | 男 M. | 69 | 50 | 5 | 6 | 8 | 775 | 27 |
| | 女 F. | — | — | — | — | — | 27 | — |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 技能工・生産工程従事者 Craftsmen, production process workers and laborers | 従事者および単純労働者 Craftsmen, production process workers and laborers | | | | | | | | | 国際簡単分類番号 International abbreviated list number |
|---|---|---|--|---|--|--|--|--|--|-----|---|
| | | 金属加工および機械組立修理工従事者 Metal processing, machine repairing and assembling workers | 電気機械器具組立・修理従事者 Electric and electronic machine repairing and assembling workers | 輸送機械組立・修理従事者 Transportation equipment repairing and assembling workers | 計器・光学機械器具組立・修理従事者 Meter and optical instrument repairing and assembling workers | 織物製造従事者 Silk reel and textile workers | 木・竹・草・つる製品製造従事者 Wood, bamboo, grass and vine products workers | パルプ・紙・紙製品製造従事者 Pulp, paper and paper products workers | 印刷・製本従事者 Printing and bookbinding workers | | |
| 7 | 3 | 3 | — | 2 | 13 | 4 | 12 | 2 | 4 | 3 | B21 |
| 5 | 3 | — | 1 | 1 | 7 | 3 | 10 | 2 | 2 | 1 | |
| 2 | — | — | 1 | 6 | 1 | 6 | 2 | — | — | — | |
| 988 | 91 | 209 | 52 | 457 | 308 | 865 | 104 | 155 | 155 | 150 | B22 |
| 951 | 77 | 201 | 51 | 364 | 262 | 837 | 97 | 150 | 150 | 5 | |
| 37 | 14 | 8 | 1 | 93 | 46 | 28 | 7 | — | — | — | |
| 14 | 6 | — | 1 | 8 | 5 | 5 | — | — | 1 | 1 | B23 |
| 12 | 4 | — | 1 | 3 | 2 | 2 | — | — | — | — | |
| 2 | — | — | — | 5 | 3 | — | — | — | — | — | |
| 6 | — | 1 | — | 2 | 1 | 8 | 7 | — | — | — | B24 |
| 4 | — | — | — | — | — | — | — | — | — | — | |
| 21 | 6 | 6 | 6 | 3 | 7 | 15 | 22 | 2 | 6 | 5 | B25 |
| 20 | 6 | 5 | 5 | 3 | 1 | 8 | 20 | 2 | 5 | 1 | |
| 1 | — | — | — | 6 | 6 | 7 | 2 | — | — | — | |
| 385 | 31 | 80 | 30 | 156 | 126 | 299 | 32 | 75 | 75 | 75 | B26 |
| 369 | 29 | 80 | 26 | 126 | 103 | 290 | 28 | 75 | 75 | 75 | |
| 16 | 2 | 4 | 4 | 30 | 23 | 9 | 4 | — | — | — | |
| 241 | 19 | 50 | 22 | 92 | 73 | 200 | 19 | 48 | 48 | 48 | B26.a |
| 234 | 17 | 50 | 20 | 78 | 64 | 193 | 7 | — | — | — | |
| 7 | 2 | — | 2 | 14 | 9 | 7 | — | — | — | — | |
| 46 | 1 | 13 | 2 | 19 | 27 | 23 | 5 | 8 | 8 | 8 | B26.b |
| 41 | 1 | 13 | 1 | 12 | 18 | 23 | 4 | — | — | — | |
| 5 | — | — | 1 | 7 | 9 | 1 | — | — | — | — | |
| 98 | 11 | 17 | 6 | 45 | 26 | 74 | 8 | 19 | 19 | 19 | B26.c |
| 94 | 11 | — | 5 | 36 | 21 | 1 | — | — | — | — | |
| 4 | — | — | 9 | 9 | 5 | 1 | — | — | — | — | |
| 45 | 10 | 14 | 2 | 28 | 17 | 11 | 9 | — | — | — | B27 |
| 41 | 9 | 14 | 2 | 11 | 11 | 6 | 7 | 2 | 11 | 11 | |
| 4 | — | — | — | — | — | — | — | — | — | — | |
| 42 | 5 | 4 | 2 | 18 | 9 | 44 | 4 | — | — | — | B28 |
| 40 | 4 | 4 | 1 | 17 | 17 | 42 | 5 | — | — | — | |
| 2 | 1 | — | — | — | — | 2 | — | — | — | — | |
| 23 | 2 | 10 | — | 17 | 16 | 39 | 2 | — | — | — | B29 |
| 22 | 2 | 10 | — | 16 | 11 | 36 | 2 | — | — | | |

第60表 15才以上死者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 運輸・通信従事者 Workers in transport and communicating occupations | | | | | 総数 Total | 金属材料製造従事者 Metal material workers |
|---|--------------------------------|--|---|--|--------------------------------|-------------------------|------------------|-------------------------------------|
| | | 陸上運輸機関運転従事者 Workers operating land transport | 水上運輸機関運転従事者 Workers operating marine transport | その他の運輸従事者 Other workers operating transport | 通信従事者 Communication workers | 総数 Total | | |
| B34 | 虫垂炎 | 6 男 M. 女 F. | 4 4 — | — — — | 1 1 — | 1 1 — | 61 52 9 | 3 3 — |
| B35 | 腸閉塞およびヘルニア | 15 男 M. 女 F. | 9 9 — | 1 3 — | 3 1 — | 2 22 1 | 248 222 26 | 4 3 1 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) | 13 男 M. 女 F. | 5 5 — | 1 6 — | 6 6 — | 1 1 — | 185 167 18 | 4 4 — |
| B36.a | 胃炎および十二指腸炎 | 6 男 M. 女 F. | 3 3 — | — — — | 3 3 — | — — — | 54 48 6 | 3 3 — |
| B36.b | 胃腸炎、腸炎および大腸炎 | 7 男 M. 女 F. | 2 2 — | 1 3 — | 3 1 — | 1 1 — | 131 119 12 | 1 1 — |
| B37 | 肝硬変 | 101 男 M. 女 F. | 62 62 — | 6 25 — | 25 8 — | 8 1171 1119 52 | 34 33 1 | |
| B38 | 腎炎およびネフローゼ | 97 男 M. 女 F. | 67 66 1 | 6 14 — | 10 7 3 | 847 738 109 | 29 28 1 | |
| B38.a | 急性腎炎およびネフローゼ | 25 男 M. 女 F. | 18 18 — | 1 3 — | 3 2 — | 180 150 30 | 4 4 — | |
| B38.b | その他 | 72 男 M. 女 F. | 49 48 1 | 5 10 — | 11 5 1 | 667 588 79 | 25 24 1 | |
| B39 | 前立腺肥大症 | 2 男 M. 女 F. | — — | 1 1 — | — 1 — | 22 22 | — — — | |
| B40 | 妊娠、分娩および産褥の合併症 | 9 男 M. 女 F. | — — | 2 2 — | — 7 — | 76 76 | 1 1 — | |
| B41 | 先天奇形 | 5 男 M. 女 F. | 4 4 — | — 1 — | — 1 — | 54 38 16 | 2 2 — | |
| B42 | 出生時の損傷、分娩後窒息および肺不全拡張 | — 男 M. 女 F. | — — | — — | — — | — — | — — — | |
| B43 | 新生児の感染 | — 男 M. 女 F. | — — | — — | — — | — — | — — — | |
| B43.a | 新生児肺炎 | — 男 M. 女 F. | — — | — — | — — | — — | — — — | |
| B43.b | 新生児下痢 | — 男 M. 女 F. | — — | — — | — — | — — | — — — | |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 技能工生産工程従事者および単純労働者 Craftsmen, production process workers and laborers | | | | | | | | | | 国際簡単分類番号 International abbreviated list number |
|---|--|---|--|---|--|--|--|--|---------------|---|
| 金属加工および機械組立修理工従事者 Metal processing, machine repairing and assembling workers | 電気機械器具組立・修理従事者 Electric and electronic machine repairing and assembling workers | 輸送機械組立・修理従事者 Transportation equipment repairing and assembling workers | 計器・光学機械器具組立・修理従事者 Meter and optical instrument repairing and assembling workers | 製糸・紡織従事者 Silk reel and textile workers | 織物製品製造従事者 Garment and related textile fabrics workers | 木・竹・草・つる製品製造従事者 Wood, bamboo, grass and vine products workers | パルプ・紙・紙製品製造従事者 Pulp, paper and paper products workers | 印刷・製本従事者 Printing and bookbinding workers | | |
| 9 — | 5 — | — — | — — | 5 3 | 4 3 | 4 4 | — — | — — | 1 — | B34 |
| 22 — | 3 2 1 | 7 — | 1 — | 13 13 — | 6 4 2 | 27 25 2 | 4 3 1 | 3 2 1 | 3 2 1 | B35 |
| 19 — | 3 2 1 | — — | 1 — | 15 10 5 | 9 8 1 | 16 15 1 | — — — | — — — | 3 3 — | B36 |
| 6 — | 1 — | — — | — — | 4 3 1 | 3 3 — | 2 2 — | — — — | — — — | — — — | B36.a |
| 13 — | 2 1 | — — | 1 — | 11 7 4 | 6 5 1 | 14 13 1 | — — — | — — — | 3 3 — | B36.b |
| 138 135 3 | 12 10 2 | 27 27 — | 3 2 1 | 38 31 7 | 47 44 3 | 83 79 4 | 13 11 2 | 25 23 2 | 25 23 2 | B37 |
| 108 101 7 | 27 20 7 | 30 29 1 | 12 9 3 | 55 32 23 | 43 30 13 | 65 61 4 | 15 13 2 | 24 21 3 | 24 21 3 | B38 |
| 19 — | 5 4 1 | 5 5 — | 1 1 — | 15 8 7 | 9 5 4 | 13 10 3 | 4 4 — | 5 3 2 | 5 3 2 | B38.a |
| 89 82 7 | 22 16 6 | 25 24 1 | 11 8 3 | 40 24 16 | 34 25 9 | 52 51 1 | 11 9 2 | 19 18 1 | 19 18 1 | B38.b |
| 4 — | 1 — | — — | — — | 2 2 — | 4 4 — | — — — | — — — | — — — | 1 1 — | B39 |
| 6 — | 2 — | — — | — — | 2 2 — | 2 2 — | 16 16 | 15 15 | 3 3 — | 1 1 — | B40 |
| 7 — | 3 1 2 | 1 — | 1 — | 5 — | 4 2 2 | — — — | — — — | — — — | — — — | B41 |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B42 |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B43 |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B43.a |
| — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | B43.b |

第60表 15才以上死者数

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 運輸・通信従事者 Workers in transport and communicating occupations | | | | | 総数 Total | 金属材料製造従事者 Metal material workers |
|---|---|--|---|--|--------------------------------|-----------------|-------------------------|-------------------------------------|
| | | 陸上運輸機関運転従事者 Workers operating land transport | 水上運輸機関運転従事者 Workers operating marine transport | その他の運輸従事者 Other workers operating transport | 通信従事者 Communication workers | | | |
| | | Total | | | | | | |
| B43.c | その他の新生児の感染 男 M. 女 F. | - | - | - | - | - | - | - |
| B44 | その他の新生児固有の疾患および性質不明の未熟児 男 M. 女 F. | - | - | - | - | - | - | - |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 男 M. 女 F. | 165 162 3 | 134 134 - | 6 6 - | 19 18 1 | 6 4 2 | 1 512 1 408 104 | 64 64 - |
| B45.a | 精神病の記載のない老衰 男 M. 女 F. | 3 3 - | - - - | 1 1 - | 1 1 - | 1 1 - | 225 210 15 | 3 3 - |
| B45.b | その他の診断名不明確および不明の原因 男 M. 女 F. | 162 159 3 | 134 134 - | 5 5 - | 18 17 1 | 5 3 2 | 1 287 1 198 89 | 61 61 - |
| B46 | その他のすべての疾患 男 M. 女 F. | 244 228 16 | 163 161 2 | 16 16 - | 40 37 3 | 25 14 11 | 2 833 2 491 342 | 102 100 2 |
| B46.a | その他の循環器系の疾患(先天性を除く) 男 M. 女 F. | 15 15 - | 9 9 - | 1 1 - | 3 3 - | 2 2 - | 185 176 9 | 10 10 - |
| B46.b | その他のすべての疾患 男 M. 女 F. | 229 213 16 | 154 152 2 | 15 15 - | 37 34 3 | 23 12 11 | 2 648 2 315 333 | 92 90 2 |
| "E" | 不慮の事故、中毒および暴力の二重分類 (外因) 男 M. 女 F. | 2 349 2 296 53 | 1 806 1 804 2 | 91 91 - | 332 307 25 | 120 94 26 | 11 845 11 122 723 | 423 414 9 |
| BE47 | 自動車事故 男 M. 女 F. | 1 289 1 272 17 | 1 143 1 141 2 | 9 9 - | 75 68 7 | 62 54 8 | 4 510 4 287 223 | 162 159 3 |
| BE48 | その他の不慮の事故 男 M. 女 F. | 708 693 15 | 394 394 - | 71 71 - | 216 204 12 | 27 24 3 | 5 049 4 841 208 | 177 176 1 |
| BE48.a | 自動車以外の交通事故 男 M. 女 F. | 251 244 7 | 48 48 - | 55 55 - | 143 136 7 | 5 5 - | 701 663 38 | 19 19 - |
| BE48.b | 不慮の墜落 男 M. 女 F. | 87 87 - | 74 74 - | 1 1 - | 9 9 - | 3 3 - | 1 309 1 269 40 | 36 36 - |
| BE48.c | 不慮の溺死および溺水 男 M. 女 F. | 122 121 1 | 63 63 - | 9 9 - | 41 41 - | 9 8 1 | 586 568 18 | 19 19 - |
| BE48.d | 天災 男 M. 女 F. | 9 5 4 | 4 4 - | - - - | 4 1 - | 1 12 5 | 17 12 - | - - - |
| BE48.e | その他 男 M. 女 F. | 239 236 3 | 205 205 - | 6 6 - | 19 18 1 | 9 7 2 | 2 436 2 329 107 | 103 102 1 |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 技能工・生産工程従事者および単純労働者 Craftsmen, production process workers and laborers | | | | | | | | | | 国際簡単分類番号 International abbreviated list number |
|--|--|---|--|---|--|--|--|--|--------|---|
| 金属加工および機械組立修理工事者 Metal processing, machine repairing and assembling workers | 電気機械器具組立・修理従事者 Electric and electronic machine repairing and assembling workers | 輸送機械器具組立・修理従事者 Transportation equipment repairing and assembling workers | 計器・光学機械器具組立・修理従事者 Meter and optical instrument repairing and assembling workers | 製糸・紡織者 Silk reel and textile workers | 織物製品製造従事者 Garment and related textile fabrics workers | 木・竹・草・つる製品製造従事者 Wood, bamboo, grass and vine products workers | パルプ・紙・紙製品製造従事者 Pulp, paper and paper products workers | 印刷・製本従事者 Printing and bookbinding workers | | |
| 188 181 7 | 28 25 3 | 52 52 - | 6 6 - | 69 54 15 | 50 35 15 | 145 140 5 | 15 12 3 | 26 26 - | B43.c | |
| 14 14 - | - - - | 5 5 - | - - - | 10 9 1 | 10 8 2 | 45 44 1 | 4 4 - | 9 9 - | B44 | |
| 174 167 7 | 28 25 3 | 47 47 - | 6 6 - | 59 45 14 | 40 27 13 | 100 96 4 | 11 8 3 | 17 17 - | B45 | |
| 345 321 24 | 50 38 12 | 77 77 - | 30 27 3 | 142 81 61 | 117 83 34 | 201 193 8 | 35 29 6 | 70 58 12 | B45.a | |
| 10 10 - | 4 4 - | 9 9 - | 1 1 - | 13 10 3 | 9 7 2 | 18 17 1 | 2 2 - | 6 6 - | B45.b | |
| 335 311 24 | 46 34 12 | 68 68 - | 29 26 3 | 129 71 58 | 108 76 32 | 183 176 7 | 33 27 6 | 64 52 12 | B46 | |
| 632 620 12 | 74 63 11 | 269 268 1 | 25 24 1 | 131 99 32 | 53 44 9 | 230 226 4 | 55 50 5 | 53 49 4 | BE46 | |
| 680 672 8 | 82 76 6 | 147 144 3 | 16 13 3 | 76 50 26 | 40 29 11 | 221 212 9 | 53 50 3 | 35 29 6 | BE46.a | |
| 79 76 3 | 17 13 4 | 29 29 - | 3 3 - | 11 6 5 | 8 6 2 | 35 34 1 | 6 6 - | 8 7 1 | BE46.b | |
| 195 195 - | 17 16 1 | 32 31 1 | 3 2 1 | 15 8 7 | 7 7 - | 35 33 2 | 7 7 - | 7 6 1 | BE48 | |
| 79 78 1 | 13 13 - | 31 31 - | 3 3 - | 20 15 5 | 8 7 1 | 28 28 - | 9 9 - | 8 5 3 | BE48.a | |
| 2 1 | - - | 2 1 | - - | - - | - - | - - | - - | - - | BE48.b | |
| 327 323 4 | 35 34 1 | 53 52 1 | 7 5 2 | 30 21 9 | 17 9 8 | 122 116 6 | 28 25 3 | 12 11 1 | BE48.c | |
| - - | - - | 2 1 | - - | - - | - - | - - | - - | - - | BE48.d | |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | BE48.e | |

60 表 (21—14)

第60表 15才以上死亡者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 運輸・通信従事者 Workers in transport and communicating occupations | | | | | | | |
|---|------------------------------------|--|---|---|--|--------------------------------|-------------|------------------------------------|--|
| | | 総数 Total | 陸上運輸機関運転従事者 Workers operating land transport | 水上運輸機関運転従事者 Workers operating marine transport | その他の運輸従事者 Other workers operating transport | 通信従事者 Communication workers | 総数 Total | 金属材料製造業者 Metal material workers | |
| BE49 | 自殺および自傷..... | 289 | 217 | 8 | 34 | 30 | 2 021 | 79 | |
| | 男女 M.F. | 270 19 | 217 — | 8 — | 29 5 | 16 14 | 1 743 278 | 74 5 | |
| BE50 | 他殺および戦争行為..... | 63 | 52 | 3 | 7 | 1 | 265 | 5 | |
| | 男女 M.F. | 61 2 | 52 — | 3 — | 6 1 | — 1 | 251 14 | 5 — | |
| BE50.a | 他殺..... | 63 | 52 | 3 | 7 | 1 | 261 | 5 | |
| | 男女 M.F. | 61 2 | 52 — | 3 — | 6 1 | — 1 | 247 14 | 5 — | |
| BE50.b | 処刑および戦争行為..... | — | — | — | — | — | 4 | — | |
| | 男女 M.F. | — — | — — | — — | — — | — — | 4 | — | |
| "N" | 不慮の事故、中毒および暴力の二重分類..... (傷害の性質) | 2 349 | 1 806 | 91 | 332 | 120 | 11 845 | 423 | |
| | 男女 M.F. | 2 296 53 | 1 804 2 | 91 — | 307 25 | 94 26 | 11 122 723 | 414 9 | |
| BN47 | 骨折、頭部損傷および内部損傷..... | 1 631 | 1 365 | 27 | 166 | 73 | 7 743 | 282 | |
| | 男女 M.F. | 1 600 31 | 1 363 2 | 27 — | 148 18 | 62 11 | 7 368 375 | 278 4 | |
| BN47.a | 頭蓋骨折..... | 829 | 684 | 17 | 82 | 46 | 3 940 | 141 | |
| | 男女 M.F. | 818 11 | 684 — | 17 — | 75 7 | 42 4 | 3 749 191 | 141 — | |
| BN47.b | その他の骨の骨折..... | 172 | 140 | 2 | 27 | 3 | 751 | 30 | |
| | 男女 M.F. | 163 9 | 140 — | 2 — | 20 7 | 1 2 | 709 42 | 30 — | |
| BN47.c | 頭部の損傷(骨折を除く)..... | 260 | 219 | 2 | 27 | 12 | 1 682 | 61 | |
| | 男女 M.F. | 255 5 | 218 1 | 2 — | 25 2 | 10 2 | 1 597 85 | 60 1 | |
| BN47.d | 胸、腹、骨盤腔の内部損傷..... | 370 | 322 | 6 | 30 | 12 | 1 370 | 50 | |
| | 男女 M.F. | 364 6 | 321 1 | 6 — | 28 2 | 9 3 | 1 313 57 | 47 3 | |
| BN48 | 熱傷..... | 33 | 15 | 2 | 13 | 3 | 264 | 20 | |
| | 男女 M.F. | 32 1 | 15 — | 2 — | 13 — | 2 1 | 245 19 | 20 — | |
| BN49 | 毒物の作用..... | 128 | 99 | 1 | 14 | 14 | 854 | 39 | |
| | 男女 M.F. | 120 8 | 99 — | 1 — | 13 1 | 7 7 | 730 124 | 35 4 | |
| BN50 | その他の損傷..... | 557 | 327 | 61 | 139 | 30 | 2 984 | 82 | |
| | 男女 M.F. | 544 13 | 327 — | 61 — | 133 6 | 23 7 | 2 779 205 | 81 1 | |
| BN50.a | 裂傷および開放創..... | 56 | 41 | 2 | 11 | 2 | 363 | 12 | |
| | 男女 M.F. | 54 2 | 41 — | 2 — | 10 1 | 1 1 | 333 30 | 12 — | |
| BN50.b | 溺死および死にいたらぬ溺水..... | 268 | 105 | 51 | 100 | 12 | 894 | 26 | |
| | 男女 M.F. | 263 5 | 105 — | 51 — | 97 3 | 10 2 | 815 79 | 25 1 | |
| BN50.c | 窒息および絞首..... | 122 | 93 | 4 | 14 | 11 | 917 | 27 | |
| | 男女 M.F. | 118 4 | 93 — | 4 — | 14 — | 7 4 | 841 76 | 27 — | |
| BN50.d | その他..... | 111 | 88 | 4 | 14 | 5 | 810 | 17 | |
| | 男女 M.F. | 109 2 | 88 — | 4 — | 12 2 | 5 2 | 790 20 | 17 — | |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 41 年
1966

| 技能工・生産工程従事者および単純労働者 Craftsmen, production process workers and laborers | | | | | | | | | | 国際簡便分類番号 International abbreviated list number |
|---|--|---|--|---|--|--|--|--|--------|---|
| 金属加工および機械組立・修理従事者 Metal processing, machine repairing and assembling workers | 電気機械器具組立・修理従事者 Electric and electronic machine repairing and assembling workers | 輸送機械器具組立・修理従事者 Transportation equipment repairing and assembling workers | 計器・光学機械器具組立・修理従事者 Meter and optical instrument repairing and assembling workers | 製糸・紡織従事者 Silk reel and textile workers | 織物製品製造従事者 Garment and related textile fabrics workers | 木・竹・草・つる製品製造従事者 Wood, bamboo, grass and vine products workers | パルプ・紙・紙製品製造従事者 Pulp, paper and paper products workers | 印刷・製本従事者 Printing and bookbinding workers | | |
| 338 | 75 | 76 | 22 | 130 | 76 | 106 | 28 | 50 | BE49 | |
| 324 | 50 | 74 | 13 | 57 | 34 | 102 | 23 | 45 | | |
| 14 | 25 | 2 | 9 | 73 | 42 | 4 | 5 | 5 | | |
| 38 | 2 | 2 | — | 6 | 8 | 9 | 1 | 4 | BE50 | |
| 37 | 1 | 2 | — | 4 | 4 | 9 | 1 | 4 | | |
| 1 | 1 | — | — | 2 | 4 | — | — | — | | |
| 38 | 2 | 2 | — | 6 | 8 | 8 | 1 | 4 | BE50. | |
| 37 | 1 | 2 | — | 4 | 4 | 8 | 1 | 4 | | |
| 1 | 1 | — | — | 2 | 4 | — | — | — | | |
| — | — | — | — | — | — | 1 | — | — | | |
| — | — | — | — | — | — | 1 | — | — | | |
| — | — | — | — | — | — | — | — | — | | |
| 1 688 | 233 | 494 | 63 | 343 | 177 | 566 | 137 | 142 | "N" | |
| 1 653 | 190 | 488 | 50 | 210 | 111 | 549 | 124 | 127 | | |
| 35 | 43 | 6 | 13 | 133 | 66 | 17 | 13 | 15 | | |
| 1 090 | 127 | 338 | 35 | 181 | 74 | 360 | 85 | 80 | BN47 | |
| 1 072 | 104 | 335 | 30 | 126 | 60 | 350 | 80 | 73 | | |
| 18 | 23 | 3 | 5 | 55 | 14 | 10 | 5 | 7 | | |
| 574 | 72 | 193 | 16 | 100 | 28 | 189 | 45 | 41 | BN47.a | |
| 567 | 65 | 190 | 12 | 63 | 22 | 182 | 43 | 38 | | |
| 7 | 7 | 3 | 4 | 37 | 6 | 7 | 2 | 3 | | |
| 81 | 9 | 32 | 3 | 12 | 5 | 25 | 5 | 11 | BN47.b | |
| 79 | 5 | 32 | 3 | 9 | 4 | 24 | 4 | 10 | | |
| 2 | 4 | — | — | 3 | 1 | 1 | 1 | 1 | | |
| 245 | 25 | 58 | 10 | 42 | 28 | 88 | 22 | 19 | BN47.c | |
| 238 | 18 | 58 | 9 | 31 | 24 | 86 | 22 | 17 | | |
| 7 | 7 | — | 1 | 11 | 4 | 2 | — | 2 | | |
| 190 | 21 | 55 | 6 | 27 | 13 | 58 | 13 | 9 | BN47.d | |
| 188 | 16 | 55 | 6 | 23 | 10 | 58 | 11 | 8 | | |
| 2 | 5 | — | — | 4 | 3 | — | 2 | 1 | | |
| 38 | 7 | 10 | 1 | 5 | 4 | 14 | 5 | 3 | BN48 | |
| 37 | 6 | 10 | 1 | 5 | 1 | 14 | 3 | 3 | | |
| 1 | 1 | — | — | — | 3 | — | 2 | — | | |
| 175 | 30 | 33 | 10 | 41 | 35 | 26 | 10 | 30 | BN49 | |
| 167 | 23 | 33 | 5 | 16 | 12 | 25 | 7 | 27 | | |
| 8 | 7 | — | 5 | 25 | 23 | 1 | 3 | 3 | | |
| 385 | 69 | 113 | 17 | 116 | 64 | 166 | 37 | 29 | BN50 | |
| 377 | 51 | 110 | 14 | 63 | 38 | 160 | 34 | 24 | | |
| 8 | 12 | 3 | 3 | 53 | 26 | 6 | 3 | 5 | | |
| 31 | 10 | 14 | 1 | 20 | 9 | 30 | 3 | 3 | BN50.a | |
| 30 | 6 | 13 | 1 | 15 | 5 | 30 | 3 | 3 | | |
| 1 | 4 | — | — | 5 | 4 | — | — | — | | |
| 112 | 23 | 49 | 10 | 39 | 22 | 41 | 15 | 17 | BN50.b | |
| 109 | 20 | 49 | 8 | 18 | 10 | 40 | 14 | 12 | | |
| 3 | 3 | — | 2 | 21 | 12 | 1 | 1 | 5 | | |
| 109 | 17 | 30 | 3 | 47 | 22 | 58 | 14 | 5 | BN50.c | |
| 105 | 12 | 28 | 3 | 23 | 14 | 56 | 12 | 5 | | |
| 4 | 5 | 2 | — | 24 | 8 | 2 | 2 | — | | |
| 133 | 19 | 20 | 3 | 10 | 11 | 37 | 5 | 4 | BN50.d | |
| 133 | 19 | 20 | 2 | 7 | 9 | 34 | 5 | 4 | | |
| — | — | — | 1 | 3 | 2 | 3 | — | — | | |

60 表 (21—15)

第60表 15才以上死亡者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 技能工、生産工程従事者 Craftsmen, production process workers and | | | | | |
|---|--------------------------------|--|--|--|--|--|-------------------------------|
| | | ゴム・可塑物製品製造従事者 Rubber and plastic products workers | 皮革・皮革製品製造従事者 Leather and leather products workers | 窯業・土石製品製造従事者 Ceramic, clay and stone products workers | 飲食料品製造従事者 Food and beverage manufacturing workers | 化学製品製造従事者 Chemical products workers | 建設従事者 Construction workers |
| | 总数 Total | 373 男 M. 女 F. | 326 308 18 | 1 626 1 469 157 | 2 679 2 242 437 | 584 534 50 | 8 898 8 821 77 |
| B1 | 呼吸器系の結核 | 12 男 M. 女 F. | 19 19 — | 120 116 4 | 74 63 11 | 13 12 1 | 233 230 3 |
| B2 | その他の結核 | 1 男 M. 女 F. | 1 1 — | 7 6 1 | 6 4 2 | 1 1 — | 14 12 2 |
| B3 | 梅毒およびその続発症 | — 男 M. 女 F. | 2 2 — | 6 6 — | 3 3 — | 1 1 — | 25 24 1 |
| B4 | 腸チフス | 1 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — |
| B5 | コレラ | — 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — |
| B6 | 赤痢 | — 男 M. 女 F. | — — — | 1 1 — | — — — | — — — | 1 1 — |
| B6.a | 細菌性赤痢(疫病症状を呈するもの) | — 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — |
| B6.b | 細菌性赤痢(その他) | — 男 M. 女 F. | — — — | 1 1 — | — — — | — — — | 1 1 — |
| B6.c | アメーバ症 | — 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — |
| B6.d | その他の原虫性および詳細不明の赤痢 | — 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — |
| B7 | 猩紅熱およびレンサ球菌性口炎炎 | — 男 M. 女 F. | — — — | — — — | — — — | 1 1 — | — — — |
| B7.a | 猩紅熱 | — 男 M. 女 F. | — — — | — — — | — — — | 1 1 — | — — — |
| B7.b | レンサ球菌性口炎炎 | — 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — |
| B8 | ジフテリア | — 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — |
| B9 | 百日咳 | — 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION: FOR ALL JAPAN

昭和 41 年
1966

60 表 (21-16)

第60表 15才以上死亡者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 技能工、生産工程従事者および Craftsmen, production process workers and | | | | | |
|---|---|---|--|--|--|---------------------------------------|-------------------------------|
| | | ゴム・可塑物製品製造従事者 Rubber and plastic products workers | 皮革・皮革製品製造従事者 Leather and leather products workers | 窯業・土石製品製造従事者 Ceramic, clay and stone products workers | 飲食料品製造従事者 Food and beverage manufacturing workers | 化粧品製造従事者 Chemical products workers | 建設従事者 Construction workers |
| B10 | 菌膜炎感染…………… 男 M. 女 F. | — | — | — | — | — | 1 1 |
| B11 | ベスト…………… 男 M. 女 F. | — | — | — | — | — | — |
| B12 | 急性灰白髄炎…………… 男 M. 女 F. | — | — | — | — | — | 1 1 |
| B13 | 痘瘡…………… 男 M. 女 F. | — | — | — | — | — | — |
| B14 | 麻疹…………… 男 M. 女 F. | — | — | — | — | — | — |
| B15 | 発疹チフスおよびその他のリケッチャ病…………… 男 M. 女 F. | — | — | — | — | — | — |
| B15.a | シラミ媒介の流行性発疹チフス…………… 男 M. 女 F. | — | — | — | — | — | — |
| B15.b | 恙虫病およびその他のコダニ媒介の発疹チフス様疾患…………… 男 M. 女 F. | — | — | — | — | — | — |
| B15.c | その他…………… 男 M. 女 F. | — | — | — | — | — | — |
| B16 | マラリア…………… 男 M. 女 F. | — | — | — | — | — | — |
| B17 | 伝染性および寄生性として分類されたその他の疾患…………… 男 M. 女 F. | 3 3 | 1 1 | 7 6 1 | 22 17 5 | 8 8 | 56 56 |
| B17.a | バラチフス…………… 男 M. 女 F. | — | — | — | — | — | — |
| B17.b | 癲…………… 男 M. 女 F. | — | — | — | — | — | — |
| B17.c | 破傷風…………… 男 M. 女 F. | 1 1 | — | 1 1 | 2 1 | 1 1 | 9 — |
| B17.d | 炭疽…………… 男 M. 女 F. | — | — | — | — | — | — |
| B17.e | 回帰熱…………… 男 M. 女 F. | — | — | — | — | — | — |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 単純労働者 laborers | サービス職業従事者 Service workers | | | | | 分類不能の職業および不詳 Not classifiable and not reported | 未就業者および非労働力 Unemployment and not in labor force | 国際簡単分類番号 International abbreviated list number |
|-------------------|---|-----------------------------|--|---|---|---|--|---|
| | 総労働者 Laborers not elsewhere classified | 電気従事者 Electrical workers | その他他の技能工・生産工程従事者 Miscellaneous craftsmen and production process workers | 機械運転従事者 Stationary engine and construction machinery operators | 保護サービス従事者 Protective service workers | | | |
| — | — | — | — | — | — | — | — | 13 4 9 |
| — | — | — | — | — | — | — | — | B10 |
| — | — | — | — | — | — | — | — | B11 |
| — | — | — | — | — | — | — | — | B12 |
| — | — | — | — | — | — | — | — | B13 |
| — | — | — | — | — | — | — | — | B14 |
| — | — | — | — | — | — | — | — | B15 |
| — | — | — | — | — | — | — | — | B15.a |
| — | — | — | — | — | — | — | — | B15.b |
| — | — | — | — | — | — | — | — | B15.c |
| — | — | — | — | — | — | — | — | B16 |
| — | — | — | — | — | — | — | — | B17 |
| — | — | — | — | — | — | — | — | B17.a |
| — | — | — | — | — | — | — | — | B17.b |
| — | — | — | — | — | — | — | — | B17.c |
| — | — | — | — | — | — | — | — | B17.d |
| — | — | — | — | — | — | — | — | B17.e |

60 表 (21-17)

第60表 15才以上死亡者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 技能工・生産工程従事者 および Craftsmen, production process workers and | | | | | |
|---|--|--|--|--|--|--|-------------------------------|
| | | ゴム・可塑物製品製造従事者 Rubber and plastic products workers | 皮革・皮革製品製造従事者 Leather and leather products workers | 窯業・土石製品製造従事者 Ceramic, clay and stone products workers | 飲食料品製造従事者 Food and beverage manufacturing workers | 化学製品製造従事者 Chemical products workers | 建設従事者 Construction workers |
| B17.f | 日本脳炎----- 男 M. 女 F. | 1 1 - | 1 1 - | 4 3 1 | 8 6 2 | 3 3 - | 25 25 - |
| B17.g | 黄熱----- 男 M. 女 F. | - - - | - - - | - - - | - - - | - - - | - - - |
| B17.h | 狂犬病----- 男 M. 女 F. | - - - | - - - | - - - | - - - | - - - | - - - |
| B17.i | 伝染性下痢症----- 男 M. 女 F. | - - - | - - - | - - - | - - - | - - - | - - - |
| B17.j | 日本住血吸虫症----- 男 M. 女 F. | - - - | - - - | - - - | - - - | - - - | - - - |
| B17.k | 糸状虫症----- 男 M. 女 F. | - - - | - - - | - - - | - - - | 1 1 - | - - - |
| B17.l | その他の伝染性および寄生性として分類された疾患 男 M. 女 F. | 1 1 - | - - - | 2 2 - | 12 9 3 | 4 4 - | 21 21 - |
| B18 | 悪性新生物(リンパ組織および造血組織の新生物を含む) 男 M. 女 F. | 77 66 11 | 66 60 6 | 330 289 41 | 632 513 119 | 128 110 18 | 1 729 1 715 14 |
| B18.a | 胃の悪性新生物----- 男 M. 女 F. | 42 38 4 | 27 24 3 | 158 145 13 | 274 237 37 | 59 53 6 | 858 851 7 |
| B18.b | 気管、気管支および肺の悪性新生物----- 男 M. 女 F. | 4 4 - | 7 7 - | 38 37 1 | 68 64 4 | 11 10 1 | 158 157 1 |
| B18.c | 乳房の悪性新生物----- 男 M. 女 F. | - - - | - - - | 2 1 1 | 4 - 4 | - - - | 2 2 - |
| B18.d | 子宮の悪性新生物----- 男 M. 女 F. | 2 2 - | - - - | 5 5 - | 25 25 - | 3 3 - | 1 1 - |
| B18.e | 白血病および無白血病----- 男 M. 女 F. | 3 2 1 | 3 3 - | 7 5 2 | 19 13 6 | 12 9 3 | 45 45 - |
| B18.f | その他----- 男 M. 女 F. | 26 22 4 | 29 26 3 | 120 101 19 | 242 199 43 | 43 38 5 | 665 660 5 |
| B19 | 良性および性質不詳の新生物----- 男 M. 女 F. | 4 3 1 | 4 3 1 | 15 14 1 | 41 34 7 | 9 9 - | 86 81 5 |
| B20 | 糖尿病----- 男 M. 女 F. | 1 1 - | 2 2 - | 10 9 1 | 17 10 7 | 1 1 - | 57 56 1 |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 単純労働者 laborers | サービス職業従事者 Service workers | | | | 分類不能の職業および不詳 Not classifiable and not reported | 未就業者および非労働力 Unemployment and not in labor force | 国際簡単分類番号 International abbreviated list number | | | |
|-------------------|--|-----------------------------|---|--|---|--|---|---------------------|----------------------------|-------|
| | 据付機関・建設機械運転従事者 Stationary engine and construction machinery operators | 電気従事者 Electrical workers | その他の技能工・生産工程従事者 Miscellaneous craftsmen and production process workers | 他に分類されない単純労働者 Laborers not elsewhere classified | | | | | | |
| - | - | 3 3 - | 5 5 - | 24 19 5 | 21 12 9 | 2 2 - | 18 10 8 | 2 1 1 | 746 224 522 | B17.f |
| - | - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B17.g |
| - | - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B17.h |
| - | - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B17.i |
| - | - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B17.j |
| - | - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B17.k |
| - | - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B17.l |
| - | - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B18 |
| 95 95 | 192 190 2 | 414 363 51 | 1 816 1 470 346 | 1 786 1 189 597 | 396 388 8 | 38 36 36 | 1 352 799 553 | 96 83 13 | 58 319 21 503 36 816 | B18 |
| 35 35 | 80 80 - | 199 178 21 | 839 719 120 | 761 547 214 | 198 192 6 | 14 13 13 | 549 354 195 | 46 42 4 | 23 741 10 252 13 489 | B18.a |
| 12 12 | 16 16 - | 36 34 2 | 166 152 14 | 145 113 32 | 33 33 - | 3 3 - | 109 80 29 | 5 5 - | 4 113 2 142 1 971 | B18.b |
| - | 1 1 | 1 1 | 16 16 1 | 31 31 16 | 31 31 16 | 1 1 1 | 30 30 30 | 3 3 3 | 1 623 15 1 608 | B18.c |
| - | - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B18.d |
| 11 11 | 10 10 - | 59 59 - | 93 93 - | 93 93 - | 7 7 - | 86 86 - | 3 3 - | 5 062 5 062 - | B18.e | |
| 11 11 | 10 10 - | 9 7 2 | 45 35 10 | 63 40 23 | 21 21 - | 42 19 23 | 3 2 1 | 1 082 349 733 | B18.f | |
| 37 37 | 85 84 1 | 158 144 14 | 691 564 127 | 693 489 204 | 144 142 2 | 13 12 12 | 536 346 190 | 36 34 2 | 22 698 8 745 13 953 | B18.f |
| 1 1 | 12 12 - | 29 26 3 | 66 46 20 | 76 51 25 | 23 23 - | 1 1 - | 52 28 24 | 6 6 - | 2 775 944 1 831 | B19 |
| 5 5 | 10 10 - | 51 40 4 | 91 51 11 | 91 51 40 | 13 12 1 | 4 4 - | 74 39 35 | 4 3 1 | 3 688 1 257 2 431 | B20 |

第60表 15才以上死亡者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 技能工、生産工程従事者 および Craftsmen, production process workers and | | | | | |
|---|----------------------------------|--|--|--|--|--|-------------------------------|
| | | ゴム・可塑物製品製造従事者 Rubber and plastic products workers | 皮革・皮革製品製造従事者 Leather and leather products workers | 窯業・土石製品製造従事者 Ceramic, clay and stone products workers | 飲食料品製造従事者 Food and beverage manufacturing workers | 化学製品製造従事者 Chemical products workers | 建設従事者 Construction workers |
| B21 | 貧血----- 男女 M. F. | 1 1 — | — — — | 1 — 1 | 7 4 3 | 2 2 — | 15 15 — |
| B22 | 中枢神経系の血管損傷----- 男女 M. F. | 57 48 9 | 76 74 2 | 323 289 34 | 661 575 86 | 93 81 12 | 2 036 2 017 19 |
| B23 | 結膜炎(結膜炎菌性および結核性を除く)… 男女 M. F. | — — — | — — — | 3 3 — | 4 3 1 | 1 — 1 | 11 11 — |
| B24 | リューマチ熱----- 男女 M. F. | 1 — 1 | 1 1 — | — — — | 3 1 2 | — — — | 5 5 — |
| B25 | 慢性リューマチ性心臓疾患----- 男女 M. F. | 1 1 — | 1 1 — | 5 5 — | 21 19 2 | 4 4 — | 31 30 1 |
| B26 | 動脈硬化性および変性性心臓疾患----- 男女 M. F. | 29 28 1 | 21 21 — | 123 112 11 | 207 177 30 | 35 31 4 | 577 570 7 |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) 男女 M. F. | 19 19 — | 14 14 — | 76 74 2 | 122 111 11 | 25 21 4 | 377 371 6 |
| B26.b | リューマチ性と明示されない慢性心内膜炎 男女 M. F. | 1 1 — | 3 3 — | 16 12 4 | 22 16 6 | 2 2 — | 60 59 1 |
| B26.c | その他心筋変性----- 男女 M. F. | 9 8 1 | 4 4 — | 31 26 5 | 63 50 13 | 8 8 — | 140 140 — |
| B27 | その他心臓疾患----- 男女 M. F. | 2 2 — | 2 2 — | 28 23 5 | 34 26 8 | 6 4 2 | 99 97 2 |
| B28 | 高血圧性心臓疾患----- 男女 M. F. | 1 1 — | 5 4 1 | 17 16 1 | 30 26 4 | 2 2 — | 74 74 — |
| B29 | その他の高血圧性疾患----- 男女 M. F. | 1 1 — | 5 4 1 | 9 9 — | 25 21 4 | 3 3 — | 67 67 — |
| B30 | インフルエンザ----- 男女 M. F. | — — — | — — — | — — — | — — — | — — — | 1 1 — |
| B31 | 肺炎(新生児肺炎を除く)----- 男女 M. F. | 4 4 — | 7 7 — | 25 20 5 | 36 34 2 | 6 6 — | 102 99 3 |
| B32 | 気管支炎----- 男女 M. F. | — — — | — — — | 4 4 — | 4 3 1 | — — — | 23 23 — |
| B33 | 胃および十二指腸の潰瘍----- 男女 M. F. | 12 10 2 | 4 4 — | 24 23 — | 50 49 1 | 10 10 — | 140 140 — |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 41 年
1966

第60表 15才以上死亡者数

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 技能工・生産工程従事者 および Craftsmen, production process workers and | | | | | |
|---|--------------------------------|--|--|--|--|--|-------------------------------|
| | | ゴム・可塑物製品製造従事者 Rubber and plastic products workers | 皮革・皮革製品製造従事者 Leather and leather products workers | 窯業・土石製品製造従事者 Ceramic, clay and stone products workers | 飲食料品製造従事者 Food and beverage manufacturing workers | 化学製品製造従事者 Chemical products workers | 建設従事者 Construction workers |
| B34 | 虫垂炎 | 3 男 M. 女 F. | — — | 1 1 — | 2 1 1 | 5 5 — | 7 7 — |
| B35 | 腸閉塞およびヘルニア | 4 男 M. 女 F. | 1 1 — | 9 7 2 | 15 10 5 | — — — | 53 53 — |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) | — 男 M. 女 F. | 2 2 — | 7 7 — | 13 9 4 | 2 1 1 | 41 40 1 |
| B36.a | 胃炎および十二指腸炎 | — 男 M. 女 F. | — — | 3 3 — | 3 2 1 | 1 1 — | 12 11 1 |
| B36.b | 胃腸炎、腸炎および大腸炎 | — 男 M. 女 F. | 2 2 — | 4 4 — | 10 7 3 | 1 1 — | 29 29 — |
| B37 | 肝硬変 | 9 男 M. 女 F. | 11 10 1 | 38 38 — | 60 56 4 | 11 11 — | 235 235 — |
| B38 | 腎炎およびネフローゼ | 6 男 M. 女 F. | 8 7 1 | 31 26 5 | 58 47 11 | 10 9 1 | 128 128 — |
| B38.a | 急性腎炎およびネフローゼ | — 男 M. 女 F. | 2 2 — | 8 6 2 | 9 7 2 | 2 1 1 | 24 24 — |
| B38.b | その他 | 6 男 M. 女 F. | 6 5 1 | 23 20 3 | 49 40 9 | 8 8 — | 104 104 — |
| B39 | 前立腺肥大症 | — 男 M. 女 F. | — 1 — | — 1 — | — — — | — — — | 4 4 — |
| B40 | 妊娠、分娩および產褥の合併症 | 4 男 M. 女 F. | — 4 — | 2 2 | 8 8 | — — | 3 3 |
| B41 | 先天奇形 | 2 男 M. 女 F. | 1 1 | 2 2 | 1 1 | 4 4 | — — |
| B42 | 出生時の損傷、分娩後窒息および肺不全拡張 | — 男 M. 女 F. | — — | — — | — — | — — | — — |
| B43 | 新生児の感染 | — 男 M. 女 F. | — — | — — | — — | — — | — — |
| B43.a | 新生児肺炎 | — 男 M. 女 F. | — — | — — | — — | — — | — — |
| B43.b | 新生児下痢 | — 男 M. 女 F. | — — | — — | — — | — — | — — |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 単純労働者 laborers | サービス職業従事者 Service workers | | | | | 分類不能の職業および不詳 Not classifiable and not reported | 未就業者および非労働力 Unemployment and not in labor force | 国際簡単分類番号 International abbreviated list number | | | |
|-------------------|---|-----------------------------|---|--|---------------|---|--|---|----------------------|---------------------|-------|
| | 機械運転従事者 Stationary engine and construction machinery operators | 電気従事者 Electrical workers | その他の技能工・生産工程従事者 Miscellaneous craftsmen and production process workers | 他に分類されない単純労働者 Laborers not elsewhere classified | 総数 Total | 保安サービス従事者 Protective service workers | 家庭サービス従事者 Domestic service workers | Miscellaneous service workers | | | |
| — — — | — — — | 2 2 — | 1 1 — | 9 8 1 | 11 7 4 | 2 2 — | 1 1 — | 8 4 4 | 1 — 1 | 345 128 217 | B34 |
| 1 1 — | 4 4 — | 10 9 1 | 61 51 10 | 38 26 12 | 10 10 — | — — — | — — — | 28 16 12 | 2 1 1 | 1711 626 1085 | B35 |
| 1 1 — | 3 3 — | 11 10 1 | 35 32 3 | 29 18 11 | 4 4 — | 2 2 — | 23 14 9 | 4 3 1 | 7180 2250 4930 | B36 | |
| — — — | — — — | 3 2 1 | 13 12 1 | 6 3 3 | 1 1 — | 1 1 — | 4 2 2 | 1 — 1 | 2104 669 1435 | B36.a | |
| 1 1 — | 3 3 — | 8 8 — | 22 20 2 | 23 15 8 | 3 3 — | 1 1 — | 19 12 7 | 3 3 — | 5076 1581 3495 | B36.b | |
| 11 11 — | 26 26 — | 53 50 3 | 297 280 17 | 198 161 37 | 38 38 — | 5 5 — | 155 123 32 | 28 26 2 | 5178 2544 2634 | B37 | |
| 7 7 — | 23 23 — | 46 39 7 | 122 104 18 | 171 109 62 | 29 28 1 | 6 1 5 | 136 80 56 | 12 11 1 | 5847 2035 3812 | B38 | |
| 2 2 — | 5 5 — | 17 15 2 | 31 25 6 | 33 23 10 | 6 6 — | 1 1 — | 26 17 9 | 2 1 1 | 1275 476 799 | B38.a | |
| 5 5 — | 18 18 — | 29 24 5 | 91 79 12 | 138 86 52 | 23 22 1 | 5 1 4 | 110 63 47 | 10 10 — | 4572 1559 3013 | B38.b | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 406 406 — | B39 | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 870 870 — | B40 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 870 870 — | B41 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B42 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B43 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B43.a |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B43.b |

第60表 15才以上死亡者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 技能工生産工程従事者および Craftsmen, production process workers and | | | | | |
|---|---|--|--|--|--|--|-------------------------------|
| | | ゴム・可塑物製品製造従事者 Rubber and plastic products workers | 皮革・皮革製品製造従事者 Leather and leather products workers | 窯業・土石製品製造従事者 Ceramic, clay and stone products workers | 飲食料品製造従事者 Food and beverage manufacturing workers | 化学製品製造従事者 Chemical products workers | 建設従事者 Construction workers |
| B43.c | その他の新生児の感染 男 M. 女 F. | - | - | - | - | - | - |
| B44 | その他の新生児固有の疾患および性質不明の未熟兒 男 M. 女 F. | - | - | - | - | - | - |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 男 M. 女 F. | 17 14 3 | 13 13 - | 49 45 4 | 88 81 7 | 20 19 1 | 250 248 2 |
| B45.a | 精神病の記載のない老衰 男 M. 女 F. | - - - | 4 4 - | 10 9 1 | 22 19 3 | 4 4 - | 41 41 - |
| B45.b | その他の診断名不明確および不明の原因 男 M. 女 F. | 17 14 3 | 9 9 - | 39 36 3 | 66 62 4 | 16 15 1 | 209 207 2 |
| B46 | その他のすべての疾患 男 M. 女 F. | 25 18 7 | 26 25 1 | 122 104 18 | 203 162 41 | 32 30 2 | 472 467 5 |
| B46.a | その他の循環器系の疾患(先天性を除く) 男 M. 女 F. | 2 2 - | 3 3 - | 8 8 - | 14 13 1 | 2 2 - | 35 35 - |
| B46.b | その他のすべての疾患 男 M. 女 F. | 23 16 7 | 23 22 1 | 114 96 18 | 189 149 40 | 30 28 2 | 437 432 5 |
| "E" | 不慮の事故、中毒および暴力の二重分類 (外因) 男 M. 女 F. | 95 87 8 | 47 43 4 | 307 288 19 | 353 293 60 | 180 173 7 | 2316 2308 8 |
| BE47 | 自動車事故 男 M. 女 F. | 48 45 3 | 19 18 1 | 134 128 6 | 146 129 17 | 66 63 3 | 968 965 3 |
| BE48 | その他の不慮の事故 男 M. 女 F. | 25 23 2 | 7 7 - | 129 121 8 | 108 93 15 | 74 74 - | 974 972 2 |
| BE48.a | 自動車以外の交通事故 男 M. 女 F. | 1 1 | - - | 12 12 4 | 16 12 8 | 8 8 - | 112 112 - |
| BE48.b | 不慮の墜落 男 M. 女 F. | 6 5 1 | 1 1 - | 29 26 3 | 22 19 3 | 17 17 - | 397 396 1 |
| BE48.c | 不慮の溺死および溺水 男 M. 女 F. | 2 2 - | - - | 11 11 - | 18 17 1 | 13 13 - | 87 86 1 |
| BE48.d | 天災 男 M. 女 F. | - - | - - | - - | 1 1 | - - | 5 5 - |
| BE48.e | その他 男 M. 女 F. | 16 16 - | 6 6 - | 77 72 5 | 51 45 6 | 36 36 - | 373 373 - |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 単純労働者 laborers | サービス職業従事者 Service workers | | | | | 分類不能の職業および不詳 Not classifiable and not reported | 未就業者および非労働力 Unemployment and not in labor force | 国際簡単分類番号 International abbreviated list number |
|-------------------|---|-----------------------------|---|--|-----------------|---|--|---|
| | 機械運転従事者 Stationary engine and construction machinery operators | 電気従事者 Electrical workers | その他の技能工・生産工程従事者 Miscellaneous craftsmen and production process workers | 他に分類されない単純労働者 Laborers not elsewhere classified | 総数 Total | | | |
| - | - | - | - | - | - | - | - | B43.c |
| - | - | - | - | - | - | - | - | B44 |
| 20 20 - | 31 30 1 | 71 67 4 | 310 276 34 | 251 186 65 | 55 53 2 | 5 5 - | 191 133 58 | 45 112 14 355 30 757 |
| - | 1 1 | 19 18 1 | 24 19 5 | 51 35 16 | 2 1 1 | 1 1 1 | 48 34 14 | 38 896 12 033 26 863 |
| 20 20 - | 30 30 - | 52 49 3 | 286 257 29 | 200 151 49 | 53 52 1 | 4 4 4 | 143 99 44 | 6 216 2 322 3 894 |
| 23 23 - | 51 48 3 | 134 119 15 | 576 488 88 | 476 314 162 | 79 79 - | 14 1 13 | 383 234 149 | 32 226 12 690 19 536 |
| 1 1 | 3 3 - | 7 6 1 | 28 27 1 | 34 23 11 | 4 4 - | 1 1 1 | 29 19 10 | 3 995 1 627 2 368 |
| 22 22 - | 48 45 3 | 127 113 14 | 548 461 87 | 442 291 151 | 75 75 - | 13 1 12 | 354 215 139 | 28 231 11 063 17 168 |
| 252 252 - | 588 588 28 | 484 456 28 | 2 957 2 718 239 | 1 546 952 594 | 346 341 5 | 36 36 36 | 1 164 611 553 | 16 644 7 386 9 258 |
| 62 62 - | 146 146 5 | 172 167 103 | 1 065 962 129 | 533 404 129 | 155 153 2 | 8 8 8 | 370 251 119 | 3 371 1 710 1 661 |
| 168 168 - | 389 389 - | 185 179 6 | 1 463 1 364 99 | 463 290 173 | 112 109 3 | 13 13 13 | 338 181 157 | 5 997 2 849 3 148 |
| 15 15 - | 21 21 - | 21 21 - | 280 263 17 | 76 54 22 | 27 26 1 | 2 2 2 | 47 46 19 | 667 318 349 |
| 13 13 - | 110 110 - | 62 62 - | 298 279 19 | 79 53 26 | 23 22 1 | 2 2 2 | 54 31 23 | 1 521 585 936 |
| 7 7 - | 22 22 - | 27 24 3 | 181 178 23 | 92 69 23 | 21 21 5 | 5 5 5 | 66 48 18 | 125 93 32 |
| - | - | - | - | - | - | - | - | BE47 |
| 10 6 5 | 4 4 3 | 5 2 4 | 10 6 4 | 10 6 4 | 4 4 - | 6 2 - | 2 1 4 | 106 15 91 |
| 133 133 - | 236 236 - | 75 642 57 | 699 108 98 | 206 108 98 | 37 36 1 | 4 4 4 | 165 72 93 | 2 503 1 286 1 217 |

60 表 (21-21)

第60表 15才以上死亡者数,

TABLE 60 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 技能工生産工程従事者および Craftsmen, production process workers and | | | | | |
|---|--|--|--|--|--|--|-------------------------------|
| | | ゴム・可塑物製品製造従事者 Rubber and plastic products workers | 皮革・皮革製品製造従事者 Leather and leather products workers | 窯業・土石製品製造従事者 Ceramic, clay and stone products workers | 飲食料品製造従事者 Food and beverage manufacturing workers | 化学製品製造従事者 Chemical products workers | 建設従事者 Construction workers |
| BE49 | 自殺および自傷----- 男 M. 女 F. | 20 18 2 | 21 18 3 | 40 35 5 | 91 64 27 | 35 31 4 | 309 306 3 |
| BE50 | 他殺および戦争行為----- 男 M. 女 F. | 2 1 1 | - 4 - | 4 7 1 | 8 5 - | 5 65 - | 65 - |
| BE50.a | 他殺----- 男 M. 女 F. | 2 1 1 | - 4 - | 4 7 1 | 8 5 - | 5 65 - | 65 - |
| BE50.b | 処刑および戦争行為----- 男 M. 女 F. | - - - | - - - | - - - | - - - | 2 2 - | 2 2 - |
| "N" | 不慮の事故、中毒および暴力の二重分類----- (傷害の性質) 男 M. 女 F. | 95 87 8 | 47 43 4 | 307 288 19 | 353 293 60 | 180 173 7 | 2 316 2 308 8 |
| BN47 | 骨折、頭部損傷および内部損傷----- 男 M. 女 F. | 64 59 5 | 20 19 1 | 225 213 12 | 206 178 28 | 99 96 3 | 1 670 1 665 5 |
| BN47.a | 頭蓋骨折----- 男 M. 女 F. | 37 35 2 | 9 8 1 | 117 111 6 | 102 84 18 | 48 46 2 | .864 863 1 |
| BN47.b | その他の骨の骨折----- 男 M. 女 F. | 8 7 1 | 3 3 - | 29 25 4 | 23 20 3 | 7 162 1 | 163 162 1 |
| BN47.c | 頭部の損傷(骨折を除く)----- 男 M. 女 F. | 13 12 1 | 4 4 - | 38 37 1 | 52 47 5 | 26 25 1 | 365 362 3 |
| BN47.d | 胸、腹、骨盤腔の内部損傷----- 男 M. 女 F. | 6 5 1 | 4 4 - | 41 40 1 | 29 27 2 | 18 18 - | 278 278 - |
| BN48 | 熱傷----- 男 M. 女 F. | 6 5 1 | 2 2 - | 4 3 1 | 14 11 3 | 10 10 - | 40 40 - |
| BN49 | 毒物の作用----- 男 M. 女 F. | 11 10 1 | 8 7 1 | 15 14 1 | 42 26 16 | 20 18 2 | 121 120 1 |
| BN50 | その他の損傷----- 男 M. 女 F. | 14 13 1 | 17 15 2 | 63 58 5 | 91 78 13 | 51 49 2 | 485 483 2 |
| BN50.a | 裂傷および開放創----- 男 M. 女 F. | 3 2 1 | 2 2 - | 9 8 1 | 9 8 1 | 4 3 1 | 64 63 1 |
| BN50.b | 溺死および死にいたらぬ溺水----- 男 M. 女 F. | 5 5 - | 4 3 1 | 18 17 1 | 31 28 3 | 19 18 1 | 125 124 1 |
| BN50.c | 窒息および絞首----- 男 M. 女 F. | 4 4 - | 9 8 1 | 26 23 3 | 35 28 7 | 20 20 - | 178 178 - |
| BN50.d | その他----- 男 M. 女 F. | 2 2 - | 2 2 - | 10 10 - | 16 14 2 | 8 8 - | 118 118 - |

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和41年
1966

| 単純労働者 laborers | サービス職業従事者 Service workers | | | | | 分類不能の職業および不詳 Not classifiable and not reported | 未就業者および非労働力 Unemployment and not in labor force | 国際簡単分類番号 International abbreviated list number |
|-------------------|--|-----------------------------|--|--|-----------------|---|--|---|
| | 据付機関・建設機械運転従事者 Stationary engine and construction machinery operators | 電気従事者 Electrical workers | その他技能工・生産工程従事者 Miscellaneous craftsmen and production process workers | 他に分類されない単純労働者 Laborers not elsewhere classified | 総数 Total | | | |
| 19 19 - | 46 46 - | 112 96 16 | 348 314 34 | 457 225 232 | 69 69 - | 12 12 220 | 376 156 220 | 359 288 71 |
| 3 3 - | 7 7 - | 15 14 1 | 81 78 3 | 93 33 60 | 10 10 - | 3 3 - | 80 23 57 | 15 13 2 |
| 3 3 - | 7 7 - | 15 14 1 | 80 77 3 | 93 33 60 | 10 10 - | 3 3 - | 80 23 57 | 15 13 2 |
| - - - | - - - | - - - | 1 1 - | - - - | - - - | - - - | - - - | 302 132 170 |
| - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | 11 10 1 |
| 252 252 - | 588 588 - | 484 456 28 | 2 957 2 718 239 | 1 546 952 594 | 346 341 5 | 36 36 36 | 1 164 611 553 | 693 574 119 |
| 169 169 - | 305 305 - | 292 284 8 | 2 041 1 872 169 | 771 554 217 | 222 218 4 | 14 14 14 | 535 336 199 | 235 210 25 |
| 84 84 - | 170 170 - | 146 141 5 | 964 884 80 | 364 266 98 | 113 110 3 | 4 4 - | 247 156 91 | 135 119 16 |
| 18 18 - | 38 38 - | 23 23 - | 226 206 20 | 73 206 27 | 12 12 2 | 2 2 - | 59 34 25 | 1 287 434 853 |
| 22 22 - | 47 47 - | 73 70 3 | 444 408 36 | 171 124 47 | 50 49 1 | 3 3 3 | 118 75 43 | 60 57 3 |
| 45 45 - | 50 50 - | 50 50 - | 407 374 33 | 163 118 45 | 47 47 - | 5 5 - | 111 71 40 | 24 19 5 |
| 5 5 - | 3 3 - | 22 21 1 | 51 45 6 | 45 25 20 | 7 7 - | 38 18 20 | 5 5 - | 928 393 535 |
| 11 11 - | 17 17 - | 45 39 6 | 135 118 17 | 338 226 1 | 23 22 6 | 6 6 219 | 309 90 16 | 2 264 696 1 568 |
| 67 67 - | 263 263 - | 125 112 13 | 730 683 47 | 392 261 131 | 94 94 - | 16 16 115 | 282 167 115 | 377 299 78 |
| 8 8 - | 15 15 - | 16 15 1 | 100 91 9 | 51 34 17 | 11 11 - | 3 3 - | 37 23 14 | 51 45 6 |
| 17 17 - | 30 30 - | 41 33 8 | 250 235 15 | 149 100 49 | 35 35 - | 10 10 - | 104 65 39 | 188 131 57 |
| 20 20 - | 20 20 - | 43 39 4 | 230 216 14 | 134 88 46 | 34 34 - | 3 3 - | 97 54 43 | 97 85 12 |
| 22 22 - | 198 198 - | 150 141 9 | 58 39 19 | 14 14 - | - - - | 44 41 - | 41 38 19 | 1073 666 407 |

61 表 (21-1)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 農業 Agriculture | 林業、狩猟業 Forestry and hunting | 漁水産業 Fisheries and aquiculture | 鉱業 Mining | 建設業 Construction | 総 数 Total |
|---|--------------------------------|--------------------|-------------------|--------------------------------|-----------------------------------|--------------|---------------------|-----------------|
| | | | | | | | | |
| | 総 数 Total | 627 926 | 115 398 | 1 271 | 3 757 | 1 950 | 18 829 | 30 661 |
| | 男 M. 女 F. | 338 737 289 189 | 78 796 36 602 | 1 229 42 | 3 633 124 | 1 902 48 | 17 952 877 | 27 209 3 452 |
| B1 | 呼吸器系の結核 | 18 845 | 2 350 | 23 | 101 | 91 | 522 | 1 068 |
| | 男 M. 女 F. | 12 611 6 234 | 1 837 513 | 23 | 97 4 | 91 | 507 15 | 982 86 |
| B2 | その他の結核 | 1 050 | 150 | 2 | 6 | 4 | 34 | 77 |
| | 男 M. 女 F. | 495 555 | 99 51 | 2 | 6 | 4 | 29 5 | 59 18 |
| B3 | 梅毒およびその統発症 | 1 372 | 131 | 3 | 13 | 4 | 68 | 77 |
| | 男 M. 女 F. | 974 398 | 109 22 | 3 | 13 | 4 | 66 2 | 76 1 |
| B4 | 腸チフス | 12 | 4 | — | — | — | — | 2 |
| | 男 M. 女 F. | 6 6 | 2 2 | — | — | — | — | — |
| B5 | コレラ | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — |
| B6 | 赤痢 | 91 | 20 | — | — | 1 | 1 | 4 |
| | 男 M. 女 F. | 36 55 | 11 9 | — | — | 1 | 1 | 4 |
| B6.a | 細菌性赤痢(疫病症状を呈するもの) | 1 | — | — | — | — | — | — |
| | 男 M. 女 F. | 1 — | — — | — | — | — | — | — |
| B6.b | 細菌性赤痢(その他) | 89 | 20 | — | — | 1 | 1 | 4 |
| | 男 M. 女 F. | 35 54 | 11 9 | — | — | 1 | 1 | 4 |
| B6.c | アメーバ症 | 1 | — | — | — | — | — | — |
| | 男 M. 女 F. | 1 — | — — | — | — | — | — | — |
| B6.d | その他の原虫性および詳細不明の赤痢 | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — |
| B7 | 猩紅熱およびレンサ球菌性口炎 | 11 | 4 | — | — | — | — | 2 |
| | 男 M. 女 F. | 3 8 | 2 2 | — | — | — | — | 2 |
| B7.a | 猩紅熱 | 11 | 4 | — | — | — | — | 2 |
| | 男 M. 女 F. | 3 8 | 2 2 | — | — | — | — | 2 |
| B7.b | レンサ球菌性口炎 | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — |
| B8 | ジフテリア | 7 | 2 | — | — | — | — | 1 |
| | 男 M. 女 F. | 2 5 | — 2 | — | — | — | — | 1 |
| B9 | 百日咳 | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| 製造業 Manufacturing | | | | | | | | | | 国際簡単分類番号 International abbreviated list number |
|-------------------------------------|--------------------------------|---|---|---|----------------------------------|---|--|---|---|---|
| 食料品製造業 Food and Kindred products | たばこ製造業 Tobacco manufactures | 織機工業(衣服その他の繊維製品を除く) Textile mill products (excludes apparel and other finished products made from fabrics and similar materials) | 衣服その他の繊維製品 Apparel and other finished products made from fabrics and similar materials | 木材・不製品 Lumber and wood products (except furniture) | 家具・装備品 Furniture and fixtures | パルプ・紙 Pulp, paper and finished allied products | 出版、印刷、同関連産業 Publishing, printing and related industries | 化学工業 Chemical and related industries | 石油製品・石炭製造業 Petroleum and coal products | |
| 3 438 2 894 544 | 74 65 9 | 2 978 2 196 782 | 849 626 223 | 2 636 2 459 177 | 1 195 1 145 50 | 890 773 117 | 1 596 1 475 121 | 1 409 1 262 147 | 113 102 11 | B1 |
| 95 82 13 | 4 3 1 | 104 83 21 | 45 37 8 | 77 73 4 | 35 33 2 | 31 28 3 | 90 86 4 | 31 29 2 | 3 2 1 | B1 |
| 8 5 3 | — — — | 11 3 8 | 6 5 1 | 5 5 — | 2 2 — | 2 1 1 | 2 1 1 | 2 2 — | — — — | B2 |
| 5 4 1 | — — — | 8 8 | 3 3 | 6 6 | 3 3 | — — | — — | 6 6 | 2 2 — | B3 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B4 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B5 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B6 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B6.a |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B6.b |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B6.c |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B6.d |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B7 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B7.a |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B7.b |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B8 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B9 |

61 表 (21-2)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 農業 Agriculture | 林業、狩猟業 Forestry and hunting | 漁業、養殖業 Fisheries and aquaculture | 鉱業 Mining | 建設業 Construction | 総数 Total |
|---|--------------------------------|-------------------------|-------------------|--------------------------------|-------------------------------------|--------------|---------------------|------------------|
| | | | | | | | | |
| B10 | 結膜炎感染 | 24 15 9 | 3 3 — | — — — | — — — | — — — | 2 2 — | 3 3 — |
| B11 | ベスト | — — | — — | — — | — — | — — | — — | — — |
| B12 | 急性灰白髄炎 | 15 12 3 | 1 1 — | 1 1 — | — — — | — — — | 1 1 — | — — — |
| B13 | 痘瘡 | — — | — — | — — | — — | — — | — — | — — |
| B14 | 麻疹 | 12 8 4 | 2 1 1 | — — — | — — — | — — — | — — — | — — — |
| B15 | 癰瘍チフスおよびその他のリケッチャ病 | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — |
| B15.a | シラミ媒介の流行性癰瘍チフス | — — | — — | — — | — — | — — | — — | — — |
| B15.b | 恙虫病およびその他のコダニ媒介の癰瘍チフス様疾患 | — — | — — | — — | — — | — — | — — | — — |
| B15.c | その他 | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — |
| B16 | マラリア | 4 4 — | — — — | — — — | — — — | — — — | — — — | — — — |
| B17 | 伝染性および寄生性として分類されたその他の疾患 | 2 973 1 529 1 444 | 745 450 295 | 8 8 — | 16 16 — | 7 7 — | 108 102 6 | 205 161 44 |
| B17.a | バラチフス | 5 2 3 | 1 1 — | — — — | 1 1 — | — — — | — — — | — — — |
| B17.b | 瘧 | 4 2 2 | — — — | — — — | — — — | — — — | — — — | — — — |
| B17.c | 破傷風 | 233 147 86 | 88 62 26 | 1 1 — | — — — | 2 2 — | 16 16 — | 17 14 3 |
| B17.d | 炭疽 | — — | — — | — — | — — | — — | — — | — — |
| B17.e | 回帰熱 | — — | — — | — — | — — | — — | — — | — — |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| 製造業 Manufacturing | | | | | | | | | 国際簡単分類番号 International abbreviated list number |
|-------------------------------------|--------------------------------|---|--|--|-------------------------------------|---|--|---|---|
| 食料品製造業 Food and Kindred products | たばこ製造業 Tobacco manufactures | 繊維工業(衣服その他の繊維製品を除く) Textile mill products (excludes apparel and other finished products made from fabrics and similar materials) | 衣服その他の繊維製品製造業 Apparel and other finished products made from fabrics and similar materials | 木材・木製品製造業 Lumber and wood products (except furniture) | 家具・装備品製造業 Furniture and fixtures | パルプ・紙・紙加工品製造業 Pulp, paper and finished allied products | 出版、印刷、同関連産業 Publishing, printing and related industries | 化学工業 Chemical and related industries | |
| — | — | — | — | — | — | — | — | 1 1 | B10 |
| — | — | — | — | — | — | — | — | — | B11 |
| — | — | — | — | — | — | — | — | — | B12 |
| — | — | — | — | — | — | — | — | — | B13 |
| — | — | — | — | — | — | — | — | — | B14 |
| — | — | — | — | — | — | — | — | — | B15 |
| — | — | — | — | — | — | — | — | — | B15.a |
| — | — | — | — | — | — | — | — | — | B15.b |
| — | — | — | — | — | — | — | — | — | B15.c |
| — | — | — | — | — | — | — | — | — | B16 |
| — | — | — | — | — | — | — | — | — | B17 |
| — | — | — | — | — | — | — | — | — | B17.a |
| — | — | — | — | — | — | — | — | — | B17.b |
| — | — | — | — | — | — | — | — | — | B17.c |
| — | — | — | — | — | — | — | — | — | B17.d |
| — | — | — | — | — | — | — | — | — | B17.e |

61 表 (21-3)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 总数 Total | 農業 Agriculture | 林業・狩猟業 Forestry and hunting | 漁水産業 Fisheries and aquiculture | 鉱業 Mining | 建設業 Construction | 总数 Total |
|---|-----------------------------------|------------------|-------------------|--------------------------------|-----------------------------------|--------------|---------------------|--------------|
| | | | | | | | | |
| B17.f | 日本脳炎 | 1 415 | 364 | 2 | 5 | 4 | 48 | 94 |
| | 男 M. 女 F. | 676 739 | 206 158 | 2 | 5 | — | 44 4 | 76 18 |
| B17.g | 黄熱 | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B17.h | 狂犬病 | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B17.i | 伝染性下痢症 | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B17.j | 日本住血吸虫症 | 16 | 8 | — | — | — | — | — |
| | 男 M. 女 F. | 7 9 | 5 3 | — | — | — | — | — |
| B17.k | 糸状虫症 | 28 | 8 | — | — | — | 1 | — |
| | 男 M. 女 F. | 20 8 | 4 4 | — | — | — | 1 | — |
| B17.l | その他の伝染性および寄生性として分類された疾患 | 1 272 | 276 | 5 | 10 | 1 | 43 | 94 |
| | 男 M. 女 F. | 675 597 | 172 104 | 5 — | 10 — | 1 — | 41 2 | 71 23 |
| B18 | 悪性新生物(リンパ組織および造血組織の... 新生物を含む) | 108 394 | 22 614 | 210 | 865 | 304 | 3 416 | 7 200 |
| | 男 M. 女 F. | 60 020 48 374 | 15 188 7 426 | 203 7 | 830 35 | 290 14 | 3 201 215 | 6 221 979 |
| B18.a | 胃の悪性新生物 | 46 768 | 10 965 | 93 | 397 | 151 | 1 608 | 3 213 |
| | 男 M. 女 F. | 28 920 17 848 | 7 995 2 970 | 92 1 | 388 9 | 144 7 | 1 530 78 | 2 885 328 |
| B18.b | 気管、気管支および肺の悪性新生物 | 8 361 | 1 642 | 23 | 100 | 35 | 327 | 716 |
| | 男 M. 女 F. | 5 853 2 508 | 1 315 327 | 23 | 97 | — | 313 14 | 672 44 |
| B18.c | 乳房の悪性新生物 | 2 129 | 257 | — | 2 | — | 10 | 44 |
| | 男 M. 女 F. | 29 2 100 | 8 249 | — | 1 | — | 2 | 43 |
| B18.d | 子宮の悪性新生物 | 6 667 | 993 | 2 | 11 | 2 | 34 | 150 |
| | 男 M. 女 F. | 6 667 | 993 | 2 | 11 | 2 | 34 | 150 |
| B18.e | 白血病および無白血病 | 2 469 | 439 | 3 | 14 | 6 | 97 | 266 |
| | 男 M. 女 F. | 1 362 1 107 | 268 171 | 3 | 13 | 5 | 90 7 | 203 63 |
| B18.f | その他 | 42 000 | 8 318 | 89 | 341 | 110 | 1 340 | 2 811 |
| | 男 M. 女 F. | 23 856 18 144 | 5 602 2 716 | 85 4 | 331 10 | 106 4 | 1 266 74 | 2 460 351 |
| B19 | 良性および性質不詳の新生物 | 5 022 | 868 | 9 | 31 | 13 | 150 | 409 |
| | 男 M. 女 F. | 2 623 2 399 | 542 326 | 9 | 29 | 13 | 131 | 346 63 |
| B20 | 糖尿病 | 5 734 | 1 007 | 9 | 19 | 10 | 113 | 229 |
| | 男 M. 女 F. | 2 728 3 006 | 597 410 | — | 18 | 10 | 107 6 | 200 29 |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| 製造業 Manufacturing | | | | | | | | | 国際簡単分類番号 International abbreviated list number |
|-------------------------------------|--------------------------------|---|--|--|-------------------------------------|---|--|---|---|
| 食料品製造業 Food and Kindred products | たばこ製造業 Tobacco manufactures | 繊維工業(衣服その他の繊維製品を除く) Textile mill products (excludes apparel and other finished products made from fabrics and similar materials) | 衣服その他の繊維製品製造業 Apparel and other finished products made from fabrics and similar materials | 木材・木製品製造業 Lumber and wood products (except furniture) | 家具・装備品製造業 Furniture and fixtures | パルプ・紙・紙加工品製造業 Pulp, paper and finished allied products | 出版、印刷、同関連産業 Publishing, printing and related industries | 化学工業 Chemical and related industries | |
| 10 8 2 | — — — | 16 10 6 | 4 2 | 5 4 1 | 4 — — | 2 — — | 3 3 | 8 7 1 | B17.f |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.g |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.h |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.i |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.j |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B17.k |
| 17 13 4 | — — — | 12 5 7 | 2 1 1 | 8 7 1 | 2 2 — | 3 1 2 | 3 3 — | 6 6 — | B17.l |
| 812 662 150 | 24 21 3 | 772 557 215 | 194 134 60 | 598 543 55 | 285 265 20 | 218 176 42 | 423 388 35 | 351 304 47 | B18 |
| 353 308 45 | 10 9 1 | 305 241 64 | 76 55 21 | 285 260 25 | 139 134 5 | 97 84 13 | 192 178 14 | 149 137 12 | B18.a |
| 84 76 8 | 4 4 — | 75 68 7 | 16 13 3 | 77 75 2 | 28 28 — | 20 18 2 | 37 34 3 | 34 31 3 | B18.b |
| 4 — 4 | — — — | 15 — 15 | 2 — 2 | — — — | 4 — 4 | 2 — 2 | 1 — 1 | 2 — 2 | B18.c |
| 27 27 | — — | 30 30 | 10 10 | 11 11 | 3 3 | 5 5 | 6 6 | 9 9 | B18.d |
| 30 24 6 | 3 2 — | 24 10 14 | 11 6 5 | 9 8 1 | 7 7 — | 10 6 4 | 14 11 3 | 23 18 5 | B18.e |
| 314 254 60 | 7 5 2 | 323 238 85 | 79 60 19 | 216 200 16 | 104 96 8 | 84 68 16 | 173 165 16 | 134 118 16 | B18.f |
| 50 38 12 | — — — | 49 30 19 | 11 8 3 | 34 33 1 | 15 15 — | 11 9 2 | 15 13 2 | 22 21 1 | B19 |
| 35 26 9 | — — — | 32 25 7 | 5 5 — | 23 22 1 | 7 5 2 | 5 4 1 | 10 10 — | 4 4 — | B20 |

61 表 (21-4)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因性 Cause of death and sex | 总数 Total | 農業 Agriculture | 林業、狩猟業 Forestry and hunting | 漁業、水産養殖業 Fisheries and aquiculture | 鉱業 Mining | 建設業 Construction | 总数 Total |
|---|-------------------------------|-------------|----------------------------|--------------------------------|---------------------------------------|-----------------|-----------------------|-----------------------|
| | | | 男 M. 女 F. | 男 M. 女 F. | 男 M. 女 F. | 男 M. 女 F. | 男 M. 女 F. | 男 M. 女 F. |
| B21 | 貧血 | 1 244 | 244 547 697 | 2 120 124 | 5 2 — | 3 24 1 | 25 56 24 | 80 |
| B22 | 中枢神経系の血管損傷 | 172 020 | 36 547 91 970 80 050 | 295 25 118 11 429 | 867 841 26 | 305 299 6 | 4 178 3 989 189 | 5 723 5 230 493 |
| B23 | 結膜炎(結膜炎・菌性および結核性を除く) | 486 | 97 266 220 | 3 2 1 | 2 2 — | 1 1 — | 23 22 1 | 55 42 13 |
| B24 | リューマチ熱 | 520 | 89 180 340 | — 41 48 | 5 4 1 | — — — | 13 11 2 | 24 16 8 |
| B25 | 慢性リューマチ性心臓疾患 | 4 553 | 800 1 588 2 965 | 8 6 2 | 17 16 1 | 10 8 2 | 78 66 12 | 166 131 35 |
| B26 | 動脈硬化性および変性性心臓疾患 | 54 723 | 9 461 28 777 25 946 | 66 64 2 | 255 242 13 | 81 80 1 | I 185 I 123 62 | 2 359 2 172 187 |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 28 001 | 4 972 16 656 11 345 | 55 54 1 | 157 152 5 | 57 57 — | 777 746 31 | I 538 I 453 85 |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | 6 444 | 1 314 2 627 3 817 | 2 1 1 | 19 17 2 | 8 8 — | 111 95 16 | 242 196 46 |
| B26.c | その他の心筋変性 | 20 278 | 3 175 9 494 10 784 | 9 9 — | 79 73 6 | 16 15 1 | 297 282 15 | 579 523 56 |
| B27 | その他の心臓疾患 | 11 390 | 2 151 5 975 5 415 | 9 9 — | 62 61 1 | 19 19 — | 221 208 13 | 321 280 41 |
| B28 | 高血圧性心臓疾患 | 10 626 | 1 578 5 106 5 520 | 12 11 1 | 47 47 — | 17 16 1 | 174 167 7 | 268 250 18 |
| B29 | その他の高血圧性疾患 | 7 779 | 1 138 3 706 4 073 | 8 8 — | 31 31 — | 21 20 1 | 144 134 10 | 206 187 19 |
| B30 | インフルエンザ | 311 | 64 161 150 | — 43 21 | — — — | — 5 — | 5 5 1 | 6 5 — |
| B31 | 肺炎(新生児肺炎を除く) | 16 960 | 2 833 9 016 7 944 | 14 13 1 | 76 75 1 | 14 14 — | 236 221 15 | 444 396 48 |
| B32 | 気管支炎 | 4 894 | 800 2 514 2 380 | — 580 — | 17 5 — | 5 37 — | 64 59 5 | — — — |
| B33 | 胃および十二指腸の潰瘍 | 8 772 | 1 995 6 126 2 646 | 19 19 — | 52 51 1 | 25 25 — | 320 315 5 | 524 501 23 |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| 製造業 Manufacturing | | | | | | | | | | 国際簡単分類番号 International abbreviated list number |
|-------------------------------------|--------------------------------|---|---|--|----------------------------------|---|---|--|---|---|
| 食料品製造業 Food and kindred products | たばこ製造業 Tobacco manufactures | 繊維工業(衣服その他 の繊維製品を除く) Textile mill products (excludes apparel and other finished products made from fabrics and similar materials) | 衣服その他の繊維製品 Apparel and other finished products made from fabrics and similar materials) | 木材・木製品 Lumber and wood products (家具を除く) except furniture) | 家具・装備品 Furniture and fixtures | パルプ・紙・紙 Pulp, paper and finished allied products | 出版、印刷、 同関連産業 Publishing, printing and related industries | 化学工業 Chemical and related industries | 石油製品・ 石炭製品 Petroleum and coal products | |
| 8 5 3 | 1 — 1 | 13 8 5 | 3 1 2 | 3 126 28 | 8 6 2 | 3 — — | 2 2 — | 4 2 2 | 5 5 — | B21 |
| 777 684 93 | 9 7 2 | 590 478 112 | 154 126 38 | 608 570 5 | 283 278 11 | 160 149 11 | 267 260 7 | 213 194 19 | 19 17 2 | B22 |
| 3 2 1 | — — — | 8 3 5 | 3 2 1 | 4 4 — | — — — | — — — | 2 2 — | 2 1 — | 1 1 — | B23 |
| 3 1 2 | 1 — 1 | 3 1 2 | — — — | 4 4 — | 2 1 1 | — — — | — — — | — — — | — — — | B24 |
| 29 | — — — | 14 7 6 | 8 2 6 | 13 12 1 | 10 9 1 | 5 3 2 | 12 10 2 | 9 7 2 | — — — | B25 |
| 294 252 42 | 3 3 — | 211 176 35 | 62 52 10 | 212 204 8 | 95 91 4 | 69 63 6 | 140 137 3 | 101 93 8 | 7 6 1 | B26 |
| 180 164 16 | 1 1 — | 125 111 14 | 38 33 5 | 141 136 5 | 71 68 3 | 44 40 4 | 102 100 2 | 71 64 7 | 5 4 1 | B26.a |
| 31 21 10 | 1 1 — | 27 16 11 | 9 8 1 | 18 16 2 | 7 6 1 | 10 9 1 | 10 10 — | 7 6 1 | — — — | B26.b |
| 83 67 16 | 1 1 — | 59 49 10 | 15 11 4 | 53 52 1 | 17 17 — | 15 14 1 | 28 27 1 | 23 23 — | 2 2 — | B26.c |
| 33 27 6 | — — — | 33 21 12 | 10 7 3 | 36 36 — | 18 18 — | 9 7 2 | 16 16 — | 16 14 2 | 1 1 — | B27 |
| 42 36 6 | 1 1 — | 24 23 1 | 7 7 — | 29 27 2 | 11 10 1 | 7 7 — | 12 11 1 | 7 7 — | 2 2 — | B28 |
| 27 23 4 | 1 1 — | 19 17 2 | 6 5 1 | 24 21 3 | 16 16 — | 6 4 — | 10 10 2 | 7 7 — | 7 7 — | B29 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | B30 |
| 39 36 3 | 1 1 — | 55 43 12 | 9 8 1 | 34 31 3 | 12 12 — | 10 9 1 | 27 24 3 | 18 15 3 | 3 3 — | B31 |
| 5 3 2 | — — — | 5 4 1 | 4 3 1 | 6 6 — | 5 5 — | — — — | 4 4 — | 1 1 — | — — — | B32 |
| 64 62 2 | — — — | 50 47 3 | 17 16 1 | 49 46 3 | 23 23 — | 10 10 — | 23 23 — | 30 29 1 | — — — | B33 |

61表(21-5)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因性 Cause of death and sex | 总数 Total | 農業 Agriculture | 林業・狩猟業 Forestry and hunting | 漁水産養殖業 Fisheries and aquiculture | 鉱業 Mining | 建設業 Construction | 总数 Total |
|---|-------------------------------|----------------|-------------------|--------------------------------|-------------------------------------|--------------|---------------------|-------------|
| | | | | | | | | |
| B34 | 虫垂炎 | 638 | 129 | 1 | 6 | — | 17 | 62 |
| | 男 M. 女 F. | 341 297 | 79 50 | 1 — | 6 — | — | 17 — | 50 12 |
| B35 | 腸閉塞およびヘルニア | 2 879 | 546 | 12 | 17 | 9 | 106 | 166 |
| | 男 M. 女 F. | 1 537 1 342 | 375 171 | 12 — | 16 1 | 9 — | 100 6 | 146 20 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) | 9 173 | 1 470 | 6 | 24 | 2 | 67 | 123 |
| | 男 M. 女 F. | 3 567 5 606 | 877 593 | 6 — | 23 1 | 2 — | 64 3 | 106 17 |
| B36.a | 胃炎および十二指腸炎 | 2 698 | 434 | 3 | 11 | 2 | 20 | 35 |
| | 男 M. 女 F. | 1 077 1 621 | 271 163 | 3 — | 11 — | 2 — | 18 2 | 30 5 |
| B36.b | 胃腸炎、腸炎および大腸炎 | 6 475 | 1 036 | 3 | 13 | — | 47 | 88 |
| | 男 M. 女 F. | 2 490 3 985 | 606 430 | 3 — | 12 1 | — | 46 1 | 76 12 |
| B37 | 肝硬変 | 10 021 | 1 772 | 22 | 87 | 33 | 464 | 736 |
| | 男 M. 女 F. | 6 719 3 302 | 1 295 477 | 22 — | 87 — | 33 — | 459 5 | 695 41 |
| B38 | 腎炎およびネフローゼ | 9 990 | 1 731 | 13 | 47 | 20 | 253 | 670 |
| | 男 M. 女 F. | 5 148 4 842 | 1 117 614 | 13 — | 45 2 | 20 — | 235 18 | 559 111 |
| B38.a | 急性腎炎およびネフローゼ | 2 104 | 370 | 3 | 10 | 6 | 49 | 131 |
| | 男 M. 女 F. | 1 090 1 014 | 245 125 | 3 — | 10 — | 6 — | 43 6 | 105 26 |
| B38.b | その他 | 7 886 | 1 361 | 10 | 37 | 14 | 204 | 539 |
| | 男 M. 女 F. | 4 058 3 828 | 872 489 | 10 — | 35 2 | 14 — | 192 12 | 454 85 |
| B39 | 前立腺肥大症 | 635 | 125 | — | 5 | — | 8 | 17 |
| | 男 M. 女 F. | 635 | 125 | — | 5 | — | 8 | 17 |
| B40 | 妊娠、分娩および産褥の合併症 | 1 266 | 181 | — | 2 | — | 12 | 71 |
| | 男 M. 女 F. | 1 266 | 181 | — | 2 | — | 12 | 71 |
| B41 | 先天奇形 | 611 | 47 | — | 3 | 1 | 15 | 48 |
| | 男 M. 女 F. | 292 319 | 21 26 | — | 3 | 1 | 11 | 32 16 |
| B42 | 出生時の損傷、分娩後窒息および肺不全拡張 | · | · | · | · | · | · | · |
| | 男 M. 女 F. | · | · | · | · | · | · | · |
| B43 | 新生児の感染 | · | · | · | · | · | · | · |
| | 男 M. 女 F. | · | · | · | · | · | · | · |
| B43.a | 新生児肺炎 | · | · | · | · | · | · | · |
| | 男 M. 女 F. | · | · | · | · | · | · | · |
| B43.b | 新生児下痢 | · | · | · | · | · | · | · |
| | 男 M. 女 F. | · | · | · | · | · | · | · |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| 製造業 | | | | | | | | | Manufacturing | | | 国際簡単分類番号 International abbreviated list number |
|-------------------------------------|--------------------------------|---|---|--|--|--|---|---|---|-------------|-----|---|
| 食料品製造業 Food and Kindred products | たばこ製造業 Tobacco manufactures | 繊維工業(衣服その他 の繊維製品を除く) Textile mill products (excludes apparel and other finished products made from fabrics and similar materials) | 衣服その他の繊 維製品製造業 Apparel and other finished products made from fabrics and similar materials | 木材・木製品 製造(家具を除く) Lumber and wood products (except furniture) | 家具・装備品 製造業 Furniture and fixtures | パルプ・紙・紙 加工品製造業 Pulp, paper and finished products | 出版、印刷、 同関連産業 Publishing, printing and related industries | 化学工業 Chemical and related industries | 石油製品・ 石炭製品 製造業 Petroleum and coal products | | | |
| 5 3 2 | — — — | 6 3 3 | 4 4 — | 3 2 1 | 1 — — | 1 1 — | 1 1 — | 4 3 — | 6 5 — | — — — | B34 | |
| 20 14 6 | — — — | 19 17 2 | 2 1 1 | 15 14 1 | 10 10 — | 4 3 — | 10 9 1 | 6 5 1 | 1 1 — | B35 | | |
| 22 18 4 | 1 — 1 | 18 11 7 | 5 4 1 | 10 10 — | 8 7 1 | 1 — — | 4 4 — | 1 1 — | 2 1 1 | B36 | | |
| 5 4 1 | 1 — 1 | 5 3 2 | 1 — — | 2 2 — | — — — | — — — | — — — | — — — | — — — | B36.a | | |
| 17 14 3 | — — — | 13 8 5 | 4 3 1 | 8 8 — | 8 7 1 | 1 — — | 4 4 — | — — — | — — — | B36.b | | |
| 79 76 3 | 2 2 — | 60 52 8 | 24 23 1 | 56 52 4 | 26 25 1 | 22 20 — | 46 41 5 | 34 31 3 | 2 2 — | B37 | | |
| 71 58 13 | 4 4 — | 75 52 23 | 26 15 11 | 46 39 7 | 32 31 1 | 25 21 4 | 42 38 4 | 28 23 5 | 2 2 — | B38 | | |
| 12 10 2 | 1 — — | 18 11 7 | 8 4 4 | 15 13 2 | 5 5 — | 7 5 2 | 9 7 2 | 2 1 1 | — — — | B38.a | | |
| 59 48 11 | 3 — — | 57 41 16 | 18 11 7 | 31 26 5 | 27 26 1 | 18 16 2 | 33 31 2 | 26 22 4 | 2 2 — | B38.b | | |
| 2 2 — | 3 3 — | — — — | — — — | 2 2 — | 2 2 — | 2 2 — | 1 1 — | — — — | — — — | B39 | | |
| 9 9 — | — — — | 17 17 — | 9 9 — | 2 2 — | 2 2 — | 3 3 — | 1 1 — | 3 3 — | — — — | B40 | | |
| 2 2 — | 4 4 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B41 | | |
| 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B42 | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B43 | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B43.a | | |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B43.b | | |

61 表 (21—6)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 農業 Agriculture | 林業、狩猟業 Forestry and hunting | 漁水産養殖業 Fisheries and aquiculture | 鉱業 Mining | 建設業 Construction | 総数 Total |
|---|---|----------------------------|-------------------------|--------------------------------|-------------------------------------|--------------------|------------------------|-------------------------|
| | | | | | | | | |
| B43.c | その他の新生児の感染 男 M. 女 F. | - | - | - | - | - | - | - |
| B44 | その他の新生児固有の疾患および性質不明の未熟児 男 M. 女 F. | - | - | - | - | - | - | - |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 男 M. 女 F. | 55 840 22 269 33 571 | 6 776 4 386 2 390 | 46 46 - 7 | 159 152 - - | 41 41 - - | 526 503 23 79 | 1 009 930 79 - |
| B45.a | 精神病の記載のない老衰 男 M. 女 F. | 44 209 15 531 28 678 | 4 437 2 760 1 677 | 9 9 - 3 | 56 53 - - | 5 5 - 1 | 57 56 160 9 | 169 160 - - |
| B45.b | その他の診断名不明確および不明の原因 男 M. 女 F. | 11 631 6 738 4 893 | 2 339 1 626 713 | 37 37 - 4 | 103 99 - - | 36 36 - - | 469 447 22 70 | 840 770 - - |
| B46 | その他のすべての疾患 男 M. 女 F. | 48 035 24 560 23 475 | 8 105 5 359 2 746 | 60 58 2 | 222 210 12 | 82 78 4 | 1 031 960 71 | 2 007 1 699 308 |
| B46.a | その他の循環器系の疾患(先天性を除く) 男 M. 女 F. | 5 349 2 692 2 657 | 778 547 231 | 4 4 - | 19 19 - | 8 8 - | 66 65 1 | 135 124 11 |
| B46.b | その他のすべての疾患 男 M. 女 F. | 42 686 21 868 20 818 | 7 327 4 812 2 515 | 56 54 2 | 203 191 12 | 74 70 4 | 965 895 70 | 1 872 1 575 297 |
| "E" | 不慮の事故、中毒および暴力の二重分類 (外因) 男 M. 女 F. | 50 992 36 670 14 322 | 8 818 6 535 2 283 | 410 397 13 | 698 685 13 | 827 809 18 | 5 275 5 125 150 | 6 235 5 595 640 |
| BE47 | 自動車事故 男 M. 女 F. | 15 904 13 040 2 864 | 2 693 2 234 459 | 92 91 1 | 93 93 - | 113 109 4 | 1 991 1 922 69 | 2 442 2 263 179 |
| BE48 | その他の不慮の事故 男 M. 女 F. | 19 047 14 502 4 545 | 3 206 2 545 661 | 274 265 9 | 508 500 8 | 649 637 12 | 2 505 2 450 55 | 2 217 2 074 143 |
| BE48.a | 自動車以外の交通事故 男 M. 女 F. | 2 963 2 399 564 | 410 335 75 | 9 9 - | 311 308 3 | 21 21 - | 274 261 13 | 368 340 28 |
| BE48.b | 不慮の墜落 男 M. 女 F. | 4 367 3 179 1 188 | 805 662 143 | 57 56 1 | 39 39 - | 65 64 1 | 759 748 11 | 459 433 26 |
| BE48.c | 不慮の溺死および溺水 男 M. 女 F. | 3 100 2 310 790 | 475 348 127 | 15 15 - | 101 97 4 | 20 20 - | 243 239 4 | 314 298 16 |
| BE48.d | 天災 男 M. 女 F. | 252 106 146 | 67 38 29 | 7 6 1 | 5 5 - | 3 3 2 | 9 7 5 | 10 5 5 |
| BE48.e | その他 男 M. 女 F. | 8 365 6 508 1 857 | 1 449 1 162 287 | 186 179 7 | 52 51 1 | 540 529 11 | 1 220 1 195 25 | 1 066 998 68 |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| 製造業 Manufacturing | | | | | | | | | | 国際簡単分類番号 International abbreviated list number |
|-------------------------------------|--------------------------------|---|--|--|-------------------------------------|--|--|---|---|---|
| 食料品製造業 Food and Kindred products | たばこ製造業 Tobacco manufactures | 繊維工業(衣服その他の織維製品を除く) Textile mill products (excludes apparel and other finished products made from fabrics and similar materials) | 衣服その他の織維製品製造業 Apparel and other finished products made from fabrics and similar materials | 木材・木製品製造業 Lumber and wood products (except furniture) | 家具・装備品製造業 Furniture and fixtures | パルプ・紙・紙加工品製造業 Pulp, paper and allied products | 出版、印刷、同関連産業 Publishing, printing and related industries | 化学工業 Chemical and related industries | 石油製品・石炭製造業 Petroleum and coal products | |
| 111 103 8 | 1 1 - | 93 77 16 | 29 20 9 | 95 90 5 | 48 46 2 | 26 22 4 | 44 42 2 | 41 39 2 | 4 4 - | B43.c |
| 23 19 4 | - - - | 17 16 1 | 5 5 - | 26 26 - | 15 15 - | 6 6 - | 10 10 - | 4 4 - | 1 1 - | B44 |
| 88 84 4 | 1 1 - | 76 61 15 | 24 15 9 | 69 64 5 | 33 31 2 | 20 16 4 | 34 32 2 | 37 35 2 | 3 3 - | B45 |
| 250 205 45 | 6 6 - | 192 125 67 | 66 46 20 | 152 141 11 | 64 62 2 | 58 48 10 | 111 97 14 | 86 73 13 | 9 9 - | B45.a |
| 18 17 1 | 1 1 - | 14 11 3 | 5 3 2 | 12 11 1 | 5 5 - | 3 3 - | 9 9 - | 5 5 - | 5 5 - | B45.b |
| 232 188 44 | 5 5 - | 178 114 64 | 61 43 18 | 140 130 10 | 59 57 2 | 55 45 10 | 102 88 14 | 81 68 13 | 9 9 - | B46 |
| 507 420 87 | 15 15 - | 460 306 154 | 128 87 41 | 469 446 23 | 169 164 5 | 198 181 17 | 258 227 31 | 361 329 32 | 22 21 1 | "E" |
| 213 183 30 | 8 8 - | 197 153 44 | 51 44 7 | 162 157 5 | 90 88 2 | 86 81 5 | 80 72 8 | 127 116 11 | 12 12 - | BE47 |
| 163 143 20 | 3 3 - | 93 64 29 | 22 14 8 | 222 209 13 | 41 41 - | 71 66 5 | 89 79 10 | 139 134 5 | 8 7 1 | BE48 |
| 34 28 6 | - - - | 14 9 5 | 4 3 1 | 26 25 1 | 9 9 - | 11 11 - | 30 28 2 | 21 21 - | - - - | BE48.a |
| 33 29 4 | 1 1 - | 21 13 1 | 3 2 1 | 38 37 1 | 7 7 - | 11 11 - | 15 13 2 | 25 25 - | 2 2 - | BE48.b |
| 27 26 1 | 1 1 - | 21 16 5 | 6 5 1 | 22 21 1 | 6 6 - | 12 11 1 | 18 15 3 | 20 19 1 | 1 1 - | BE48.c |
| 2 2 | - - | - - | - - | - - | 1 1 1 | 3 3 - | - - | - - | - - | BE48.d |
| 67 60 7 | 1 1 - | 37 26 11 | 9 4 5 | 135 126 9 | 18 18 - | 34 30 4 | 26 23 3 | 73 69 4 | 5 4 1 | BE48.e |

61 表 (21-7)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総数 Total | 農業 Agriculture | 林業、狩猟業 Forestry and hunting | 漁水産養殖業 Fisheries and aquiculture | 鉱業 Mining | 建設業 Construction | 総数 Total |
|---|--------------------------------|-------------|-------------------|--------------------------------|-------------------------------------|--------------|---------------------|-------------|
| | | | | | | | | |
| BE49 | 自殺および自傷 | 15 002 | 2 819 | 39 | 69 | 49 | 633 | 1 470 |
| | 男 M. 女 F. | 8 413 | 1 681 | 36 | 65 | 47 | 610 | 1 168 |
| | | 6 589 | 1 138 | 3 | 4 | 2 | 23 | 302 |
| BE50 | 他殺および戦争行為 | 1 039 | 100 | 5 | 28 | 16 | 146 | 106 |
| | 男 M. 女 F. | 715 | 75 | 5 | 27 | 16 | 143 | 90 |
| | | 324 | 25 | — | 1 | — | 3 | 16 |
| BE50.a | 他殺 | 1 018 | 96 | 5 | 28 | 15 | 144 | 105 |
| | 男 M. 女 F. | 695 | 71 | 5 | 27 | 15 | 141 | 89 |
| | | 323 | 25 | — | 1 | — | 3 | 16 |
| BE50.b | 処刑および戦争行為 | 21 | 4 | — | — | 1 | 2 | 1 |
| | 男 M. 女 F. | 20 | 4 | — | — | 1 | 2 | 1 |
| | | 1 | — | — | — | — | — | — |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) | 50 992 | 8 818 | 410 | 698 | 827 | 5 275 | 6 235 |
| | 男 M. 女 F. | 3 6670 | 6 535 | 397 | 685 | 809 | 5 125 | 5 595 |
| | | 14 322 | 2 283 | 13 | 13 | 18 | 150 | 640 |
| BN47 | 骨折、頭部損傷および内部損傷 | 26 011 | 4 252 | 284 | 221 | 560 | 3 644 | 3 815 |
| | 男 M. 女 F. | 20 922 | 3 536 | 275 | 221 | 548 | 3 534 | 3 529 |
| | | 5 089 | 716 | 9 | — | 12 | 110 | 286 |
| BN47.a | 頭蓋骨折 | 12 332 | 2 023 | 151 | 99 | 273 | 1 848 | 1 971 |
| | 男 M. 女 F. | 10 319 | 1 710 | 148 | 99 | 266 | 1 793 | 1 822 |
| | | 2 013 | 313 | 3 | — | 7 | 55 | 149 |
| BN47.b | その他の骨の骨折 | 3 406 | 563 | 39 | 24 | 86 | 373 | 359 |
| | 男 M. 女 F. | 2 303 | 451 | 37 | 24 | 86 | 358 | 331 |
| | | 1 103 | 112 | 2 | — | — | 15 | 28 |
| BN47.c | 頭部の損傷(骨折を除く) | 6 218 | 1 106 | 47 | 55 | 60 | 743 | 856 |
| | 男 M. 女 F. | 4 836 | 910 | 45 | 55 | 59 | 721 | 787 |
| | | 1 382 | 196 | 2 | — | 1 | 22 | 69 |
| BN47.d | 胸、腹、骨盤腔の内部損傷 | 4 055 | 560 | 47 | 43 | 141 | 680 | 629 |
| | 男 M. 女 F. | 3 464 | 465 | 45 | 43 | 137 | 662 | 589 |
| | | 591 | 95 | 2 | — | 4 | 18 | 40 |
| BN48 | 熱傷 | 1 725 | 271 | 8 | 12 | 14 | 89 | 179 |
| | 男 M. 女 F. | 1 005 | 161 | 8 | 12 | 14 | 88 | 159 |
| | | 720 | 110 | — | — | — | 1 | 20 |
| BN49 | 毒物の作用 | 5 749 | 982 | 18 | 37 | 39 | 209 | 720 |
| | 男 M. 女 F. | 3 019 | 598 | 15 | 36 | 38 | 192 | 565 |
| | | 2 730 | 384 | 3 | 1 | 1 | 17 | 155 |
| BN50 | その他の損傷 | 17 507 | 3 313 | 100 | 428 | 214 | 1 333 | 1 521 |
| | 男 M. 女 F. | 11 724 | 2 240 | 99 | 416 | 209 | 1 311 | 1 342 |
| | | 5 783 | 1 073 | 1 | 12 | 5 | 22 | 179 |
| BN50.a | 裂傷および開放創 | 1 341 | 152 | 10 | 13 | 24 | 149 | 181 |
| | 男 M. 女 F. | 982 | 110 | 10 | 13 | 23 | 144 | 158 |
| | | 359 | 42 | — | — | 1 | 5 | 23 |
| BN50.b | 溺死および死にいたらぬ溺水 | 5 749 | 936 | 28 | 336 | 31 | 349 | 494 |
| | 男 M. 女 F. | 3 632 | 543 | 28 | 327 | 30 | 344 | 428 |
| | | 2 117 | 393 | — | 9 | 1 | 5 | 66 |
| BN50.c | 窒息および絞首 | 7 391 | 1 656 | 37 | 56 | 105 | 409 | 524 |
| | 男 M. 女 F. | 4 663 | 1 112 | 36 | 54 | 102 | 400 | 448 |
| | | 2 728 | 544 | 1 | 2 | 3 | 9 | 76 |
| BN50.d | その他 | 3 026 | 569 | 25 | 23 | 54 | 426 | 322 |
| | 男 M. 女 F. | 2 447 | 475 | 25 | 22 | 54 | 423 | 308 |
| | | 579 | 94 | — | 1 | — | 3 | 14 |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| 製造業 | | | | | | | | | Manufacturing | | | | 国際簡単分類番号 International abbreviated list number |
|-------------------------------------|--------------------------------|---|--|---|---|---|--|---|--|--------|--|--|---|
| 食料品製造業 Food and Kindred products | たばこ製造業 Tobacco manufactures | 繊維工業(衣服その他 の繊維製品を除く) Textile mill products (excludes apparel and other finished products made from fabrics and similar materials) | 衣服その他他の繊 維製品製造業 Apparel and other finished products made from fabrics and similar materials | 木材・木製品 木製品製造業 (家具を除く) Lumber and wood products (except furniture) | 家具・装備品 家具・装備品製造業 Furniture and fixtures | パルプ・紙・紙 加工品製造業 Pulp, paper and finished allied products | 出版、印刷、 向関連産業 Publishing, printing and related industries | 化学生産業 Chemical and related industries | 石油製品・ 石炭製品 製造業 Petroleum and coal products | | | | |
| 122 | 4 | 162 | 48 | 82 | 31 | 38 | 80 | 89 | 2 | BE49 | | | |
| 86 | 4 | 84 | 25 | 78 | 28 | 31 | 69 | 74 | — | BE50 | | | |
| 36 | — | 78 | 23 | 4 | 3 | 7 | 11 | 15 | — | BE50.a | | | |
| 9 | — | 8 | 7 | 3 | 7 | 3 | 9 | 6 | — | BE50.b | | | |
| 8 | — | 5 | 4 | 2 | 7 | 3 | 7 | 5 | — | BN47 | | | |
| 1 | — | 3 | 3 | 1 | — | — | 2 | 1 | — | BN47.a | | | |
| 9 | — | 8 | 7 | 2 | 7 | 3 | 9 | 6 | — | BN47.b | | | |
| 8 | — | 5 | 4 | 1 | — | — | — | — | — | BN47.c | | | |
| 1 | — | 3 | 3 | — | — | — | — | — | — | BN47.d | | | |
| 158 | 5 | 142 | 28 | 153 | 59 | 64 | 65 | 102 | 9 | BN48 | | | |
| 133 | — | 99 | 22 | 147 | 57 | 62 | 56 | 96 | — | BN48 | | | |
| 25 | — | 43 | 6 | 6 | 2 | 2 | 9 | 6 | — | BN49 | | | |
| 34 | — | 18 | 5 | 32 | 7 | 8 | 21 | 20 | — | BN49 | | | |
| 31 | — | 15 | 3 | 30 | 7 | 1 | 20 | 18 | 2 | BN50 | | | |
| 3 | — | 3 | 1 | 2 | — | — | — | — | — | BN50.a | | | |
| 71 | — | 58 | 20 | 30 | 34 | 34 | 50 | 44 | 3 | BN50.b | | | |
| 59 | — | 45 | 17 | 65 | 30 | 33 | 44 | 48 | 3 | BN50.c | | | |
| 12 | — | 13 | 3 | 2 | — | 1 | 4 | 6 | 2 | BN50.d | | | |
| 45 | 3 | 38 | 10 | 45 | 21 | 26 | 20 | 27 | 2 | BN50.d | | | |
| 42 | — | 31 | 8 | 42 | 3 | 2 | 18 | 24 | 2 | BN50.d | | | |
| 3 | — | 7 | 5 | 12 | 5 | 6 | 11 | 17 | 1 | BN50.d | | | |
| 14 | — | 5 | 2 | 11 | 5 | 4 | 49 | 56 | 1 | BN50.d | | | |
| 11 | — | 3 | 1 | 1 | 1 | 4 | 43 | 48 | 1 | BN50.d | | | |
| 3 | — | 30 | 19 | 23 | 6 | 5 | 58 | 87 | 5 | BN50.d | | | |
| 104 | 6 | 77 | 40 | 137 | 39 | 49 | 51 | 80 | 5 | BN50.d | | | |
| 17 | — | 56 | 30 | 129 | 44 | 44</ | | | | | | | |

61 表 (21-8)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 製造業 | | | | | | |
|---|--------------------------------|----------------------------|---|---|---|------------------------------------|-----------------------------------|---|
| | | ゴム製品製造業 Rubber products | 皮革・同製品製造業 Leather and leather products | 窯業、土石製品製造業 Stone, clay, glass and pottery products | 鉄鋼業、非鉄金属製造業 Iron, steel and non-ferrous metal industries | 金属製造業 Fabricated metal products | 機械・武器製造業 Machinery and weapons | 電気機械器具製造業 Electrical machinery, equipment and supplies |
| | 総数 Total | 306 261 45 | 378 345 33 | 1 890 1 672 218 | 2 387 2 274 113 | 3 724 3 482 242 | 1 484 1 402 82 | 1 334 1 134 200 |
| B1 | 呼吸器系の結核 | 10 9 1 | 23 23 - | 107 102 5 | 75 70 5 | 138 135 3 | 50 46 4 | 45 41 4 |
| B2 | その他の結核 | 2 2 - | 2 1 1 | 5 5 - | 7 4 - | 4 4 - | 5 5 - | 5 4 1 |
| B3 | 梅毒およびその続発症 | - - - | - 1 - | 8 8 - | 5 5 - | 16 16 - | 4 4 - | 1 1 - |
| B4 | 腸チフス | 1 1 - | - - - | - - | - - | - - | - - | - - |
| B5 | コレラ | - - - | - - - | - - | - - | - - | - - | - - |
| B6 | 赤痢 | 1 1 - | - - - | 1 1 - | - - | 1 1 - | - - | - - |
| B6.a | 細菌性赤痢(疫病症状を呈するもの) | - - - | - - - | - - | - - | - - | - - | - - |
| B6.b | 細菌性赤痢(その他) | 1 1 - | - - - | 1 1 - | - - | 1 1 - | - - | - - |
| B6.c | アメーバ症 | - - - | - - - | - - | - - | - - | - - | - - |
| B6.d | その他の原虫性および詳細不明の赤痢 | - - - | - - - | - - | - - | - - | - - | - - |
| B7 | 猩紅熱およびレンサ球菌性口炎 | - - - | - - - | - - | - - | - - | - - | - - |
| B7.a | 猩紅熱 | - - - | - - - | - - | - - | - - | - - | - - |
| B7.b | レンサ球菌性口炎 | - - - | - - - | - - | - - | - - | - - | - - |
| B8 | ジフテリア | - - - | - - - | - - | - - | - - | - - | - - |
| B9 | 百日咳 | - - - | - - - | - - | - - | - - | - - | - - |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| Manufacturing | | | 卸売業・小売業 Wholesale and retail trade | | | 金融・保険・不動産業 Finance insurance and real estate | | | 国際簡単分類番号 International abbreviated list number |
|--|--|---|---------------------------------------|-----------------------|---------------------------|---|---------------------------------|---------------------|---|
| 輸送用機械器具製造業 Transportation equipment | 医療・理化学・光学機械器具・時計業 Medical, scientific and optical instruments, watches and clocks | その他の製造業 Miscellaneous manufacturing industries | 総数 Total | 卸売業 Wholesale | 小売業 Real trade | 総数 Total | 金融・保険業 Finance and insurance | 不動産業 Real estate | |
| 2 011 1 919 92 | 464 393 71 | 1 505 1 330 175 | 26 853 21 952 4 901 | 4 849 4 422 427 | 22 004 17 530 4 474 | 3 274 2 721 553 | 2 350 1 887 463 | 924 834 90 | |
| 41 41 - | 15 14 1 | 49 45 4 | 928 816 112 | 142 131 11 | 786 685 101 | 113 104 9 | 69 61 8 | 44 43 1 | B1 |
| 6 5 1 | 3 2 1 | - - - | 60 43 17 | 11 9 2 | 49 34 15 | 10 7 3 | 7 6 1 | 3 1 2 | B2 |
| 5 5 - | - - - | 4 4 - | 72 69 3 | 15 14 1 | 57 55 2 | 5 4 1 | 4 3 1 | 1 1 - | B3 |
| - - | - - | 1 1 | - - | - - | - - | - - | - - | - - | B4 |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | B5 |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | B6 |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | B6.a |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | B6.b |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | B6.c |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | B6.d |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | B7 |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | B7.a |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | B7.b |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | B8 |
| - - | - - | - - | - - | - - | - - | - - | - - | - - | B9 |

61 表 (21-9)

第61表 15才以上死亡者数,

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 製造業 | | | | | | 国際簡単分類番号 International abbreviated list number |
|---|---|----------------------------|---|---|---|--------------------------------------|-----------------------------------|---|
| | | ゴム製品製造業 Rubber products | 皮革・同製品製造業 Leather and leather products | 窯業、土石製品製造業 Stone, clay, glass and pottery products | 鉄鋼業、非鉄金属製造業 Iron, steel and non-ferrous metal industries | 金属製品製造業 Fabricated metal products | 機械・武器製造業 Machinery and weapons | |
| B10 | 植膜炎菌感染..... 男 M. 女 F. | - | - | - | 2 2 | - | - | - |
| B11 | ベスト..... 男 M. 女 F. | - | - | - | - | - | - | - |
| B12 | 急性灰白髄炎..... 男 M. 女 F. | - | - | - | - | - | - | - |
| B13 | 痘瘡..... 男 M. 女 F. | - | - | - | - | - | - | - |
| B14 | 麻疹..... 男 M. 女 F. | - | - | - | - | - | - | - |
| B15 | 発疹チフスおよびその他のリケチア病..... 男 M. 女 F. | - | - | - | - | - | - | - |
| B15.a | シラミ媒介の流行性発疹チフス..... 男 M. 女 F. | - | - | - | - | - | - | - |
| B15.b | 恙虫病およびその他のコダニ媒介の発疹チフス様疾患..... 男 M. 女 F. | - | - | - | - | - | - | - |
| B15.c | その他..... 男 M. 女 F. | - | - | - | - | - | - | - |
| B16 | マラリア..... 男 M. 女 F. | - | - | - | - | - | - | - |
| B17 | 伝染性および寄生性として分類されたその他の疾患..... 男 M. 女 F. | 1 1 | 2 1 | 10 9 | 19 17 | 17 15 | 13 10 | 8 5 |
| B17.a | バラチフス..... 男 M. 女 F. | - | - | - | - | - | - | - |
| B17.b | 瘧..... 男 M. 女 F. | - | - | - | - | - | - | - |
| B17.c | 破傷風..... 男 M. 女 F. | - | - | - | 2 2 | 1 1 | 1 1 | 3 2 |
| B17.d | 炭疽..... 男 M. 女 F. | - | - | - | - | - | - | - |
| B17.e | 回帰熱..... 男 M. 女 F. | - | - | - | - | - | - | - |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| Manufacturing | | | 卸売業、小売業 Wholesale and retail trade | | | 金融・保険・不動産業 Finance insurance and real estate | | | 国際簡単分類番号 International abbreviated list number |
|--|---|--|---------------------------------------|------------------------|-------------------|---|---------------------------------|---------------------|---|
| 輸送用機械器具製造業 Transportation equipment | 医療・理化学・光学機械器具、時計 Medical, scientific and optical instruments, watches and clocks | その他製造業 Miscellaneous manufacturing industries | 総数 Total | 卸売業 Wholesale trade | 小売業 Real trade | 総数 Total | 金融・保険業 Finance and insurance | 不動産業 Real estate | |
| - | - | - | - | - | - | - | - | - | B10 |
| - | - | - | - | - | - | - | - | - | B11 |
| - | - | - | 3 3 | - | 3 3 | - | - | - | B12 |
| - | - | - | - | - | - | - | - | - | B13 |
| - | - | - | 1 1 | - | 1 1 | - | - | - | B14 |
| - | - | - | - | - | - | - | - | - | B15 |
| - | - | - | - | - | - | - | - | - | B15.a |
| - | - | - | - | - | - | - | - | - | B15.b |
| - | - | - | - | - | - | - | - | - | B15.c |
| - | - | - | 1 1 | - | 1 1 | - | - | - | B16 |
| 7 5 | 4 4 | 10 9 | 159 126 | 24 20 | 135 106 | 14 11 | 9 6 | 5 3 | B17 |
| - | - | - | 1 1 | - | 1 1 | - | - | - | B17.a |
| - | - | - | - | - | - | - | - | - | B17.b |
| 1 1 | 1 1 | 11 9 | 11 9 | - | 11 9 | - | - | - | B17.c |
| - | - | - | - | - | - | - | - | - | B17.d |
| - | - | - | - | - | - | - | - | - | B17.e |

61 表 (21-10)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 製造業 Manufacturing | | | | | | |
|---|---|----------------------------|---|---|---|--------------------------------------|---------------------------------|---|
| | | ゴム製品製造業 Rubber products | 皮革・同製品製造業 Leather and leather products | 窯業、土石製品製造業 Stone, clay, glass and pottery products | 鉄鋼業、非鉄金属製造業 Iron, steel and non-ferrous metal industries | 金属製品製造業 Fabricated metal products | 機械・武器業 Machinery and weapons | 電気機械器・製造業 Electrical machinery, equipment and supplies |
| B17.f | 日本脳炎 男 M. 女 F. | — — | 1 1 | 6 5 1 | 13 11 2 | 8 6 2 | 2 2 — | 5 4 1 |
| B17.g | 黄熱 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — |
| B17.h | 狂犬病 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — |
| B17.i | 伝染性下痢症 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — |
| B17.j | 日本住血吸虫症 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — |
| B17.k | 糸状虫症 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — |
| B17.l | その他の伝染性および寄生性として分類された疾患 男 M. 女 F. | 1 1 | 1 4 4 | 4 6 6 | 6 7 7 | 7 7 3 | 10 7 3 | 3 1 2 |
| B18 | 悪性新生物(リンパ組織および造血組織の... 新生物を含む) 男 M. 女 F. | 71 62 9 | 81 72 9 | 397 338 59 | 569 537 32 | 803 729 74 | 340 307 33 | 301 264 37 |
| B18.a | 胃の悪性新生物 男 M. 女 F. | 35 32 3 | 36 32 4 | 178 165 13 | 268 257 11 | 365 340 25 | 157 139 18 | 134 118 16 |
| B18.b | 気管、気管支および肺の悪性新生物 男 M. 女 F. | 4 4 | 10 9 1 | 46 43 3 | 56 53 3 | 72 70 2 | 37 35 2 | 35 35 — |
| B18.c | 乳房の悪性新生物 男 M. 女 F. | — — | — — | 3 1 2 | — — | 4 — 4 | 2 — 2 | — — |
| B18.d | 子宮の悪性新生物 男 M. 女 F. | 2 2 | 1 1 | 7 7 | 8 8 | 10 10 | 2 2 | 4 4 |
| B18.e | 白血病および無白血病 男 M. 女 F. | 3 2 1 | 2 2 — | 13 9 4 | 17 16 1 | 38 31 7 | 12 11 1 | 14 10 4 |
| B18.f | その他 男 M. 女 F. | 27 24 3 | 32 29 3 | 150 120 30 | 220 211 9 | 314 288 26 | 130 122 8 | 114 101 13 |
| B19 | 良性および性質不詳の新生物 男 M. 女 F. | 6 6 — | 6 5 1 | 19 17 2 | 33 30 3 | 39 36 3 | 27 24 3 | 17 13 4 |
| B20 | 糖尿病 男 M. 女 F. | 2 1 1 | 2 2 — | 15 14 1 | 17 16 1 | 23 22 1 | 12 11 1 | 6 5 1 |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和 41 年
1966

| Manufacturing | | | 卸売業・小売業 Wholesale and retail trade | | | 金融・保険・不動産業 Finance insurance and real estate | | | 国際簡単分類番号 International abbreviated list number |
|--|--|---|---------------------------------------|--------------------------------|---------------------------|---|---------------------------------|---------------------|---|
| 輸送用機械器具 製造業 Transportation equipment | 医療・理化学・光学機械器具、時計 製造業 Medical, scientific and optical instruments, watches and clocks | その他 の 製 造 業 Miscellaneous manufacturing industries | 総 数 Total | 卸 売 業 Wholesale trade | 小 売 業 Real trade | 総 数 Total | 金融・保険業 Finance and insurance | 不動産業 Real estate | |
| 22 | 1 | 4 | 60 43 17 | 9 6 3 | 51 37 14 | 6 6 | 3 3 | 3 | B17.f |
| - | - | - | - | - | - | - | - | - | B17.g |
| - | - | - | - | - | - | - | - | - | |
| - | - | - | - | - | - | - | - | - | B17.h |
| - | - | - | - | - | - | - | - | - | |
| - | - | - | - | - | - | - | - | - | B17.i |
| - | - | - | - | - | - | - | - | - | |
| - | - | - | 1 1 | - | 1 1 | - | - | - | B17.j |
| - | - | - | - | - | - | - | - | - | |
| - | - | - | 1 1 | - | 1 1 | - | - | - | B17.k |
| 422 | 2 2 2 | 3 3 - | 85 73 12 | 15 14 1 | 70 59 11 | 8 5 3 | 6 3 3 | 2 2 - | B17.l |
| 478 453 25 | 127 104 23 | 323 276 47 | 6 425 5 170 1 255 | 1 252 1 136 116 | 5 173 4 034 1 139 | 924 718 206 | 686 502 184 | 238 216 22 | B18 |
| 206 197 9 | 52 47 5 | 161 139 22 | 2 740 2 329 411 | 509 484 25 | 2 231 1 845 386 | 400 339 61 | 294 236 58 | 106 103 3 | B18.a |
| 47 45 2 | 9 7 2 | 22 21 1 | 607 533 74 | 123 115 8 | 484 418 66 | 89 77 12 | 61 51 10 | 28 26 2 | B18.b |
| 1 1 | 3 3 | 1 1 | 71 71 | 14 14 | 57 57 | 17 17 | 16 16 | 1 1 | B18.c |
| 2 2 | 4 4 | 8 8 | 178 178 | 19 19 | 159 159 | 37 37 | 30 30 | 7 7 | B18.d |
| 18 17 1 | 10 7 3 | 7 5 2 | 203 151 52 | 57 47 10 | 146 104 42 | 36 26 10 | 31 22 9 | 5 4 1 | B18.e |
| 204 194 10 | 49 43 6 | 124 111 13 | 2 626 2 157 469 | 530 490 40 | 2 096 1 667 429 | 345 276 69 | 254 193 61 | 91 83 8 | B18.f |
| 24 23 1 | 6 5 1 | 24 19 5 | 277 215 62 | 44 36 8 | 233 179 54 | 47 36 11 | 35 25 10 | 12 11 1 | B19 |
| 11 11 - | 2 2 - | 17 14 3 | 299 237 62 | 58 57 1 | 241 180 61 | 40 36 4 | 28 26 2 | 12 10 2 | B20 |

61表(21-11)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 製造業 | | | | | | |
|---|--------------------------------|--------------------------------|---|---|---|--|---------------------------------------|------------------|
| | | ゴム製品 製造業 Rubber products | 皮革・同製品 製造業 Leather and leather products | 窯業、土石 製品製造業 Stone, clay, glass and pottery products | 鉄鋼業、非鉄 金属製造業 Iron, steel and non-ferrous metal industries | 金屬製品 製造業 Fabricated metal products | 機械・武器 製造業 Machinery and weapons | |
| B21 | 貧血 | — | — | 2 | 5 4 1 | 10 8 2 | 4 3 1 | 5 5 — |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B22 | 中枢神経系の血管損傷 | 48 43 5 | 79 75 4 | 340 296 44 | 360 344 16 | 707 672 35 | 237 229 8 | 178 158 20 |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B23 | 結膜炎(結膜炎菌性および結核性を除く) | — | — | 4 4 — | 5 5 — | 5 4 — | 4 3 3 | 6 3 — |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B24 | リューマチ熱 | 1 1 | 1 1 | — | 1 1 | 1 1 | 1 1 | 2 — |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B25 | 慢性リューマチ性心臓疾患 | — | 1 1 | 6 5 1 | 11 10 1 | 20 18 2 | 3 3 — | 11 9 2 |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B26 | 動脈硬化性および変性性心臓疾患 | 30 28 2 | 26 26 — | 154 139 15 | 169 163 6 | 259 247 12 | 123 119 4 | 84 81 3 |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 20 20 — | 20 20 — | 102 100 2 | 112 108 4 | 170 164 6 | 88 86 2 | 51 49 2 |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | — | 2 2 | 18 14 4 | 20 18 2 | 28 25 3 | 12 11 1 | 8 7 1 |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B26.c | その他の心筋変性 | 10 8 2 | 4 4 — | 34 25 9 | 37 37 — | 61 58 3 | 23 22 1 | 25 25 — |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B27 | その他の心臓疾患 | 1 1 | 2 2 | 32 26 6 | 22 22 — | 34 29 5 | 12 12 — | 17 15 2 |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B28 | 高血圧性心臓疾患 | 1 1 | 5 5 | 16 15 1 | 14 13 1 | 36 34 2 | 5 5 — | 12 11 1 |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B29 | その他の高血圧性疾患 | — | 3 2 1 | 12 10 2 | 18 18 — | 22 20 2 | 9 9 — | 5 4 1 |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B30 | インフルエンザ | — | — | 1 1 | 1 1 | — — | 1 1 | — — |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B31 | 肺炎(新生兒肺炎を除く) | 2 2 | 10 9 1 | 32 26 6 | 36 36 — | 60 57 3 | 17 15 2 | 16 11 5 |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B32 | 気管支炎 | — | — | 4 4 | 5 4 1 | 8 8 — | 6 6 — | 3 3 — |
| | 男 M. 女 F. | — | — | — | — | — | — | — |
| B33 | 胃および十二指腸の潰瘍 | 11 10 1 | 7 7 — | 32 31 1 | 36 36 — | 64 60 4 | 27 26 1 | 22 19 3 |
| | 男 M. 女 F. | — | — | — | — | — | — | — |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| 輸送用機械器具 製造業 Transportation equipment | 医療・理化学・光学 機械器具、時計 製造業 Medical, scientific and optical instruments, watches and clocks | その他 の 製 造 業 Miscellaneous manufacturing industries | 総 数 Total | 卸売業・小売業 Wholesale and retail trade | | 金融・保険・不動産業 Finance insurance and real estate | | | 国際簡単 分類番号 International abbreviated list number |
|--|--|---|-----------------------|---------------------------------------|---------------------------|---|---------------------------------|---------------------|---|
| | | | | 卸 売 業 Wholesale trade | 小 売 業 Real trade | 総 数 Total | 金融・保険業 Finance and insurance | 不動産業 Real estate | |
| 2 2 — | 4 2 — | 1 — 1 | 55 41 14 | 10 9 1 | 45 32 13 | 4 4 — | 2 2 — | 2 2 — | B21 |
| 296 280 16 | 69 65 4 | 329 305 24 | 5 956 4 979 977 | 906 836 70 | 5 050 4 143 907 | 638 547 91 | 394 332 62 | 244 215 29 | B22 |
| 6 5 1 | 1 1 — | 1 — 1 | 33 27 6 | 9 9 6 | 24 18 6 | 4 2 2 | 2 1 1 | 2 1 1 | B23 |
| 3 3 — | — — — | 1 1 — | 17 10 7 | 3 3 — | 14 7 7 | 1 1 1 | 1 — 1 | — — — | B24 |
| 6 5 1 | 2 2 — | 6 5 1 | 165 100 65 | 28 20 8 | 137 80 57 | 19 13 6 | 15 9 6 | 4 4 — | B25 |
| 131 126 5 | 42 37 5 | 147 129 18 | 2 235 1 895 340 | 414 389 25 | 1 821 1 506 315 | 322 291 31 | 226 204 22 | 96 87 9 | B26 |
| 77 76 1 | 30 27 3 | 90 82 8 | 1 484 1 302 182 | 299 288 11 | 1 185 1 014 171 | 224 208 16 | 153 142 11 | 71 66 5 | B26.a |
| 14 12 2 | 2 1 1 | 18 13 5 | 231 172 59 | 39 34 5 | 192 138 54 | 37 28 9 | 26 19 7 | 11 9 2 | B26.b |
| 40 38 2 | 10 9 1 | 39 34 5 | 520 421 99 | 76 67 9 | 444 354 90 | 61 55 6 | 47 43 4 | 14 12 2 | B26.c |
| 16 15 1 | 3 3 — | 10 9 1 | 344 280 64 | 49 43 6 | 295 237 58 | 38 36 2 | 21 21 — | 17 15 2 | B27 |
| 13 12 1 | 2 2 — | 22 21 1 | 289 243 46 | 44 43 1 | 245 200 45 | 21 18 3 | 13 11 2 | 8 7 1 | B28 |
| 10 10 — | 2 2 — | 9 8 1 | 237 190 47 | 33 29 4 | 204 161 43 | 23 22 1 | 16 15 1 | 7 7 — | B29 |
| — — — | — — — | 1 1 — | 8 6 2 | 2 1 1 | 6 5 1 | 1 1 — | 1 — — | — — — | B30 |
| 32 31 1 | 3 2 1 | 28 25 3 | 469 406 63 | 65 56 9 | 404 350 54 | 48 41 7 | 33 26 7 | 15 15 — | B31 |
| 4 4 — | — — — | 4 4 — | 82 71 11 | 10 9 1 | 72 62 10 | 6 6 — | 3 3 — | 3 3 — | B32 |
| 21 21 — | 5 4 1 | 33 31 2 | 491 449 42 | 81 77 4 | 410 372 38 | 57 55 2 | 40 38 2 | 17 17 — | B33 |

61 表 (21-12)

第61表 15才以上死者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 製造業 | | | | | | |
|---|---|-------------------------|--|---|--|-----------------------------------|--------------------------------|--|
| | | ゴム製品 Rubber products | 皮革・同製品 Leather and leather products | 窯業、土石 製品製造業 Stone, clay, glass and pottery products | 鉄鋼業、非鉄 金属製造業 Iron, steel and non-ferrous metal industries | 金屬製品 Fabricated metal products | 機械・武器 Machinery and weapons | 電気機械器具 Electrical machinery, equipment and supplies |
| B34 | 虫垂炎 男 M. 女 F. | — | — | 1 1 | 7 6 | 8 4 | 4 4 | 7 3 |
| B35 | 腸閉塞およびヘルニア 男 M. 女 F. | 2 2 | 1 1 | 10 8 | 7 6 | 19 18 | 8 8 | 8 5 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) 男 M. 女 F. | 1 1 | 2 2 | 8 8 | 9 9 | 11 11 | 6 6 | 6 5 |
| B36.a | 胃炎および十二指腸炎 男 M. 女 F. | — | — | 3 3 | 5 5 | 3 3 | 3 3 | 2 2 |
| B36.b | 胃腸炎、腸炎および大腸炎 男 M. 女 F. | 1 1 | 2 2 | 5 5 | 4 4 | 8 8 | 3 3 | 4 1 |
| B37 | 肝硬変 男 M. 女 F. | 8 5 3 | 14 13 1 | 53 53 1 | 60 59 1 | 88 86 2 | 39 39 — | 22 20 2 |
| B38 | 腎炎およびネフローゼ 男 M. 女 F. | 6 4 2 | 11 9 2 | 33 28 5 | 43 42 1 | 66 57 9 | 35 33 2 | 38 28 10 |
| B38.a | 急性腎炎およびネフローゼ 男 M. 女 F. | 1 1 | 2 2 | 9 7 2 | 5 4 1 | 11 11 — | 4 4 — | 3 3 — |
| B38.b | その他 男 M. 女 F. | 5 4 1 | 9 7 2 | 24 21 3 | 38 38 — | 55 46 9 | 31 29 2 | 35 25 10 |
| B39 | 前立腺肥大症 男 M. 女 F. | — | — | 1 1 | 2 2 | 2 1 | — | — |
| B40 | 妊娠、分娩および産褥の合併症 男 M. 女 F. | — | — | 4 4 | 2 2 | 3 3 | 3 3 | 4 4 |
| B41 | 先天奇形 男 M. 女 F. | 1 1 | 1 1 | 3 2 1 | 1 1 — | 2 2 1 | 6 5 1 | 3 2 2 |
| B42 | 出生時の損傷、分娩後窒息および肺不全張 男 M. 女 F. | — | — | — | — | — | — | — |
| B43 | 新生児の感染 男 M. 女 F. | — | — | — | — | — | — | — |
| B43.a | 新生児肺炎 男 M. 女 F. | — | — | — | — | — | — | — |
| B43.b | 新生児下痢 男 M. 女 F. | — | — | — | — | — | — | — |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| Manufacturing | | | 卸売業、小売業 Wholesale and retail trade | | | 金融・保険・不動産業 Finance insurance and real estate | | | 国際簡単分類番号 International abbreviated list number |
|-------------------------------------|---|---|---------------------------------------|------------------------|-------------------|---|---------------------------------|---------------------|---|
| 輸送用機械器具 Transportation equipment | 医療・理化学・光学機械器具、時計 Medical, scientific and optical instruments, watches and clocks | その他の製造業 Miscellaneous manufacturing industries | 総数 Total | 卸売業 Wholesale trade | 小売業 Real trade | 総数 Total | 金融・保険業 Finance and insurance | 不動産業 Real estate | |
| 1 1 — | — — — | 4 4 — | 8 26 12 | 8 8 — | 30 18 12 | 8 7 1 | 8 7 1 | — — — | B34 |
| 14 14 — | 1 1 — | 9 9 — | 118 89 29 | 29 26 3 | 89 63 26 | 23 20 3 | 15 12 3 | 8 8 — | B35 |
| 4 4 — | 1 1 — | 3 2 1 | 147 111 36 | 17 14 3 | 130 97 33 | 9 7 2 | 7 5 2 | 2 2 — | B36 |
| 1 1 — | 1 1 — | 1 1 — | 47 39 8 | 4 4 — | 43 35 8 | 3 3 — | 2 2 — | 1 1 — | B36.a |
| 3 3 — | — — — | 2 1 1 | 100 72 28 | 13 10 3 | 87 62 25 | 6 4 2 | 5 3 2 | 1 1 — | B36.b |
| 60 58 2 | 5 5 — | 36 33 3 | 783 711 72 | 153 144 9 | 630 567 63 | 82 76 6 | 55 50 5 | 27 26 1 | B37 |
| 37 34 3 | 20 16 4 | 30 25 5 | 579 450 129 | 122 108 14 | 457 342 115 | 64 54 10 | 54 45 9 | 10 9 1 | B38 |
| 7 7 — | 3 3 — | 9 7 2 | 118 91 27 | 23 21 2 | 95 70 25 | 7 5 2 | 7 5 2 | — — — | B38.a |
| 30 27 3 | 17 13 4 | 21 18 3 | 461 359 102 | 99 87 12 | 362 272 90 | 57 49 8 | 47 40 7 | 10 9 1 | B38.b |
| 1 1 | — — | — — | 28 28 | 8 8 | 20 20 | 5 5 | 5 5 | — — | B39 |
| 1 1 | 2 2 | 6 6 | 53 53 | 4 4 | 49 49 | 6 6 | 4 4 | 2 2 | B40 |
| 7 7 — | — — — | 3 1 2 | 47 38 9 | 8 7 1 | 39 31 8 | 9 8 1 | 9 8 1 | — — — | B41 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B42 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B43 |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B43.a |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | B43.b |

61 表 (21-13)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 製造業 | | | | | |
|---|--|--------------------------------|---|---|--|--|---------------------------------------|
| | | ゴム製品 製造業 Rubber products | 皮革・同製品 製造業 Leather and leather products | 窯業、土石 製品製造業 Stone, clay, glass and pottery products | 鉄鋼業、非鉄 金属製造業 Iron, steel and non-ferrous metal industries | 金属製品 製造業 Fabricated metal products | 機械・武器 製造業 Machinery and weapons |
| B43.c | その他の新生児の感染----- 男 M. 女 F. | . | . | . | . | . | . |
| B44 | その他の新生児固有の疾患および性質不明--- の未熟兒 男 M. 女 F. | . | . | . | . | . | . |
| B45 | 精神病の記載のない老衰ならびに診断名不明--- 男 M. 女 F. | 17 14 3 | 17 16 1 | 66 58 8 | 78 78 — | 121 114 7 | 49 47 2 |
| B45.a | 精神病の記載のない老衰----- 男 M. 女 F. | 1 1 | 2 2 | 12 11 1 | 5 5 — | 8 7 1 | 4 4 — |
| B45.b | その他の診断名不明確および不明の原因--- 男 M. 女 F. | 16 13 3 | 15 14 1 | 54 47 7 | 73 73 — | 113 107 6 | 45 43 2 |
| B46 | その他のすべての疾患----- 男 M. 女 F. | 25 18 7 | 24 19 5 | 132 107 25 | 143 133 10 | 241 218 23 | 99 94 5 |
| B46.a | その他の循環器系の疾患(先天性を除---) 男 M. 女 F. | 4 3 1 | 2 2 — | 10 10 — | 9 8 — | 11 11 — | 4 4 — |
| B46.b | その他のすべての疾患----- 男 M. 女 F. | 21 15 6 | 22 17 5 | 122 125 25 | 134 125 9 | 230 207 23 | 95 90 5 |
| "E" | 不慮の事故、中毒および暴力の二重分類--- (外因) 男 M. 女 F. | 58 48 10 | 57 51 6 | 382 355 27 | 625 598 27 | 897 852 45 | 333 324 9 |
| BE47 | 自動車事故----- 男 M. 女 F. | 35 33 2 | 22 20 2 | 170 162 8 | 231 223 8 | 354 340 14 | 137 135 2 |
| BE48 | その他の不慮の事故----- 男 M. 女 F. | 10 6 4 | 14 14 — | 150 139 11 | 260 256 4 | 314 306 8 | 125 123 2 |
| BE48.a | 自動車以外の交通事故----- 男 M. 女 F. | 2 — | 7 — | 18 18 — | 30 27 3 | 42 40 2 | 15 14 1 |
| BE48.b | 不慮の墜落----- 男 M. 女 F. | 3 2 1 | 1 1 — | 34 29 5 | 53 53 — | 84 84 — | 25 25 — |
| BE48.c | 不慮の溺死および溺水----- 男 M. 女 F. | 1 — | — — | 14 — | 29 — | 30 — | 26 25 1 |
| BE48.d | 天災----- 男 M. 女 F. | — — | — — | — — | — — | — — | — — |
| BE48.e | その他----- 男 M. 女 F. | 4 3 1 | 6 6 — | 84 78 6 | 148 147 1 | 158 152 6 | 59 59 — |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| Manufacturing | | | 卸売業・小売業 Wholesale and retail trade | | | 金融・保険・不動産業 Finance insurance and real estate | | | 国際簡単分類番号 International abbreviated list number |
|--|--|---|---------------------------------------|------------------------|---------------------|---|---------------------------------|---------------------|---|
| 輸送用機械器具 製造業 Transportation equipment | 医療・理化学・光学機械器具・時計 製造業 Medical, scientific and optical instruments, watches and clocks | その他の 製造業 Miscellaneous manufacturing industries | 総数 Total | 卸売業 Wholesale trade | 小売業 Real trade | 総数 Total | 金融・保険業 Finance and insurance | 不動産業 Real estate | |
| . | . | . | . | . | . | . | . | . | B43.c |
| . | . | . | . | . | . | . | . | . | B44 |
| 61 60 1 | 9 8 1 | 55 50 5 | 866 729 137 | 129 124 5 | 737 605 132 | 108 92 16 | 80 71 9 | 28 21 7 | B45 |
| 12 12 — | 1 1 — | 16 14 2 | 281 220 61 | 32 32 — | 249 188 61 | 29 25 4 | 14 13 1 | 15 12 3 | B45.a |
| 49 48 1 | 8 7 1 | 39 36 3 | 585 509 76 | 97 92 5 | 488 417 71 | 79 67 12 | 66 58 8 | 13 9 4 | B45.b |
| 125 114 11 | 33 28 5 | 88 74 14 | 1753 1404 349 | 296 271 25 | 1457 1133 324 | 208 162 46 | 162 120 42 | 46 42 4 | B46 |
| 9 9 — | 2 2 — | 4 2 2 | 147 121 26 | 28 26 2 | 119 95 24 | 22 20 2 | 16 14 2 | 6 6 — | B46.a |
| 116 105 11 | 31 26 5 | 84 72 12 | 1606 1283 323 | 268 245 23 | 1338 1028 300 | 186 142 44 | 146 106 40 | 40 36 4 | B46.b |
| 587 569 18 | 103 83 20 | 251 225 26 | 3834 2988 846 | 874 784 90 | 2960 2204 756 | 417 338 79 | 346 272 74 | 71 66 5 | "E" |
| 198 194 4 | 39 35 4 | 115 106 9 | 1722 1497 225 | 417 387 30 | 1305 1110 195 | 184 153 31 | 151 121 30 | 33 32 1 | BE47 |
| 276 268 8 | 24 20 4 | 69 65 4 | 979 766 213 | 257 235 22 | 722 531 191 | 103 88 15 | 83 69 14 | 20 19 1 | BE48 |
| 62 61 1 | 3 3 — | 10 10 — | 178 156 42 | 46 41 5 | 132 95 37 | 28 21 7 | 24 18 6 | 4 3 1 | BE48.a |
| 62 61 1 | 5 3 2 | 12 12 — | 199 168 31 | 54 50 4 | 145 118 27 | 23 22 1 | 17 16 1 | 6 6 — | BE48.b |
| 36 36 — | 2 2 — | 18 16 2 | 184 161 23 | 44 43 1 | 140 118 22 | 23 20 3 | 21 18 3 | 2 2 — | BE48.c |
| 3 1 2 | — — — | — — — | 8 7 1 | 6 6 1 | 2 1 — | 3 3 — | 3 3 — | — — — | BE48.d |
| 113 109 4 | 14 12 2 | 29 27 2 | 410 294 116 | 107 95 12 | 303 199 104 | 26 22 4 | 18 14 4 | 8 8 — | BE48.e |

61 表 (21-14)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 製造業 | | | | | | |
|---|--------------------------------|--------------------------|--|---|---|-----------------------------------|---------------------------------------|------------------|
| | | ゴム製品 Rubber products | 皮革・同製品 Leather and leather products | 窯業、土石 製品製造業 Stone, clay, glass and pottery products | 鉄鋼業、非鉄 金属製造業 Iron, steel and non-ferrous metal industries | 金属製品 Fabricated metal products | 機械・武器 製造業 Machinery and weapons | |
| BE49 | 自殺および自傷 | 12 男 M. 8 女 F. | 21 17 4 | 56 49 7 | 128 113 15 | 207 186 21 | 66 61 5 | 113 75 38 |
| BE50 | 他殺および戦争行為 | 1 男 M. 1 女 F. | — — | 6 5 1 | 6 6 — | 22 20 2 | 5 5 — | 3 1 2 |
| BE50.a | 他殺 | 1 男 M. 1 女 F. | — — | 6 5 1 | 6 6 — | 22 20 2 | 5 5 — | 3 1 2 |
| BE50.b | 処刑および戦争行為 | — 男 M. — 女 F. | — — — | — — — | — — — | — — — | — — — | — — — |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) | 58 男 M. 48 女 F. | 57 51 6 | 382 355 27 | 625 598 27 | 897 852 45 | 333 324 9 | 355 294 61 |
| BN47 | 骨折、頭部損傷および内部損傷 | 40 男 M. 36 女 F. | 30 28 2 | 269 252 17 | 402 389 13 | 576 557 19 | 214 212 2 | 186 156 30 |
| BN47.a | 頭蓋骨折 | 21 男 M. 18 女 F. | 12 10 2 | 144 137 7 | 206 204 2 | 307 298 9 | 101 101 — | 100 89 11 |
| BN47.b | その他の骨の骨折 | 6 男 M. 5 女 F. | 4 4 — | 30 26 4 | 43 41 2 | 48 47 1 | 19 18 1 | 16 12 4 |
| BN47.c | 頭部の損傷(骨折を除く) | 7 男 M. 7 女 F. | 6 6 — | 51 47 4 | 81 76 5 | 127 122 5 | 57 56 1 | 38 29 9 |
| BN47.d | 胸、腹、骨盤腔の内部損傷 | 6 男 M. 6 女 F. | 8 8 — | 44 42 2 | 72 68 4 | 94 90 4 | 37 37 — | 32 26 6 |
| BN48 | 熱傷 | 2 男 M. 1 女 F. | 2 2 — | 6 5 1 | 23 23 — | 21 20 1 | 6 6 — | 9 8 1 |
| BN49 | 毒物の作用 | 8 男 M. 4 女 F. | 10 9 1 | 18 17 1 | 66 57 9 | 128 110 4 | 31 27 15 | 50 35 15 |
| BN50 | その他の損傷 | 8 男 M. 7 女 F. | 15 12 3 | 89 81 8 | 134 129 5 | 172 165 7 | 82 79 3 | 110 95 15 |
| BN50.a | 裂傷および開放創 | 2 男 M. 1 女 F. | 1 1 — | 11 10 1 | 18 18 — | 14 12 2 | 9 8 1 | 10 6 4 |
| BN50.b | 溺死および死にいたらぬ溺水 | 3 男 M. 3 女 F. | 3 2 1 | 23 22 1 | 43 41 2 | 46 45 1 | 33 31 2 | 38 35 3 |
| BN50.c | 窒息および絞首 | 1 男 M. 1 女 F. | 8 7 1 | 37 32 5 | 41 38 3 | 56 53 3 | 21 21 — | 32 24 8 |
| BN50.d | その他 | 2 男 M. 2 女 F. | 3 2 1 | 18 17 1 | 32 32 — | 56 55 1 | 19 19 — | 30 30 — |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| Manufacturing | | | 卸売業、小売業 Wholesale and retail trade | | | 金融・保険・不動産業 Finance insurance and real estate | | | 国際簡単分類番号 International abbreviated list number |
|--|--|---|---------------------------------------|--------------------------------|---------------------------|---|---------------------------------|---------------------|---|
| 輸送用機械器具 製造業 Transportation equipment | 医療・理化学・光学 機械器具、時計 製造業 Medical, scientific and optical instruments, watches and clocks | その他 の 製 造 業 Miscellaneous manufacturing industries | 総 数 Total | 卸 売 業 Wholesale trade | 小 売 業 Real trade | 総 数 Total | 金融・保険業 Finance and insurance | 不動産業 Real estate | |
| 108 102 6 | 38 26 12 | 63 50 13 | 998 655 343 | 186 152 34 | 812 503 309 | 126 95 31 | 109 80 29 | 17 15 2 | BE49 |
| 5 5 — | 2 2 — | 4 4 — | 135 70 65 | 14 10 4 | 121 60 61 | 4 2 2 | 3 2 1 | 1 1 1 | BE50 |
| 5 5 — | 2 2 — | 4 4 — | 135 70 65 | 14 10 4 | 121 60 61 | 4 2 2 | 3 2 1 | 1 1 1 | BE50.a |
| — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | BE50.b |
| 587 569 18 | 103 83 20 | 251 225 26 | 3 834 2 988 846 | 874 784 90 | 2 960 2 204 756 | 417 338 79 | 346 272 74 | 71 66 5 | "N" |
| 364 356 8 | 56 48 8 | 140 131 9 | 2 241 1 911 330 | 551 508 43 | 1 690 1 403 287 | 249 205 44 | 204 163 41 | 45 42 3 | BN47 |
| 198 193 5 | 27 22 5 | 70 64 6 | 1 062 910 152 | 258 234 24 | 804 767 128 | 132 113 19 | 109 91 18 | 23 22 1 | BN47.a |
| 33 33 — | 5 4 1 | 9 8 1 | 228 188 40 | 62 56 6 | 166 132 34 | 17 13 4 | 14 10 4 | 3 3 — | BN47.b |
| 70 69 1 | 14 12 2 | 38 37 1 | 546 472 74 | 115 110 5 | 431 362 69 | 63 47 16 | 50 36 14 | 13 11 2 | BN47.c |
| 63 61 2 | 10 10 — | 23 22 1 | 405 341 64 | 116 108 8 | 289 233 56 | 37 32 5 | 31 26 5 | 6 6 — | BN47.d |
| 18 17 1 | 1 1 — | 13 12 1 | 83 55 28 | 21 19 2 | 62 36 26 | 1 — 1 | 1 — 1 | — — — | BN48 |
| 70 67 3 | 21 15 6 | 24 18 6 | 580 312 268 | 109 84 25 | 471 228 243 | 61 39 22 | 51 31 20 | 10 8 2 | BN49 |
| 135 129 6 | 25 19 6 | 74 64 10 | 930 710 220 | 193 173 20 | 737 537 200 | 106 94 12 | 90 78 12 | 16 16 — | BN50 |
| 11 11 — | 5 3 2 | 10 8 2 | 101 77 24 | 26 24 2 | 75 53 22 | 18 16 — | 16 16 — | 2 2 — | BN50.a |
| 51 49 2 | 6 4 2 | 25 20 5 | 323 241 82 | 70 62 8 | 253 179 74 | 37 32 5 | 33 28 5 | 4 4 — | BN50.b |
| 39 36 3 | 9 8 1 | 25 22 3 | 378 290 88 | 70 62 8 | 308 228 80 | 39 32 7 | 34 27 7 | 5 5 — | BN50.c |
| 34 33 1 | 5 4 1 | 14 14 — | 128 102 26 | 27 25 2 | 101 77 24 | 12 12 — | 7 7 — | 5 5 — | BN50.d |

61 表 (21-15)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 運輸・通信業 Transportation and communication | | | 電気・ガス・水道業 Electricity, gas and water | サ | |
|---|--------------------------------|--|---|----------------------|---|-----------------|-------------------------------|
| | | 総数 Total | 運輸業、倉庫業 Transportation and warehousing | 通信業 Communication | | 総数 Total | 対個人サービス業 Personal services |
| | 总数..... | 8 526 | 7 206 | 1 320 | 907 | 19 283 | 5 194 |
| | 男 M. 女 F. | 8 140 386 | 6 974 232 | 1 166 154 | 880 27 | 15 363 3 920 | 3 653 1 541 |
| B1 | 呼吸器系の結核..... | 209 | 171 | 38 | 22 | 617 | 181 |
| | 男 M. 女 F. | 198 11 | 165 6 | 33 5 | 21 1 | 542 75 | 155 26 |
| B2 | その他の結核..... | 21 | 19 | 2 | 5 | 37 | 9 |
| | 男 M. 女 F. | 19 2 | 17 2 | 2 | 5 | 21 16 | 3 6 |
| B3 | 梅毒およびその続発症..... | 18 | 18 | — | 1 | 36 | 14 |
| | 男 M. 女 F. | 18 — | 18 — | — | 1 | 33 3 | 14 — |
| B4 | 腸チフス..... | — | — | — | — | 2 | — |
| | 男 M. 女 F. | — | — | — | — | 2 | — |
| B5 | コレラ..... | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B6 | 赤痢..... | 1 | 1 | — | — | 3 | 2 |
| | 男 M. 女 F. | 1 — | 1 — | — | — | 1 2 | 1 1 |
| B6.a | 細菌性赤痢(症状を呈するもの)..... | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B6.b | 細菌性赤痢(その他)..... | 1 | 1 | 1 | — | 3 | 2 |
| | 男 M. 女 F. | 1 — | 1 — | 1 | — | 1 2 | 1 1 |
| B6.c | アメーバ症..... | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B6.d | その他の原虫性および詳細不明の赤痢..... | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B7 | 猩紅熱およびレンサ球菌性口炎..... | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B7.a | 猩紅熱..... | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B7.b | レンサ球菌性口炎..... | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B8 | ジフテリア..... | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B9 | 百日咳..... | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| 対事業所サービス業 Business services | 修理業 Repair services | 一ビス業 Services | | | | 公務 Government | 分類不能の産業および不詳 Not classifiable and not reported | 未就業者および非労働力 Unemployment and not in labor force | 国際簡単分類番号 International abbreviated list number |
|--------------------------------|------------------------|--|--|----------------------------|------------------------------------|-----------------------|---|--|---|
| | | 娯楽業 Amusement and recreation services | 医療保健業 Medical and other health services | 教育 Educational services | その他サービス業 Miscellaneous services | | | | |
| 1 176 1 016 160 | 1 609 1 560 49 | 709 541 168 | 3 029 2 235 794 | 2 868 2 358 510 | 4 698 4 000 698 | 3 934 3 646 288 | 3 244 2 738 506 | 390 039 152 576 237 463 | B1 |
| 42 41 1 | 37 37 — | 29 24 5 | 99 81 18 | 63 54 9 | 166 150 16 | 104 100 4 | 121 108 13 | 12 576 7 185 5 391 | B1 |
| 4 2 2 | 4 4 — | 3 1 2 | 4 3 1 | 6 5 2 | 7 5 2 | 10 7 3 | 6 4 2 | 628 190 438 | B2 |
| 2 2 | 5 5 — | 2 1 1 | 5 4 1 | 2 2 — | 6 5 1 | 16 16 — | 15 13 2 | 913 549 364 | B3 |
| — | — | — | — | — | — | — | — | — | B4 |
| — | — | — | — | — | — | — | — | — | B5 |
| — | — | — | — | — | — | — | — | — | B6 |
| — | — | — | — | — | — | — | — | — | B6.a |
| — | — | — | — | — | — | — | — | — | B6.b |
| — | — | — | — | — | — | — | — | — | B6.c |
| — | — | — | — | — | — | — | — | — | B6.d |
| — | — | — | — | — | — | — | — | — | B7 |
| — | — | — | — | — | — | — | — | — | B7.a |
| — | — | — | — | — | — | — | — | — | B7.b |
| — | — | — | — | — | — | — | — | — | B8 |
| — | — | — | — | — | — | — | — | — | B9 |

61表(21-16)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 運輸・通信業 Transportation and communication | | | 電気・ガス・水道業 Electricity, gas and water | サ | |
|---|--------------------------------|--|---|----------------------|---|-----------------|-------------------------------|
| | | 総数 Total | 運輸業、倉庫業 Transportation and warehousing | 通信業 Communication | | 総数 Total | 対個人サービス業 Personal services |
| B10 | 結膜炎感染 | 1 | 1 | — | 1 | — | — |
| | 男 M. 女 F. | 1 | 1 | — | 1 | — | — |
| B11 | ペスト | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B12 | 急性灰白髄炎 | 1 | 1 | — | — | 1 | — |
| | 男 M. 女 F. | 1 | 1 | — | — | 1 | — |
| B13 | 痘瘡 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B14 | 麻疹 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B15 | 発疹チフスおよび他のリケッチャ病 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B15.a | シラミ媒介の流行性発疹チフス | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B15.b | 恙虫病および他のコダニ媒介の発疹チフス様疾患 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B15.c | その他 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B16 | マラリア | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B17 | 伝染性および寄生性として分類されたその他の疾患 | 41 38 3 | 34 33 1 | 7 5 2 | 5 4 1 | 102 69 33 | 31 17 14 |
| | 男 M. 女 F. | 38 3 | 33 1 | 5 2 | 4 1 | 69 33 | 17 14 |
| B17.a | バラチフス | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B17.b | 頸 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B17.c | 破傷風 | 5 4 1 | 5 4 1 | — | — | 8 5 3 | — |
| | 男 M. 女 F. | 4 1 | 4 1 | — | — | 5 3 | — |
| B17.d | 炭疽 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B17.e | 回帰熱 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |

性・死因(簡単分類)・産業(中分類)別
(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN昭和41年
1966

| 一 ビ ス 業 Business services | Services | | | | | 公 務 Government | 分類不能の産業および不詳 Not classifiable and not reported | 未就業者および非労働力 Unemployment and not in labor force | 国際簡単分類番号 International abbreviated list number |
|---------------------------------------|----------------------------------|--|--|-------------------------------|--|----------------------|---|--|---|
| | 対事業所 サービス業 Repair services | 修理業 Amusement and recreation services | 娯楽業 Medical and other health services | 医療保健業 Educational services | その他 サービス業 Miscellaneous services | | | | |
| — | — | — | — | — | — | 1 | — | — | B10 |
| — | — | — | — | — | — | 1 | — | — | — |
| — | — | — | — | — | — | — | — | — | B11 |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B12 |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B13 |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B14 |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B15 |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B15.a |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B15.b |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B15.c |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B16 |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B17 |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B17.a |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B17.b |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B17.c |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B17.d |
| — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | B17.e |

61 表 (21-17)

第61表 15才以上死亡者数,

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 運輸・通信業 Transportation and communication | | | 電気・ガス・水道業 Electricity, gas and water | サ | |
|---|---|--|---|----------------------|---|----------------------|-------------------------------|
| | | 総数 Total | 運輸業、倉庫業 Transportation and warehousing | 通信業 Communication | | 総数 Total | 対個人サービス業 Personal services |
| B17.f | 日本脳炎..... 男 M. 女 F. | 19 17 2 | 13 13 4 | 6 4 2 | 4 4 - | 49 33 16 | 23 15 8 |
| B17.g | 黄熱..... 男 M. 女 F. | - - | - - | - - | - - | - - | - - |
| B17.h | 狂犬病..... 男 M. 女 F. | - - | - - | - - | - - | - - | - - |
| B17.i | 伝染性下痢症..... 男 M. 女 F. | - - | - - | - - | - - | - - | - - |
| B17.j | 日本住血吸虫症..... 男 M. 女 F. | - - | - - | - - | - - | - - | - - |
| B17.k | 糸状虫症..... 男 M. 女 F. | - - | - - | - - | - - | - - | - - |
| B17.l | その他の伝染性および寄生性として分類された疾患..... 男 M. 女 F. | 17 17 - | 16 16 - | 1 1 - | 1 1 - | 44 31 13 | 8 2 6 |
| B18 | 悪性新生物(リンパ組織および造血組織の新生物を含む)..... 男 M. 女 F. | 1743 1629 114 | 1382 1319 63 | 361 310 51 | 204 195 9 | 4616 3522 1094 | 1215 795 420 |
| B18.a | 胃の悪性新生物..... 男 M. 女 F. | 760 716 44 | 608 584 24 | 152 132 20 | 87 83 4 | 1946 1564 382 | 517 371 146 |
| B18.b | 気管、気管支および肺の悪性新生物..... 男 M. 女 F. | 146 144 2 | 118 116 2 | 28 28 - | 20 20 - | 404 353 51 | 99 83 16 |
| B18.c | 乳房の悪性新生物..... 男 M. 女 F. | 11 11 | 8 8 | 3 3 | - - | 81 79 | 20 20 |
| B18.d | 子宮の悪性新生物..... 男 M. 女 F. | 12 12 | 6 6 | 6 6 | 2 2 | 153 153 | 66 66 |
| B18.e | 白血病および無白血病..... 男 M. 女 F. | 84 77 7 | 62 62 - | 22 15 7 | 14 12 2 | 157 110 47 | 33 12 21 |
| B18.f | その他..... 男 M. 女 F. | 730 692 38 | 580 557 23 | 150 135 15 | 81 80 1 | 1875 1493 382 | 480 329 151 |
| B19 | 良性および性質不詳の新生物..... 男 M. 女 F. | 95 86 9 | 81 76 5 | 14 10 4 | 14 12 2 | 246 185 61 | 52 31 21 |
| B20 | 糖尿病..... 男 M. 女 F. | 68 66 2 | 57 55 2 | 11 11 - | 3 3 - | 196 146 50 | 64 37 27 |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| 対事業所 サービス業 Business services | 修理業 Repair services | 娯楽業 Amusement and recreation services | 医療保健業 Medical and other health services | 教育 Educational services | その他 サービス業 Miscellaneous services | 公務 Government | 分類不能の産業 および不詳 Not classifiable and not reported | 未就業者および 非労働力 Unemployment and not in labor force | 国際簡単 分類番号 International abbreviated list number |
|------------------------------------|------------------------|--|--|----------------------------|--|--------------------|---|--|---|
| | | | | | | | | | |
| 2 2 - | 2 2 - | 1 1 - | 5 4 1 | 5 4 1 | 11 8 3 | 7 6 1 | 7 6 1 | 746 224 522 | B17.f |
| - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B17.g |
| - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B17.h |
| - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B17.i |
| - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B17.j |
| - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | - - - | B17.k |
| 2 2 - | 3 3 - | - - - | 6 3 3 | 13 11 2 | 12 10 2 | 15 12 3 | 4 2 2 | 669 235 434 | B17.l |
| 291 254 37 | 297 291 6 | 157 113 44 | 741 527 214 | 848 661 187 | 1067 881 186 | 1061 949 112 | 493 401 92 | 58 319 21 503 36 816 | B18 |
| 133 121 12 | 131 128 3 | 64 50 14 | 286 211 75 | 342 269 73 | 473 474 59 | 447 409 38 | 220 194 26 | 23 741 10 252 13 489 | B18.a |
| 27 24 3 | 33 32 1 | 9 6 3 | 75 64 11 | 71 62 9 | 90 82 8 | 95 87 8 | 44 42 2 | 4 113 2 142 1 971 | B18.b |
| 2 - 2 | - - - | 4 - 4 | 19 - 19 | 16 - 14 | 20 - 20 | 6 - 6 | 7 - 7 | 1 623 15 1 608 | B18.c |
| 9 9 | 1 1 | 8 8 | 25 25 | 23 23 | 21 21 | 13 13 | 18 18 | 5 062 5 062 | B18.d |
| 15 12 3 | 14 14 - | 7 7 - | 25 14 11 | 23 23 8 | 21 21 21 | 13 13 13 | 18 18 18 | 5 062 5 062 | B18.e |
| 105 97 8 | 118 117 1 | 65 50 15 | 311 238 73 | 352 293 59 | 444 369 75 | 448 409 39 | 188 154 34 | 22 698 8 745 13 953 | B18.f |
| 17 14 3 | 17 16 1 | 11 9 2 | 47 33 14 | 52 40 10 | 50 40 10 | 61 53 8 | 27 22 5 | 2 775 944 1 831 | B19 |
| 8 7 1 | 14 12 2 | 4 2 2 | 40 33 7 | 15 11 4 | 51 44 7 | 35 30 5 | 18 12 6 | 3 688 1 257 2 431 | B20 |

61 表 (21-18)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 運輸・通信業 Transportation and communication | | | 電気・ガス・水道業 Electricity, gas and water | サ | |
|---|--------------------------------|--|---|----------------------|---|-----------------------|-------------------------------|
| | | 总数 Total | 運輸業、倉庫業 Transportation and warehousing | 通信業 Communication | | 总数 Total | 対個人サービス業 Personal services |
| B21 | 貧血 | 19 17 2 | 13 12 1 | 6 5 1 | 4 4 — | 53 36 17 | 10 9 1 |
| B22 | 中枢神経系の血管損傷 | 1 168 1 147 21 | 967 953 14 | 201 194 7 | 144 142 2 | 4 132 3 493 639 | 1 211 920 291 |
| B23 | 結膜炎(結膜炎菌性および結核性を除く) | 16 16 — | 16 16 — | — — — | 2 2 — | 28 18 10 | 10 6 4 |
| B24 | リューマチ熱 | 7 7 — | 6 6 — | 1 1 — | 1 1 — | 23 13 10 | 5 3 2 |
| B25 | 慢性リューマチ性心臓疾患 | 46 39 7 | 37 33 4 | 9 6 3 | 1 1 — | 113 75 38 | 37 19 18 |
| B26 | 動脈硬化性および変性性心臓疾患 | 570 545 25 | 458 445 13 | 112 100 12 | 49 49 — | 1 778 1 504 274 | 462 354 108 |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) | 394 386 8 | 314 311 3 | 80 75 5 | 32 32 — | 1 218 1 068 150 | 299 241 58 |
| B26.b | リューマチ性と明示されない慢性心内膜炎 | 64 56 8 | 51 45 6 | 13 11 2 | 6 6 — | 192 137 55 | 65 39 26 |
| B26.c | その他の心筋変性 | 112 103 9 | 93 89 4 | 19 14 5 | 11 11 — | 368 299 69 | 98 74 24 |
| B27 | その他の心臓疾患 | 70 65 5 | 48 47 1 | 22 18 4 | 9 8 1 | 251 206 45 | 74 49 25 |
| B28 | 高血圧性心臓疾患 | 43 43 — | 35 35 — | 8 8 — | 3 3 — | 201 167 34 | 49 37 12 |
| B29 | その他の高血圧性疾患 | 42 41 1 | 32 32 — | 10 9 1 | 3 2 1 | 182 149 33 | 52 41 11 |
| B30 | インフルエンザ | 1 1 — | 1 1 — | — — — | — — — | 3 2 1 | — — — |
| B31 | 肺炎(新生児肺炎を除く) | 68 62 6 | 54 51 3 | 14 11 3 | 5 5 — | 330 268 62 | 74 51 23 |
| B32 | 気管支炎 | 15 15 — | 13 13 — | 2 2 — | 1 1 — | 72 58 14 | 16 10 6 |
| B33 | 胃および十二指腸の潰瘍 | 109 109 — | 92 92 — | 17 17 — | 11 11 — | 331 296 35 | 85 69 16 |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| 対事業所サービス業 Business services | 修理業 Repair services | 娯楽業 Amusement and recreation services | 医療保健業 Medical and other health services | 教育 Educational services | その他サービス業 Miscellaneous services | 公務 Government | 分類不能の産業および不詳 Not classifiable and not reported | 未就業者および非労働力 Unemployment and not in labor force | 国際簡単分類番号 International abbreviated list number |
|--------------------------------|------------------------|--|--|----------------------------|------------------------------------|------------------|---|--|---|
| | | | | | | | | | |
| 1 — | — — | 2 — | 12 6 3 | 13 10 5 | 15 10 5 | 11 10 1 | 8 6 2 | 731 220 511 | B21 |
| 205 190 15 | 297 291 6 | 121 99 22 | 633 515 118 | 488 425 63 | 1 177 1 053 124 | 618 593 25 | 518 463 55 | 110 931 44 847 66 084 | B22 |
| 3 2 1 | 3 3 — | 1 1 — | 3 2 1 | 2 2 — | 6 2 4 | 2 2 — | 1 1 — | 219 70 149 | B23 |
| 3 1 2 | 2 2 — | — — — | 2 1 1 | 5 3 2 | 6 3 3 | 1 1 — | 2 2 — | 337 77 260 | B24 |
| 11 8 3 | 8 8 — | 2 2 — | 13 6 7 | 15 11 4 | 27 21 6 | 26 26 — | 15 11 4 | 3 089 687 2 402 | B25 |
| 92 81 11 | 118 112 6 | 60 48 12 | 316 270 46 | 267 238 29 | 463 401 62 | 296 292 4 | 232 202 30 | 35 834 13 860 21 974 | B26 |
| 52 50 2 | 73 70 3 | 40 33 7 | 239 211 28 | 193 178 15 | 322 285 37 | 229 226 3 | 157 141 16 | 16 707 7 770 9 537 | B26.a |
| 11 7 4 | 19 17 2 | 4 2 2 | 22 16 6 | 33 24 9 | 38 32 6 | 22 21 1 | 19 13 6 | 4 177 1 203 2 974 | B26.b |
| 29 24 5 | 26 25 1 | 16 13 3 | 55 43 12 | 41 36 5 | 103 84 19 | 45 45 — | 56 48 8 | 14 950 5 487 9 463 | B26.c |
| 13 11 2 | 16 14 2 | 9 8 1 | 29 23 6 | 27 23 4 | 83 78 5 | 35 29 6 | 37 32 5 | 7 823 3 226 4 597 | B27 |
| 8 8 — | 8 8 — | 6 5 1 | 39 27 12 | 26 25 1 | 65 57 8 | 19 18 1 | 23 19 4 | 7 931 3 049 4 882 | B28 |
| 15 12 3 | 15 13 2 | 4 4 — | 21 17 4 | 20 16 4 | 55 46 9 | 38 37 1 | 24 22 2 | 5 682 2 138 3 544 | B29 |
| — — — | — — — | — — — | 1 1 — | — — — | 2 2 — | — — — | — — — | 223 98 125 | B30 |
| 13 13 1 | 20 19 1 | 20 19 1 | 46 42 4 | 103 85 18 | 43 42 1 | 68 63 5 | 68 63 5 | 12 312 5 390 6 922 | B31 |
| 3 2 1 | 5 5 — | 4 3 1 | 13 10 3 | 6 6 — | 25 22 3 | 4 4 — | 3 3 — | 3 788 1 658 2 130 | B32 |
| 13 13 — | 20 19 — | 20 19 1 | 46 42 4 | 52 46 6 | 95 87 8 | 76 76 — | 44 42 2 | 4 718 2 537 2 181 | B33 |

61 表 (21-19)

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 運輸・通信業 Transportation and communication | | | 電気・ガス・水道業 Electricity, gas and water | サ | |
|---|---------------------------------|--|---|----------------------|---|-------------|-------------------------------|
| | | 総数 Total | 運輸業、倉庫業 Transportation and warehousing | 通信業 Communication | | 総数 Total | 対個人サービス業 Personal services |
| B34 | 虫垂炎 | 9 | 7 | 2 | 2 | 13 | 3 |
| | 男 M. 女 F. | 9 | 7 | 2 | — | 10 | 1 |
| | | — | — | — | — | 3 | 2 |
| B35 | 腸閉塞およびヘルニア | 39 | 30 | 9 | 4 | 88 | 23 |
| | 男 M. 女 F. | 38 | 29 | 9 | 4 | 68 | 15 |
| | | 1 | 1 | — | — | 20 | 8 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎 (新生児下痢を除く) | 24 | 19 | 5 | 2 | 102 | 21 |
| | 男 M. 女 F. | 24 | 19 | 5 | 2 | 80 | 13 |
| | | — | — | — | — | 22 | 8 |
| B36.a | 胃炎および十二指腸炎 | 10 | 10 | — | — | 25 | 4 |
| | 男 M. 女 F. | 10 | 10 | — | — | 18 | 1 |
| | | — | — | — | — | 7 | 3 |
| B36.b | 胃腸炎、腸炎および大腸炎 | 14 | 9 | 5 | 2 | 77 | 17 |
| | 男 M. 女 F. | 14 | 9 | 5 | 2 | 62 | 12 |
| | | — | — | — | — | 15 | 5 |
| B37 | 肝硬変 | 219 | 183 | 36 | 36 | 406 | 139 |
| | 男 M. 女 F. | 215 | 181 | 34 | 36 | 353 | 112 |
| | | 4 | 2 | 2 | — | 53 | 25 |
| B38 | 腎炎およびネフローゼ | 169 | 137 | 32 | 17 | 419 | 133 |
| | 男 M. 女 F. | 153 | 126 | 27 | 17 | 311 | 86 |
| | | 16 | 11 | 5 | — | 108 | 47 |
| B38.a | 急性腎炎およびネフローゼ | 31 | 27 | 4 | 3 | 75 | 26 |
| | 男 M. 女 F. | 27 | 24 | 3 | 3 | 55 | 18 |
| | | 4 | 3 | 1 | — | 20 | 8 |
| B38.b | その他 | 138 | 110 | 28 | 14 | 344 | 107 |
| | 男 M. 女 F. | 126 | 102 | 24 | 14 | 256 | 68 |
| | | 12 | 8 | 4 | — | 88 | 39 |
| B39 | 前立腺肥大症 | 5 | 5 | — | — | 27 | 4 |
| | 男 M. 女 F. | 5 | 5 | — | — | 27 | 4 |
| B40 | 妊娠、分娩および産褥の合併症 | 14 | 7 | 7 | — | 44 | 13 |
| | 男 M. 女 F. | 14 | 7 | 7 | — | 44 | 13 |
| B41 | 先天奇形 | 13 | 11 | 2 | 7 | 32 | 9 |
| | 男 M. 女 F. | 13 | 11 | 2 | 7 | 20 | 6 |
| | | — | — | — | — | 12 | 3 |
| B42 | 出生時の損傷、分娩後窒息および肺不全拡張 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B43 | 新生児の感染 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B43.a | 新生児肺炎 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |
| B43.b | 新生児下痢 | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| 対事業所 サービス業 Business services | 修理業 Repair services | 娯楽業 Amusement and recreation services | 医療保健業 Medical and other health services | 教育 Educational services | その他の サービス業 Miscellaneous services | 公務 Government | 分類不能の産業 および不詳 Not classifiable and not reported | 未就業者および非労働力 Unemployment and not in labor force | 国際簡単分類番号 International abbreviated list number |
|------------------------------------|------------------------|--|--|----------------------------|---|------------------|---|--|---|
| — | — | — | — | — | — | — | — | — | |
| — | 1 1 — | — — — | 2 1 1 | 5 5 — | 2 2 — | 4 4 — | 4 2 2 | 345 128 217 | B34 |
| 4 3 1 | 4 4 — | 1 1 — | 19 14 5 | 14 13 1 | 23 18 5 | 25 22 3 | 15 12 3 | 1 711 626 1 085 | B35 |
| 5 4 1 | 5 5 — | 4 3 1 | 21 17 4 | 5 5 — | 41 33 8 | 8 8 — | 9 7 2 | 7 180 2 250 4 930 | B36 |
| 2 1 1 | 1 1 — | 1 1 — | 5 5 — | 2 2 — | 10 7 3 | 3 3 — | 1 1 — | 2 104 669 1 435 | B36.a |
| 3 3 — | 4 4 — | 3 2 1 | 16 12 4 | 3 3 — | 31 26 5 | 5 5 — | 8 7 1 | 5 076 1 581 3 495 | B36.b |
| 23 20 3 | 31 30 1 | 20 16 4 | 49 43 6 | 47 44 3 | 97 86 11 | 119 116 3 | 84 77 7 | 5 178 2 544 2 634 | B37 |
| 37 28 9 | 31 31 — | 18 14 4 | 62 46 16 | 56 42 14 | 82 64 18 | 111 99 12 | 50 40 10 | 5 847 2 025 3 812 | B38 |
| 8 6 2 | 10 10 — | 3 2 1 | 10 8 2 | 7 4 3 | 11 7 4 | 16 14 2 | 10 7 3 | 1 275 476 799 | B38.a |
| 29 22 7 | 21 21 — | 15 12 3 | 52 38 14 | 49 38 11 | 71 57 14 | 95 85 10 | 40 33 7 | 4 572 1 559 3 013 | B38.b |
| 1 1 | 2 2 — | — — — | 5 5 — | 2 2 — | 13 13 — | 6 6 — | 3 3 — | 406 406 | B39 |
| 4 | — | 2 | — | 8 | 11 | 6 | 3 | 870 | B40 |
| 4 | — | 2 | 2 | 8 | 11 | 6 | 3 | 870 | B40 |
| 2 | 1 1 | 1 1 — | 6 4 2 | 8 6 2 | 6 4 2 | 8 6 2 | 6 2 4 | 375 132 243 | B41 |
| — | — | — | — | — | — | — | — | — | B42 |
| — | — | — | — | — | — | — | — | — | B43 |
| — | — | — | — | — | — | — | — | — | B43.a |
| — | — | — | — | — | — | — | — | — | B43.b |

61 表 (21-20)

第61表 15才以上死亡者数,

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 運輸・通信業 Transportation and communication | | | 電気・ガス・水道業 Electricity, gas and water | サ Personal services | |
|---|--|--|---|----------------------|---|------------------------|-------------------------------|
| | | 総数 Total | 運輸業、倉庫業 Transportation and warehousing | 通信業 Communication | | 総数 Total | 対個人サービス業 Personal services |
| B43.c | その他の新生児の感染----- 男 M. 女 F. | · | · | · | · | · | · |
| B44 | その他の新生児固有の疾患および性質不明--- の未熟兒 男 M. 女 F. | · | · | · | · | · | · |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 男 M. 女 F. | 244 237 7 | 205 203 2 | 39 34 5 | 33 32 1 | 691 563 128 | 176 134 42 |
| B45.a | 精神病の記載のない老衰----- 男 M. 女 F. | 12 11 1 | 9 8 1 | 3 3 - | 1 1 - | 239 185 54 | 49 35 14 |
| B45.b | その他の診断名不明確および不明の原因--- 男 M. 女 F. | 232 226 6 | 196 195 1 | 36 31 5 | 32 31 1 | 452 378 74 | 127 99 28 |
| B46 | その他のすべての疾患----- 男 M. 女 F. | 454 419 35 | 365 344 21 | 89 75 14 | 38 36 2 | 1 377 1 071 306 | 360 251 109 |
| B46.a | その他の循環器系の疾患(先天性を除く) 男 M. 女 F. | 26 24 2 | 20 19 1 | 6 5 1 | 1 1 - | 118 105 13 | 33 24 9 |
| B46.b | その他のすべての疾患----- 男 M. 女 F. | 428 395 33 | 345 325 20 | 83 70 13 | 37 35 2 | 1 259 966 293 | 327 227 100 |
| "E" | 不慮の事故、中毒および暴力の二重分類--- (外因) 男 M. 女 F. | 2 964 2 863 101 | 2 700 2 627 73 | 264 236 28 | 280 275 5 | 2 731 2 053 678 | 660 408 252 |
| BE47 | 自動車事故----- 男 M. 女 F. | 1 407 1 373 34 | 1 281 1 256 25 | 126 117 9 | 84 82 2 | 1 147 985 162 | 239 177 62 |
| BE48 | その他の不慮の事故----- 男 M. 女 F. | 1 084 1 051 33 | 1 012 982 30 | 72 69 3 | 162 160 2 | 753 582 171 | 162 107 55 |
| BE48.a | 自動車以外の交通事故----- 男 M. 女 F. | 403 391 12 | 394 382 12 | 9 9 - | 14 14 - | 128 106 22 | 19 12 7 |
| BE48.b | 不慮の墜落----- 男 M. 女 F. | 163 159 4 | 144 140 4 | 19 19 - | 47 46 1 | 156 126 30 | 38 28 10 |
| BE48.c | 不慮の溺死および溺水----- 男 M. 女 F. | 177 175 2 | 162 162 - | 15 13 2 | 16 15 1 | 138 117 21 | 39 29 10 |
| BE48.d | 天災----- 男 M. 女 F. | 7 3 4 | 6 2 4 | 1 1 - | 1 1 - | 12 7 5 | 5 2 3 |
| BE48.e | その他----- 男 M. 女 F. | 334 323 11 | 306 296 10 | 28 27 1 | 84 84 - | 319 226 93 | 61 36 25 |

性・死因(簡単分類)・産業(中分類)別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 一ビス業 Services | | | | | | 公務 Government | 分類不能の産業および不詳 Not classifiable and not reported | 未就業者および非労働力 Unemployment and not in labor force | 国際簡単分類番号 International abbreviated list number |
|---|--|--------------------------------|------------------------|--|--|----------------------------|------------------------------------|------------------|---|--|---|
| | | 対事業所サービス業 Business services | 修理業 Repair services | 娯楽業 Amusement and recreation services | 医療保健業 Medical and other health services | 教育 Educational services | その他サービス業 Miscellaneous services | | | | |
| B43.c | その他の新生児の感染----- 男 M. 女 F. | · | · | · | · | · | · | · | · | · | B43.c |
| B44 | その他の新生児固有の疾患および性質不明--- の未熟兒 男 M. 女 F. | · | · | · | · | · | · | · | · | · | B44 |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 男 M. 女 F. | 40 33 7 | 59 58 1 | 19 16 3 | 109 86 23 | 80 70 10 | 208 166 42 | 110 107 3 | 119 96 23 | 45 112 14 355 30 757 | B45 |
| B45.a | 精神病の記載のない老衰----- 男 M. 女 F. | 4 3 1 | 10 10 - | 6 6 - | 51 44 7 | 11 8 3 | 108 79 29 | 7 7 - | 11 6 5 | 38 896 12 033 26 863 | B45.a |
| B45.b | その他の診断名不明確および不明の原因--- 男 M. 女 F. | 36 30 6 | 49 48 1 | 13 10 3 | 58 42 16 | 69 62 7 | 100 87 13 | 103 100 3 | 108 90 18 | 6 216 2 322 3 894 | B45.b |
| B46 | その他のすべての疾患----- 男 M. 女 F. | 71 54 17 | 108 101 7 | 42 33 9 | 243 176 67 | 231 180 51 | 322 276 46 | 285 259 26 | 187 155 32 | 32 226 12 690 19 536 | B46 |
| B46.a | その他の循環器系の疾患(先天性を除く) 男 M. 女 F. | 4 4 - | 11 10 1 | 3 1 2 | 16 16 - | 9 9 - | 42 41 1 | 22 19 3 | 8 8 - | 3 995 1 627 2 368 | B46.a |
| B46.b | その他のすべての疾患----- 男 M. 女 F. | 67 50 17 | 97 91 6 | 39 32 7 | 227 160 67 | 222 171 51 | 280 235 45 | 263 240 23 | 179 147 32 | 28 231 11 063 17 168 | B46.b |
| "E" | 不慮の事故、中毒および暴力の二重分類--- (外因) 男 M. 女 F. | 239 205 34 | 473 459 14 | 161 113 48 | 363 187 176 | 430 352 78 | 405 329 76 | 765 712 53 | 1 094 909 185 | 16 644 7 386 9 258 | "E" |
| BE47 | 自動車事故----- 男 M. 女 F. | 112 106 6 | 268 263 5 | 55 46 9 | 97 61 36 | 190 169 21 | 186 163 23 | 347 332 15 | 218 196 22 | 3,371 1,710 1,661 | BE47 |
| BE48 | その他の不慮の事故----- 男 M. 女 F. | 68 57 11 | 117 114 3 | 64 42 22 | 100 61 39 | 119 104 15 | 123 97 26 | 213 203 10 | 397 332 65 | 5 997 2 849 3 148 | BE48 |
| BE48.a | 自動車以外の交通事故----- 男 M. 女 F. | 17 16 1 | 21 21 - | 9 9 7 | 19 12 3 | 23 20 3 | 20 16 4 | 58 53 5 | 94 86 8 | 667 318 349 | BE48.a |
| BE48.b | 不慮の墜落----- 男 M. 女 F. | 18 16 2 | 21 19 2 | 13 10 3 | 19 12 7 | 21 20 1 | 26 21 5 | 31 31 5 | 43 40 3 | 1 521 585 936 | BE48.b |
| BE48.c | 不慮の溺死および溺水----- 男 M. 女 F. | 9 8 1 | 27 27 - | 9 8 1 | 11 6 5 | 26 23 3 | 17 16 1 | 45 45 - | 149 115 34 | 1 200 645 555 | BE48.c |
| BE48.d | 天災----- 男 M. 女 F. | 2 1 1 | 1 1 - | 1 1 - | - - - | 2 2 - | 2 1 1 | 6 5 1 | 8 7 1 | 106 15 91 | BE48.d |
| BE48.e | その他----- 男 M. 女 F. | 22 16 6 | 47 46 1 | 33 31 18 | 51 39 20 | 47 39 8 | 58 43 15 | 73 69 4 | 103 90 13 | 2 503 1 286 1 217 | BE48.e |

第61表 15才以上死亡者数

TABLE 61 DEATHS AT AGES 15 AND OVER FROM CAUSES

| 性別 年齢 業種 | 死因 性別 | 運輸・通信業 Transportation and communication | | | 電気・ガス・水道業 Electricity, gas and water | サ | |
|----------------|----------|--|---|----------------------|---|-------------------|-------------------------------|
| | | 総数 Total | 運輸業、倉庫業 Transportation and warehousing | 通信業 Communication | | 総数 Total | 対個人サービス業 Personal services |
| 男 | 自殺 | 401 410 41 | 332 323 16 | 62 47 15 | 30 30 — | 762 451 311 | 235 117 118 |
| 女 | 自殺 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 69 35 34 | 24 7 17 |
| 男 | 病死 | 152 154 2 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 病死 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 外傷死 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 外傷死 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 交通事故死 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 交通事故死 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 火災死 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 火災死 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 淹死死 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 淹死死 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 溺死死 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 溺死死 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因不明 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因不明 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 女 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1 | 4 3 1 | 67 33 34 | 24 7 17 |
| 男 | 死因未詳 | 140 142 1 | 112 104 7 | 43 31 1</td | | | |

62 表 (14-1)

第62表 交通事故以外の不慮性・年齢(特定階級)・傷害発生の場

TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
THE PLACE OF OCCURRENCE OF THE ACCIDENT;

総数 Total

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の集団収容施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified |
|--|--------------------------------|--------------------|----------------|-------------|-----------------------------|--|---|-------------------------------|--------------------------|------------------------------------|----------------------------------|--------------------------------|
| | | | | | | | | | | | | |
| | 总数 | 1) 20 762 | 6 836 | 507 | 780 | 2 798 | 353 | 679 | 756 | 382 | 1) 7 568 | 103 |
| | 男 M. 女 F. | 1) 15 161 5 601 | 3 613 3 223 | 376 131 | 746 34 | 2 676 122 | 314 39 | 533 146 | 583 173 | 249 133 | 1) 5 996 1 572 | 75 28 |
| E870 | モルヒネおよびその他のアヘン誘導体による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E871 | バルビツール酸およびその誘導体による不慮の中毒 | 15 | 13 | - | - | - | - | - | - | 1 | 1 | - |
| | 男 M. 女 F. | 11 4 | 9 4 | - | - | - | - | - | - | 1 1 | 1 1 | - |
| E872 | アスピリンおよびサリチル酸誘導体による不慮の中毒 | 10 | 6 | - | - | - | - | - | - | 1 1 | 2 1 | 1 |
| | 男 M. 女 F. | 7 3 | 4 2 | - | - | - | - | - | - | 1 1 | 1 1 | - |
| E873 | 臭化物による不慮の中毒 | 57 | 47 | - | - | - | - | - | 2 | - | 7 3 | 1 |
| | 男 M. 女 F. | 28 29 | 24 23 | - | - | - | - | - | 1 1 | - | 4 4 | 1 |
| E874 | その他の鎮痛薬および催眠薬による不慮の中毒 | 170 | 138 | - | - | - | - | - | 8 5 | 9 6 | 15 6 | - |
| | 男 M. 女 F. | 80 90 | 63 75 | - | - | - | - | - | 3 3 | 3 9 | 9 9 | - |
| E875 | スルホンアミド薬による不慮の中毒 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | 1 - | 1 - | - | - | - | - | - | - | - | - | - |
| E876 | ストリキニーネによる不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E877 | ペラドンナ、ヒヨステンおよびアトロピンによる不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E878 | その他および詳細不明の医薬品による不慮の中毒 | 16 | 14 | - | - | - | - | - | 2 1 | - | - | - |
| | 男 M. 女 F. | 7 9 | 6 8 | - | - | - | - | - | 1 1 | - | - | - |
| E879 | 有毒食物による不慮の中毒 | 107 | 86 | - | - | - | - | - | 6 6 | 1 1 | 14 12 | - |
| | 男 M. 女 F. | 86 21 | 67 19 | - | - | - | - | - | 1 2 | - | 2 2 | - |
| E880 | アルコールによる不慮の中毒 | 13 | 6 | - | - | - | - | - | 2 2 | 2 2 | 3 3 | - |
| | 男 M. 女 F. | 11 2 | 4 2 | - | - | - | - | - | 2 1 | 2 1 | 3 3 | - |
| E881 | 石油製品による不慮の中毒 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | 1 1 | 1 1 | - | - | - | - | - | - | - | - | - |
| E882 | 工業溶媒による不慮の中毒 | 6 | 1 | - | - | 5 | - | - | - | - | - | - |
| | 男 M. 女 F. | 6 - | 1 - | - | - | 5 - | - | - | - | - | - | - |
| E883 | 腐食性化合物、酸およびカセイアルカリによる不慮の中毒 | 17 | 13 | - | - | - | - | - | 2 1 | 2 1 | - | - |
| | 男 M. 女 F. | 9 8 | 7 6 | - | - | - | - | - | 1 1 | 1 1 | - | - |
| E884 | 水銀およびその化合物による不慮の中毒 | 3 | 1 | 2 | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | 2 1 | 1 1 | - | - | - | - | - | - | - | - | - |
| E885 | 鉛およびその化合物による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |

注：1) 年齢不詳 3 を含む。

の事故(E 870-E 936)死亡者数,
所・死因(基本分類)別

BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO
FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の集団収容施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified |
|--|--------------------------------|-----------------------|-------------------|----------------|-----------------------------|--|---|-------------------------------|--------------------------|------------------------------------|----------------------------------|--------------------------------|
| E886 | ヒ素、アンチモンおよびその化合物による不慮の中毒 | 1 1 | 1 1 | - | - | - | - | - | - | - | - | - |
| E887 | フッ化物による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| E888 | その他および詳細不明の固体および液体質による不慮の中毒 | 167 116 51 | 97 66 31 | 26 19 7 | - - 1 | 4 3 1 | 1 1 1 | 4 4 4 | - - - | - - - | 33 24 9 | 2 |
| E888.a | シアノ化物 | 4 2 2 | - - - | 1 1 1 | - - - | 2 1 1 | - - - | - - - | - - - | - - - | 1 1 1 | - |
| E888.b | 農業用有機リン製剤 | 59 45 14 | 33 27 6 | 13 9 4 | - - - | - - - | - - - | - - - | 2 2 2 | - - - | 10 7 3 | 1 |
| E888.c | その他のリン製剤 | 11 7 4 | 6 4 2 | - - - | - - - | - - - | - - - | - - - | - - - | - - - | 5 3 2 | - |
| E888.d | その他および詳細不明の固体および液体質による不慮の中毒 | 93 62 31 | 58 35 23 | 12 10 2 | - - - | 2 2 1 | 1 1 1 | 2 2 2 | - - - | - - - | 17 13 4 | 1 |
| E890 | 石炭ガス(光熱用)による不慮の中毒 | 303 161 142 | 248 112 136 | - - - | 4 4 - | 2 2 - | - - - | 1 1 - | 34 28 6 | 4 4 - | 10 10 - | - |
| E891 | 自動車排出ガスによる不慮の中毒 | 9 8 1 | 1 1 1 | - - - | - - - | 2 1 1 | - - - | - - - | 1 1 1 | - - - | 4 4 - | - |
| E892 | その他一酸化炭素ガスによる不慮の中毒 | 353 204 149 | 255 134 121 | 4 2 2 | 25 19 6 | 10 9 1 | 3 3 1 | 3 3 1 | 11 8 1 | 2 2 1 | 38 27 21 | 2 |
| E893 | シアノ化物ガスによる不慮の中毒 | 3 3 | - - | - - | - - | 1 1 | - - | - - | - - | - - | 2 2 - | - |
| E894 | その他のガスおよび蒸気による不慮の中毒 | 60 57 3 | 7 5 2 | 1 1 1 | 13 13 13 | 27 26 1 | - - - | - - - | 4 4 4 | 4 4 4 | 8 8 - | - |
| E895 | 詳細不明のガスおよび蒸気による不慮の中毒 | 2 2 - | - - - | - - - | - - - | 2 2 - | - - - | - - - | - - - | - - - | - - - | - |
| E900 | 階段よりの墜落 | 483 309 174 | 270 142 128 | - - - | 1 1 1 | 25 22 3 | 3 3 - | 1 1 - | 122 96 26 | 31 20 11 | 28 24 4 | 2 |
| E901 | はしごよりの墜落 | 112 101 11 | 58 52 6 | 5 4 1 | 1 1 1 | 27 26 1 | 1 2 1 | 2 2 1 | 7 7 6 | 1 1 2 | 10 8 2 | - |
| E902 | その他の高所よりの墜落 | 2 872 2 412 460 | 584 357 227 | 71 57 14 | 57 55 2 | 827 811 16 | 37 31 6 | 137 116 21 | 132 122 10 | 54 41 13 | 955 804 151 | 18 |
| E903 | 同一面上における転倒 | 1 150 527 623 | 655 206 449 | 13 4 9 | 5 5 4 | 47 43 4 | 9 6 3 | 187 108 7 | | | | |

62 表 (14-2)

第62表 交通事故以外の不慮性・年齢(特定階級)・傷害発生の場

TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
THE PLACE OF OCCURRENCE OF THE ACCIDENT; FOR ALL JAPAN

総 数 Total

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 詳細不明の場所 | | | | | | | | | | | |
|--|--------------------------------|-----------------------|---------------------|-----------------|-----------------------------|--|---|-------------------------------|--------------------------|--------------------------------|----------------------------------|--------------------------------|--|
| | | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified | |
| E904 | 詳細不明の墜落 | 26 13 13 | — — — | 1 1 — | — — — | — — — | — — — | — — — | 1 1 1 | 21 9 12 | 3 3 — | — | |
| E910 | 落下物、投射物および飛来物による打撲 | 1 562 1 429 133 | 73 51 22 | 14 300 17 | 317 569 1 | 608 569 39 | 7 6 1 | 77 65 12 | 38 32 6 | 2 2 — | 419 385 34 | 7 6 1 | |
| E911 | 車による不慮の事故 | 166 155 11 | 1 — 1 | 3 3 3 | 108 105 2 | 30 28 — | 1 1 3 | 4 1 — | — — — | 19 17 2 | — — — | — | |
| E912 | 機械による不慮の事故 | 925 876 49 | 8 6 2 | 58 55 3 | 85 82 3 | 554 523 31 | 3 3 3 | 37 34 1 | 17 16 1 | 3 2 1 | 160 155 5 | — — — | |
| E913 | 刃器および刺器による不慮の事故 | 38 29 9 | 21 16 5 | 1 1 — | — — — | 3 3 — | — — — | 1 1 1 | 6 5 4 | — — 2 | — — — | — | |
| E914 | 電気による不慮の事故 | 515 509 6 | 27 24 3 | 15 13 2 | 7 7 — | 277 277 — | — — — | 61 61 — | 18 18 — | 7 6 1 | 103 103 — | — | |
| E915 | 高圧機関の爆発による不慮の事故 | 18 17 1 | — — — | — — — | 18 17 1 | — — — | — — — | — — — | — — — | — — — | — — — | — | |
| E916 | 火および可燃物の爆発による不慮の事故 | 1 889 1 068 821 | 1 402 710 692 | 24 16 8 | 39 39 — | 127 118 9 | 3 2 1 | 6 5 1 | 102 51 51 | 59 37 22 | 124 90 34 | 3 3 3 | |
| E917 | 高熱物体、腐食性液体および水蒸気による不慮の事故 | 363 219 144 | 257 140 117 | — — — | 1 1 6 | 46 40 6 | — — — | 2 1 1 | 13 6 7 | 6 3 9 | 35 26 9 | 1 | |
| E918 | 放射線による不慮の事故 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — | |
| E918.a | X線によるもの | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — | |
| E918.b | その他の放射線によるもの | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — | |
| E919 | 銃器による不慮の事故 | 74 70 4 | 5 5 — | 4 4 — | 19 18 1 | 8 7 1 | 1 1 — | 3 3 — | 2 2 — | 1 1 — | 30 28 2 | 1 | |
| E920 | 眼および附属器への異物侵入 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — | |
| E921 | 閉塞または窒息の原因となる食物の吸入および嚥下 | 964 692 272 | 802 565 237 | — — — | — — — | 3 3 — | 1 1 — | 8 7 1 | 10 10 — | 86 65 21 | 52 39 13 | 2 2 — | |
| E922 | 閉塞または窒息の原因となるその他の物体の吸入および嚥下 | 28 21 7 | 22 16 6 | 1 1 — | — — — | — — — | — — — | 1 1 — | 2 2 — | 1 1 — | 1 1 — | — | |
| E923 | その他の孔口への異物侵入 | 13 10 3 | 6 5 1 | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | 5 4 1 | 1 | |

注: 1) 年齢不詳 3を含む。

の事故(E870-E936)死亡者数,

所・死因(基本分類)別

BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO

FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の施設 Resident institution | その他場所 Other specified places | 詳細不明の場所 Place not specified |
|--|--------------------------------|----------------------------------|-------------------|-----------------|-----------------------------|--|---|-------------------------------|--------------------------|--------------------------------|---------------------------------|--------------------------------|
| E924 | 寝台および搖籃における不慮の機械的窒息 | 293 147 146 | 285 142 143 | — — — | — — — | — — — | — — — | — — — | — — — | 2 1 1 | 2 2 1 | 3 1 — |
| E925 | その他および詳細不明の状態における不慮の機械的窒息 | 591 428 163 | 270 149 121 | 22 14 8 | 88 86 2 | 69 66 3 | 2 1 1 | 17 12 5 | 11 7 4 | 8 4 4 | 102 87 15 | 2 2 — |
| E926 | 乳児の養育不注意(1才未満) | 3 2 1 | 3 2 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E927 | 有毒動物および昆蟲の攻撃および創傷による不慮の傷害 | 38 27 11 | 8 7 1 | 12 8 4 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 18 12 6 |
| E928 | その他の動物による不慮の傷害 | 48 39 9 | 15 11 4 | 6 5 1 | — — — | — — — | — — — | 5 5 — | 7 4 3 | 2 2 — | 13 12 1 | — |
| E929 | 不慮の溺死および溺水 | 1) 5 906 1) 4 325 1) 1 581 | 793 353 440 | 128 89 39 | 7 7 — | 37 37 — | 236 214 22 | 7 4 3 | 86 66 20 | 22 14 8 | 1) 4 583 1) 3 536 1 047 | 7 5 2 |
| E930 | 高圧および低圧 | 3 3 | — — | — — | — — | — — | — — | — — | — — | — — | — — | 2 2 — |
| E931 | 過度の高温および日射病 | 82 42 40 | 17 5 12 | 14 6 8 | 1 1 — | 3 2 1 | 4 3 1 | 4 3 — | 1 1 — | — — — | 35 19 16 | 3 2 1 |
| E932 | 過度の低温 | 465 386 79 | 37 23 14 | 59 47 12 | — — — | 7 7 — | 4 4 — | 46 44 2 | 15 13 2 | 4 2 2 | 288 242 46 | 5 4 1 |
| E933 | 飢、渴および不良天候曝露 | 42 32 10 | 5 5 — | 1 1 — | — — — | — — — | — — — | — — — | 1 1 — | — — — | 35 27 8 | — |
| E934 | 天災 | 366 149 217 | 210 78 132 | 7 2 5 | 1 1 — | 3 2 1 | — — — | — — — | — — — | — — — | 5 5 — | 114 54 60 |
| E934.a | 地震 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E934.b | 暴風雨および洪水 | 366 149 217 | 210 78 132 | 7 2 5 | 1 1 — | 3 2 1 | — — — | — — — | — — — | — — — | 5 5 — | 114 54 60 |
| E934.c | その他 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E935 | 雷擊 | 28 19 9 | 2 1 1 | 10 5 5 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 11 9 2 |
| E936 | その他および詳細不明の不慮の事故 | 385 306 79 | 64 37 27 | 4 4 — | 1 1 — | 24 24 — | 30 29 — | 59 51 — | 24 20 — | 11 10 — | 135 107 28 | 33 24 9 |

Note: 1) Includes age unknown 3.

62表(14-3)

第62表 交通事故以外の不慮
性・年齢(特定階級)・傷害発生の場

TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)

0才 years of age

THE PLACE OF OCCURRENCE OF THE ACCIDENT;

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | The Place of Occurrence of the Accident; | | | | | | | | | |
|--|--------------------------------|-------------|--|-------------|-----------------------------|--|---|-------------------------------|--------------------------|--------------------------------|----------------------------------|--------------------------------|
| | | | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified |
| E870 | モルヒネおよびその他のアヘン誘導体による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E871 | バルビツール酸およびその誘導体による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E872 | アスピリンおよびサリチル酸誘導体による不慮の中毒 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| E873 | 臭化物による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E874 | その他の鎮痛薬および催眠薬による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E875 | スルホンアミド薬による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E876 | ストリキニーネによる不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E877 | ペラドンナ、ヒヨステンおよびアトロピンによる不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E878 | その他および詳細不明の医薬品による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E879 | 有毒食物による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E880 | アルコールによる不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E881 | 石油製品による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E882 | 工業溶媒による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E883 | 腐食性化合物、酸およびカセイアルカリによる不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E884 | 水銀およびその化合物による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E885 | 鉛およびその化合物による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |

の事故(E870-E936)死亡者数,
所・死因(基本分類)別

BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO
FOR ALL JAPAN昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified |
|--|--------------------------------|-------------|------------|-------------|-----------------------------|--|---|-------------------------------|--------------------------|--------------------------------|----------------------------------|--------------------------------|
| E886 | ヒ素、アンチモンおよびその化合物による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E887 | フッ化物による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E888 | その他および詳細不明の固体および液体物質による不慮の中毒 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| E888.a | シアン化物 | — | — | — | — | — | — | — | — | — | — | — |
| E888.b | 農業用有機リン製剤 | — | — | — | — | — | — | — | — | — | — | — |
| E888.c | その他のリン製剤 | — | — | — | — | — | — | — | — | — | — | — |
| E888.d | その他および詳細不明の固体および液体物質 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| E890 | 石炭ガス(光熱用)による不慮の中毒 | 6 | 5 | — | — | — | — | — | — | — | 1 | — |
| E891 | 自動車排出ガスによる不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E892 | その他一酸化炭素ガスによる不慮の中毒 | 20 | 20 | — | — | — | — | — | — | — | — | — |
| E893 | シアン化物ガスによる不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E894 | その他のガスおよび蒸気による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E895 | 詳細不明のガスおよび蒸気による不慮の中毒 | — | — | — | — | — | — | — | — | — | — | — |
| E900 | 階段よりの墜落 | 7 | 7 | — | — | — | — | — | — | — | — | — |
| E901 | はしごよりの墜落 | — | — | — | — | — | — | — | — | — | — | — |
| E902 | その他の高所よりの墜落 | 19 | 18 | — | — | — | — | — | — | — | 1 | — |
| E903 | 同一面上における転倒 | 10 | 10 | — | — | — | — | — | — | — | — | — |

62 表 (14-4)

第62表 交通事故以外の不慮性・年齢(特定階級)・傷害発生の場

TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
THE PLACE OF OCCURRENCE OF THE ACCIDENT;

0 才 years of age

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公建造物 Public building | 共建造物 Resident institution | その他の施設 Other specified places | その他の場所 Place not specified |
|--|---|-------------------|------------------|-------------|-----------------------------|--|---|-------------------------------|-------------------------|------------------------------|----------------------------------|-------------------------------|
| E904 | 詳細不明の墜落 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| E910 | 落下物、投射物および飛来物による打撲 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| E911 | 車による不慮の事故 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| E912 | 機械による不慮の事故 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| E913 | 刃器および刺器による不慮の事故 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| E914 | 電気による不慮の事故 男 M. 女 F. | 1 1 | 1 1 | — | — | — | — | — | — | — | — | — |
| E915 | 高圧機関の爆発による不慮の事故 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| E916 | 火および可燃物の爆発による不慮の事故 男 M. 女 F. | 73 37 36 | 71 36 35 | — | — | — | — | — | — | 2 1 1 | — | — |
| E917 | 高熱物体、腐食性液体および水蒸気による不慮の事故 男 M. 女 F. | 34 21 13 | 31 18 13 | — | 1 1 | — | — | — | — | 2 2 | — | — |
| E918 | 放射線による不慮の事故 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| E918.a | X線によるもの 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| E918.b | その他の放射線によるもの 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| E919 | 銃器による不慮の事故 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| E920 | 眼および附属器への異物侵入 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — | — |
| E921 | 閉塞または窒息の原因となる食物の吸入および嚥下 男 M. 女 F. | 256 151 105 | 220 128 92 | — | — | — | — | 1 1 1 | 16 8 8 | 18 13 5 | 1 1 — | — |
| E922 | 閉塞または窒息の原因となるその他の物体の吸入および嚥下 男 M. 女 F. | 8 5 3 | 7 4 3 | — | — | — | — | 1 1 | — | — | — | — |
| E923 | その他の孔口への異物侵入 男 M. 女 F. | 2 1 | 1 1 | — | — | — | — | — | — | 1 1 | — | — |

の事故(E 870-E 936)死亡者数,
所・死因(基本分類)別

BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO
FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公建造物 Public building | 共建造物 Resident institution | その他の施設 Other specified places | その他の場所 Place not specified | |
|--|---|-------------------|-------------------|-------------|-----------------------------|--|---|-------------------------------|-------------------------|------------------------------|----------------------------------|-------------------------------|-------------|
| E924 | 寝台および搭籠における不慮の機械的窒息 男 M. 女 F. | 272 135 137 | 266 130 136 | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 1 | 2 2 1 | 1 1 1 | |
| E925 | その他および詳細不明の状態における不慮の機械的窒息 男 M. 女 F. | 190 107 83 | 180 103 77 | 1 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | 3 2 1 | 6 2 4 | — — — |
| E926 | 乳児の養育不注意(1才未満) 男 M. 女 F. | 3 2 1 | 3 2 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E927 | 有毒動物および昆虫の咬傷および刺傷による不慮の傷害 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E928 | その他の動物による不慮の傷害 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E929 | 不慮の溺死および溺水 男 M. 女 F. | 36 16 20 | 27 12 15 | 2 2 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 7 4 3 | — — — |
| E930 | 高圧および低圧 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E931 | 過度の高温および日射病 男 M. 女 F. | 10 2 8 | 4 — 4 | — — — | — — — | — — — | — — — | — — — | — — — | 1 — 1 | — — — | — — — | 5 2 3 |
| E932 | 過度の低温 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E933 | 飢、渴および不良天候曝露 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E934 | 天災 男 M. 女 F. | 6 4 2 | 4 2 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 2 2 — |
| E934.a | 地震 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E934.b | 暴風雨および洪水 男 M. 女 F. | 6 4 2 | 4 2 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 2 2 — |
| E934.c | その他 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E935 | 雷撃 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E936 | その他および詳細不明の不慮の事故 男 M. 女 F. | 13 7 6 | 10 6 4 | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 1 | — — — | 1 1 1 | — — — |

第62表 交通事故以外の不慮
性・年齢(特定階級)・傷害発生の場TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E935)
THE PLACE OF OCCURRENCE OF THE ACCIDENT;

1~4才 years of age

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の集団収容施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified |
|--|---|---------------------|-------------------|----------------|-----------------------------|--|---|-------------------------------|--------------------------|------------------------------------|----------------------------------|--------------------------------|
| E870 | 総数 Total | 2400 1516 884 | 919 517 402 | 73 54 19 | 3 3 — | 27 20 7 | 25 21 4 | 21 13 8 | 38 20 18 | 17 7 10 | 1271 857 414 | 6 4 2 |
| E870 | モルヒネおよびその他のアヘン誘導体による不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E871 | バルビツール酸およびその誘導体による不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E872 | アスピリンおよびサリチル酸誘導体による不慮の中毒 男 M. 女 F. | 2 1 | 2 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E873 | 臭化物による不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E874 | その他の鎮痛薬および催眠薬による不慮の中毒 男 M. 女 F. | 3 2 | 2 2 | — — | — — | — — | — — | — — | — — | 1 1 | — — | — — |
| E875 | スルホンアミド薬による不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E876 | ストリキニーネによる不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E877 | ペラドンナ、ヒヨステンおよびアトロピンによる不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E878 | その他および詳細不明の医薬品による不慮の中毒 男 M. 女 F. | 4 2 | 4 2 | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E879 | 有毒食物による不慮の中毒 男 M. 女 F. | 1 1 | 1 — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E880 | アルコールによる不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E881 | 石油製品による不慮の中毒 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E882 | 工業溶媒による不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E883 | 腐食性化合物、酸およびカセイアルカリによる不慮の中毒 男 M. 女 F. | 6 4 | 4 3 | — — | — — | — — | — — | — — | — — | 2 1 1 | — — — | — — — |
| E884 | 水銀およびその化合物による不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E885 | 鉛およびその化合物による不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |

の事故(E870-E936)死亡者数,
所・死因(基本分類)別BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO
FOR ALL JAPAN昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の集団収容施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified |
|--|--|----------------|----------------|-------------|-----------------------------|--|---|-------------------------------|--------------------------|------------------------------------|----------------------------------|--------------------------------|
| E886 | ヒ素、アンテモンおよびその化合物による不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E887 | フッ化物による不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E888 | その他および詳細不明の固体および液体物質による不慮の中毒 男 M. 女 F. | 20 15 5 | 17 13 4 | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 1 | — — — | — — — |
| E888.a | シアン化物 男 M. 女 F. | 1 1 | — — | — — | — — | — — | — — | — — | — — | I I | — — | — — |
| E888.b | 農業用有機リン製剤 男 M. 女 F. | 8 6 2 | 6 4 2 | — — — | — — — | — — — | — — — | — — — | — — — | I I | — — | — — |
| E888.c | その他のリン製剤 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E888.d | その他および詳細不明の固体および液体物質による不慮の中毒 男 M. 女 F. | 10 8 2 | 10 8 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E890 | 石炭ガス(光熱用)による不慮の中毒 男 M. 女 F. | 13 9 4 | 13 9 4 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E891 | 自動車排出ガスによる不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E892 | その他の一酸化炭素ガスによる不慮の中毒 男 M. 女 F. | 25 17 8 | 25 17 8 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E893 | シアン化物ガスによる不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E894 | その他のガスおよび蒸気による不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E895 | 詳細不明のガスおよび蒸気による不慮の中毒 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E900 | 階段よりの墜落 男 M. 女 F. | 11 9 2 | 10 8 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 | — — |
| E901 | はしごよりの墜落 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E902 | その他の高所よりの墜落 男 M. 女 F. | 84 54 30 | 50 33 17 | — — — | — — — | — — — | — — — | — — — | — — — | 2 1 1 | 6 5 1 | 3 2 1 |
| E903 | 同一面上における転倒 男 M. 女 F. | 23 14 9 | 16 10 6 | — — — | — — — | — — — | — — — | — — — | — — — | 3 2 1 | 1 1 1 | 3 2 1 |

62 表 (14—6)

第62表 交通事故以外の不慮性・年齢(特定階級)・傷害発生の場

TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
THE PLACE OF OCCURRENCE OF THE ACCIDENT;

1 ~ 4 才 years of age

| 国際基本 分類番号 | 死 因 ・ 性 | 総 数 | 家 庭 | 農 耕 地 | 鉱山お よび採石場 | 工場施設 およびその 用 地 | 保養場お よび運動 場 | 道路およ び公道 | 公 共 建 造 物 | その他の 集団収容 施 | その他の 場 | 詳細不明 の場所 |
|--|--|-----------------|-----------------|-------------|--------------------|----------------------------------|--------------------------------------|-----------------------|-----------------------|---------------------------|---------------------------|------------------------|
| International detailed list number | Cause of death and sex | Total | Home | Farm | Mine and quarry | Industrial place and premises | Place for recreation and sport | Street and highway | Public building | Resident institu- tion | Other specified places | Place not specified |
| E904 | 詳細不明の墜落..... 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E910 | 落下物、投射物および飛来物による打撲..... 男 M. 女 F. | 35 20 15 | 9 4 5 | — — — | — — — | 5 2 3 | — — — | 3 1 2 | 4 2 2 | — — — | 14 11 3 | — — — |
| E911 | 車による不慮の事故..... 男 M. 女 F. | 3 1 2 | 1 — 1 | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — | 1 — 1 | — — — |
| E912 | 機械による不慮の事故..... 男 M. 女 F. | 23 18 5 | 1 — 1 | 3 3 — | 2 2 — | 11 9 2 | — — — | 1 1 — | 1 — 1 | — — — | 4 3 1 | — — — |
| E913 | 刃器および刺器による不慮の事故..... 男 M. 女 F. | 2 1 1 | 1 — 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | — — — |
| E914 | 電気による不慮の事故..... 男 M. 女 F. | 4 4 — | 2 2 — | — — — | — — — | 2 2 — | — — — | — — — | — — — | — — — | — — — | — — — |
| E915 | 高圧機関の爆発による不慮の事故..... 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E916 | 火および可燃物の爆発による不慮の事故..... 男 M. 女 F. | 104 62 42 | 94 55 39 | 1 1 — | — — — | — — — | — — — | — — — | 2 1 1 | 2 2 — | 5 3 2 | — — — |
| E917 | 高熱物体、腐食性液体および水蒸気による... 不慮の事故 男 M. 女 F. | 150 83 67 | 137 74 63 | — — — | — — — | 1 — 1 | — — — | 1 — 1 | 4 3 1 | — — — | 7 6 1 | — — — |
| E918 | 放射線による不慮の事故..... 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E918.a | X線によるもの..... 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E918.b | その他の放射線によるもの..... 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E919 | 銃器による不慮の事故..... 男 M. 女 F. | 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E920 | 眼および附属器への異物侵入..... 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E921 | 閉塞または窒息の原因となる食物の吸入お... よび嚥下 男 M. 女 F. | 81 50 31 | 65 40 25 | — — — | — — — | — — — | — — — | 2 2 — | 3 3 — | 5 2 3 | 6 3 3 | — — — |
| E922 | 閉塞または窒息の原因となるその他の物体... の吸入および嚥下 男 M. 女 F. | 9 7 2 | 8 6 2 | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E923 | その他の孔口への異物侵入..... 男 M. 女 F. | 5 3 2 | 1 — 1 | — — — | — — — | — — — | — — — | — — — | 1 — — | — — — | 2 2 — | 1 1 |

の事故(E 870—E 936)死亡者数、

所・死因(基本分類)別

**BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO
FOR ALL JAPAN**

昭和 41 年
1966

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設 およびその用 地 Industrial place and premises | 保養場お よび運動 場 Place for recreation and sport | 道路およ び公道 Street and highway | 公共建 造物 Public building | その他の 集団収容 施設 Resident institution | その他の 場所 Other specified places | 詳細不明 の場所 Place not specified |
|--|------------------------------------|--------------|------------|-------------|--------------------------------|---|---|--------------------------------------|---------------------------------|---|--|--|
| | | | | | | | | | | | | |
| E924 | 寝台および搖籃における不慮の機械的窒息--- | 14 | 13 | — | — | — | — | — | — | — | — | 1 |
| | 男 M. 女 F. | 7 7 | 7 6 | — | — | — | — | — | — | — | — | 1 1 |
| E925 | その他および詳細不明の状態における不慮の機械的窒息 | 66 | 45 | 6 | 1 | 2 | — | — | — | 3 | 2 | 7 |
| | 男 M. 女 F. | 43 23 | 26 19 | 5 1 | 1 — | 2 — | — | — | — | 1 | — | 2 |
| E926 | 乳児の養育不注意(1才未満)----- | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — | — | — | — | — |
| E927 | 有毒動物および昆虫の咬傷および刺傷による不慮の傷害 | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — | — | — | — | — |
| E928 | その他の動物による不慮の傷害----- | 4 | — | 1 | — | — | — | 1 | 1 | — | — | 1 |
| | 男 M. 女 F. | 2 2 | — — | 1 — | — — | — — | — — | 1 1 | 1 1 | — — | — — | 1 1 |
| E929 | 不慮の溺死および湯水----- | 1 664 | 368 | 60 | — | 5 | 19 | 1 | 15 | 6 | 1 187 | 803 |
| | 男 M. 女 F. | 1 067 597 | 191 177 | 42 18 | — — | 5 — | 16 3 | — 1 | 6 9 | 2 4 | 384 | |
| E930 | 高圧および低圧----- | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — | — | — | — | — |
| E931 | 過度の高温および日射病----- | 1 | — | — | — | — | — | — | — | — | — | 1 |
| | 男 M. 女 F. | — 1 | — — | — | — | — | — | — | — | — | — | 1 |
| E932 | 過度の低温----- | 2 | — | — | — | — | — | — | — | — | — | 1 |
| | 男 M. 女 F. | 1 1 | — — | — | — | — | — | — | — | — | — | 1 1 |
| E933 | 飢、渴および不良天候曝露----- | 1 | 1 | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 1 — | 1 — | — | — | — | — | — | — | — | — | — |
| E934 | 天災----- | 26 | 23 | — | — | — | — | — | — | — | — | 3 |
| | 男 M. 女 F. | 10 16 | 9 14 | — | — | — | — | — | — | — | — | 1 2 |
| E934.a | 地震----- | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — | — | — | — | — |
| E934.b | 暴風雨および洪水----- | 26 | 23 | — | — | — | — | — | — | — | — | 3 |
| | 男 M. 女 F. | 10 16 | 9 14 | — | — | — | — | — | — | — | — | 1 2 |
| E934.c | その他----- | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — | — | — | — | — |
| E935 | 雷撃----- | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — | — | — | — | — | — | — | — | — |
| E936 | その他および詳細不明の不慮の事故----- | 11 | 3 | 1 | — | — | — | 2 | 2 | — | — | 1 |
| | 男 M. 女 F. | 6 5 | 1 2 | 1 | — | — | — | 2 — | 2 1 | — | — | 1 |

62 表 (14-7)

第62表 交通事故以外の不慮
性・年齢(特定階級)・傷害発生の場

TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
THE PLACE OF OCCURRENCE OF THE ACCIDENT;

5~14才 years of age

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | The Place of Occurrence of the Accident: | | | | | | | | | |
|--|------------------------------------|--------------------------------|--|--------------------|-----------------------------|--|---|-------------------------------|-------------------------|------------------------------------|----------------------------------|--------------------------------|
| | | | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用 地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建物 Public building | その他の集団収容施設 Resident institution | その他の方所 Other specified places | 詳細不明の場所 Place not specified |
| E870 | モルヒネおよびその他のアヘン誘導体による不慮の中毒 | 1 692 Total 男 M. 女 F. | 344 1299 186 393 | 17 7 12 5 | 8 24 24 1 | 24 100 17 — | 117 23 16 7 | 36 22 14 4 | 10 6 4 1 | 1 112 925 187 — | 1 1 — | — |
| E871 | バルビツール酸およびその誘導体による不慮の中毒 | — Total 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E872 | アスピリンおよびサリチル酸誘導体による不慮の中毒 | — Total 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E873 | 臭化物による不慮の中毒 | — Total 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E874 | その他の鎮痛薬および催眠薬による不慮の中毒 | — Total 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E875 | スルホンアミド薬による不慮の中毒 | — Total 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E876 | ストリキニーネによる不慮の中毒 | — Total 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E877 | ペラドンナ、ヒヨステンおよびアトロピンによる不慮の中毒 | — Total 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E878 | その他および詳細不明の医薬品による不慮の中毒 | — Total 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E879 | 有毒食物による不慮の中毒 | 1 Total 男 M. 女 F. | 1 1 | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E880 | アルコールによる不慮の中毒 | — Total 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E881 | 石油製品による不慮の中毒 | — Total 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E882 | 工業溶媒による不慮の中毒 | 1 Total 男 M. 女 F. | 1 1 | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E883 | 腐食性化合物、酸およびカセイアルカリによる不慮の中毒 | — Total 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E884 | 水銀およびその化合物による不慮の中毒 | — Total 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E885 | 鉛およびその化合物による不慮の中毒 | — Total 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |

の事故(E 870-E 936)死亡者数,
所・死因(基本分類)別

BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO
FOR ALL JAPAN

昭和41年
1966

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用 地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建物 Public building | その他の集団収容施設 Resident institution | その他の方所 Other specified places | 詳細不明の場所 Place not specified |
|--|------------------------------------|--------------------------|----------------|---------------|-----------------------------|--|---|-------------------------------|-------------------------|------------------------------------|----------------------------------|--------------------------------|
| E886 | ヒ素、アンチモンおよびその化合物による不慮の中毒 | — 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E887 | フッ化物による不慮の中毒 | — 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E888 | その他および詳細不明の固体および液体物質による不慮の中毒 | 2 男 M. 2 女 F. | 1 — | 1 — | — — | — — | — — | — — | — — | — — | — — | — |
| E888.a | シアン化物 | — 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E888.b | 農業用有機リン製剤 | 2 男 M. 2 女 F. | 1 — | 1 — | — — | — — | — — | — — | — — | — — | — — | — |
| E888.c | その他のリン製剤 | — 男 M. — 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E888.d | その他および詳細不明の固体および液体物質 | — 男 M. — 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E890 | 石炭ガス(光熱用)による不慮の中毒 | 22 男 M. 14 女 F. | 22 14 8 | 22 14 8 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — |
| E891 | 自動車排出ガスによる不慮の中毒 | — 男 M. — 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E892 | その他的一酸化炭素ガスによる不慮の中毒 | 27 男 M. 14 女 F. | 25 14 11 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 1 | — |
| E893 | シアン化物ガスによる不慮の中毒 | — 男 M. — 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E894 | その他のガスおよび蒸気による不慮の中毒 | — 男 M. — 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E895 | 詳細不明のガスおよび蒸気による不慮の中毒 | — 男 M. — 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — |
| E900 | 階段よりの墜落 | 5 男 M. 3 女 F. | 4 3 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | — |
| E901 | はしごよりの墜落 | 2 男 M. 1 女 F. | — — | — — | — — | — — | — — | — — | — — | 1 1 — | — — — | 1 — — |
| E902 | その他の高所よりの墜落 | 96 男 M. 70 女 F. | 24 15 9 | 1 1 — | — — — | — — — | — — — | 5 5 — | 8 6 2 | 4 5 3 | 2 1 1 | 44 33 11 |
| E903 | 同一面上における転倒 | 18 男 M. 7 女 F. | 6 1 5 | — — — | — — — | — — — | — — — | 1 1 — | 2 1 1 | 1 1 — | 3 2 1 | — |

62 表 (14-8)

第62表 交通事故以外の不慮性・年齢(特定階級)・傷害発生の場

TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
THE PLACE OF OCCURRENCE OF THE ACCIDENT;

5~14才 years of age

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 詳細不明の場所 Place not specified | | | | | | | | | | | |
|--|--------------------------------|-----------------|--------------------------------|-------------|-----------------------------|--|---|-------------------------------|--------------------------|--------------------------------|---------------------------------|--------------------------------|---|----|
| | | | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の施設 Resident institution | その他の方 Other specified places | 詳細不明の場所 Place not specified | | |
| E904 | 詳細不明の墜落 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E910 | 落下物、投射物および飛来物による打撲 | 52 40 12 | 6 2 4 | - | - | 3 3 | 1 | 9 5 4 | 5 4 1 | - | 28 25 3 | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E911 | 車による不慮の事故 | 1 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E912 | 機械による不慮の事故 | 14 13 1 | - | 3 2 1 | - | 6 6 | 1 | 1 1 | 1 1 | - | 2 | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E913 | 刃器および刺器による不慮の事故 | 3 2 1 | 1 1 - | - | - | - | - | 2 1 | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E914 | 電気による不慮の事故 | 9 8 1 | - | 1 1 - | - | 1 1 | - | 3 3 | 1 1 | - | 3 | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E915 | 高圧機関の爆発による不慮の事故 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E916 | 火および可燃物の爆発による不慮の事故 | 115 57 58 | 102 51 51 | - | - | 1 1 | 1 | - | 3 3 3 | 3 2 1 | 5 2 3 | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E917 | 高熱物体、腐食性液体および水蒸気による不慮の事故 | 25 18 7 | 22 15 7 | - | - | - | - | - | 1 1 | 1 1 | 1 1 | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E918 | 放射線による不慮の事故 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E918.a | X線によるもの | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E918.b | その他の放射線によるもの | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E919 | 銃器による不慮の事故 | 6 6 | 2 2 | - | - | - | - | - | - | 1 1 | 3 3 | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E920 | 眼および附属器への異物侵入 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E921 | 閉塞または窒息の原因となる食物の吸入および嚥下 | 9 5 4 | 5 2 3 | - | - | - | - | - | 1 1 | - | 3 2 1 | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E922 | 閉塞または窒息の原因となるその他の物体の吸入および嚥下 | 3 2 1 | 2 1 1 | - | - | - | 1 | - | - | - | - | - | - | 1 |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| E923 | その他の孔口への異物侵入 | - | - | - | - | - | - | - | - | - | - | - | - | 11 |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - | 8 |

の事故(E870-E936)死亡者数,
所・死因(基本分類)別

BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO
FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の施設 Resident institution | その他の方 Other specified places | 詳細不明の場所 Place not specified |
|--|--------------------------------|--------------------|----------------|-------------|-----------------------------|--|---|-------------------------------|--------------------------|--------------------------------|---------------------------------|--------------------------------|
| E924 | 寝台および搖籃における不慮の機械的窒息 | 1 1 | 1 1 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E925 | その他および詳細不明の状態における不慮の機械的窒息 | 42 32 10 | 14 6 8 | - | 7 6 1 | 4 4 | - | 1 1 | 1 1 | 1 1 | 14 13 1 | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E926 | 乳児の姿育不注意(1才未満) | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E927 | 有毒動物および昆虫の咬傷および刺傷による不慮の傷害 | 2 2 | - | - | 1 1 | - | - | - | - | - | - | 1 1 |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E928 | その他の動物による不慮の傷害 | 3 2 1 | - | - | - | - | - | - | 2 1 1 | - | - | 1 1 |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E929 | 不慮の溺死および溺水 | 1106 932 174 | 37 21 16 | 8 6 2 | 1 1 1 | 3 3 2 | 94 82 12 | - | 5 3 2 | - | 957 815 142 | 1 1 |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E930 | 高圧および低圧 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E931 | 過度の高温および日射病 | 3 3 | - | - | - | - | - | - | - | - | - | 3 3 |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E932 | 過度の低温 | 5 5 | - | - | - | - | - | - | - | - | - | 5 5 |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E933 | 肌、鴉および不良天候曝露 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E934 | 天災 | 82 29 53 | 57 26 31 | 1 1 1 | - | - | - | - | - | - | - | 24 3 21 |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E934.a | 地震 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E934.b | 暴風雨および洪水 | 82 29 53 | 57 26 31 | 1 1 1 | - | - | - | - | - | - | - | 24 3 21 |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E934.c | その他 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E935 | 雷擊 | 2 1 1 | - | - | - | - | - | - | - | 1 1 1 | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E936 | その他および詳細不明の不慮の事故 | 35 28 7 | 11 9 2 | 1 1 1 | - | - | - | 8 7 1 | 1 1 1 | 3 3 3 | | |

62表(14-9)

第62表 交通事故以外の不慮
性・年齢(特定階級)・傷害発生の場

TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
THE PLACE OF OCCURRENCE OF THE ACCIDENT;
FOR ALL JAPAN

15~44才 years of age

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用 地 Industrial place and premises | 保養場および運動 場 Place for recreation and sport | 道路および公道 Street and highway | 公共建築物 Public building | その他の集団収容設 施 Resident institution | その他の場所 Other specified places | 詳細不明 Place not specified |
|--|---|-----------------|----------------|-------------|-----------------------------|--|---|-------------------------------|--------------------------|--|----------------------------------|-----------------------------|
| | 総数 Total | 7 160 6 203 | 986 557 | 136 111 | 500 479 | 1 922 1 859 | 177 163 | 302 281 | 333 262 | 139 99 | 2 623 2 355 | 42 35 |
| E870 | モルヒネおよびその他のアヘン誘導体による不慮の中毒 Male M. Female F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E871 | バルビツール酸およびその誘導体による不慮の中毒 Male M. Female F. | 12 8 4 | 11 7 4 | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — |
| E872 | アスピリンおよびサリチル酸誘導体による不慮の中毒 Male M. Female F. | 4 3 1 | 2 1 1 | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — |
| E873 | 臭化物による不慮の中毒 Male M. Female F. | 36 18 18 | 29 15 14 | — — — | — — — | — — — | — — — | 2 1 1 | — — — | 5 2 3 | — — — | — — — |
| E874 | その他の鎮痛薬および催眠薬による不慮の中毒 Male M. Female F. | 122 56 66 | 97 42 55 | — — — | — — — | — — — | — — — | 5 3 2 | 8 6 2 | 12 5 7 | — — — | — — — |
| E875 | スルホンアミド薬による不慮の中毒 Male M. Female F. | 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E876 | ストリキニーネによる不慮の中毒 Male M. Female F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E877 | ペラドンナ、ヒヨステンおよびアトロビンによる不慮の中毒 Male M. Female F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E878 | その他および詳細不明の医薬品による不慮の中毒 Male M. Female F. | 6 2 4 | 5 1 4 | — — — | — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — |
| E879 | 有毒食物による不慮の中毒 Male M. Female F. | 25 22 3 | 16 14 2 | — — — | — — — | — — — | — — — | 4 4 — | — — — | 5 4 1 | — — — | — — — |
| E880 | アルコールによる不慮の中毒 Male M. Female F. | 9 9 — | 4 4 — | — — — | — — — | — — — | — — — | 2 — — | 1 — — | 2 2 — | — — — | — — — |
| E881 | 石油製品による不慮の中毒 Male M. Female F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E882 | 工業溶媒による不慮の中毒 Male M. Female F. | 5 5 — | — — — | — — — | 5 5 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E883 | 腐食性化合物、酸およびカセイアルカリによる不慮の中毒 Male M. Female F. | 5 2 3 | 4 1 3 | — — — | — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — |
| E884 | 水銀およびその化合物による不慮の中毒 Male M. Female F. | 2 2 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E885 | 鉛およびその化合物による不慮の中毒 Male M. Female F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |

の事故(E870-E936)死者数,

所・死因(基本分類)別

BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO
FOR ALL JAPAN昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用 地 Industrial place and premises | 保養場および運動 場 Place for recreation and sport | 道路および公道 Street and highway | 公共建築物 Public building | その他の集団収容設 施 Resident institution | その他の場所 Other specified places | 詳細不明 Place not specified |
|--|--|----------------------|-----------------|---------------|-----------------------------|--|---|-------------------------------|--------------------------|--|----------------------------------|-----------------------------|
| E886 | ヒ素、アンチモンおよびその化合物による不慮の中毒 Male M. Female F. | 1 1 | 1 1 | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E887 | フッ化物による不慮の中毒 Male M. Female F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E888 | その他および詳細不明の固体および液体物質による不慮の中毒 Male M. Female F. | 74 52 22 | 34 22 12 | 16 11 5 | — — — | 2 2 — | — — — | 2 2 — | — — — | — — — | 20 15 5 | — — — |
| E888.a | シアノ化物 Male M. Female F. | 2 1 1 | — — — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — | — — — |
| E888.b | 農業用有機リン製剤 Male M. Female F. | 20 14 6 | 10 8 2 | 7 5 2 | — — — | — — — | — — — | — — — | — — — | — — — | 3 1 2 | — — — |
| E888.c | その他のリン製剤 Male M. Female F. | 6 3 3 | 2 — 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 4 3 1 | — — — |
| E888.d | その他および詳細不明の固体および液体物質による不慮の中毒 Male M. Female F. | 46 34 12 | 22 14 8 | 8 6 2 | — — — | 2 2 — | — — — | 2 2 — | — — — | — — — | 12 10 2 | — — — |
| E890 | 石炭ガス(光熱用)による不慮の中毒 Male M. Female F. | 181 91 90 | 140 55 85 | — — — | 4 4 — | 1 1 — | — — — | 1 1 — | 25 20 5 | — — — | 8 8 — | — — — |
| E891 | 自動車排出ガスによる不慮の中毒 Male M. Female F. | 9 8 1 | 1 1 — | 1 1 — | — — — | 2 1 — | — — — | — — — | 1 1 — | — — — | 4 4 — | — — — |
| E892 | その他の一酸化炭素ガスによる不慮の中毒 Male M. Female F. | 109 76 33 | 51 30 21 | 2 2 — | 13 10 3 | 6 5 1 | 2 2 — | 2 2 — | 7 5 2 | — — — | 26 21 5 | — — — |
| E893 | シアノ化物ガスによる不慮の中毒 Male M. Female F. | 2 2 — | — — — | — — — | — — — | 1 1 — | — — — | — — — | — — — | — — — | 1 1 — | — — — |
| E894 | その他のガスおよび蒸気による不慮の中毒 Male M. Female F. | 36 33 3 | 5 3 2 | — — — | 9 9 — | 14 13 1 | — — — | — — — | 3 3 — | — — — | 5 5 — | — — — |
| E895 | 詳細不明のガスおよび蒸気による不慮の中毒 Male M. Female F. | 1 1 | — — | — — | — — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — |
| E900 | 階段よりの墜落 Male M. Female F. | 115 89 26 | 36 28 8 | — — — | — — — | 10 10 — | 1 1 — | — — — | 49 36 13 | 12 10 2 | 6 4 — | 1 — — |
| E901 | はしごよりの墜落 Male M. Female F. | 23 22 1 | 5 5 — | 1 1 — | 14 14 — | — — — | — — — | — — — | 1 1 — | — — — | 1 1 — | — — — |
| E902 | その他の高所よりの墜落 Male M. Female F. | 1 224 1 158 66 | 76 60 16 | 6 4 2 | 36 34 2 | 541 536 5 | 19 16 3 | 64 60 4 | 77 72 5 | 27 25 2 | 368 341 27 | 10 10 — |
| E903 | 同一面上における転倒 Male M. Female F. | 128 108 20 | 23 16 7 | 1 1 — | 26 22 | | | | | | | |

62 表 (14—10)

第62表 交通事故以外の不慮性・年齢(特定階級)・傷害発生の場

TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
THE PLACE OF OCCURRENCE OF THE ACCIDENT;

15~44才 years of age

の事故(E 870—E 936) 死亡者数、 所・死因(基本分類)別

**BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO
FOR ALL JAPAN**

昭和 41 年
1966

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設 およびその用 地 Industrial place and premises | 保養場お よび運動場 Place for recreation and sport | 道路お よび公道 Street and highway | 公共建 造物 Public building | その他の 集団収容 施設 Resident institution | その他 の場所 Other specified places | 詳細不明 の場所 Place not specified |
|--|------------------------------------|-----------------|----------------|-----------------|------------------------------------|---|---|--|----------------------------------|---|--|--|
| | | | | | | | | | | | | |
| E924 | 寝台および搖籃における不慮の機械的窒息… | 2 | 1 | — | — | — | — | — | — | 1 | — | — |
| | 男 M. 女 F. | 1 1 | 1 — | — — | — — | — — | — — | — — | — — | — 1 | — — | — — |
| E925 | その他および詳細不明の状態における不慮… の機械的窒息 | 170 | 10 | 3 | 54 | 47 | 1 | 12 | 5 | 1 | 36 | 1 |
| | 男 M. 女 F. | 146 24 | 3 7 | 2 1 | 53 1 | 44 3 | — 1 | 9 3 | 2 3 | 1 — | 31 5 | 1 — |
| E926 | 乳児の養育不注意（1才未満）……… | · | · | · | · | · | · | · | · | · | · | · |
| | 男 M. 女 F. | · · | · · | · · | · · | · · | · · | · · | · · | · · | · · | · · |
| E927 | 有毒動物および昆中の咬傷および刺傷によ… る不慮の傷害 | 5 | 1 | 3 | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | 4 1 | 1 — | 2 1 | — — | — — | — — | — — | — — | — — | 1 — | 1 — |
| E928 | その他の動物による不慮の傷害……… | 9 | 4 | 2 | — | — | 1 | — | — | — | — | — |
| | 男 M. 女 F. | 8 1 | 3 1 | 2 — | — — | — — | 1 — | — — | — — | — — | 2 — | 2 — |
| E929 | 不慮の溺死および溺水……… | 1 601 | 34 | 13 | 3 | 22 | 118 | 3 | 16 | 7 | 1 384 | 1 |
| | 男 M. 女 F. | 1 406 195 | 14 20 | 10 3 | 3 — | 22 — | 111 7 | 3 — | 12 4 | 5 2 | 1 226 158 | 1 — |
| E930 | 高圧および低圧……… | 2 | — | — | — | — | — | — | — | — | — | 2 |
| | 男 M. 女 F. | 2 — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E931 | 過度の高温および日射病……… | 19 | 2 | 2 | — | 1 | 3 | 2 | — | — | — | 7 |
| | 男 M. 女 F. | 16 3 | 1 1 | 2 — | — — | 1 — | 3 — | 2 — | — — | — — | — — | 5 2 |
| E932 | 過度の低温……… | 196 | 13 | 21 | — | 3 | 1 | 21 | 3 | 1 | 131 | 2 |
| | 男 M. 女 F. | 174 22 | 10 3 | 17 4 | — — | 3 — | 1 — | 21 — | 2 1 | 1 1 | 119 12 | 1 1 |
| E933 | 飢、渴および不良天候暴露……… | 13 | 1 | — | — | — | — | — | — | — | — | 12 |
| | 男 M. 女 F. | 11 2 | 1 — | — — | — — | — — | — — | — — | — — | — — | — — | 10 2 |
| E934 | 天災……… | 119 | 58 | 1 | 1 | 2 | — | — | — | 11 | 3 | 43 |
| | 男 M. 女 F. | 55 64 | 20 38 | — 1 | 1 — | 2 — | — — | — — | — — | 3 8 | — 3 | 29 14 |
| E934.a | 地震……… | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E934.b | 暴風雨および洪水……… | 119 | 58 | 1 | 1 | 2 | — | — | — | 11 | 3 | 43 |
| | 男 M. 女 F. | 55 64 | 20 38 | — 1 | 1 — | 2 — | — — | — — | — — | 3 8 | — 3 | 29 14 |
| E934.c | その他……… | — | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E935 | 雷撃……… | 16 | 1 | 8 | — | 1 | — | — | — | — | — | 6 |
| | 男 M. 女 F. | 9 7 | — 1 | 3 5 | — — | 1 — | — — | — — | — — | — — | — — | 5 1 |
| E936 | その他および詳細不明の不慮の事故……… | 159 | 8 | 2 | 1 | 16 | 17 | 30 | 14 | 6 | 54 | 11 |
| | 男 M. 女 F. | 144 15 | 5 3 | 2 — | 1 — | 16 — | 17 — | 28 2 | 12 2 | 5 1 | 48 6 | 10 1 |

62表(14-11)

第62表 交通事故以外の不慮
性・年齢(特定階級)・傷害発生の場

TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
THE PLACE OF OCCURRENCE OF THE ACCIDENT

45~64才 years of age

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | THE PLACE OF OCCURRENCE OF THE ACCIDENT | | | | | | | | | |
|--|---|----------------|---|-------------|-----------------------------|--|---|-------------------------------|--------------------------|---------------------------------|--------------------------------|--------------------------------|
| | | | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他収容施設 Resident institution | その他所 Other specified places | 詳細不明の場所 Place not specified |
| | 総数 Total | 3 936 | 1 014 | 113 | 254 | 724 | 25 | 155 | 207 | 95 | 1 326 | 23 |
| | 男 M. 女 F. | 3 151 785 | 635 379 | 94 19 | 244 10 | 677 47 | 24 1 | 136 19 | 162 45 | 69 26 | 1 093 233 | 17 6 |
| E870 | モルヒネおよびその他のアヘン誘導体による不慮の中毒 Male M. Female F. | - | - | - | - | - | - | - | - | - | - | - |
| E871 | バルビツール酸およびその誘導体による不慮の中毒 Male M. Female F. | 1 | 1 | - | - | - | - | - | - | - | - | - |
| E872 | アスピリンおよびサリチル酸誘導体による不慮の中毒 Male M. Female F. | 1 | - | - | - | - | - | - | - | 1 | - | - |
| E873 | 臭化物による不慮の中毒 Male M. Female F. | 13 7 6 | 12 7 5 | - | - | - | - | - | - | - | 1 | - |
| E874 | その他の鎮痛薬および催眠薬による不慮の中毒 Male M. Female F. | 29 16 13 | 24 13 11 | - | - | - | - | 2 | 1 | 2 1 1 | - | - |
| E875 | スルホンアミド薬による不慮の中毒 Male M. Female F. | - | - | - | - | - | - | - | - | - | - | - |
| E876 | ストリキニーネによる不慮の中毒 Male M. Female F. | - | - | - | - | - | - | - | - | - | - | - |
| E877 | ペラドンナ、ヒヨステンおよびアトロピンによる不慮の中毒 Male M. Female F. | - | - | - | - | - | - | - | - | - | - | - |
| E878 | その他および詳細不明の医薬品による不慮の中毒 Male M. Female F. | 5 3 2 | 4 3 1 | - | - | - | - | 1 | - | - | - | - |
| E879 | 有毒食物による不慮の中毒 Male M. Female F. | 56 43 13 | 51 39 12 | - | - | - | - | 1 | - | 4 3 1 | - | - |
| E880 | アルコールによる不慮の中毒 Male M. Female F. | 4 2 2 | 2 - 2 | - | - | - | - | 1 | 1 | - | - | - |
| E881 | 石油製品による不慮の中毒 Male M. Female F. | - | - | - | - | - | - | - | - | - | - | - |
| E882 | 工業溶媒による不慮の中毒 Male M. Female F. | - | - | - | - | - | - | - | - | - | - | - |
| E883 | 腐食性化合物、酸およびカセイアルカリによる不慮の中毒 Male M. Female F. | 3 2 1 | 3 2 1 | - | - | - | - | - | - | - | - | - |
| E884 | 水銀およびその化合物による不慮の中毒 Male M. Female F. | 1 1 | - 1 | - | - | - | - | - | - | - | - | - |
| E885 | 鉛およびその化合物による不慮の中毒 Male M. Female F. | - | - | - | - | - | - | - | - | - | - | - |

の事故(E 870-E 936)死亡者数,
所・死因(基本分類)別

BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO
FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他収容施設 Resident institution | その他所 Other specified places | 詳細不明の場所 Place not specified | |
|--|--|---|---|---|---|---|--|---|---|-------------------------------------|---|--------------------------------|-------------|
| E886 | ヒ素、アンチモンおよびその化合物による不慮の中毒 Male M. Female F. | - - | - - | - <td>-</td> <td>-<td>-</td><td>-<td>-</td><td>-<td>-</td><td>-</td></td></td></td> | - | - <td>-</td> <td>-<td>-</td><td>-<td>-</td><td>-</td></td></td> | - | - <td>-</td> <td>-<td>-</td><td>-</td></td> | - | - <td>-</td> <td>-</td> | - | - | |
| E887 | フッ化物による不慮の中毒 Male M. Female F. | - - | - - | - <td>-</td> <td>-<td>-</td><td>-<td>-</td><td>-<td>-</td><td>-</td></td></td></td> | - | - <td>-</td> <td>-<td>-</td><td>-<td>-</td><td>-</td></td></td> | - | - <td>-</td> <td>-<td>-</td><td>-</td></td> | - | - <td>-</td> <td>-</td> | - | - | |
| E888 | その他および詳細不明の固体および液体物質による不慮の中毒 Male M. Female F. | 49 33 16 | 28 19 9 | 8 6 2 | - <td>-</td> <td>1 1 1</td> <td>1 1 1</td> <td>-<td>-</td><td>-<td>9 6 3</td><td>1 1 1</td></td></td> | - | 1 1 1 | 1 1 1 | - <td>-</td> <td>-<td>9 6 3</td><td>1 1 1</td></td> | - | - <td>9 6 3</td> <td>1 1 1</td> | 9 6 3 | 1 1 1 |
| E888.a | シアノ化物 Male M. Female F. | 1 1 | - <td>-</td> <td>-<td>-</td><td>1 1</td><td>-<td>-</td><td>-<td>-</td><td>-</td></td></td></td> | - | - <td>-</td> <td>1 1</td> <td>-<td>-</td><td>-<td>-</td><td>-</td></td></td> | - | 1 1 | - <td>-</td> <td>-<td>-</td><td>-</td></td> | - | - <td>-</td> <td>-</td> | - | - | |
| E888.b | 農薬用有機リン製剤 Male M. Female F. | 21 17 4 | 11 10 1 | 5 3 2 | - <td>-</td> <td>-<td>-</td><td>1 1</td><td>-<td>-</td><td>4 3 1</td></td></td> | - | - <td>-</td> <td>1 1</td> <td>-<td>-</td><td>4 3 1</td></td> | - | 1 1 | - <td>-</td> <td>4 3 1</td> | - | 4 3 1 | |
| E888.c | その他のリン製剤 Male M. Female F. | 4 3 1 | 3 3 1 | - <td>-</td> <td>-<td>-</td><td>-<td>-</td><td>-<td>-</td><td>1 1 1</td></td></td></td> | - | - <td>-</td> <td>-<td>-</td><td>-<td>-</td><td>1 1 1</td></td></td> | - | - <td>-</td> <td>-<td>-</td><td>1 1 1</td></td> | - | - <td>-</td> <td>1 1 1</td> | - | 1 1 1 | |
| E888.d | その他および詳細不明の固体および液体物質による不慮の中毒 Male M. Female F. | 23 12 11 | 14 6 8 | 3 3 - | - <td>-</td> <td>1 1</td> <td>-<td>-</td><td>-<td>-</td><td>4 3 1</td></td></td> | - | 1 1 | - <td>-</td> <td>-<td>-</td><td>4 3 1</td></td> | - | - <td>-</td> <td>4 3 1</td> | - | 4 3 1 | |
| E890 | 石炭ガス(光熱用)による不慮の中毒 Male M. Female F. | 48 25 23 | 37 15 22 | - <td>-</td> <td>1 1</td> <td>-<td>-</td><td>7 6 1</td><td>2 2</td><td>1 1</td></td> | - | 1 1 | - <td>-</td> <td>7 6 1</td> <td>2 2</td> <td>1 1</td> | - | 7 6 1 | 2 2 | 1 1 | | |
| E891 | 自動車排出ガスによる不慮の中毒 Male M. Female F. | - <td>-</td> <td>-<td>-</td><td>-<td>-</td><td>-<td>-</td><td>-<td>-</td><td>-</td></td></td></td></td> | - | - <td>-</td> <td>-<td>-</td><td>-<td>-</td><td>-<td>-</td><td>-</td></td></td></td> | - | - <td>-</td> <td>-<td>-</td><td>-<td>-</td><td>-</td></td></td> | - | - <td>-</td> <td>-<td>-</td><td>-</td></td> | - | - <td>-</td> <td>-</td> | - | - | |
| E892 | その他の一酸化炭素ガスによる不慮の中毒 Male M. Female F. | 92 44 48 | 68 28 40 | 1 6 1 | 9 2 3 | 2 2 - | 1 1 | 1 1 | 2 1 1 | 1 1 1 | 7 5 2 | | |
| E893 | シアノ化物ガスによる不慮の中毒 Male M. Female F. | 1 1 | - <td>-</td> <td>-<td>-</td><td>-<td>-</td><td>-<td>-</td><td>-</td><td>1 1 1</td></td></td></td> | - | - <td>-</td> <td>-<td>-</td><td>-<td>-</td><td>-</td><td>1 1 1</td></td></td> | - | - <td>-</td> <td>-<td>-</td><td>-</td><td>1 1 1</td></td> | - | - <td>-</td> <td>-</td> <td>1 1 1</td> | - | - | 1 1 1 | |
| E894 | その他のガスおよび蒸気による不慮の中毒 Male M. Female F. | 24 24 | 2 2 | 1 1 | 4 4 | 13 13 | - <td>-</td> <td>1 1</td> <td>-<td>-</td><td>3 3 -</td></td> | - | 1 1 | - <td>-</td> <td>3 3 -</td> | - | 3 3 - | |
| E895 | 詳細不明のガスおよび蒸気による不慮の中毒 Male M. Female F. | 1 1 | - <td>-</td> <td>-<td>-</td><td>1 1</td><td>-<td>-</td><td>-<td>-</td><td>-</td></td></td></td> | - | - <td>-</td> <td>1 1</td> <td>-<td>-</td><td>-<td>-</td><td>-</td></td></td> | - | 1 1 | - <td>-</td> <td>-<td>-</td><td>-</td></td> | - | - <td>-</td> <td>-</td> | - | - | |
| E900 | 階段よりの墜落 Male M. Female F. | 151 115 36 | 73 48 25 | - <td>-</td> <td>1 1 3</td> <td>11 8 -</td> <td>2 2 -</td> <td>1 1 -</td> <td>42 37 5</td> <td>8 6 2</td> | - | 1 1 3 | 11 8 - | 2 2 - | 1 1 - | 42 37 5 | 8 6 2 | | |
| E901 | はしごよりの墜落 Male M. Female F. | 34 31 3 | 13 12 1 | 2 2 - | - <td>-</td> <td>11 10 1</td> <td>-<td>-</td><td>1 1 -</td><td>2 2 -</td><td>5 4 1</td></td> | - | 11 10 1 | - <td>-</td> <td>1 1 -</td> <td>2 2 -</td> <td>5 4 1</td> | - | 1 1 - | 2 2 - | 5 4 1 | |
| E902 | その他の高所よりの墜落 Male M. Female F. | 782 698 84 | 135 104 31 | 20 19 1 | 20 20 - | 249 238 11 | 6 6 - | 33 30 11 | 32 30 - | 12 9 3 | 268 234 6 | | |
| E903 | 同一面上における転倒 Male M. Female F. | 181 125 56 | 61 29 32 | 3 1 2 | 3 3 - | 13 13 - | 2 2 - | 37 34 3 | 18 15 3 | 13 7 3 | 29 21 2 | | |

62表 (14-12)

第62表 交通事故以外の不慮
性・年齢(特定階級)・傷害発生の場

TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
THE PLACE OF OCCURRENCE OF THE ACCIDENT;

45~64才 years of age

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | THE PLACE OF OCCURRENCE OF THE ACCIDENT; | | | | | | | | | | |
|--|------------------------------------|-------------------|--|---|--|---------------------------------------|--|-------------------------------|--|------------------------------------|----------------------------------|--------------------------------|-------------|
| | | | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公建造物 Public building | その他の集団収容施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified | |
| E904 | 詳細不明の墜落 | 3 1 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 2 2 — | 1 1 — | — — — | |
| E910 | 落下物、投射物および飛来物による打撲 | 480 437 43 | 18 16 2 | 5 4 1 | 103 99 4 | 171 156 15 | — — — | 21 18 3 | 11 9 2 | 2 2 — | 149 133 16 | — — — | |
| E911 | 車による不慮の事故 | 68 65 3 | — — — | 2 2 — | 50 48 2 | 7 6 1 | — — — | 1 1 — | — — — | 8 8 — | — — — | — — — | |
| E912 | 機械による不慮の事故 | 221 209 12 | 2 2 — | 16 15 1 | 15 15 — | 139 130 9 | — — — | 5 4 1 | 3 3 — | — — — | 41 40 1 | — — — | |
| E913 | 刃器および刺器具による不慮の事故 | 11 10 1 | 6 6 — | — — — | 3 3 — | — — — | — — — | 1 1 — | — — — | 1 1 — | — — — | — — — | |
| E914 | 電気による不慮の事故 | 44 43 1 | 3 2 1 | 1 1 — | 2 2 — | 27 27 — | — — — | 4 4 — | — — — | 1 1 — | 6 6 — | — — — | |
| E915 | 高圧機関の爆発による不慮の事故 | 3 2 1 | — — — | — — — | — 3 1 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | |
| E916 | 火および可燃物の爆発による不慮の事故 | 328 198 130 | 202 112 90 | 5 3 2 | 14 14 — | 25 21 4 | — — — | 2 2 — | 42 18 24 | 10 7 3 | 27 21 6 | 1 1 — | — — — |
| E917 | 高熱物体、腐食性液体および水蒸気による不慮の事故 | 30 20 10 | 10 5 5 | — — — | — 9 — | — 1 — | — 1 — | 1 1 1 | 2 1 1 | 2 1 3 | 5 2 1 | 1 1 — | — — — |
| E918 | 放射線による不慮の事故 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E918.a | X線によるもの | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E918.b | その他の放射線によるもの | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E919 | 銃器による不慮の事故 | 13 11 2 | 1 1 — | — 3 1 | 4 2 — | — — — | — 1 — | — 1 — | — — — | 5 4 1 | — — — | — — — | — — — |
| E920 | 眼および附属器への異物侵入 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E921 | 閉塞または窒息の原因となる食物の吸入および嚥下 | 148 127 21 | 107 92 15 | — — — | — 1 — | 1 1 — | — 1 — | 1 1 — | 3 3 — | 28 24 4 | 7 5 2 | — — — | — — — |
| E922 | 閉塞または窒息の原因となるその他の物体の吸入および嚥下 | 3 3 — | 2 2 — | — — <td>— —<td>— —</td><td>— —<td>— —</td><td>— —<td>— —</td><td>1 1 —</td><td>— — —</td><td>— — —</td></td></td></td> | — — <td>— —</td> <td>— —<td>— —</td><td>— —<td>— —</td><td>1 1 —</td><td>— — —</td><td>— — —</td></td></td> | — — | — — <td>— —</td> <td>— —<td>— —</td><td>1 1 —</td><td>— — —</td><td>— — —</td></td> | — — | — — <td>— —</td> <td>1 1 —</td> <td>— — —</td> <td>— — —</td> | — — | 1 1 — | — — — | — — — |
| E923 | その他の孔口への異物侵入 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |

の事故(E 870-E 936)死亡者数,
所・死因(基本分類)別

BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO
FOR ALL JAPAN

昭和41年
1966

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公建造物 Public building | その他の集団収容施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified |
|--|------------------------------------|-------------------|----------------|---------------|-----------------------------|---------------------------------------|---|-------------------------------|-------------------------|------------------------------------|----------------------------------|--------------------------------|
| E924 | 複台および掘籠における不慮の機械的窒息 | 3 3 — | 3 3 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E925 | その他および詳細不明の状態における不慮の機械的窒息 | 81 75 6 | 6 4 2 | 2 2 — | 25 25 — | 15 15 — | 1 1 — | 3 1 2 | 1 1 — | 1 1 — | 26 25 1 | 1 1 — |
| E926 | 乳児の養育不注意(1才未満) | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E927 | 有毒動物および昆蟲の攻傷および刺傷による不慮の傷害 | 13 12 1 | 4 4 — | 3 3 — | — — — | — — — | — — — | — — — | — — — | — — — | 6 5 1 | — — — |
| E928 | その他の動物による不慮の傷害 | 17 15 2 | 5 4 1 | — — — | — — — | — — — | — — — | 2 2 — | 4 3 1 | — — — | 5 5 — | — — — |
| E929 | 不慮の溺死および溺水 | 652 497 155 | 74 33 41 | 17 14 3 | 3 3 — | 6 6 — | 3 3 — | 2 1 — | 15 13 2 | 3 2 1 | 528 421 107 | 1 1 — |
| E930 | 高圧および低圧 | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E931 | 過度の高温および日射病 | 18 12 6 | 3 2 1 | 2 2 — | 1 1 — | 2 1 — | — — — | 2 1 — | 1 1 — | — — — | 7 4 3 | — — — |
| E932 | 過度の低温 | 142 119 23 | 7 3 4 | 21 18 3 | — — — | 4 4 — | 3 3 — | 16 14 2 | 10 9 1 | 2 2 — | 26 63 13 | 3 3 — |
| E933 | 飢、渴および不良天候曝露 | 11 9 2 | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 10 8 2 | — — — |
| E934 | 天災 | 73 30 43 | 35 15 20 | 2 2 — | — — — | 1 1 — | — — — | 1 1 — | 6 3 3 | 2 2 — | 26 11 15 | — — — |
| E934.a | 地震 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E934.b | 暴風雨および洪水 | 73 30 43 | 35 15 20 | 2 2 — | — — — | 1 1 — | — — — | 1 1 — | 6 3 3 | 2 2 — | 26 11 15 | — — — |
| E934.c | その他 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E935 | 雷擊 | 8 7 1 | 1 1 — | 1 1 — | — — — | — — — | — — — | 1 1 — | 1 1 — | — — — | 4 3 1 | — — — |
| E936 | その他および詳細不明の不慮の事故 | 89 74 15 | 10 5 5 | — — — | — — — | — — — | — — — | 6 6 — | 2 2 — | 3 2 1 | 42 36 6 | 5 4 1 |

62表(14-13)

第62表 交通事故以外の不慮
性・年齢(特定階級)・傷害発生の場

TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
THE PLACE OF OCCURRENCE OF THE ACCIDENT;

65才~ years of age

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 65才~ years of age | | | | | | | | | | | |
|--|--------------------------------|-------------------|-------|------|-----------------------|--|--|--------------------------------------|----------------------------|---|--|--|--|
| | | Total | Home | Farm | Mine and quarry | 工場施設 およびその用 地 Industrial place and premises | 保養場 および運動 場 Place for recreation and sport | 道路およ び公道 Street and highway | 公建造物 Public building | その他 の集団収容 施設 Resident institution | その他 の場所 Other specified places | 詳細不明 の場所 Place not specified | |
| | 総数..... | 4 602 | 2 685 | 165 | 15 | 100 | 8 | 177 | 137 | 100 | 1 187 | 28 | |
| | 男 M. | 2 461 | 1 238 | 105 | 13 | 95 | 6 | 86 | 112 | 57 | 735 | 14 | |
| | 女 F. | 2 141 | 1 447 | 60 | 2 | 5 | 2 | 91 | 25 | 43 | 452 | 14 | |
| E870 | モルヒネおよびその他のアヘン誘導体による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| E871 | バルビツール酸およびその誘導体による不慮の中毒 | 2 | 1 | - | - | - | - | - | - | 1 | - | - | |
| | 男 M. | 2 | 1 | - | - | - | - | - | - | 1 | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| E872 | アスピリンおよびサリチル酸誘導体による不慮の中毒 | 2 | 1 | - | - | - | - | - | - | 1 | - | - | |
| | 男 M. | 2 | 1 | - | - | - | - | - | - | 1 | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| E873 | 臭化物による不慮の中毒 | 8 | 6 | - | - | - | - | - | - | 2 | - | - | |
| | 男 M. | 3 | 2 | - | - | - | - | - | - | 1 | - | - | |
| | 女 F. | 5 | 4 | - | - | - | - | - | - | 1 | - | - | |
| E874 | その他の鎮痛薬および催眠薬による不慮の中毒 | 16 | 15 | - | - | - | - | - | 1 | - | - | - | |
| | 男 M. | 6 | 6 | - | - | - | - | - | 1 | - | - | - | |
| | 女 F. | 10 | 9 | - | - | - | - | - | 1 | - | - | - | |
| E875 | スルホンアミド薬による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| E876 | ストリキニーネによる不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| E877 | ペラドンナ、ヒヨスチンおよびアトロピンによる不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| E878 | その他および詳細不明の医薬品による不慮の中毒 | 1 | 1 | - | - | - | - | - | - | - | - | - | |
| | 男 M. | 1 | 1 | - | - | - | - | - | - | - | - | - | |
| | 女 F. | 1 | 1 | - | - | - | - | - | - | - | - | - | |
| E879 | 有毒食物による不慮の中毒 | 24 | 17 | - | - | - | - | - | 1 | 1 | 5 | - | |
| | 男 M. | 20 | 13 | - | - | - | - | - | 1 | 1 | 5 | - | |
| | 女 F. | 4 | 4 | - | - | - | - | - | - | - | - | - | |
| E880 | アルコールによる不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| E881 | 石油製品による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| E882 | 工業溶媒による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| E883 | 腐食性化合物、酸およびカセイアルカリによる不慮の中毒 | 3 | 2 | - | - | - | - | - | 1 | - | - | - | |
| | 男 M. | 1 | 1 | - | - | - | - | - | 1 | - | - | - | |
| | 女 F. | 2 | 1 | - | - | - | - | - | 1 | - | - | - | |
| E884 | 水銀およびその化合物による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| E885 | 鉛およびその化合物による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - | |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - | |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - | |

の事故(E870-E936)死亡者数,

所・死因(基本分類)別

BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO
FOR ALL JAPAN昭和41年
1966

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山およ び採石場 Mine and quarry | 工場施設 およびその用 地 Industrial place and premises | 保養場 および運動 場 Place for recreation and sport | 道路およ び公道 Street and highway | 公建造物 Public building | その他 の集団収容 施設 Resident institution | その他 の場所 Other specified places | 詳細不明 の場所 Place not specified |
|--|--------------------------------|----------------|----------------|-------------|------------------------------------|--|--|--------------------------------------|----------------------------|---|--|--|
| E886 | ヒ素、アンチモンおよびその化合物による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E887 | フッ化物による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E888 | その他および詳細不明の固体および液体物質による不慮の中毒 | 21 14 7 | 16 11 5 | 1 1 - | - | - | - | - | - | - | - | 3 2 1 |
| | 男 M. | 14 7 | 11 5 | 1 - | - | - | - | - | - | - | - | 1 |
| | 女 F. | 7 | - | - | - | - | - | - | - | - | - | - |
| E888.a | シアン化物 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E888.b | 農業用有機リン製剤 | 8 6 2 | 5 4 1 | - | - | - | - | - | - | - | - | 2 1 |
| | 男 M. | 6 2 | 4 1 | - | - | - | - | - | - | - | - | 1 |
| | 女 F. | 2 | - | - | - | - | - | - | - | - | - | - |
| E888.c | その他のリン製剤 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E888.d | その他および詳細不明の固体および液体物質 | 13 8 5 | 11 7 4 | 1 1 - | - | - | - | - | - | - | - | 1 1 |
| | 男 M. | 8 5 | 7 4 | 1 - | - | - | - | - | - | - | - | 1 |
| | 女 F. | 5 | - | - | - | - | - | - | - | - | - | - |
| E890 | 石炭ガス(光熱用)による不慮の中毒 | 33 18 15 | 31 16 15 | - | - | - | - | - | - | - | 1 1 | 1 1 |
| | 男 M. | 18 15 | 1 | | | | | | | | | |

62 表 (14-14)

第62表 交通事故以外の不慮
性・年齢(特定階級)・傷害発生の場

TABLE 62 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
THE PLACE OF OCCURRENCE OF THE ACCIDENT;

65才～ years of age

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | THE PLACE OF OCCURRENCE OF THE ACCIDENT; | | | | | | | | | |
|--|--------------------------------|-------------|--|-------------|-----------------------------|--|---|-------------------------------|--------------------------|------------------------------------|----------------------------------|--------------------------------|
| | | | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の集団収容施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified |
| E904 | 詳細不明の墜落 | 21 | - | 1 | - | - | - | - | - | 1 | 18 | 1 |
| | 男 M. 女 F. | 10 11 | - | 1 | - | - | - | - | - | 1 | 8 | 1 |
| E910 | 落下物、投射物および飛来物による打撲 | 100 | 22 | 3 | 4 | 23 | - | 4 | 3 | - | 40 | 1 |
| | 男 M. 女 F. | 85 15 | 15 | 3 | 3 | 21 | - | 3 | 3 | - | 37 | 1 |
| E911 | 車による不慮の事故 | 5 | - | 1 | 3 | - | - | 1 | - | - | - | - |
| | 男 M. 女 F. | 3 2 | - | 1 | 2 | - | - | 1 | - | - | - | - |
| E912 | 機械による不慮の事故 | 27 | - | 5 | 3 | 13 | - | 1 | 1 | - | 4 | - |
| | 男 M. 女 F. | 27 - | - | 5 | 3 | 13 | - | 1 | 1 | - | 4 | - |
| E913 | 刃器および剝離による不慮の事故 | 2 | 1 | 1 | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | 2 - | 1 | 1 | - | - | - | - | - | - | - | - |
| E914 | 電気による不慮の事故 | 3 | 1 | 1 | - | - | - | - | - | - | 1 | - |
| | 男 M. 女 F. | 3 - | 1 | 1 | - | - | - | - | - | - | 1 | - |
| E915 | 高圧機関の爆発による不慮の事故 | 3 | - | - | - | 3 | - | - | - | - | - | - |
| | 男 M. 女 F. | 3 - | - | - | - | 3 | - | - | - | - | - | - |
| E916 | 火および可燃物の爆発による不慮の事故 | 825 | 714 | 17 | - | 7 | 1 | 3 | 13 | 7 | 62 | 1 |
| | 男 M. 女 F. | 408 417 | 335 379 | 11 6 | - | 5 2 | 1 | 2 1 | 9 4 | 5 2 | 41 21 | 1 |
| E917 | 高熱物体、腐食性液体および水蒸気による不慮の事故 | 72 | 52 | - | - | 2 | - | - | 1 | - | 16 | 1 |
| | 男 M. 女 F. | 38 34 | 26 26 | - | - | 1 | - | - | 1 | - | 11 | 1 |
| E918 | 放射線による不慮の事故 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - |
| E918.a | X線によるもの | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - |
| E918.b | その他の放射線によるもの | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - |
| E919 | 銃器による不慮の事故 | 3 | - | 1 | - | - | - | - | - | 2 | - | - |
| | 男 M. 女 F. | 3 - | - | 1 | - | - | - | - | - | 2 | - | - |
| E920 | 眼および附属器への異物侵入 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - - | - | - | - | - | - | - | - | - | - | - |
| E921 | 閉塞または窒息の原因となる食物の吸入および嘔下 | 413 | 376 | - | - | 1 | - | 2 | - | 22 | 12 | - |
| | 男 M. 女 F. | 315 98 | 282 94 | - | - | 1 | - | 1 | - | 20 2 | 11 1 | - |
| E922 | 閉塞または窒息の原因となるその他の物体の吸入および嘔下 | 3 | 2 | - | - | - | - | - | 1 | - | - | - |
| | 男 M. 女 F. | 3 - | 2 | - | - | - | - | - | 1 | - | - | - |
| E923 | その他の孔口への異物侵入 | 5 | 3 | - | - | - | - | - | - | 2 | - | - |
| | 男 M. 女 F. | 5 - | 3 | - | - | - | - | - | - | 2 | - | - |

の事故(E870-E936)死亡者数,

所・死因(基本分類)別

BY SEX, AGE, AND CAUSE (DETAILED LIST) ACCORDING TO
FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の集団収容施設 Resident institution | その他場所 Other specified places | 詳細不明の場所 Place not specified |
|--|--------------------------------|-------------|------------|-------------|-----------------------------|--|---|-------------------------------|--------------------------|------------------------------------|---------------------------------|--------------------------------|
| E924 | 寝台および搖籃における不慮の機械的窒息 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | 1 1 | - | - | - | - | - | - | - | - | - | - |
| E925 | その他および詳細不明の状態における不慮の機械的窒息 | 42 | 15 | 10 | 1 | 1 | - | 1 | 1 | - | 13 | - |
| | 男 M. 女 F. | 25 17 | 7 8 | 5 5 | 1 1 | 1 1 | - | 1 1 | 1 1 | - | 9 4 | - |
| E926 | 乳児の養育不注意(1才未満) | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| E927 | 有毒動物および昆虫の咬傷および刺傷による不慮の傷害 | 18 | 3 | 5 | - | - | - | - | - | - | - | 10 |
| | 男 M. 女 F. | 9 9 | 2 1 | 2 3 | - - | - - | - - | - - | - - | - - | - - | 5 5 |
| E928 | その他の動物による不慮の傷害 | 15 | 6 | 3 | - | - | - | 1 | 1 | - | 1 | - |
| | 男 M. 女 F. | 12 3 | 4 2 | 2 1 | - - | - - | - - | 1 1 | 1 1 | - | 4 4 | - |
| E929 | 不慮の湯死および湯溺 | 844 | 253 | 28 | - | 1 | 2 | 1 | 35 | 6 | 517 | 1 |
| | 男 M. 女 F. | 404 440 | 82 171 | 17 11 | - - | 1 1 | 2 2 | 1 1 | 32 3 | 5 1 | 264 253 | - |
| E930 | 高圧および低圧 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| E931 | 過度の高温および日射病 | 31 | 8 | 10 | - | - | - | - | - | - | - | 12 |
| | 男 M. 女 F. | 9 22 | 2 6 | 2 8 | - - | - - | - - | - - | - - | - - | - - | 5 7 |
| E932 | 過度の低温 | 119 | 16 | 17 | - | - | - | - | 9 | 2 | - | 75 |
| | 男 M. 女 F. | 87 32 | 10 6 | 12 5 | - - | - - | - - | - - | 9 9 | 2 2 | - | 54 21 |
| E933 | 飢、渴および不良天候曝露 | 17 | 2 | 1 | - | - | - | - | 1 | - | - | 13 |
| | 男 M. 女 F. | 11 6 | 2 - | 1 - | - - | - - | - - | - - | 1 1 | - - | - - | 9 4 |
| E934 | 天災 | 60 | 33 | 3 | - | - | - | - | - | 8 | - | 16 |
| | 男 M. 女 F. | 21 39 | 6 27 | 2 1 | - - | - - | - - | - - | - | 5 3 | - | 8 |
| E934.a | 地震 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| E934.b | 暴風雨および洪水 | 60 | 33 | 3 | - | - | - | - | - | 8 | - | 16 |
| | 男 M. 女 F. | 21 39 | 6 27 | 2 1 | - - | - - | - - | - - | - | 5 3 | - | 8 |
| E934.c | その他 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - |
| E935 | 雷擊 | 2 | - | 1 | - | - | - | - | - | 1 | - | - |
| | 男 M. 女 F. | 2 - | - | 1 - | - - | - - | - - | - - | - | 1 - | - | - |
| E936 | その他および詳細不明の不慮の事故 | 78 | 22 | - | - | - | - | 2 | 1 | 9 | - | 14 |

63 表 (8-1)

第63表 交通事故以外の不慮の事故
性・年齢(特定階級)・傷害発生の場

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
(DETAILED LIST) ACCORDING TO THE PLACE OF

総数 Total

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の集団収容施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified |
|--|---|-----------------------|------------------|------------------|-----------------------------|--|---|-------------------------------|--------------------------|------------------------------------|----------------------------------|--------------------------------|
| | 総数 Total | 5 290 4 992 298 | 175 151 24 | 191 153 38 | 757 728 29 | 2 583 2 485 98 | 20 19 1 | 216 202 14 | 174 153 21 | 25 19 6 | 1 149 1 082 67 | - |
| E870 | モルヒネおよびその他のアヘン誘導体による不慮の中毒 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| E871 | ペルビツール酸およびその誘導体による不慮の中毒 男 M. 女 F. | 1 1 | - - | - - | - - | - - | - - | - - | - - | 1 1 | - - | - |
| E872 | アスピリンおよびサリチル酸誘導体による不慮の中毒 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| E873 | 臭化物による不慮の中毒 男 M. 女 F. | 1 1 | - - | - - | - - | - - | - - | 1 1 | - - | - - | - - | - |
| E874 | その他の鎮痛薬および催眠薬による不慮の中毒 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| E875 | スルホンアミド薬による不慮の中毒 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| E876 | ストリキニーネによる不慮の中毒 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| E877 | ペラドンナ、ヒヨステンおよびアトロビンによる不慮の中毒 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| E878 | その他および詳細不明の医薬品による不慮の中毒 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| E879 | 有毒食物による不慮の中毒 男 M. 女 F. | 1 1 | - - | - - | - - | - - | - - | - - | - - | 1 1 | - - | - |
| E880 | アルコールによる不慮の中毒 男 M. 女 F. | 1 1 | - - | - - | - - | - - | - - | 1 1 | - - | - - | - - | - |
| E881 | 石油製品による不慮の中毒 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| E882 | 工業溶媒による不慮の中毒 男 M. 女 F. | 3 3 | - - | - - | - - | 3 3 | - - | - - | - - | - - | - - | - |
| E883 | 腐食性化合物、酸およびカセイアルカリによる不慮の中毒 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| E884 | 水銀およびその化合物による不慮の中毒 男 M. 女 F. | 2 1 | - 1 | 2 1 | - - | - - | - - | - - | - - | - - | - - | - |
| E885 | 鉛およびその化合物による不慮の中毒 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |

(E 870-E 936) 15才以上従業中死者数,
所・死因(基本分類)別

AT WORK IN AGES 15 AND OVER BY SEX, AGE AND CAUSE
OCCURRENCE OF THE ACCIDENT; FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の集団収容施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified |
|--|--|----------------------|---------------|---------------|-----------------------------|--|---|-------------------------------|--------------------------|------------------------------------|----------------------------------|--------------------------------|
| E886 | ヒ素、アンチモンおよびその化合物による不慮の中毒 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| E887 | フッ化物による不慮の中毒 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| E888 | その他および詳細不明の固体および液体物質による不慮の中毒 男 M. 女 F. | 27 20 7 | 1 - 1 | 21 15 6 | - - - | 2 2 - | - - - | - - | - - | - - | 3 3 - | - |
| E888.a | シアノ化物 男 M. 女 F. | 2 1 1 | - - - | 1 1 1 | - - - | 1 1 1 | - - - | - - | - - | - - | - - | - |
| E888.b | 農業用有機リン製剤 男 M. 女 F. | 12 9 3 | - - - | 10 7 3 | - - - | - - - | - - - | - - | - - | - - | 2 2 - | - |
| E888.c | その他のリン製剤 男 M. 女 F. | - - | - - | - - | - - | - - | - - | - - | - - | - - | - - | - |
| E888.d | その他および詳細不明の固体および液体物質による不慮の中毒 男 M. 女 F. | 13 10 3 | 1 1 1 | 10 8 2 | - - - | 1 1 1 | - - - | - - | - - | - - | 1 1 1 | - |
| E890 | 石炭ガス(光熱用)による不慮の中毒 男 M. 女 F. | 15 15 | - - | - - | - - | 2 2 | 2 2 | - - | 1 1 | 4 4 | 1 1 | 5 5 |
| E891 | 自動車排出ガスによる不慮の中毒 男 M. 女 F. | 1 1 | - - | - - | - - | - - | - - | - - | - - | - - | - - | 1 1 |
| E892 | その他の一酸化炭素ガスによる不慮の中毒 男 M. 女 F. | 45 39 6 | 3 1 2 | 2 2 4 | - - - | 23 19 4 | 8 8 - | - - | - - | 1 1 | - - | 8 8 |
| E893 | シアノ化物ガスによる不慮の中毒 男 M. 女 F. | 3 3 | - - | - - | - - | - - | 1 1 | - - | - - | - - | - - | 2 2 |
| E894 | その他のガスおよび蒸気による不慮の中毒 男 M. 女 F. | 51 50 1 | 4 4 1 | - - - | 13 13 1 | 25 24 1 | - - - | - - | - - | 3 3 | - - | 6 6 |
| E895 | 詳細不明のガスおよび蒸気による不慮の中毒 男 M. 女 F. | 2 2 | - - | - - | - - | - - | 2 2 | - - | - - | - - | - - | - |
| E900 | 階段よりの墜落 男 M. 女 F. | 36 26 10 | 5 2 3 | - - - | - - - | 13 11 2 | - - - | - - | - - | 16 11 5 | - - | 2 2 |
| E901 | はしごよりの墜落 男 M. 女 F. | 58 54 4 | 13 12 1 | 3 2 1 | 1 1 1 | 26 25 1 | - - - | 2 2 - | 6 6 - | - - | 7 6 1 | - |
| E902 | その他の高所よりの墜落 男 M. 女 F. | 1 284 1 239 45 | 75 70 5 | 25 22 3 | 54 52 2 | 776 763 13 | 4 4 - | 49 47 2 | 56 53 3 | 7 6 1 | 238 222 16 | - |
| E903 | 同一面上における転倒 男 M. 女 F. | 102 93 9 | 9 7 2 | 6 4 2 | 5 5 3 | 37 34 3 | 1 1 - | 8 8 - | 6 5 1 | 1 1 - | 29 28 1 | - |

63表(8-2)

第63表 交通事故以外の不慮の事故

性・年齢(特定階級)・傷害発生の場

TABLE 63 NON-TRANSPORT ACCIDENTAL DETAILS (E870-E936)

THE PLACE OF OCCURRENCE OF THE ACCIDENT;

総数 Total

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 詳細不明の場所 Place not specified | | | | | | | | | |
|--|--------------------------------|--------------------------------|------------|-------------|-----------------------------|--|---|-------------------------------|--------------------------|------------------------------------|----------------------------------|
| | | 总数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の集団収容施設 Resident institution | その他の場所 Other specified places |
| E904 | 詳細不明の墜落 | — | — | — | — | — | — | — | — | — | — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| E910 | 落下物、投射物および飛来物による打撲 | 1 320 1 249 | 19 18 | 12 11 | 315 299 | 582 547 | 2 1 | 53 49 | 14 13 | 2 1 | 321 309 |
| | 男 M. 女 F. | 71 | 1 | 1 | 16 | 35 | 1 | 4 | 1 | — | 12 |
| E911 | 車による不慮の事故 | 153 149 | — — | 3 3 | 107 105 | 28 26 | — — | 1 1 | — — | — — | 14 14 |
| | 男 M. 女 F. | 4 | — | — | 2 | 2 | — | — | — | — | — |
| E912 | 機械による不慮の事故 | 845 806 | 5 4 | 47 45 | 82 79 | 521 496 | 1 1 | 28 25 | 14 14 | 2 1 | 145 141 |
| | 男 M. 女 F. | 39 | 1 | 2 | 3 | 25 | — | 3 | — | 1 | 4 |
| E913 | 刃器および刺器による不慮の事故 | 10 8 | 2 1 | 1 1 | — — | 3 3 | — — | — — | 1 1 | — — | 3 2 |
| | 男 M. 女 F. | 2 | — | — | — | — | — | — | — | — | — |
| E914 | 電気による不慮の事故 | 438 437 | 10 10 | 11 11 | 7 7 | 261 261 | — — | 47 47 | 16 16 | 5 4 | 81 81 |
| | 男 M. 女 F. | 1 | — | — | — | — | — | — | — | 1 | — |
| E915 | 高圧機関の爆発による不慮の事故 | 16 15 | — — | — — | — — | 16 15 | — — | — — | — — | — — | — — |
| | 男 M. 女 F. | 1 | — | — | — | 1 | — | — | — | — | — |
| E916 | 火および可燃物の爆発による不慮の事故 | 238 210 | 13 7 | 9 6 | 39 39 | 113 107 | 1 1 | 1 1 | 21 14 | 4 2 | 37 33 |
| | 男 M. 女 F. | 28 | 6 | 3 | — | 6 | — | — | 7 | 2 | 4 |
| E917 | 高熱物体、腐食性液体および水蒸気による不慮の事故 | 50 45 | 3 3 | — — | 1 1 | 40 37 | — — | 1 1 | 4 2 | 1 1 | — — |
| | 男 M. 女 F. | 5 | — | — | — | 3 | — | — | 2 | — | — |
| E918 | 放射線による不慮の事故 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| E918.a | X線によるもの | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| E918.b | その他の放射線によるもの | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| E919 | 銃器による不慮の事故 | 34 32 | — — | 1 1 | 19 18 | 8 7 | 1 1 | — — | 2 2 | — — | 3 3 |
| | 男 M. 女 F. | 2 | — | — | 1 | 1 | — | — | — | — | — |
| E920 | 眼および附属器への異物侵入 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| E921 | 閉塞または窒息の原因となる食物の吸入および嚥下 | 3 3 | — — | — — | — — | 2 2 | — — | — — | — — | 1 1 | — — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| E922 | 閉塞または窒息の原因となるその他の物体の吸入および嚥下 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |
| E923 | その他の孔口への異物侵入 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| | 男 M. 女 F. | — | — | — | — | — | — | — | — | — | — |

(E 870-E 936) 15才以上従業中死者数,

所・死因(基本分類)別

AT WORK IN AGES 15 AND OVER BY SEX, AGE AND CAUSE

OCCURRENCE OF THE ACCIDENT; FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 总数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の集団収容施設 Resident institution | その他場所 Other specified places | 詳細不明の場所 Place not specified |
|--|--------------------------------|------------------|-------------|---------------|-----------------------------|--|---|-------------------------------|--------------------------|------------------------------------|---------------------------------|--------------------------------|
| E924 | 寝台および掻撫における不慮の機械的窒息 | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E925 | その他および詳細不明の状態における不慮の機械的窒息 | 196 186 10 | 2 2 — | 6 5 1 | 80 79 1 | 61 58 3 | 1 1 — | 13 9 4 | 3 3 — | — — — | 30 29 1 | — — — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E926 | 乳児の養育不注意(1才未満) | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E927 | 有毒動物および昆蟲の咬傷および刺傷による不慮の傷害 | 13 10 3 | 1 1 — | 4 3 1 | — — — | — — — | — — — | — — — | — — — | — — — | 8 6 2 | — — — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E928 | その他の動物による不慮の傷害 | 21 20 1 | 5 4 1 | 2 2 — | — — — | — — — | — — — | 4 4 — | 2 2 — | — — — | 8 8 — | — — — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E929 | 不慮の溺死および溺水 | 211 182 29 | 2 2 — | 17 12 5 | 6 6 — | 25 25 — | 1 1 — | 2 2 — | 2 1 — | — — — | 156 133 23 | — — — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E930 | 高圧および低圧 | 3 3 — | — — — | — — — | — — — | — — — | — — — | 1 1 — | — — — | — — — | 2 2 — | — — — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E931 | 過度の高温および日射病 | 15 8 7 | — — — | 9 3 6 | 1 1 — | 3 2 1 | — — — | — — — | — — — | — — — | — — — | 2 2 — |
| | 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| E932 | 過度の低温 | 10 8 | | | | | | | | | | |

63表(8-3)

第63表 交通事故以外の不慮の事故
性・年齢(特定階級)・傷害発生の場

TABLE 63 NON-TRANSPORT ACCIDENTAL DETAILS (E870-E936)
THE PLACE OF OCCURRENCE OF THE ACCIDENT;

15~44才 years of age

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の 集団収容施設 Resident institution | その他の場所 Other specified places | 詳細不明 の場所 Place not specified |
|--|------------------------------------|-------------|------------|-------------|--------------------------------|---|---|----------------------------------|--------------------------|---|--|--|
| | | | | | | | | | | | | |
| | 总数 | 3 396 | 55 | 86 | 491 | 1 839 | 12 | 161 | 107 | 14 | 631 | - |
| | 男 M. | 3 251 | 48 | 71 | 472 | 1 785 | 11 | 153 | 94 | 11 | 606 | - |
| | 女 F. | 145 | 7 | 15 | 19 | 54 | 1 | 8 | 13 | 3 | 25 | - |
| E870 | モルヒネおよびその他のアヘン誘導体による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E871 | バルビツール酸およびその誘導体による不慮の中毒 | 1 | - | - | - | - | - | - | - | 1 | - | - |
| | 男 M. | 1 | - | - | - | - | - | - | - | 1 | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E872 | アスピリンおよびサリチル酸誘導体による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E873 | 臭化物による不慮の中毒 | 1 | - | - | - | - | - | 1 | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | 1 | - | - | - | - |
| | 女 F. | 1 | - | - | - | - | - | 1 | - | - | - | - |
| E874 | その他の鎮痛薬および催眠薬による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E875 | スルホンアミド薬による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E876 | ストリキニーネによる不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E877 | ペラドンナ、ヒヨステンおよびアトロピンによる不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E878 | その他および詳細不明の医薬品による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E879 | 有毒食物による不慮の中毒 | 1 | - | - | - | - | - | - | - | 1 | - | - |
| | 男 M. | 1 | - | - | - | - | - | - | - | 1 | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E880 | アルコールによる不慮の中毒 | 1 | - | - | - | - | - | 1 | - | - | - | - |
| | 男 M. | 1 | - | - | - | - | - | 1 | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | 1 | - | - | - | - |
| E881 | 石油製品による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E882 | 工業溶媒による不慮の中毒 | 3 | - | - | 3 | - | - | - | - | - | - | - |
| | 男 M. | 3 | - | - | 3 | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E883 | 腐食性化合物、酸およびカセイアルカリによる不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E884 | 水銀およびその化合物による不慮の中毒 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| | 男 M. | 1 | - | 1 | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E885 | 鉛およびその化合物による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |

(E 870-E 936) 15才以上従業中死者数,
所・死因(基本分類)別

AT WORK IN AGES 15 AND OVER BY SEX, AGE AND CAUSE
OCCURRENCE OF THE ACCIDENT; FOR ALL JAPAN

昭和41年
1966

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の 集団収容施設 Resident institution | その他の場所 Other specified places | 詳細不明 の場所 Place not specified |
|--|------------------------------------|-------------|------------|-------------|--------------------------------|---|---|----------------------------------|--------------------------|---|--|--|
| | | | | | | | | | | | | |
| E886 | ヒ素、アンチモンおよびその化合物による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E887 | フッ化物による不慮の中毒 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E888 | その他および詳細不明の固体および液体物質による不慮の中毒 | 17 | 1 | 14 | - | - | 1 | - | - | - | - | 1 |
| | 男 M. | 12 | - | 10 | - | - | 1 | - | - | - | - | 1 |
| | 女 F. | 5 | 1 | 4 | - | - | 1 | - | - | - | - | - |
| E888.a | シアノ化物 | 1 | - | 1 | - | - | - | - | - | - | - | - |
| | 男 M. | 1 | - | 1 | - | - | - | - | - | - | - | - |
| E888.b | 農薬用有機リン製剤 | 5 | - | 4 | - | - | - | - | - | - | - | - |
| | 男 M. | 4 | - | 4 | - | - | - | - | - | - | - | - |
| | 女 F. | 1 | - | 1 | - | - | - | - | - | - | - | - |
| E888.c | その他のリン製剤 | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. | - | - | - | - | - | - | - | - | - | - | - |
| | 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E888.d | その他および詳細不明の固体および液体物質 | 11 | 1 | 8 | - | 1 | - | - | - | - | - | 1 |
| | 男 M. | | | | | | | | | | | |

63表(8-4)

第63表 交通事故以外の不慮の事故

性・年齢(特定階級)・傷害発生の場

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS (E870-936)

15~44才 years of age

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT; FOR ALL JAPAN | | | | | | | | | |
|--|--|---|-------------|----------------|-----------------------------|--|---|-------------------------------|--------------------------|--------------------------------|----------------------------------|
| | | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の施設 Resident institution | その他の場所 Other specified places |
| E904 | 詳細不明の墜落..... 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - |
| E910 | 落下物、投射物および飛来物による打撲..... 男 M. 女 F. | 824 786 38 | 6 5 1 | 6 197 11 | 208 378 19 | 397 1 | 2 33 1 | 34 7 1 | 8 1 | 163 159 4 | - |
| E911 | 車による不慮の事故..... 男 M. 女 F. | 84 83 1 | - | - | 55 55 1 | 22 21 1 | - | - | - | 7 7 - | - |
| E912 | 機械による不慮の事故..... 男 M. 女 F. | 612 584 28 | 4 3 1 | 27 26 1 | 64 61 3 | 375 358 17 | 1 22 2 | 24 10 - | 10 1 1 | 105 102 3 | - |
| E913 | 刃器および刺器による不慮の事故..... 男 M. 女 F. | 6 4 2 | 2 1 1 | - | - | - | - | 1 1 1 | - | 3 2 1 | - |
| E914 | 電気による不慮の事故..... 男 M. 女 F. | 402 401 1 | 9 9 - | 9 9 - | 5 5 - | 238 238 - | - | 44 16 - | 16 4 1 | 5 4 - | 76 76 - |
| E915 | 高圧機関の爆発による不慮の事故..... 男 M. 女 F. | 11 11 - | - | - | - | 11 11 - | - | - | - | - | - |
| E916 | 火および可燃物の爆発による不慮の事故..... 男 M. 女 F. | 138 130 8 | 3 2 1 | - | 25 25 2 | 84 82 - | 1 1 - | 10 6 4 | 2 1 1 | 13 13 - | - |
| E917 | 高熱物体、腐食性液体および水蒸気による不慮の事故..... 男 M. 女 F. | 34 30 4 | - | - | 1 1 3 | 31 28 - | - | 2 1 1 | - | - | - |
| E918 | 放射線による不慮の事故..... 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - |
| E918.a | X線によるもの..... 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - |
| E918.b | その他の放射線によるもの..... 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - |
| E919 | 鉄器による不慮の事故..... 男 M. 女 F. | 27 26 1 | - | - | 15 15 1 | 6 5 1 | 1 1 - | 2 2 - | - | 3 3 - | - |
| E920 | 眼および附属器への異物侵入..... 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - |
| E921 | 閉塞または窒息の原因となる食物の吸入および嚥下..... 男 M. 女 F. | 1 1 - | - | - | - | 1 1 - | - | - | - | - | - |
| E922 | 閉塞または窒息の原因となるその他の物体の吸入および嚥下..... 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - |
| E923 | その他の孔口への異物侵入..... 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - |

(E870-E936)15才以上従業中死者数,

所・死因(基本分類)別

AT WORK IN AGES 15 AND OVER BY SEX, AGE AND CAUSE

OCCURRENCE OF THE ACCIDENT; FOR ALL JAPAN

昭和41年
1966

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公共建造物 Public building | その他の施設 Resident institution | その他 の場所 Other specified places | 詳細不明の場所 Place not specified |
|--|--|------------------|-------------|-------------|-----------------------------|--|---|-------------------------------|--------------------------|--------------------------------|--------------------------------------|--------------------------------|
| E924 | 寝台および搖籃における不慮の機械的窒息..... 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E925 | その他および詳細不明の状態における不慮の機械的窒息..... 男 M. 女 F. | 126 118 8 | - | 2 1 1 | 54 53 1 | 46 43 3 | - | 11 8 3 | 1 1 - | - | 12 12 - | - |
| E926 | 乳児の養育不注意(1才未満)..... 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E927 | 有毒動物および昆虫の咬傷および刺傷による不慮の傷害..... 男 M. 女 F. | 2 2 | - | 1 1 | - | - | - | - | - | - | - | 1 1 - |
| E928 | その他の動物による不慮の傷害..... 男 M. 女 F. | 7 6 1 | 2 1 1 | 2 2 - | - | - | 1 1 - | - | - | - | - | 2 2 - |
| E929 | 不慮の溺死および溺水..... 男 M. 女 F. | 118 107 11 | - | 5 3 2 | 3 3 - | 20 20 - | 1 1 - | 1 1 1 | 2 1 1 | - | 86 78 8 | - |
| E930 | 高圧および低圧..... 男 M. 女 F. | 2 2 | - | - | - | - | - | - | - | - | - | 2 2 - |
| E931 | 過度の高温および日射病..... 男 M. 女 F. | 2 2 | - | 1 1 | - | 1 1 | - | - | - | - | - | - |
| E932 | 過度の低温..... 男 M. 女 F. | 3 1 2 | - | 1 1 1 | - | - | - | 1 1 1 | - | - | - | 1 1 - |
| E933 | 飢、渴および不良天候曝露..... 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E934 | 天災..... 男 M. 女 F. | 10 10 | - | - | 1 1 | 2 2 | - | - | - | - | - | 7 7 - |
| E934.a | 地震..... 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E934.b | 暴風雨および洪水..... 男 M. 女 F. | 10 10 | - | - | 1 1 | 2 2 | - | - | - | - | - | 7 7 - |
| E934.c | その他..... 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E935 | 雷擊..... 男 M. 女 F. | 9 5 4 | - | 7 3 4 | - | 1 1 - | - | - | - | - | - | 1 1 - |
| E936 | その他および詳細不明の不慮の事故..... 男 M. 女 F. | 28 27 1 | 1 1 - | 1 1 - | 1 1 - | 12 12 - | 3 3 - | 3 3 1 | 2 2 - | 1 1 - | 4 4 - | |

63 表 (8—5)

第63表 交通事故以外の不慮の事故

性・年齢(特定階級)・傷害発生の場

45~64才 years of age

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)

THE PLACE OF OCCURRENCE OF THE ACCIDENT;

(E870—E936)15才以上從業中死者數,

所・死因(基本分類)別

AT WORK IN AGES 15 AND OVER BY SEX, AGE AND CAUSE

OCCURRENCE OF THE ACCIDENT; FOR ALL JAPAN

昭和 41 年
1966

| 国際基本 分類番号 International detailed list number | 死 因・性 Cause of death and sex | 総 数 Total | 家 庭 Home | 農耕地 Farm | 鉱山およ び採石場 Mine and quarry | 工場施設 およびそ の用 地 Industrial place and premises | 保養場お よび運動 の場 Place for recrea- tion and sport | 道路およ び公 道 Street and highway | 公 共 建 造 物 Public building | その他の 集団取容 施 設 Resident institution | その他の 場 所 Other specified places | 詳細不明 の場 所 Place not specified |
|--|--|------------------|-----------------|-----------------|--|--|---|--|--|--|---|---|
| | | | | | | | | | | | | |
| E886 | ヒ素、アンチモンおよびその化合物による不慮の中毒 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E887 | フッ化物による不慮の中毒 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E888 | その他および詳細不明の固体および液体物質による不慮の中毒 男 M. 女 F. | 9 7 2 | — — — | 7 5 2 | — — — | 1 1 | — — — | — — — | — — — | — — — | — — — | 1 1 — |
| E888.a | シアノ化物 男 M. 女 F. | 1 1 — | — — — | — — — | — — — | 1 1 | — — — | — — — | — — — | — — — | — — — | — — — |
| E888.b | 農業用有機リン製剤 男 M. 女 F. | 6 4 2 | — — — | 5 3 2 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — |
| E888.c | その他のリン製剤 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E888.d | その他および詳細不明の固体および液体物質 男 M. 女 F. | 2 2 — | — — — | 2 2 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E890 | 石炭ガス(光熱用)による不慮の中毒 男 M. 女 F. | 3 3 — | — — — | — — — | — — — | 1 1 | — — — | — — — | — — — | 1 1 | 1 1 | — — — |
| E891 | 自動車排出ガスによる不慮の中毒 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E892 | その他一酸化炭素ガスによる不慮の中毒 男 M. 女 F. | 14 11 3 | 1 1 1 | — — — | 8 6 2 | 1 1 | — — — | — — — | — — — | — — — | — — — | — — — |
| E893 | シアノ化物ガスによる不慮の中毒 男 M. 女 F. | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1 1 — |
| E894 | その他のガスおよび蒸気による不慮の中毒 男 M. 女 F. | 21 21 — | 2 2 — | — — — | 4 4 — | 12 12 — | — — — | — — — | — — — | — — — | — — — | — — — |
| E895 | 詳細不明のガスおよび蒸気による不慮の中毒 男 M. 女 F. | 1 1 — | — — — | — — — | — — — | 1 1 | — — — | — — — | — — — | — — — | — — — | — — — |
| E900 | 階段よりの墜落 男 M. 女 F. | 16 11 5 | 1 1 1 | — — — | — — — | 5 3 2 | — — — | — — — | — — — | 9 7 2 | — — — | 1 1 — |
| E901 | はしごよりの墜落 男 M. 女 F. | 22 20 2 | 3 3 — | 1 1 — | — — — | 11 10 1 | — — — | 1 1 — | 1 1 — | 2 2 — | — — — | 4 3 — |
| E902 | その他の高所よりの墜落 男 M. 女 F. | 399 379 20 | 40 37 3 | 8 7 1 | 20 20 — | 226 217 9 | 2 2 — | 9 8 1 | 14 13 1 | 2 3 — | 78 74 4 | — — — |
| E903 | 同一面上における転倒 男 M. 女 F. | 38 36 2 | 4 4 — | 1 1 — | 3 3 — | 10 10 — | 1 1 — | 3 3 — | 3 2 — | 1 1 — | 12 11 1 | — — — |

63 表 (8—6)

第63表 交通事故以外の不慮の事故
性・年齢(特定階級)・傷害発生の場

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
 (DETAILED LIST) ACCORDING TO THE PLACE OF

45~64才 years of age

(E 870—E 936) 15才以上從業中死者數,
所・死因(基本分類)別

AT WORK IN AGES 15 AND OVER BY SEX, AGE AND CAUSE
OCCURRENCE OF THE ACCIDENT, FOR ALL JAPAN

昭和 41 年
1966

| 国際基本 分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設 およびその用 地 Industrial place and premises | 保養場お よび運動 場 Place for recreation and sport | 道路お よび公道 Street and highway | 公共 建造物 Public building | その他の 団体取容 施設 Resident institution | その他の場 所 Other specified places | 詳細不明の場 所 Place not specified |
|--|--|-----------------|----------------|-----------------|---------------------------------|--|---|---------------------------------------|----------------------------------|--|--|--|
| | | | | | | | | | | | | |
| E924 | 寝台および搖籃における不慮の機械的窒息… 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E925 | その他および詳細不明の状態における不慮… の機械的窒息 男 M. 女 F. | 60 58 2 | — 2 — | 2 25 — | 25 15 — | 15 1 — | 1 1 — | 1 1 — | 1 1 — | — — — | 15 14 1 | — — — |
| E926 | 乳児の養育不注意（1才未満）…………… 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E927 | 有毒動物および昆蟲の咬傷および刺傷によ… る不慮の傷害 男 M. 女 F. | 7 6 1 | 1 1 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | 5 4 1 | — — — |
| E928 | その他の動物による不慮の傷害…………… 男 M. 女 F. | 10 10 — | 3 3 — | — — — | — — — | — — — | 2 2 — | 2 2 — | — — — | — — — | — — — | 3 3 — |
| E929 | 不慮の溺死および溺水…………… 男 M. 女 F. | 65 51 14 | 2 2 — | 5 4 1 | 3 3 — | 5 5 — | — — — | — — — | 1 1 — | — — — | — — — | 49 36 13 |
| E930 | 高圧および低圧…………… 男 M. 女 F. | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E931 | 過度の高温および日射病…………… 男 M. 女 F. | 6 5 1 | — — — | 1 1 — | 1 1 — | 2 1 1 | — — — | — — — | — — — | — — — | — — — | 2 2 — |
| E932 | 過度の低温…………… 男 M. 女 F. | 7 7 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 6 6 — |
| E933 | 飢、渴および不良天候曝露…………… 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E934 | 天災…………… 男 M. 女 F. | 6 3 3 | — — — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 2 2 — |
| E934.a | 地震…………… 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E934.b | 暴風雨および洪水…………… 男 M. 女 F. | 6 3 3 | — — — | I I — | — — — | I I — | — — — | I I — | — — — | I I — | — — — | 2 2 — |
| E934.c | その他…………… 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| E935 | 雷撃…………… 男 M. 女 F. | 4 4 — | 1 1 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 2 2 — |
| E936 | その他および詳細不明の不慮の事故…………… 男 M. 女 F. | 15 15 — | — — — | — — — | — — — | — — — | 6 6 — | 1 1 — | — — — | — — — | — — — | 8 8 — |

63表(8-7)

第63表 交通事故以外の不慮の事故
性・年齢(特定階級)・傷害発生の場

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
(DETAILED LIST) ACCORDING TO THE PLACE OF

65才~ years of age

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 总数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公建造物 Public building | その他の施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified |
|--|----------------------------------|-------------|------------|-------------|-----------------------------|--|---|-------------------------------|-------------------------|--------------------------------|----------------------------------|--------------------------------|
| | 总数..... | 350 | 45 | 51 | 14 | 76 | 1 | 10 | 17 | 1 | 135 | - |
| | 男 M. 女 F. | 311 39 | 36 9 | 37 14 | 13 1 | 73 3 | 1 - | 10 - | 17 - | 1 - | 123 12 | - |
| E870 | モルヒネおよびその他のアヘン誘導体による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E871 | ペルビツール酸およびその誘導体による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E872 | アスピリンおよびサリチル酸誘導体による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E873 | 臭化物による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E874 | その他の鎮痛薬および催眠薬による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E875 | スルホンアミド薬による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E876 | ストリキニーネによる不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E877 | ペラドンナ、ヒヨスチンおよびアトロピンによる不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E878 | その他および詳細不明の医薬品による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E879 | 有毒食物による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E880 | アルコールによる不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E881 | 石油製品による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E882 | 工業溶媒による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E883 | 腐食性化合物、酸およびカセイアルカリによる不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E884 | 水銀およびその化合物による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E885 | 鉛およびその化合物による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |

(E 870-E 936) 15才以上従業中死者数,
所・死因(基本分類)別

AT WORK IN AGES 15 AND OVER BY SEX, AGE AND CAUSE
OCCURRENCE OF THE ACCIDENT, FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 总数 Total | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公建造物 Public building | その他の施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified |
|--|-----------------------------------|-------------|------------|-------------|-----------------------------|--|---|-------------------------------|-------------------------|--------------------------------|----------------------------------|--------------------------------|
| E886 | ヒ素、アンチモンおよびその化合物による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E887 | フッ化物による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E888 | その他および詳細不明の固体および液体物質による不慮の中毒..... | 1 | 1 | - | - | - | - | - | - | - | 1 | 1 |
| | 男 M. 女 F. | 1 | 1 | - | - | - | - | - | - | - | 1 | 1 |
| E888.a | シアン化物..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E888.b | 農薬用有機リン製剤..... | 1 | 1 | - | - | - | - | - | - | - | 1 | 1 |
| | 男 M. 女 F. | 1 | 1 | - | - | - | - | - | - | - | 1 | 1 |
| E888.c | その他のリン製剤..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E888.d | その他および詳細不明の固体および液体物質..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E890 | 石炭ガス(光熱用)による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E891 | 自動車排出ガスによる不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E892 | その他一酸化炭素ガスによる不慮の中毒..... | 7 | 1 | - | 3 | 2 | - | - | - | 1 | - | - |
| | 男 M. 女 F. | 7 | 1 | - | 3 | 2 | - | - | 1 | 1 | - | - |
| E893 | シアン化物ガスによる不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E894 | その他のガスおよび蒸気による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E895 | 詳細不明のガスおよび蒸気による不慮の中毒..... | - | - | - | - | - | - | - | - | - | - | - |
| | 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E900 | 階段よりの墜落..... | 6 | 3 | - | - | - | 1 | - | - | 1 | 1 | 1 |
| | 男 M. 女 F. | 6 | 2 | - | - | - | 1 | - | - | 1 | 1 | 1 |
| E901 | はしごよりの墜落..... | 16 | 7 | 1 | - | 2 | - | - | 1 | 3 | - | 2 |
| | 男 M. 女 F. | 15 | 6 | 1 | - | 2 | - | - | 1 | 3 | - | 2 |
| E902 | その他の高所よりの墜落..... | 101 | 16 | 12 | 1 | 24 | - | 2 | 4 | 1 | 41 | - |
| | 男 M. 女 F. | 95 | 15 | 11 | 1 | 24 | - | 2 | 4 | 1 | 37 | 4 |
| E903 | 同一面上にのける転倒..... | 27 | 4 | 4 | - | 6 | - | 1 | 3 | - | 9 | - |
| | 男 M. 女 F. | 23 | 2 | 2 | - | 6 | - | 1 | 3 | - | 9 | - |

63表(8-8)

第63表 交通事故以外の不慮の事故
性・年齢(特定階級)・傷害発生の場

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS (E870-E936)
(DETAILED LIST) ACCORDING TO THE PLACE OF

65才~ years of age

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 65才~ years of age | | | | | | | | | | |
|--|--|---------------|-------------------|-------------|-----------------------------|--|---|-------------------------------|-------------------------|------------------------------------|----------------------------------|--------------------------------|---|
| | | | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公建造物 Public building | その他の集団収容施設 Resident institution | その他の場所 Other specified places | 詳細不明の場所 Place not specified | |
| E904 | 詳細不明の墜落 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | |
| E910 | 落下物、投射物および飛来物による打撲 男 M. 女 F. | 60 57 3 | 4 4 - | 1 1 - | 4 3 1 | 20 18 2 | - | 2 2 | 1 1 | - | 28 28 - | - | |
| E911 | 車による不慮の事故 男 M. 女 F. | 3 3 - | - | 1 1 - | 2 2 - | - | - | - | - | - | - | - | |
| E912 | 機械による不慮の事故 男 M. 女 F. | 21 21 - | - | 4 4 - | 3 3 - | 12 12 - | - | 1 1 | - | 1 1 - | - | - | |
| E913 | 刃器および刺器による不慮の事故 男 M. 女 F. | 1 1 - | - | 1 1 - | - | - | - | - | - | - | - | - | |
| E914 | 電気による不慮の事故 男 M. 女 F. | 2 2 - | - | 1 1 - | - | - | - | - | - | 1 1 - | - | - | |
| E915 | 高圧機関の爆発による不慮の事故 男 M. 女 F. | 2 2 - | - | - | - | 2 2 - | - | - | - | - | - | - | |
| E916 | 火および可燃物の爆発による不慮の事故 男 M. 女 F. | 37 28 9 | 6 4 2 | 7 5 2 | - | 5 4 1 | - | 1 1 - | 1 1 - | - | 17 13 4 | - | |
| E917 | 高熱物体、腐食性液体および水蒸気による不慮の事故 男 M. 女 F. | 2 2 - | - | 1 1 - | - | 1 1 - | - | - | - | - | - | - | |
| E918 | 放射線による不慮の事故 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| E918.a | X線によるもの 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| E918.b | その他の放射線によるもの 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| E919 | 鉄器による不慮の事故 男 M. 女 F. | 1 1 - | - | 1 1 - | - | - | - | - | - | - | - | - | |
| E920 | 眼および附属器への異物侵入 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| E921 | 閉塞または窒息の原因となる食物の吸入および嚥下 男 M. 女 F. | 1 1 - | - | - | - | - | - | - | - | 1 1 - | - | - | |
| E922 | 閉塞または窒息の原因となるその他の物体の吸入口および嚥下 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - | - |
| E923 | その他の孔口への異物侵入 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | 3 2 1 | - |

(E 870-E 936) 15才以上従業中死者数,
所・死因(基本分類)別

AT WORK IN AGES 15 AND OVER BY SEX, AGE AND CAUSE
OCCURRENCE OF THE ACCIDENT; FOR ALL JAPAN

昭和41年
1966

| 国際基本分類番号 International detailed list number | 死因・性 Cause of death and sex | 総数 Total | 昭和41年 1966 | | | | | | | | | |
|--|---|---------------|---------------|-------------|-----------------------------|--|---|-------------------------------|-------------------------|------------------------------------|--------------------------------------|--------------------------------|
| | | | 家庭 Home | 農耕地 Farm | 鉱山および採石場 Mine and quarry | 工場施設およびその用地 Industrial place and premises | 保養場および運動場 Place for recreation and sport | 道路および公道 Street and highway | 公建造物 Public building | その他の集団収容施設 Resident institution | その他 の場所 Other specified places | 詳細不明の場所 Place not specified |
| E924 | 寝台および搭籠における不慮の機械的窒息 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E925 | その他および詳細不明の状態における不慮の機械的窒息 男 M. 女 F. | 10 10 - | 2 2 - | 2 2 - | 1 1 - | - | - | 1 1 - | 1 1 - | - | 3 3 - | - |
| E926 | 乳児の養育不注意(1才未満) 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E927 | 有毒動物および昆蟲の咬傷および刺傷による不慮の傷害 男 M. 女 F. | 4 2 2 | - | 2 1 1 | - | - | - | - | - | - | - | 2 1 1 |
| E928 | その他の動物による不慮の傷害 男 M. 女 F. | 4 4 - | - | - | - | - | - | 1 1 - | - | - | 3 3 - | - |
| E929 | 不慮の溺死および溺水 男 M. 女 F. | 28 24 4 | - | 7 5 2 | - | - | - | - | - | - | - | 21 19 2 |
| E930 | 高圧および低圧 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E931 | 過度の高温および日射病 男 M. 女 F. | 7 1 6 | - | 7 1 6 | - | - | - | - | - | - | - | - |
| E932 | 過度の低温 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E933 | 飢、渴および不良天候曝露 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E934 | 天災 男 M. 女 F. | 1 1 | - | - | - | - | - | - | - | - | - | 1 1 |
| E934.a | 地震 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E934.b | 暴風雨および洪水 男 M. 女 F. | 1 1 | - | - | - | - | - | - | - | - | - | 1 1 |
| E934.c | その他 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E935 | 雷擊 男 M. 女 F. | - | - | - | - | - | - | - | - | - | - | - |
| E936 | その他および詳細不明の不慮の事故 男 M. 女 F. | 8 7 1 | 1 1 - | - | - | - | - | 1 1 - | 2 2 - | 1 1 - | 3 2 1 | - |

64 表 (4-1)

第64表 外因による死者数、

TABLE 64 DEATHS FROM EXTERNAL CAUSES BY SEX

| 総 数 Total | | 死 因・性 Cause of death and sex | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|---------------------------------|---------------------------|--------------------------------|-------------------------|-----------------------------------|-------------------------|-----------------------|-------------------------|---------------------------|------------------------|-------------------------|--------------------------------|-----------------------|-----------------------------------|-------------------------|-------------|-------------|--------------|------|------|--------|--------|--------|--------|--|--|
| 国際簡単分類番号 International abbreviated list number | "N"不慮の事故、中毒および暴力の二重分類(傷害の性質) Cause of death and sex | BN47 | BN47.a | BN47.b | BN47.c | BN47.d | BN48 | BN49 | BN50 | BN50.a | BN50.b | BN50.c | BN50.d | BN47 | BN47.a | BN47.b | BN47.c | BN47.d | BN48 | BN49 | BN50 | BN50.a | BN50.b | BN50.c | BN50.d | | |
| | | 骨折、頭部損傷および内部傷 頭骨 緊折 | その他の骨の骨折 頭骨 緊折 | 頭部の損傷 脳、腹、骨盤腔の内部損傷 頭骨 緊折 | 熱傷 頭骨 緊折 | 毒物の作用 その他 破裂および開放創 頭骨 緊折 | 溺死および死にいたらない溺水 頭骨 緊折 | 窒息 頭骨 緊折 | 息止 頭骨 緊折 | その他 頭骨 緊折 | 骨折、頭部損傷および内部傷 頭骨 緊折 | その他の骨の骨折 頭骨 緊折 | 頭部の損傷 脳、腹、骨盤腔の内部損傷 頭骨 緊折 | 熱傷 頭骨 緊折 | 毒物の作用 その他 破裂および開放創 頭骨 緊折 | 溺死および死にいたらない溺水 頭骨 緊折 | 窒息 頭骨 緊折 | 息止 頭骨 緊折 | その他 頭骨 緊折 | | | | | | | | |
| "E" | 不慮の事故、中毒および暴力の二重分類 (外因) 男 M. 女 F. | 59 025 41 907 17 118 | 28 836 22 748 6 088 | 13 966 11 380 2 586 | 3 580 2 414 1 166 | 6 885 5 260 1 625 | 4 405 3 694 711 | 2 213 1 272 941 | 6 038 3 200 2 838 | 21 938 14 687 7 251 | 1 440 1 038 402 | 8 775 5 784 2 991 | 8 199 5 107 3 092 | 3 524 2 758 766 | | | | | | | | | | | | | |
| BE47 | 自動車事故..... 男 M. 女 F. | 17 979 14 352 3 627 | 17 191 13 726 3 465 | 8 909 7 279 1 630 | 1 589 1 184 405 | 4 340 3 344 996 | 2 353 1 919 434 | 39 34 5 | 2 2 — | 747 590 157 | 191 140 51 | 204 159 45 | 30 30 — | 322 261 61 | | | | | | | | | | | | | |
| BE48 | その他の不慮の事故..... 男 M. 女 F. | 24 568 18 178 6 390 | 9 716 7 658 2 058 | 4 158 3 504 654 | 1 877 1 160 717 | 2 281 1 742 539 | 1 400 1 252 148 | 2 102 1 185 917 | 1 544 961 583 | 11 206 8 374 2 832 | 384 298 86 | 6 671 4 991 1 680 | 1 109 709 400 | 3 042 2 376 666 | | | | | | | | | | | | | |
| BE48.a | 自動車以外の交通事故..... 男 M. 女 F. | 3 406 2 722 684 | 2 315 1 761 554 | 1 427 1 074 353 | 225 161 64 | 388 294 94 | 275 232 43 | 26 22 4 | 42 42 — | 1 023 897 126 | 235 168 67 | 680 629 51 | 22 22 — | 86 78 8 | | | | | | | | | | | | | |
| BE48.b | 不慮の墜落..... 男 M. 女 F. | 4 643 3 362 1 281 | 4 221 3 094 1 127 | 1 482 1 289 193 | 1 096 553 543 | 1 337 982 355 | 306 270 36 | 1 1 — | — — — | 421 267 154 | 21 15 6 | — — — | 17 11 6 | 383 241 142 | | | | | | | | | | | | | |
| BE48.c | 不慮の溺死および溺水..... 男 M. 女 F. | 5 906 4 325 1 581 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 5 906 4 325 1 581 | — — — | 5 884 4 306 1 578 | — — — | 22 19 3 | | | | | | | | | | | | | |
| BE48.d | 天災..... 男 M. 女 F. | 366 149 217 | 98 38 60 | 36 17 19 | 20 5 15 | 11 3 8 | 31 13 18 | 4 2 2 | — — — | 264 109 155 | 1 38 48 | 116 45 71 | 61 26 35 | | | | | | | | | | | | | | |
| BE48.e | その他..... 男 M. 女 F. | 10 247 7 620 2 627 | 3 082 2 765 317 | 1 213 1 124 89 | 536 441 95 | 545 463 82 | 788 737 51 | 2 071 1 160 911 | 1 502 919 583 | 3 592 2 776 816 | 127 115 12 | 21 18 3 | 954 631 323 | 2 490 2 012 478 | | | | | | | | | | | | | |
| BE49 | 自殺および自傷..... 男 M. 女 F. | 15 050 8 450 6 600 | 1 254 844 410 | 777 503 274 | 107 65 42 | 142 88 54 | 228 188 40 | 69 51 18 | 4 375 2 164 2 211 | 9 352 5 391 3 961 | 671 549 212 | 1 802 578 1 224 | 6 749 4 254 2 495 | 130 100 30 | | | | | | | | | | | | | |
| BE50 | 他殺および戦争行為..... 男 M. 女 F. | 1 428 927 501 | 675 520 155 | 122 94 28 | 7 5 2 | 122 86 36 | 424 335 89 | 3 2 1 | 117 332 301 | 633 141 53 | 194 141 42 | 98 56 197 | 311 114 197 | 30 21 9 | | | | | | | | | | | | | |
| BE50.a | 他 殺..... 男 M. 女 F. | 1 407 907 500 | 664 509 155 | 121 93 28 | 3 1 2 | 119 83 36 | 421 332 89 | 3 2 1 | 117 73 44 | 623 323 300 | 194 141 53 | 98 56 42 | 311 114 197 | 20 12 8 | | | | | | | | | | | | | |
| BE50.b | 処刑および戦争行為..... 男 M. 女 F. | 21 20 1 | 11 11 — | 1 1 — | 4 4 — | 3 3 — | 3 3 — | — — — | 10 9 1 | — — — | — — — | — — — | — — — | 10 9 1 | | | | | | | | | | | | | |

性・年齢(特定階級)・外因一傷害の性質相互分類の死因(簡単分類)別

AND AGE, CROSS CLASSIFIED BY E AND N CLASSIFICATION; FOR ALL JAPAN,
0 才 years of age昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | "N"不慮の事故、中毒および暴力の二重分類(傷害の性質) Cause of death and sex | BN47 | BN47.a | BN47.b | BN47.c | BN47.d | BN48 | BN49 | BN50 | BN50.a | BN50.b | BN50.c | BN50.d |
|---|--|--|----------------|----------------|-------------|----------------|-------------|-----------------|----------------|-------------------|-------------|----------------|-------------------|-------------------|
| "E" | 不慮の事故、中毒および暴力の二重分類 (外因) 男 M. 女 F. | 1 138 620 518 | 89 54 35 | 33 20 13 | 4 2 2 | 48 31 17 | 4 1 3 | 107 58 49 | 47 30 17 | 895 478 417 | 6 3 3 | 66 36 30 | 535 275 260 | 288 164 124 |
| BE47 | 自動車事故..... 男 M. 女 F. | 35 19 16 | 34 19 15 | 19 11 8 | — — — | 13 8 5 | 2 — 2 | 1 — 1 | — — — | — — — | — — — | — — — | — — — | — — — |
| BE48 | その他の不慮の事故..... 男 M. 女 F. | 978 534 444 | 45 30 15 | 9 8 1 | 4 2 2 | 32 20 12 | — — — | 105 57 48 | 30 16 14 | 798 431 367 | 1 1 — | 39 19 20 | 471 247 224 | 287 164 123 |
| BE48.a | 自動車以外の交通事故..... 男 M. 女 F. | 2 2 — | 2 2 — | 2 2 — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| BE48.b | 不慮の墜落..... 男 M. 女 F. | 36 24 12 | 34 23 11 | 5 5 — | 3 2 1 | 26 16 10 | — — — | — — — | — — — | 2 1 1 | — — — | — — — | — — — | — — — |
| BE48.c | 不慮の溺死および溺水..... 男 M. 女 F. | 36 16 20 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — | — — — |
| BE48.d | 天災..... 男 M. 女 F. | 6 4 2 | — — — | — — — | — — — | — — | | | | | | | | |

64 表 (4-2)

第64表 外因による死亡者数

TABLE 64 DEATHS FROM EXTERNAL CAUSES BY SEX

| 1~4才 years of age | | 死因・性 Cause of death and sex | "N" 不慮の事故、中毒および暴力の二重分類(傷害の性質) | | | | | | | | | | | | |
|---|--|--------------------------------|-------------------------------|-------------------|----------------|-------------------|-----------------|-------------------|---------------------|---------------------|---------------------|---------------------|-----------------|-----------------|-------------|
| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | BN47 | BN47.a | BN47.b | BN47.c | BN47.d | BN48 | BN49 | BN50 | BN50.a | BN50.b | BN50.c | BN50.d | | |
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) 男 M. 女 F. | 3719 2296 1421 | 1301 776 525 | 796 465 331 | 66 42 24 | 287 170 117 | 152 99 53 | 247 140 41 | 122 81 748 | 2049 1301 19 | 1745 1115 630 | 129 73 56 | 134 91 43 | | |
| BE47 | 自動車事故 男 M. 女 F. | 1001 592 409 | 972 573 399 | 595 340 255 | 52 34 18 | 194 115 79 | 131 84 47 | — — — | — — — | 29 19 10 | 14 6 8 | 7 5 2 | — — — | 8 8 — | |
| BE48 | その他の不慮の事故 男 M. 女 F. | 2575 1627 948 | 309 191 118 | 187 117 70 | 14 8 6 | 88 52 36 | 20 14 6 | 247 140 107 | 82 55 27 | 1937 1241 696 | 15 9 6 | 1698 1089 609 | 99 61 38 | 125 82 43 | |
| BE48.a | 自動車以外の交通事故 男 M. 女 F. | 171 108 63 | 130 79 51 | 104 64 40 | 8 6 2 | 13 6 7 | 5 3 2 | 1 1 | — — — | 40 29 11 | 8 4 4 | 32 25 7 | — — — | — — — | |
| BE48.b | 不慮の墜落 男 M. 女 F. | 119 78 41 | 109 71 38 | 45 31 14 | 2 1 1 | 58 36 22 | 4 3 1 | — — — | — — — | 10 7 3 | 2 2 1 | 3 2 — | 5 3 2 | — — — | |
| BE48.c | 不慮の溺死および溺水 男 M. 女 F. | 1664 1067 597 | — — — | — — — | — — — | — — — | — — — | — — — | 1664 1067 597 | — — — | 1657 1061 596 | — — — | 7 6 1 | — — — | |
| BE48.d | 天災 男 M. 女 F. | 26 10 16 | 2 1 1 | 1 1 — | 1 1 — | — — — | — — — | — — — | 24 9 15 | — — — | 7 1 6 | 12 6 5 | 5 2 3 | — — — | |
| BE48.e | その他 男 M. 女 F. | 595 364 231 | 68 40 28 | 37 21 16 | 3 1 2 | 17 10 7 | 11 8 3 | 246 140 106 | 82 55 27 | 199 129 70 | 5 3 2 | 2 2 — | 84 53 31 | 108 71 37 | — — — |
| BE49 | 自殺および自傷 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |
| BE50 | 他殺および戦争行為 男 M. 女 F. | 143 79 64 | 20 12 8 | 14 8 6 | — — — | 5 3 2 | 1 1 — | — — — | 40 26 14 | 83 41 42 | 12 7 5 | 40 21 19 | 30 12 18 | 1 1 — | — — — |
| BE50.a | 他殺 男 M. 女 F. | 143 79 64 | 20 12 8 | 14 8 6 | — — — | 5 3 2 | 1 1 — | — — — | 40 26 14 | 83 41 42 | 12 7 5 | 40 21 18 | 30 12 18 | 1 1 — | — — — |
| BE50.b | 処刑および戦争行為 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |

性・年齢(特定階級)・外因-傷害の性質相互分類の死因(簡単分類)別
AND AGE, CROSS CLASSIFICATION BY E AND N CLASSIFICATION; FOR ALL JAPAN昭和41年
1966

| 5~14才 years of age | | 死因・性 Cause of death and sex | "N" 不慮の事故、中毒および暴力の二重分類(傷害の性質) | | | | | | | | | | | |
|---|--|--------------------------------|-------------------------------|-------------------|-----------------|-------------------|------------------|-----------------|------------------|---------------------|----------------|---------------------|-----------------|----------------|
| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | BN47 | BN47.a | BN47.b | BN47.c | BN47.d | BN48 | BN49 | BN50 | BN50.a | BN50.b | BN50.c | BN50.d | |
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) 男 M. 女 F. | 3176 2319 857 | 1435 996 439 | 805 576 229 | 104 67 37 | 332 223 109 | 194 130 64 | 134 69 50 | 120 70 303 | 1487 1184 31 | 52 21 21 | 1215 1001 214 | 144 96 48 | 76 56 20 |
| BE47 | 自動車事故 男 M. 女 F. | 1039 701 338 | 1003 682 321 | 551 384 167 | 79 50 29 | 231 154 77 | 142 94 48 | — — — | — — — | 36 19 17 | 22 12 10 | 4 1 3 | 1 — 4 | 9 5 4 |
| BE48 | その他の不慮の事故 男 M. 女 F. | 1968 1515 453 | 410 300 110 | 243 185 58 | 25 17 8 | 97 67 30 | 45 31 14 | 134 69 55 | 63 39 24 | 1361 1107 254 | 22 15 7 | 1190 990 200 | 82 51 31 | 67 51 16 |
| BE48.a | 自動車以外の交通事故 男 M. 女 F. | 270 213 57 | 184 143 41 | 142 114 28 | 6 3 3 | 28 20 8 | 8 6 2 | 1 1 — | 84 69 15 | 14 9 5 | 67 58 9 | — — — | 3 2 1 | — — — |
| BE48.b | 不慮の墜落 男 M. 女 F. | 121 81 40 | 111 74 37 | 53 35 18 | 8 7 1 | 39 25 14 | 11 7 4 | — — — | — — — | 10 7 3 | — — — | — — — | 1 — — | 9 6 3 |
| BE48.c | 不慮の溺死および溺水 男 M. 女 F. | 1106 932 174 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 1106 932 174 | — — — | 1103 929 174 | — — — | 3 3 — |
| BE48.d | 天災 男 M. 女 F. | 82 29 53 | 28 13 15 | 12 7 5 | 5 2 3 | 2 — 2 | 9 4 5 | 1 — — | 53 16 37 | — — — | 19 3 16 | 27 8 19 | 7 5 2 | — — — |
| BE48.e | その他 男 M. 女 F. | 389 260 129 | 87 70 17 | 36 29 7 | 6 5 1 | 28 22 6 | 17 14 3 | 132 69 63 | 62 38 24 | 108 83 25 | 8 6 2 | 1 — — | 54 42 12 | 45 35 10 |
| BE49 | 自殺および自傷 男 M. 女 F. | 48 37 11 | 2 2 — | 2 2 — | — — — | — — — | — — — | — — — | 9 5 4 | 37 30 7 | 1 — — | 6 3 3 | 30 27 3 | — — — |
| BE50 | 他殺および戦争行為 男 M. 女 F. | 121 66 55 | 20 12 8 | 9 5 4 | — — — | 4 2 2 | 7 5 2 | — — — | 48 26 22 | 53 28 25 | 7 4 3 | 15 7 8 | 31 17 14 | — — — |
| BE50.a | 他殺 男 M. 女 F. | 121 66 55 | 20 12 8 | 9 5 4 | — — — | 4 2 2 | 7 5 2 | — — — | 48 26 22 | 53 28 25 | 7 4 3 | 15 7 8 | 31 17 14 | — — — |
| BE50.b | 処刑および戦争行為 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |

64 表 (4-3)

第64表 外因による死亡者数

TABLE 64 DEATHS FROM EXTERNAL CAUSES BY SEX

15~44才 years of age

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | "N"不慮の事故、中毒および暴力の二重分類(傷害の性質) Cause of death and sex | BN47 BN47.a BN47.b BN47.c BN47.d BN48 BN49 BN50 BN50.a BN50.b BN50.c BN50.d | | | | | | | | | | | | | |
|---|--|--|---|--|--|--|-----------------------------|---|----------------------------------|-----------------------------|----------------------------|----------------------------------|-----------------------|----------------|---------|-----|
| | | | 頭骨 骨折 頭部損傷および内部損傷 | 頭骨 骨折 頭部損傷および内部損傷 | 頭部の損傷(骨折を除く) その他骨の骨折 | 胸、腹、骨盤腔の内部損傷 | 頭部の損傷(骨折を除く) その他骨の骨折 | 胸、腹、骨盤腔の内部損傷 | 熱傷 | 熱傷 | 毒物の作用 | その他の損傷 | 破裂および開放創 | 溺死および死にいたらない溺水 | 窒息および絞首 | その他 |
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) 男 M. 女 F. | 26 430 20 756 14 119 12 459 6 507 5 674 | 7 346 6 507 1 134 1 134 2 472 839 | 1 329 1 134 2 472 343 283 | 2 815 2 346 2 346 1 978 1 949 | 2 629 5 950 1 978 1 914 | 520 369 212 | 3 927 1 950 1 949 | 7864 666 212 | 878 2 182 810 | 2 944 2 182 810 | 2 722 1 912 1 190 | 1 320 1 190 130 | | | |
| BE47 | 自動車事故 男 M. 女 F. | 9 110 8 151 7 617 7 725 4 666 4 206 | 7 225 892 103 | 4 666 639 1 188 1 193 135 | 742 639 1 187 1 194 | 1 328 1 182 1 182 135 | 34 32 2 | 2 2 65 | 457 392 102 89 | 102 125 25 25 | 161 125 25 25 | 169 153 153 16 | | | | |
| BE48 | その他の不慮の事故 男 M. 女 F. | 8 795 7 596 4 136 3 750 2 057 386 | 7 596 3 750 1 883 174 | 511 451 511 451 60 | 777 682 734 57 | 791 734 454 270 | 437 302 270 | 724 3 090 408 | 3 498 1 994 1 763 231 | 192 159 219 51 | 270 219 219 949 | 1 042 949 93 | | | | |
| BE48.a | 自動車以外の交通事故 男 M. 女 F. | 1 510 1 293 947 791 462 96 | 1 293 217 | 100 78 116 22 | 137 135 135 17 | 152 135 135 2 | 20 27 27 - | 516 457 59 | 115 88 27 | 363 334 29 | 12 12 - | 26 23 3 | | | | |
| BE48.b | 不慮の墜落 男 M. 女 F. | 1 492 1 379 1 403 1 301 708 675 | 1 379 113 | 160 148 331 48 | 379 147 147 9 | 156 147 147 - | - - | 89 78 9 11 | 9 8 - | 6 4 2 | 74 66 8 | | | | | |
| BE48.c | 不慮の溺死および溺水 男 M. 女 F. | 1 601 1 406 195 | - - | - - | - - | - - | - - | - - | 1 601 1 406 195 | - - | 1 596 1 402 194 | 5 4 1 | | | | |
| BE48.d | 天災 男 M. 女 F. | 119 55 32 20 | 32 12 5 | 13 5 2 | 7 2 1 | 9 3 1 | 2 1 | 85 42 43 | - 17 8 | 25 19 20 | 39 19 15 | 21 6 15 | | | | |
| BE48.e | その他 男 M. 女 F. | 4 073 3 463 1 754 1 646 778 741 | 3 463 610 | 244 223 258 233 25 | 258 474 415 283 25 | 474 449 427 427 270 | 697 63 5 10 - | 1 207 1 107 1 107 1 107 100 | 68 63 5 10 - | 10 10 - | 213 184 29 | 916 850 66 | | | | |
| BE49 | 自殺および自傷 男 M. 女 F. | 7 749 4 461 883 592 567 367 74 42 34 34 34 13 | 4 461 3 288 | 567 367 291 200 74 42 32 34 34 25 | 567 367 291 200 74 42 32 34 34 25 | 88 54 154 129 129 1309 1 675 | 154 129 1309 1 675 | 47 34 1 517 1 675 | 3 192 2 318 1 309 1 309 | 3 627 2 84 452 492 | 776 284 2 302 665 | 2 302 1 637 97 80 17 | | | | |
| BE50 | 他殺および戦争行為 男 M. 女 F. | 776 548 483 392 56 51 5 | 548 228 | 56 51 5 | 2 2 69 49 20 | 356 290 132 132 66 | 2 1 9 5 4 | 282 150 132 101 31 | 132 101 132 101 31 | 13 10 3 13 94 | 125 31 94 31 4 | 12 8 4 | | | | |
| BE50.a | 他殺 男 M. 女 F. | 770 542 479 388 56 51 5 | 542 228 | 56 51 5 | - - 67 47 20 | 356 290 132 132 66 | 2 1 9 5 4 | 280 148 132 101 31 | 132 101 132 101 31 | 13 10 3 13 94 | 125 31 94 31 4 | 10 6 4 | | | | |
| BE50.b | 処刑および戦争行為 男 M. 女 F. | 6 6 4 4 - - | - - | 2 2 2 2 - | 2 2 2 2 - | - - | - - | 2 2 2 2 - | - - | - - | - - | 2 2 | | | | |

性・年齢(特定階級)・外因一傷害の性質相互分類の死因(簡単分類)別

昭和41年
1966AND AGE, CROSS CLASSIFIED BY E AND N CLASSIFICATION; FOR ALL JAPAN
45~64才 years of age

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | "N"不慮の事故、中毒および暴力の二重分類(傷害の性質) Cause of death and sex | BN47 | BN47.a | BN47.b | BN47.c | BN47.d | BN48 | BN49 | BN50 | BN50.a | BN50.b | BN50.c | BN50.d | |
|---|--|--|-------------------------|-----------------------|-------------------|-----------------------|---------------------|-------------------|---------------------|-------------------------|------------------|---------------------|-----------------------|-------------------|-------------|
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) 男 M. 女 F. | 13 220 9 685 3 535 | 7 025 5 602 1 423 | 3 305 2 680 625 | 820 638 182 | 1 888 1 449 439 | 1 012 835 177 | 341 208 133 | 1 186 707 479 | 4 668 3 168 1 500 | 303 216 87 | 1 354 856 498 | 2 271 1 474 797 | 740 622 118 | |
| BE47 | 自動車事故 男 M. 女 F. | 4 272 3 308 964 | 4 112 3 183 929 | 2 053 1 646 407 | 393 274 119 | 1 155 868 287 | 511 395 116 | 3 2 1 | - - - | 157 123 34 | 36 23 13 | 30 27 3 | 4 4 - | 87 69 18 | |
| BE48 | その他の不慮の事故 男 M. 女 F. | 4 964 4 005 959 | 2 561 2 177 384 | 1 088 927 161 | 402 346 56 | 672 540 132 | 399 364 35 | 322 193 129 | 390 251 139 | 1 691 1 384 307 | 95 73 22 | 853 681 172 | 117 94 23 | 626 536 90 | |
| BE48.a | 自動車以外の交通事故 男 M. 女 F. | 900 744 156 | 607 475 132 | 343 266 77 | 60 47 13 | 123 93 30 | 81 69 12 | 4 4 - | 12 12 - | 277 253 24 | 56 39 17 | 180 175 5 | 5 5 - | 36 34 2 | |
| BE48.b | 不慮の墜落 男 M. 女 F. | 1 151 970 181 | 1 057 893 164 | 429 374 35 | 162 134 28 | 391 315 76 | 75 70 5 | 1 1 - | - - - | 93 76 17 | 6 4 2 | - - - | 3 1 2 | 84 71 13 | |
| BE48.c | 不慮の溺死および溺水 男 M. 女 F. | 652 497 155 | - - | - - | - - | - - | - - | - - | - - | - - | - - | 652 497 155 | - - | 648 493 155 | - - - |
| BE48.d | 天災 男 M. 女 F. | 73 30 43 | 20 8 12 | 7 2 5 | 4 1 3 | 3 1 2 | 6 4 2 | - - - | - - - | 53 22 31 | 1 1 1 | 19 9 10 | 20 8 12 | 13 5 8 | |
| BE48.e | その他 男 M. 女 F. | 2 188 1 764 424 | 877 801 76 | 309 285 24 | 176 164 12 | 155 131 24 | 237 221 16 | 317 188 129 | 378 239 139 | 616 536 80 | 32 30 2 | 6 4 2 | 89 80 9 | 489 422 67 | |
| BE49 | 自殺および自傷 男 M. 女 F. | 3 795 2 252 1 543 | 240 165 75 | 137 85 52 | 20 15 5 | 32 21 11 | 51 44 7 | 16 13 3 | 795 455 340 | 2 744 1 619 1 125 | 145 101 44 | 468 147 321 | 2 114 1 362 752 | 17 9 8 | |
| BE50 | 他殺および戦争行為 男 M. 女 F. | 189 120 69 | 112 77 35 | 27 22 5 | 5 3 2 | 29 20 9 | 51 32 19 | - - - | 1 1 - | 76 42 34 | 27 19 8 | 3 1 2 | 36 14 22 | 10 8 2 | |
| BE50.a | 他殺 男 M. 女 F. | 179 110 69 | 106 71 35 | 26 21 5 | 3 1 2 | 29 20 9 | 48 29 19 | - - - | 1 1 - | | | | | | |

64表(4-4)

第64表 外因による死者数

TABLE 64 DEATHS FROM EXTERNAL CAUSES BY SEX

65才～ years and over

| 国際簡単分類番号 International abbreviated list number | 死因性 Cause of death and sex | "N"不慮の事故、中毒および暴力の二重分類(傷害の性質) Cause of death and sex | BN47 BN47.a BN47.b BN47.c BN47.d BN48 BN49 BN50 BN50.a BN50.b BN50.c BN50.d | | | | | | | | | | | | | | | |
|---|-------------------------------------|--|---|-----------------------|---------------------|---------------------|-------------------|-------------------|-----------------------|-------------------------|---------------------|-------------------------|-------------------------|-------------------|--|--|--|--|
| | | | 骨折、頭部損傷および内部損傷 骨折、頭骨蓋折 | その他の骨の骨折 骨折を除く | 頭部の損傷 骨盤腔の内部損傷 | 胸、腹、骨盤腔の内部傷 | 熱傷 | 毒物の作用 | その他損傷 | 裂傷および開放創 | 溺死および死にいたらない水 | 窒息および首絞め | その他 | | | | | |
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) 男 M. 女 F. | 11 324 6 215 5 109 | 4 863 2 857 2 006 | 1 677 1 128 549 | 1 257 531 726 | 1 515 915 600 | 414 283 436 | 864 332 301 | 633 2 598 2 366 | 4 964 1 000 60 | 1 444 589 855 | 2 394 1 274 1 120 | 966 635 331 | | | | | |
| BE47 | 自動車事故 男 M. 女 F. | 2 522 1 581 941 | 2 453 1 544 909 | 1 025 692 333 | 323 187 136 | 866 512 354 | 239 153 86 | 1 — 1 | — 37 31 | 68 10 7 | 17 1 1 | 2 — — | 49 26 23 | | | | | |
| BE48 | その他の不慮の事故 男 M. 女 F. | 5 282 2 895 2 387 | 2 253 1 208 1 045 | 572 382 190 | 921 336 585 | 615 381 234 | 145 109 36 | 857 424 433 | 255 146 109 | 1 917 1 117 800 | 59 41 18 | 893 445 448 | 70 37 33 | 895 594 301 | | | | |
| BE48.a | 自動車以外の交通事故 男 M. 女 F. | 550 359 191 | 443 269 174 | 276 164 112 | 51 27 24 | 87 59 28 | 29 19 10 | — — — | 2 2 — | 105 88 17 | 42 28 14 | 37 36 1 | 5 5 — | 21 19 2 | | | | |
| BE48.b | 不慮の墜落 男 M. 女 F. | 1 724 830 894 | 1 507 732 775 | 242 169 73 | 761 261 500 | 444 259 185 | 60 43 17 | — — — | — — — | 217 98 119 | 4 1 3 | — — — | 3 3 — | 210 94 116 | | | | |
| BE48.c | 不慮の溺死および溺水 男 M. 女 F. | 844 404 440 | — — — | — — — | — — — | — — — | — — — | — — — | — — — | 844 404 440 | — — — | 841 402 439 | — — — | 3 2 1 | | | | |
| BE48.d | 天災 男 M. 女 F. | 60 21 39 | 16 4 12 | 3 2 1 | 3 — 3 | 3 — 5 | 7 2 — | 1 1 — | — — — | 43 16 27 | — 8 — | 14 6 8 | 15 3 12 | 14 7 7 | | | | |
| BE48.e | その他 男 M. 女 F. | 2 104 1 281 823 | 287 203 84 | 51 47 4 | 106 48 58 | 81 63 18 | 49 45 4 | 856 423 433 | 253 144 109 | 708 511 197 | 13 12 1 | 1 1 — | 47 26 21 | 647 472 175 | | | | |
| BE49 | 自殺および自傷 男 M. 女 F. | 3 447 1 692 1 755 | 127 83 44 | 69 47 22 | 13 8 5 | 22 13 9 | 23 15 8 | 6 4 2 | 376 185 191 | 2 938 1 420 1 518 | 73 41 32 | 549 143 406 | 2 300 1 225 1 075 | 16 11 5 | | | | |
| BE50 | 他殺および戦争行為 男 M. 女 F. | 73 47 26 | 30 22 8 | 11 7 4 | — — — | 12 9 3 | 7 6 1 | — — — | 2 1 1 | 41 24 17 | 11 8 3 | — — — | 24 12 12 | 6 4 2 | | | | |
| BE50.a | 他殺 男 M. 女 F. | 68 43 25 | 29 21 8 | 11 7 4 | — — — | 11 8 3 | 7 6 1 | — — — | 2 1 1 | 37 21 16 | 11 8 3 | — — — | 24 12 12 | 2 1 1 | | | | |
| BE50.b | 処刑および戦争行為 男 M. 女 F. | 5 4 1 | 1 1 — | — — — | — — — | 1 1 — | — — — | — — — | — — — | 4 3 1 | — — — | — — — | — — — | 4 3 1 | | | | |

性・年齢(特定階級)・外因-傷害の性質相互分類の死因(簡単分類)別

AND AGE, CROSS CLASSIFIED BY E AND N CLASSIFICATION; FOR ALL JAPAN

昭和41年
1966

| 不詳 unknown | 国際簡単分類番号 International abbreviated list number | 死因性 Cause of death and sex | BN47 BN47.a BN47.b BN47.c BN47.d BN48 BN49 BN50 BN50.a BN50.b BN50.c BN50.d | | | | | | | | | | | | |
|---------------|---|-------------------------------------|---|-------------|-------------|-------------|-------------|-------------|-------------|--------------|-------------|-------------|-------------|-------------|-------------|
| "E" | "E" | 不慮の事故、中毒および暴力の二重分類(外因) 男 M. 女 F. | 18 14 4 | 4 4 — | 4 4 — | — — — | — — — | — — — | 3 2 1 | 11 8 3 | — — — | 7 5 2 | 4 3 1 | — — — | |
| BE47 | BE47 | 自動車事故 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| BE48 | BE48 | その他の不慮の事故 男 M. 女 F. | 6 6 | 2 2 | 2 2 | — — | — — | — — | — — | — — | — — | — — | 4 4 — | 4 4 — | |
| BE48.a | BE48.a | 自動車以外の交通事故 男 M. 女 F. | 3 3 | 2 2 | 2 2 | — — | — — | — — | — — | — — | — — | — — | 1 1 — | 1 1 — | |
| BE48.b | BE48.b | 不慮の墜落 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| BE48.c | BE48.c | 不慮の溺死および溺水 男 M. 女 F. | 3 3 | — — | — — | — — | 3 3 — | 3 3 — | |
| BE48.d | BE48.d | 天災 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| BE48.e | BE48.e | その他 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | |
| BE49 | BE49 | 自殺および自傷 男 M. 女 F. | 11 8 3 | 2 2 — | 2 2 — | — — — | — — — | — — — | — — — | 3 2 1 | 6 4 2 | — — — | 3 1 2 | 3 3 — | — — — |
| BE50 | BE50 | 他殺および戦争行為 男 M. 女 F. | 1 1 | — — | — — | — — | 1 1 — | 1 1 — | |
| BE50.a | BE50.a | 他殺 男 M. 女 F. | 1 1 | — — | — — | — — | 1 1 — | 1 1 — | |
| BE50.b | BE50.b | 処刑および戦争行為 男 M. 女 F. | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — | — — |

付録 第7表 日本における
APPENDIX 7 CAUSES OF DEATHS FOR
1. 死亡者数、性・
1. DEATHS BY SEX, CAUSE

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 总数 Total | 朝鮮 Korea | 中国 China | 米国 U. S. A. | その他の外国 Other foreign countries |
|---|---|-----------------------|-----------------------|------------------|------------------|-----------------------------------|
| | 総数 Total | 3 797 2 817 980 | 3 294 2 464 830 | 203 154 49 | 184 114 70 | 116 85 31 |
| B1 | 呼吸器系の結核 Male M. Female F. | 246 202 44 | 233 192 41 | 11 8 3 | — — — | 2 2 — |
| B2 | その他の結核 Male M. Female F. | 11 6 5 | 8 4 4 | 2 2 — | — — — | 1 — 1 |
| B3 | 梅毒およびその続発症 Male M. Female F. | 14 12 2 | 14 12 2 | — — — | — — — | — — — |
| B4 | 腸チフス Male M. Female F. | 1 1 | 1 1 | — — | — — | — — |
| B5 | コレラ Male M. Female F. | — — | — — | — — | — — | — — |
| B6 | 赤痢 Male M. Female F. | 7 6 1 | 6 5 1 | — — — | 1 1 — | — — — |
| B6.a | 細菌性赤痢(疫病症状を呈するもの) Male M. Female F. | 2 1 1 | 2 1 1 | — — — | — — — | — — — |
| B6.b | 細菌性赤痢(その他) Male M. Female F. | 3 3 — | 3 3 — | — — — | — — — | — — — |
| B6.c | アメーバ症 Male M. Female F. | 2 2 — | 1 1 — | — — — | 1 1 — | — — — |
| B6.d | その他の原虫性および詳細不明の赤痢 Male M. Female F. | — — | — — | — — | — — | — — |
| B7 | 猩紅熱およびレンサ球菌性口炎 Male M. Female F. | — — | — — | — — | — — | — — |
| B7.a | 猩紅熱 Male M. Female F. | — — | — — | — — | — — | — — |
| B7.b | レンサ球菌性口炎 Male M. Female F. | — — | — — | — — | — — | — — |
| B8 | ジフテリア Male M. Female F. | — — | — — | — — | — — | — — |
| B9 | 百日咳 Male M. Female F. | — — | — — | — — | — — | — — |

外国人の死因

FOREIGNERS IN JAPAN

死因(簡単分類)・国籍別

(ABBREVIATED LIST) AND NATIONALITY

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 总数 Total | 朝鮮 Korea | 中国 China | 米国 U. S. A. | その他の外国 Other foreign countries |
|---|--|--------------|--------------|-------------|----------------|-----------------------------------|
| B10 | 膿膜炎菌感染 Male M. Female F. | — — | — — | — — | — — | — — |
| B11 | ペスト Male M. Female F. | — — | — — | — — | — — | — — |
| B12 | 急性灰白髄炎 Male M. Female F. | — — | — — | — — | — — | — — |
| B13 | 痘瘡 Male M. Female F. | — — | — — | — — | — — | — — |
| B14 | 麻疹 Male M. Female F. | 9 5 4 | 9 5 4 | — — | — — | — — |
| B15 | 癆疹チフスおよびその他のリケチチ病 Male M. Female F. | — — | — — | — — | — — | — — |
| B15.a | シラミ媒介の流行性癆疹チフス Male M. Female F. | — — | — — | — — | — — | — — |
| B15.b | 恙虫病およびその他のコダニ媒介の癆疹チフス様疾患 Male M. Female F. | — — | — — | — — | — — | — — |
| B15.c | その他 Male M. Female F. | — — | — — | — — | — — | — — |
| B16 | マラリア Male M. Female F. | — — | — — | — — | — — | — — |
| B17 | 伝染性および寄生性として分類されたその他の疾患 Male M. Female F. | 17 9 8 | 17 9 8 | — — | — — | — — |
| B17.a | バラチフス Male M. Female F. | — — | — — | — — | — — | — — |
| B17.b | 痘 Male M. Female F. | — — | — — | — — | — — | — — |
| B17.c | 破傷風 Male M. Female F. | 1 1 | 1 1 | — — | — — | — — |
| B17.d | 炭疽 Male M. Female F. | — — | — — | — — | — — | — — |
| B17.e | 回帰熱 Male M. Female F. | — — | — — | — — | — — | — — |

付録 7表-1(4-2)

付録 第7表 日本における
APPENDIX 7 CAUSES OF DEATHS FOR
1. 死亡者数、性・
1. DEATHS BY SEX, CAUSE

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 朝 鮮 Korea | 中 国 China | 米 国 U. S. A. | その他の外国 Other foreign countries |
|---|---|-------------------|-------------------|---------------|-----------------|-----------------------------------|
| B17.f | 日本脳炎 男 M. 女 F. | 8 4 4 | 8 4 4 | — — — | — — — | — — — |
| B17.g | 黄熱 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.h | 狂犬病 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.i | 伝染性下痢症 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.j | 日本住血吸虫症 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.k | 糸状虫症 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.l | その他の伝染性および寄生性として分類された疾患 男 M. 女 F. | 8 4 4 | 8 4 4 | — — — | — — — | — — — |
| B18 | 悪性新生物(リンパ組織および造血組織の... 新生物を含む) 男 M. 女 F. | 659 487 172 | 593 444 149 | 36 27 9 | 16 11 5 | 14 5 9 |
| B18.a | 胃の悪性新生物 男 M. 女 F. | 201 160 41 | 183 146 37 | 14 10 4 | 4 4 — | — — — |
| B18.b | 気管、気管支および肺の悪性新生物 男 M. 女 F. | 62 49 13 | 54 43 11 | 5 4 1 | 1 1 — | 2 1 — |
| B18.c | 乳房の悪性新生物 男 M. 女 F. | 3 — 3 | 1 — 1 | — — — | 2 — 2 | — — — |
| B18.d | 子宮の悪性新生物 男 M. 女 F. | 31 — 31 | 28 — 28 | 1 — 1 | — — — | 2 — — |
| B18.e | 白血病および無白血病 男 M. 女 F. | 23 16 7 | 21 15 6 | — — — | 2 1 1 | — — — |
| B18.f | その他 男 M. 女 F. | 339 262 77 | 306 240 66 | 16 13 3 | 9 6 3 | 8 3 5 |
| B19 | 良性および性質不詳の新生物 男 M. 女 F. | 33 20 13 | 30 19 11 | 1 1 — | — — — | 2 — 2 |
| B20 | 糖尿病 男 M. 女 F. | 42 34 8 | 35 28 7 | 5 4 1 | 2 2 — | — — — |

外国人の死因

FOREIGNERS IN JAPAN

死因(簡単分類)・国籍別

(ABBREVIATED LIST) AND NATIONALITY

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 朝 鮮 Korea | 中 国 China | 米 国 U. S. A. | その他の外国 Other foreign countries |
|---|--------------------------------------|-------------------|-------------------|---------------|-----------------|-----------------------------------|
| B21 | 貧 血 男 M. 女 F. | 11 4 7 | 11 4 7 | — — — | — — — | — — — |
| B22 | 中枢神経系の血管損傷 男 M. 女 F. | 613 469 144 | 544 414 130 | 42 33 9 | 13 11 2 | 14 11 3 |
| B23 | 髄膜炎(髄膜炎菌性および結核性を除く) 男 M. 女 F. | 7 4 3 | 6 3 3 | 1 1 — | — — — | — — — |
| B24 | リューマチ熱 男 M. 女 F. | 2 1 1 | 2 1 1 | — — — | — — — | — — — |
| B25 | 慢性リューマチ性心臓疾患 男 M. 女 F. | 18 7 11 | 16 7 9 | 1 1 1 | 1 1 1 | — — — |
| B26 | 動脈硬化性および変性性心臓疾患 男 M. 女 F. | 231 175 56 | 179 130 49 | 15 15 — | 15 12 3 | 22 18 4 |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む) 男 M. 女 F. | 129 110 19 | 88 74 14 | 11 11 — | 12 10 2 | 18 15 3 |
| B26.b | リューマチ性と明示されない慢性心膜炎 男 M. 女 F. | 28 19 9 | 25 16 9 | 1 1 — | 1 1 — | 1 1 — |
| B26.c | その他の心筋変性 男 M. 女 F. | 74 46 28 | 66 40 26 | 3 3 — | 2 1 — | 3 2 1 |
| B27 | その他の心臓疾患 男 M. 女 F. | 38 25 13 | 34 22 12 | 3 2 1 | 1 1 — | — — — |
| B28 | 高血圧性心臓疾患 男 M. 女 F. | 35 21 14 | 29 18 11 | 4 2 2 | — — — | 2 1 1 |
| B29 | その他の高血圧性疾患 男 M. 女 F. | 20 15 5 | 17 13 4 | 2 1 1 | — — — | 1 1 — |
| B30 | インフルエンザ 男 M. 女 F. | 3 3 — | 3 3 — | — — — | — — — | — — — |
| B31 | 肺炎(新生児肺炎を除く) 男 M. 女 F. | 102 61 41 | 94 57 37 | 4 3 1 | 1 1 — | 3 1 2 |
| B32 | 気管支炎 男 M. 女 F. | 8 7 1 | 7 6 1 | — — — | 1 1 — | — — — |
| B33 | 胃および十二指腸の潰瘍 男 M. 女 F. | 47 38 9 | 43 36 7 | 2 1 1 | — — — | 2 1 1 |

付録 第7表 日本における

APPENDIX 7 CAUSES OF DEATHS FOR

1. 死亡者数、性・

1. DEATHS BY SEX, CAUSE

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 朝 鮮 Korea | 中 国 China | 米 国 U. S. A. | その他の外国 Other foreign countries |
|---|---|------------------|------------------|--------------|-----------------|-----------------------------------|
| | | Total | Korea | China | U. S. A. | Other foreign countries |
| B34 | 虫垂炎..... 男 M. 女 F. | 7 4 3 | 7 4 3 | — — — | — — — | — — — |
| B35 | 腸閉塞およびヘルニア..... 男 M. 女 F. | 11 10 1 | 11 10 1 | — — — | — — — | — — — |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) 男 M. 女 F. | 28 18 10 | 25 15 10 | 2 — — | — — — | 1 — — |
| B36.a | 胃炎および十二指腸炎..... 男 M. 女 F. | 4 3 1 | 3 2 1 | 1 — — | — — — | — — — |
| B36.b | 胃腸炎、腸炎および大腸炎..... 男 M. 女 F. | 24 15 9 | 22 13 9 | 1 1 — | — — — | 1 1 — |
| B37 | 肝硬変..... 男 M. 女 F. | 216 200 16 | 207 191 16 | 6 6 — | 2 2 — | 1 1 — |
| B38 | 腎炎およびネフローゼ..... 男 M. 女 F. | 51 36 15 | 45 30 15 | 3 3 — | 1 1 — | 2 2 — |
| B38.a | 急性腎炎およびネフローゼ..... 男 M. 女 F. | 10 6 4 | 9 5 4 | 1 1 — | — — — | — — — |
| B38.b | その他..... 男 M. 女 F. | 41 30 11 | 36 25 11 | 2 2 — | 1 1 — | 2 2 — |
| B39 | 前立腺肥大症..... 男 M. 女 F. | 3 3 — | 2 2 — | 1 1 — | — — — | — — — |
| B40 | 妊娠、分娩および産褥の合併症..... 男 M. 女 F. | 9 9 | 9 9 | — — | — — | — — |
| B41 | 先天奇形..... 男 M. 女 F. | 36 22 14 | 32 20 12 | 3 1 2 | — — — | 1 1 — |
| B42 | 出生時の損傷、分娩後窒息および肺不全拡張..... 男 M. 女 F. | 9 6 3 | 6 4 2 | 2 2 — | 1 — 1 | — — — |
| B43 | 新生児の感染..... 男 M. 女 F. | 14 12 2 | 11 9 2 | — — — | 2 2 — | 1 1 — |
| B43.a | 新生児肺炎..... 男 M. 女 F. | 13 11 2 | 10 8 2 | — — — | 2 2 — | — — — |
| B43.b | 新生児下痢..... 男 M. 女 F. | — — | — — | — — | — — | — — |

外国人の死因

FOREIGNERS IN JAPAN

死因(簡単分類)・国籍別

(ABBREVIATED LIST) AND NATIONALITY

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 朝 鮮 Korea | 中 国 China | 米 国 U. S. A. | その他の外国 Other foreign countries |
|---|--|-------------------|-------------------|---------------|-----------------|-----------------------------------|
| | | Total | Korea | China | U. S. A. | Other foreign countries |
| B43.c | その他の新生児の感染..... 男 M. 女 F. | 1 1 | 1 — | — — | — — | — — |
| B44 | その他の新生児固有の疾患および性質不明の未熟児..... 男 M. 女 F. | 70 39 31 | 55 29 26 | 4 3 1 | 9 5 4 | 2 2 — |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因..... 男 M. 女 F. | 128 82 46 | 119 78 41 | 3 1 2 | 5 3 2 | 1 — 1 |
| B45.a | 精神病の記載のない老衰..... 男 M. 女 F. | 50 21 29 | 45 20 25 | 2 — 2 | 2 1 1 | 1 — 1 |
| B45.b | その他の診断名不明確および不明の原因..... 男 M. 女 F. | 78 61 17 | 74 58 16 | 1 1 — | 3 2 1 | — — — |
| B46 | その他のすべての疾患..... 男 M. 女 F. | 239 180 59 | 196 149 47 | 20 13 7 | 13 10 3 | 10 8 2 |
| B46.a | その他の循環器系の疾患(先天性を除く)..... 男 M. 女 F. | 20 17 3 | 13 11 2 | 4 3 1 | 3 3 — | — — — |
| B46.b | その他のすべての疾患..... 男 M. 女 F. | 219 163 56 | 183 138 45 | 16 10 6 | 10 7 3 | 10 8 2 |
| "E" | 不慮の事故、中毒および暴力の二重分類..... (外因) 男 M. 女 F. | 802 593 209 | 638 490 148 | 30 22 8 | 100 52 48 | 34 29 5 |
| BE47 | 自動車事故..... 男 M. 女 F. | 233 196 37 | 228 193 35 | 4 3 1 | 1 — 1 | — — — |
| BE48 | その他の不慮の事故..... 男 M. 女 F. | 384 278 106 | 236 184 52 | 19 17 2 | 97 50 47 | 32 27 5 |
| BE48.a | 自動車以外の交通事故..... 男 M. 女 F. | 167 102 65 | 33 20 13 | 12 11 1 | 95 48 47 | 27 23 4 |
| BE48.b | 不慮の墜落..... 男 M. 女 F. | 36 31 5 | 35 30 5 | 1 1 — | — — — | — — — |
| BE48.c | 不慮の溺死および溺水..... 男 M. 女 F. | 53 45 8 | 50 42 8 | — — — | 1 1 — | 2 2 — |
| BE48.d | 天災..... 男 M. 女 F. | — — — | — — — | — — — | — — — | — — — |
| BE48.e | その他..... 男 M. 女 F. | 128 100 28 | 118 92 26 | 6 5 1 | 1 1 — | 3 2 1 |

付録
付録 7表-1(4-4)
付録 7表-2(4-1)

付録 第7表 日本における外国人の死因

APPENDIX 7 CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN

1. 死亡者数、性・死因(簡単分類)・国籍別
1. DEATHS BY SEX, CAUSE (ABBREVIATED LIST) AND NATIONALITY昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 朝 鮮 Korea | 中 国 China | 米 国 U. S. A. | その他の外国 Other foreign countries |
|---|---|-------------------|-------------------|---------------|-----------------|-----------------------------------|
| BE49 | 自殺および自傷 男 M. 女 F. | 153 94 59 | 144 90 54 | 7 2 5 | 1 1 — | 1 1 — |
| BE50 | 他殺および戦争行為 男 M. 女 F. | 32 25 7 | 30 23 7 | — — — | 1 1 — | 1 1 — |
| BE50.a | 他殺 男 M. 女 F. | 32 25 7 | 30 23 7 | — — — | 1 1 — | 1 1 — |
| BE50.b | 処刑および戦争行為 男 M. 女 F. | — — | — — | — — | — — | — — |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) 男 M. 女 F. | 802 593 209 | 638 490 148 | 30 22 8 | 100 52 48 | 34 29 5 |
| BN47 | 骨折、頭部損傷および内部損傷 男 M. 女 F. | 506 384 122 | 374 305 69 | 14 12 2 | 95 47 48 | 23 20 3 |
| BN47.a | 頭蓋骨折 男 M. 女 F. | 202 165 37 | 193 157 36 | 4 4 — | 3 2 1 | 2 2 — |
| BN47.b | その他の骨の骨折 男 M. 女 F. | 41 36 5 | 40 35 5 | 1 1 — | — — — | — — — |
| BN47.c | 頭部の損傷(骨折を除く) 男 M. 女 F. | — — | — — | — — | — — | — — |
| BN47.d | 胸、腹、骨盤腔の内部損傷 男 M. 女 F. | 263 183 80 | 141 113 28 | 9 7 2 | 92 45 47 | 21 18 3 |
| BN48 | 熱傷 男 M. 女 F. | — — | — — | — — | — — | — — |
| BN49 | 毒物の作用 男 M. 女 F. | 82 40 42 | 75 37 38 | 5 2 3 | — — — | 2 1 1 |
| BN50 | その他の損傷 男 M. 女 F. | 214 169 45 | 189 148 41 | 11 8 3 | 5 5 — | 9 8 1 |
| BN50.a | 刺傷および開放創 男 M. 女 F. | 23 21 2 | 21 19 2 | — — — | 1 1 — | 1 1 — |
| BN50.b | 溺死および死にいたらぬ溺水 男 M. 女 F. | 69 53 16 | 64 49 15 | 1 1 — | 2 2 — | 2 2 — |
| BN50.c | 窒息および絞首 男 M. 女 F. | 59 47 12 | 56 46 10 | 3 1 2 | — — — | — — — |
| BN50.d | その他 男 M. 女 F. | 63 48 15 | 48 34 14 | 7 7 — | 2 2 — | 6 5 1 |

付録 第7表 日本における外国人の死因

APPENDIX 7 CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN

2. 乳児(1才未満)死亡者数、性・死因(簡単分類)・国籍別
2. INFANT DEATHS BY SEX, CAUSE (ABBREVIATED LIST) AND NATIONALITY昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 朝 鮮 Korea | 中 国 China | 米 国 U. S. A. | その他の外国 Other foreign countries |
|---|-----------------------------------|------------------|------------------|--------------|-----------------|-----------------------------------|
| B1 | 総 数 Total 男 M. 女 F. | 201 121 80 | 177 103 74 | 8 7 1 | 12 7 5 | 4 4 — |
| B2 | 呼吸器系の結核 男 M. 女 F. | — — | — — | — — | — — | — — |
| B3 | その他の結核 男 M. 女 F. | — — | — — | — — | — — | — — |
| B4 | 梅毒およびその続発症 男 M. 女 F. | — — | — — | — — | — — | — — |
| B5 | 腸チフス 男 M. 女 F. | — — | — — | — — | — — | — — |
| B6 | コレラ 男 M. 女 F. | — — | — — | — — | — — | — — |
| B6.a | 赤痢 男 M. 女 F. | — — | — — | — — | — — | — — |
| B6.b | 細菌性赤痢(疫病症状を呈するもの) 男 M. 女 F. | — — | — — | — — | — — | — — |
| B6.c | 細菌性赤痢(その他) 男 M. 女 F. | — — | — — | — — | — — | — — |
| B6.d | アメーバ症 男 M. 女 F. | — — | — — | — — | — — | — — |
| B7 | 猩紅熱およびレンサ球菌性口炎 男 M. 女 F. | — — | — — | — — | — — | — — |
| B7.a | 猩紅熱 男 M. 女 F. | — — | — — | — — | — — | — — |
| B7.b | レンサ球菌性口炎 男 M. 女 F. | — — | — — | — — | — — | — — |
| B8 | ジフテリア 男 M. 女 F. | — — | — — | — — | — — | — — |
| B9 | 百日咳 男 M. 女 F. | — — | — — | — — | — — | — — |

付録 7表-2(4-2)

付録 第7表 日本における

APPENDIX 7 CAUSES OF DEATHS FOR

2. 乳児(1才未満)死亡者数、性・

2. INFANT DEATHS BY SEX, CAUSE

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 朝 鮮 Korea | 中 国 China | 米 国 U.S.A. | その他の外国 Other foreign countries |
|---|--|--------------|--------------|--------------|---------------|-----------------------------------|
| B10 | 髓膜炎感染 男 M. 女 F. | — — | — — | — — | — — | — — |
| B11 | ベスト 男 M. 女 F. | — — | — — | — — | — — | — — |
| B12 | 急性灰白髄炎 男 M. 女 F. | — — | — — | — — | — — | — — |
| B13 | 痘 痘 男 M. 女 F. | — — | — — | — — | — — | — — |
| B14 | 麻 疹 男 M. 女 F. | 5 3 2 | 5 3 2 | — — — | — — — | — — — |
| B15 | 発疹チフスおよびその他のリッチャ病 男 M. 女 F. | — — | — — | — — | — — | — — |
| B15.a | シラミ媒介の流行性発疹チフス 男 M. 女 F. | — — | — — | — — | — — | — — |
| B15.b | 恙虫病およびその他のコダニ媒介の発疹チフス様疾患 男 M. 女 F. | — — | — — | — — | — — | — — |
| B15.c | そ の 他 男 M. 女 F. | — — | — — | — — | — — | — — |
| B16 | マラリア 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17 | 伝染性および寄生性として分類されたその他の疾患 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — |
| B17.a | バラチフス 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.b | 瘧 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.c | 破傷風 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.d | 炭 痛 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.e | 回帰熱 男 M. 女 F. | — — | — — | — — | — — | — — |

外国人の死因

FOREIGNERS IN JAPAN

死因(簡単分類)・国籍別

(ABBREVIATED LIST) AND NATIONALITY

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 朝 鮮 Korea | 中 国 China | 米 国 U.S.A. | その他の外国 Other foreign countries |
|---|--|--------------|--------------|--------------|---------------|-----------------------------------|
| B17.f | 日本脳炎 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.g | 黄 热 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.h | 狂犬病 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.i | 伝染性下痢症 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.j | 日本住血吸虫症 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.k | 糸状虫症 男 M. 女 F. | — — | — — | — — | — — | — — |
| B17.l | その他の伝染性および寄生性として分類された疾患 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — |
| B18 | 悪性新生物(リンパ組織および造血組織の新生物を含む) 男 M. 女 F. | — — | — — | — — | — — | — — |
| B18.a | 胃の悪性新生物 男 M. 女 F. | — — | — — | — — | — — | — — |
| B18.b | 気管、気管支および肺の悪性新生物 男 M. 女 F. | — — | — — | — — | — — | — — |
| B18.c | 乳房の悪性新生物 男 M. 女 F. | — — | — — | — — | — — | — — |
| B18.d | 子宮の悪性新生物 男 M. 女 F. | — — | — — | — — | — — | — — |
| B18.e | 白血病および無白血病 男 M. 女 F. | — — | — — | — — | — — | — — |
| B18.f | そ の 他 男 M. 女 F. | — — | — — | — — | — — | — — |
| B19 | 良性および性質不詳の新生物 男 M. 女 F. | — — | — — | — — | — — | — — |
| B20 | 糖尿病 男 M. 女 F. | — — | — — | — — | — — | — — |

付録 7表-2(4-3)

付録 第7表 日本における

APPENDIX 7 CAUSES OF DEATHS FOR

2. 乳児(1才未満)死亡者数、性・

2. INFANT DEATHS BY SEX, CAUSE

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 朝 鮮 Korea | 中 国 China | 米 国 U. S. A. | その他の外国 Other foreign countries |
|---|---|----------------|----------------|--------------|-----------------|-----------------------------------|
| | | Total | Korea | China | U. S. A. | Other foreign countries |
| B21 | 貧 血..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B22 | 中枢神経系の血管損傷..... 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — |
| B23 | 結膜炎(結膜炎菌性および結核性を除く)..... 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — |
| B24 | リューマチ熱..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B25 | 慢性リューマチ性心臓疾患..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B26 | 動脈硬化性および変性性心臓疾患..... 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — |
| B26.a | 動脈硬化性心臓疾患(冠状動脈疾患を含む)..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B26.b | リューマチ性と明示されない慢性心内膜炎..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B26.c | その他の心筋変性..... 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — |
| B27 | その他の心臓疾患..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B28 | 高血圧性心臓疾患..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B29 | その他の高血圧性疾患..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B30 | インフルエンザ..... 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — |
| B31 | 肺炎(新生児肺炎を除く)..... 男 M. 女 F. | 34 16 18 | 33 15 18 | 1 1 — | — — — | — — — |
| B32 | 気管支炎..... 男 M. 女 F. | 2 1 1 | 2 1 1 | — — — | — — — | — — — |
| B33 | 胃および十二指腸の潰瘍..... 男 M. 女 F. | — — | — — | — — | — — | — — |

外国人の死因

FOREIGNERS IN JAPAN

死因(簡単分類)・国籍別

(ABBREVIATED LIST) AND NATIONALITY

昭和41年
1966

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 朝 鮮 Korea | 中 国 China | 米 国 U. S. A. | その他の外国 Other foreign countries |
|---|--|---------------|---------------|--------------|-----------------|-----------------------------------|
| | | Total | Korea | China | U. S. A. | Other foreign countries |
| B34 | 虫垂炎..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B35 | 腸閉塞およびヘルニア..... 男 M. 女 F. | 5 5 | 5 5 | — — | — — | — — |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く)..... 男 M. 女 F. | 10 6 4 | 10 6 4 | — — — | — — — | — — — |
| B36.a | 胃炎および十二指腸炎..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B36.b | 胃腸炎、腸炎および大腸炎..... 男 M. 女 F. | 10 6 4 | 10 6 4 | — — — | — — — | — — — |
| B37 | 肝硬変..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B38 | 腎炎およびネフローゼ..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B38.a | 急性腎炎およびネフローゼ..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B38.b | その他の..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B39 | 前立腺肥大症..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B40 | 妊娠、分娩および産褥の合併症..... 男 M. 女 F. | — — | — — | — — | — — | — — |
| B41 | 先天奇形..... 男 M. 女 F. | 22 15 7 | 21 14 7 | — — — | — — — | — — — |
| B42 | 出生時の損傷、分娩後窒息および肺不全拡張..... 男 M. 女 F. | 9 6 3 | 6 4 2 | — — — | 2 2 — | 1 1 — |
| B43 | 新生児の感染..... 男 M. 女 F. | 14 12 2 | 11 9 2 | — — — | 2 2 — | 1 1 — |
| B43.a | 新生児肺炎..... 男 M. 女 F. | 13 11 2 | 10 8 2 | — — — | 2 2 — | 1 1 — |
| B43.b | 新生児下痢..... 男 M. 女 F. | — — | — — | — — | — — | — — |

付録 7表-2(4-4)

付録 第7表 日本における
APPENDIX 7 CAUSES OF DEATHS FOR
2. 乳児(1才未満)死亡者数、性・
2. INFANT DEATHS BY SEX, CAUSE

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 朝 鮮 Korea | 中 国 China | 米 国 U. S. A. | その他の外国 Other foreign countries |
|---|---|----------------|----------------|--------------|-----------------|-----------------------------------|
| B43.c | その他の新生児の感染 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — |
| B44 | その他の新生児固有の疾患および性質不明の未熟児 男 M. 女 F. | 70 39 31 | 55 29 26 | 4 3 1 | 9 5 4 | 2 2 — |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 男 M. 女 F. | 7 4 3 | 7 4 3 | — — — | — — — | — — — |
| B45.a | 精神病の記載のない老衰 男 M. 女 F. | — — | — — | — — | — — | — — |
| B45.b | その他の診断名不明確および不明の原因 男 M. 女 F. | 7 4 3 | 7 4 3 | — — — | — — — | — — — |
| B46 | その他のすべての疾患 男 M. 女 F. | 5 2 3 | 5 2 3 | — — — | — — — | — — — |
| B46.a | その他の循環器系の疾患(先天性を除く) 男 M. 女 F. | — — | — — | — — | — — | — — |
| B46.b | その他のすべての疾患 男 M. 女 F. | 5 2 3 | 5 2 3 | — — — | — — — | — — — |
| "E" | 不慮の事故、中毒および暴力の二重分類 (外因) 男 M. 女 F. | 13 8 5 | 12 7 5 | 1 1 — | — — — | — — — |
| BE47 | 自動車事故 男 M. 女 F. | 2 2 | 2 — | — — | — — | — — |
| BE48 | その他の不慮の事故 男 M. 女 F. | 11 6 5 | 10 5 5 | 1 1 — | — — — | — — — |
| BE48.a | 自動車以外の交通事故 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — |
| BE48.b | 不慮の墜落 男 M. 女 F. | — — | — — | — — | — — | — — |
| BE48.c | 不慮の溺死および溺水 男 M. 女 F. | — — | — — | — — | — — | — — |
| BE48.d | 天災 男 M. 女 F. | — — | — — | — — | — — | — — |
| BE48.e | その他 男 M. 女 F. | 10 6 4 | 9 5 4 | 1 1 — | — — — | — — — |

外国人の死因

FOREIGNERS IN JAPAN
死因(簡単分類)・国籍別
(ABBREVIATED LIST) AND NATIONALITY

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 総 数 Total | 朝 鮮 Korea | 中 国 China | 米 国 U. S. A. | その他の外国 Other foreign countries |
|---|---|--------------|--------------|--------------|-----------------|-----------------------------------|
| BE49 | 自殺および自傷 男 M. 女 F. | — — | — — | — — | — — | — — |
| BE50 | 他殺および戦争行為 男 M. 女 F. | — — | — — | — — | — — | — — |
| BE50.a | 他殺 男 M. 女 F. | — — | — — | — — | — — | — — |
| BE50.b | 処刑および戦争行為 男 M. 女 F. | — — | — — | — — | — — | — — |
| "N" | 不慮の事故、中毒および暴力の二重分類 (傷害の性質) 男 M. 女 F. | 13 8 5 | 12 7 5 | 1 1 — | — — — | — — — |
| BN47 | 骨折、頭部損傷および内部損傷 男 M. 女 F. | 3 2 1 | 3 2 1 | — — — | — — — | — — — |
| BN47.a | 頭蓋骨折 男 M. 女 F. | 1 1 | 1 1 | — — | — — | — — |
| BN47.b | その他の骨の骨折 男 M. 女 F. | — — | — — | — — | — — | — — |
| BN47.c | 頭部の損傷(骨折を除く) 男 M. 女 F. | — — | — — | — — | — — | — — |
| BN47.d | 胸、腹、骨盤腔の内部損傷 男 M. 女 F. | 2 1 1 | 2 1 1 | — — — | — — — | — — — |
| BN48 | 熱傷 男 M. 女 F. | — — | — — | — — | — — | — — |
| BN49 | 毒物の作用 男 M. 女 F. | — — | — — | — — | — — | — — |
| BN50 | その他の損傷 男 M. 女 F. | 10 6 4 | 9 5 4 | 1 1 — | — — — | — — — |
| BN50.a | 裂傷および開放創 男 M. 女 F. | — — | — — | — — | — — | — — |
| BN50.b | 溺死および死にいたらない溺水 男 M. 女 F. | — — | — — | — — | — — | — — |
| BN50.c | 窒息および絞首 男 M. 女 F. | 5 3 2 | 4 2 2 | 1 1 — | — — — | — — — |
| BN50.d | その他 男 M. 女 F. | 5 3 2 | 5 3 2 | — — — | — — — | — — — |

昭和41年
1966

付録 8表-1(2-1)

付録 第8表 外国における
APPENDIX 8 CAUSES OF DEATHS FOR JAPANESE
1. 死亡者数、性・
1. DEATHS BY SEX AND

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 死亡者数 Deaths |
|---|--|-------------------------------------|
| | 総 数..... Total | 1 274 男 M. 女 F. 951 323 |
| B1 | 呼吸器系の結核..... 男 M. 女 F. 5 3 2 | |
| B2 | その他の結核..... 男 M. 女 F. 1 1 — | |
| B3 | 梅毒およびその続発症..... 男 M. 女 F. 1 1 — | |
| B4 | 腸チフス..... 男 M. 女 F. — — | |
| B5 | コレラ..... 男 M. 女 F. — — | |
| B6 | 赤痢..... 男 M. 女 F. — — | |
| B6.a | 細菌性赤痢（疫病症状を呈するもの）..... 男 M. 女 F. — — | |
| B6.b | 細菌性赤痢（その他）..... 男 M. 女 F. — — | |
| B6.c | アメーバ症..... 男 M. 女 F. — — | |
| B6.d | その他の原虫性および詳細不明の赤痢..... 男 M. 女 F. — — | |
| B7 | 猩紅熱およびレンサ球菌性口炎..... 男 M. 女 F. — — | |
| B7.a | 猩紅熱..... 男 M. 女 F. — — | |
| B7.b | レンサ球菌性口炎..... 男 M. 女 F. — — | |
| B8 | ジフテリア..... 男 M. 女 F. — — | |
| B9 | 百日咳..... 男 M. 女 F. — — | |

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 死亡者数 Deaths |
|---|---|----------------|
| B10 | 膿膜炎菌感染..... 男 M. 女 F. — — | |
| B11 | ペスト..... 男 M. 女 F. — — | |
| B12 | 急性灰白髄炎..... 男 M. 女 F. — — | |
| B13 | 痘瘡..... 男 M. 女 F. — — | |
| B14 | 麻疹..... 男 M. 女 F. — — | |
| B15 | 癆疹チフスおよびその他のリケッタ病..... 男 M. 女 F. — — | |
| B15.a | シラミ媒介の流行性癆疹チフス..... 男 M. 女 F. — — | |
| B15.b | 恙虫病およびその他のコダニ媒介の癆疹チフス様疾患..... 男 M. 女 F. — — | |
| B15.c | その他..... 男 M. 女 F. — — | |
| B16 | マラリア..... 男 M. 女 F. — — | |
| B17 | 伝染性および寄生性として分類されたその他の疾患..... 男 M. 女 F. 2 2 — | |
| B17.a | バラチフス..... 男 M. 女 F. — — | |
| B17.b | 瘧..... 男 M. 女 F. — — | |
| B17.c | 破傷風..... 男 M. 女 F. 1 1 — | |
| B17.d | 炭疽..... 男 M. 女 F. — — | |
| B17.e | 回帰熱..... 男 M. 女 F. — — | |

日本人の死因
IN FOREIGN COUNTRIES
死因（簡単分類）別
CAUSE (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 死亡者数 Deaths |
|---|---|----------------|
| B17.f | 日本脳炎..... 男 M. 女 F. — — | |
| B17.g | 黄熱..... 男 M. 女 F. — — | |
| B17.h | 狂犬病..... 男 M. 女 F. — — | |
| B17.i | 伝染性下痢症..... 男 M. 女 F. — — | |
| B17.j | 日本住血吸虫症..... 男 M. 女 F. — — | |
| B17.k | 糸状虫症..... 男 M. 女 F. — — | |
| B17.l | その他の伝染性および寄生性として分類された疾患..... 男 M. 女 F. 1 1 — | |
| B18 | 悪性新生物（リンパ組織および造血組織の新生物を含む）..... 男 M. 女 F. 81 59 22 | |
| B18.a | 胃の悪性新生物..... 男 M. 女 F. 22 17 5 | |
| B18.b | 気管、気管支および肺の悪性新生物..... 男 M. 女 F. 16 14 2 | |
| B18.c | 乳房の悪性新生物..... 男 M. 女 F. 1 — 1 | |
| B18.d | 子宮の悪性新生物..... 男 M. 女 F. 4 — 4 | |
| B18.e | 白血病および無白血病..... 男 M. 女 F. 1 1 — | |
| B18.f | その他..... 男 M. 女 F. 37 27 10 | |
| B19 | 良性および性質不詳の新生物..... 男 M. 女 F. 2 2 — | |
| B20 | 糖尿病..... 男 M. 女 F. 4 1 3 | |
| B21 | 貧血..... 男 M. 女 F. 2 1 1 | |
| B22 | 中枢神経系の血管損傷..... 男 M. 女 F. 109 67 42 | |
| B23 | 膿膜炎（膿膜炎性および結核性を除く）..... 男 M. 女 F. 1 1 — | |
| B24 | リューマチ熱..... 男 M. 女 F. — — | |
| B25 | 慢性リューマチ性心臓疾患..... 男 M. 女 F. — — | |
| B26 | 動脈硬化性および変性性心臓疾患..... 男 M. 女 F. 87 62 25 | |
| B26.a | 動脈硬化性心臓疾患（冠状動脈疾患を含む）..... 男 M. 女 F. 61 44 17 | |
| B26.b | リューマチ性と明示されない慢性的内膜炎..... 男 M. 女 F. 2 2 — | |
| B26.c | その他の心筋変性..... 男 M. 女 F. 24 16 8 | |
| B27 | その他の心臓疾患..... 男 M. 女 F. 21 12 9 | |
| B28 | 高血圧性心臓疾患..... 男 M. 女 F. 5 4 1 | |
| B29 | その他の高血圧性疾患..... 男 M. 女 F. 1 1 — | |
| B30 | インフルエンザ..... 男 M. 女 F. — — | |
| B31 | 肺炎（新生児肺炎を除く）..... 男 M. 女 F. 35 23 12 | |
| B32 | 気管支炎..... 男 M. 女 F. 14 9 5 | |
| B33 | 胃および十二指腸の潰瘍..... 男 M. 女 F. 7 6 1 | |

昭和41年
1966

付録 8表-1(2-2)

付録 第8表 外国における

APPENDIX 8 CAUSES OF DEATHS FOR JAPANESE

1. 死亡者数、性・

1. DEATHS BY SEX AND

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 死亡者数 Deaths |
|---|---|----------------|
| B34 | 虫垂炎 男 M. 女 F. | 1 1 |
| B35 | 腸閉塞およびヘルニア 男 M. 女 F. | 2 1 1 |
| B36 | 胃炎、十二指腸炎、腸炎および大腸炎(新生児下痢を除く) 男 M. 女 F. | 3 2 1 |
| B36.a | 胃炎および十二指腸炎 男 M. 女 F. | — — |
| B36.b | 胃腸炎、腸炎および大腸炎 男 M. 女 F. | 3 2 1 |
| B37. | 肝硬変 男 M. 女 F. | 1 1 |
| B38 | 腎炎およびネフローゼ 男 M. 女 F. | 3 2 1 |
| B38.a | 急性腎炎およびネフローゼ 男 M. 女 F. | — — |
| B38.b | その他 男 M. 女 F. | 3 2 1 |
| B39 | 前立腺肥大症 男 M. 女 F. | — — |
| B40 | 妊娠、分娩および産褥の合併症 男 M. 女 F. | — — |
| B41 | 先天奇形 男 M. 女 F. | 1 1 |
| B42 | 出生時の損傷、分娩後窒息および肺不全拡張 男 M. 女 F. | — — |
| B43 | 新生児の感染 男 M. 女 F. | — — |
| B43.a | 新生児肺炎 男 M. 女 F. | — — |
| B43.b | 新生児下痢 男 M. 女 F. | — — |

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 死亡者数 Deaths |
|---|---|-------------------|
| B43.c | その他の新生児の感染 男 M. 女 F. | — — |
| B44 | その他の新生児固有の疾患および性質不明の未熟児 男 M. 女 F. | 3 1 2 |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 男 M. 女 F. | 411 250 161 |
| B45.a | 精神病の記載のない老衰 男 M. 女 F. | 22 13 9 |
| B45.b | その他の診断名不明確および不明の原因 男 M. 女 F. | 389 237 152 |
| B46 | その他のすべての疾患 男 M. 女 F. | 58 39 19 |
| B46.a | その他の循環器系の疾患(先天性を除く) 男 M. 女 F. | 13 8 5 |
| B46.b | その他のすべての疾患 男 M. 女 F. | 45 31 14 |
| "E" | 不慮の事故、中毒および暴力の二重分類(外因) 男 M. 女 F. | 413 399 14 |
| BE47 | 自動車事故 男 M. 女 F. | 8 6 2 |
| BE48 | その他の不慮の事故 男 M. 女 F. | 378 370 8 |
| BE48.a | 自動車以外の交通事故 男 M. 女 F. | 341 339 2 |
| BE48.b | 不慮の墜落 男 M. 女 F. | 1 1 — |
| BE48.c | 不慮の溺死および溺水 男 M. 女 F. | 10 8 2 |
| BE48.d | 天災 男 M. 女 F. | — — — |
| BE48.e | その他 男 M. 女 F. | 26 22 4 |

日本人の死因

IN FOREIGN COUNTRIES

死因(簡単分類)別

昭和41年
1966
CAUSE (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 死亡者数 Deaths |
|---|---|------------------|
| BE49 | 自殺および自傷 男 M. 女 F. | 16 13 3 |
| BE50 | 他殺および戦争行為 男 M. 女 F. | 11 10 1 |
| BE50.a | 他殺 男 M. 女 F. | 11 10 1 |
| BE50.b | 処刑および戦争行為 男 M. 女 F. | — — — |
| "N" | 不慮の事故、中毒および暴力の二重分類(傷害の性質) 男 M. 女 F. | 413 399 14 |
| BN47 | 骨折、頭部損傷および内部損傷 男 M. 女 F. | 35 33 2 |
| BN47.a | 頭蓋骨折 男 M. 女 F. | 10 9 1 |
| BN47.b | その他の骨の骨折 男 M. 女 F. | 6 6 — |
| BN47.c | 頭部の損傷(骨折を除く) 男 M. 女 F. | — — — |
| BN47.d | 胸、腹、骨盤腔の内部損傷 男 M. 女 F. | 19 18 1 |
| BN48 | 熱傷 男 M. 女 F. | — — — |
| BN49 | 毒物の作用 男 M. 女 F. | 5 5 — |
| BN50 | その他の損傷 男 M. 女 F. | 373 361 12 |
| BN50.a | 裂傷および開放創 男 M. 女 F. | 3 3 — |
| BN50.b | 溺死および死にいたらない溺水 男 M. 女 F. | 320 314 6 |
| BN50.c | 窒息および絞首 男 M. 女 F. | 10 9 1 |
| BN50.d | その他 男 M. 女 F. | 40 35 5 |

付録 8表-2

付録 第8表 外国における日本人の死因

APPENDIX 8 CAUSES OF DEATHS FOR JAPANESE IN FOREIGN COUNTRIES
 2. 乳児(1才未満)死亡者数、性・死因(簡単分類)別
 2. INFANT DEATHS BY SEX AND CAUSE (ABBREVIATED LIST)

| 国際簡単分類番号 International abbreviated list number | 死因・性 Cause of death and sex | 乳児死亡者数 Infant deaths |
|---|---|-----------------------------|
| | 総数 Total | 9 男 M. 女 F. 6 3 |
| B23 | 結膜炎(結膜炎菌性および結核性を除く) 男 M. 女 F. | 1 1 - |
| B31 | 肺炎(新生兒肺炎を除く) 男 M. 女 F. | 1 1 - |
| B41 | 先天奇形 | 1 男 M. 女 F. - 1 |
| B44 | その他の新生兒固有の疾患および性質不明の未熟兒 男 M. 女 F. | 3 1 2 |
| B45 | 精神病の記載のない老衰ならびに診断名不明確および不明の原因 男 M. 女 F. | 3 3 - |
| B45.b | その他の診断名不明確および不明の原因 男 M. 女 F. | 3 3 - |

注: 計数のない場合の死因項目は削除した。

In case the death number marking zero,
items of death cause are omitted.昭和41年
1966

昭和40年 人口動態統計 下巻

VITAL STATISTICS 1965, JAPAN (VOL.2)

正誤表


CORRIGENDA

| ページ Page | 欄 Column | 行 Line | 誤 Error | 正 Corrected |
|-------------|-------------|-------------------------|--------------------------|----------------|
| 87 | 8 | 上から 13 13 from above | 不鮮明 unclearly printed | 37 |
| 9 | 1 | 下から 3 3 from bottom | 108 27 | 10827 |
| | 1 | 下から 2 2 from bottom | 65 97 | 6597 |
| | 1 | 下から 1 1 from bottom | 42 30 | 4230 |
| 304 | 3 | 上から 2 2 from above | 2 | 12 |

昭和 43 年 9 月 25 日 印刷
昭和 43 年 9 月 30 日 発行

昭和 41 年
人口動態統計(上下2冊)
下 卷

編集・発行 厚生省大臣官房統計調査部
印 刷 株式会社 桜井広済堂



予算係

