

令和 3 年(2021) 人口動態統計（確定数）の訂正について

標記について、統計表の一部に誤りがあったため、下記のとおり訂正しました。

記

令和 3 年 人口動態統計
上巻 死亡 第 5. 2 表 年次別にみた性別死亡率及び年齢調整死亡率（人口千対）

	(正)				(誤)			
	死亡率		年齢調整死亡率		死亡率		年齢調整死亡率	
	男	女	男	女	男	女	男	女
1950	11.4	10.3	42.2	32.8	11.4	10.3	42.2	32.8
1955	8.3	7.2	36.0	27.3	8.3	7.2	35.7	27.0
1960	8.2	6.9	37.5	27.8	8.2	6.9	37.0	27.5
1965	7.9	6.4	35.5	26.0	7.9	6.4	35.0	25.6
1970	7.7	6.2	32.3	23.7	7.7	6.2	32.0	23.4
1975	6.9	5.7	28.4	20.6	6.9	5.7	28.0	20.4
1980	6.8	5.6	25.7	17.9	6.8	5.6	25.5	17.7
1985	6.9	5.6	22.7	15.0	6.9	5.6	22.6	14.9
1990	7.4	6.0	21.3	13.4	7.4	6.0	21.1	13.2
1995	8.2	6.6	20.5	11.9	8.2	6.6	20.3	11.8
2000	8.6	6.8	17.6	9.8	8.6	6.8	17.5	9.7
2005	9.5	7.7	16.6	8.9	9.5	7.7	16.6	8.9
2006	9.4	7.8	15.9	8.6	9.4	7.8	15.9	8.6
2007	9.6	8.0	15.7	8.5	9.6	8.0	15.7	8.5
2008	9.9	8.3	15.7	8.5	9.9	8.3	15.7	8.5
2009	9.9	8.3	15.2	8.1	9.9	8.3	15.2	8.1
2010	10.3	8.7	15.6	8.3	10.3	8.7	15.6	8.3
2011	10.7	9.2	15.7	8.5	10.7	9.2	15.7	8.5
2012	10.7	9.3	15.3	8.3	10.7	9.3	15.3	8.3
2013	10.8	9.5	14.9	8.1	10.8	9.5	14.9	8.1
2014	10.8	9.5	14.5	7.9	10.8	9.5	14.5	7.9
2015	10.9	9.7	14.3	7.9	10.9	9.7	14.3	7.9
2016	11.1	9.9	14.1	7.7	11.1	9.9	14.1	7.7
2017	11.4	10.2	14.0	7.6	11.4	10.2	14.0	7.6
2018	11.6	10.4	13.8	7.6	11.6	10.4	13.8	7.6
2019	11.7	10.6	13.5	7.5	11.7	10.6	13.5	7.5
2020	11.8	10.5	13.3	7.2	11.8	10.5	13.3	7.2
2021	12.4	11.1	13.6	7.4	12.4	11.1	13.6	7.4

令和３年　人口動態統計
上巻　死亡　第５．１４表　死因（死因年次推移分類）別にみた性・年次別年齢調整死亡率（人口10万対）

		(正)											(誤)										
		1950	1955	1960	1965	1970	1975	1980	1985	1990	1995	2000	1950	1955	1960	1965	1970	1975	1980	1985	1990	1995	2000
死　亡　総　数	男	4220.0	3602.4	3752.3	3551.0	3234.7	2837.0	2569.2	2268.6	2127.6	2047.3	1761.3	4216.2	3569.3	3700.1	3500.6	3196.5	2801.4	2546.7	16.7	2110.1	2033.7	1750.6
	女	3280.1	2725.4	2780.4	2603.0	2370.6	2061.5	1794.1	1502.3	1335.9	1185.5	976.4	3282.0	2697.9	2752.3	2564.9	2340.8	2040.6	1774.3	4.1	1323.2	1179.7	973.7
Hi01　結　核	男	196.1	109.0	99.9	84.0	64.5	43.4	24.3	16.6	11.6	8.6	6.3	196.0	109.3	100.1	84.0	64.5	43.3	8.2	482.4	11.6	8.6	6.3
	女	129.2	59.5	42.6	30.2	21.0	13.1	6.4	4.1	2.8	2.3	1.8	129.2	59.5	42.6	30.2	21.1	13.2	2.9	242.4	2.8	2.3	1.8
Hi02　悪性新生物＜腫瘍＞	男	266.3	310.8	360.4	383.1	400.9	412.0	452.8	478.6	493.6	537.7	519.3	265.8	309.7	360.2	383.4	400.4	412.5	453.7	20.6	493.7	537.9	519.1
	女	199.6	217.0	238.2	240.1	240.0	236.4	241.7	241.5	237.6	244.6	236.1	199.3	217.3	238.7	240.0	239.7	236.4	242.0	17.6	237.7	244.7	236.1
Hi03　糖　尿　病	男	7.3	8.2	10.8	17.0	24.5	26.3	22.0	20.3	18.6	25.5	18.8	7.3	8.3	10.8	17.0	24.5	26.4	22.0	43.0	18.7	25.5	18.9
	女	6.1	6.9	9.5	14.6	19.6	21.2	18.4	17.5	15.5	18.5	12.6	6.1	7.0	9.5	14.6	19.6	21.3	18.5	43.4	15.5	18.5	12.6
Hi04　高血圧性疾患	男	102.1	70.6	93.0	111.6	98.0	98.4	67.4	43.0	24.3	17.3	10.1	101.4	69.4	94.2	111.3	98.0	97.1	67.2	461.0	23.9	17.0	9.8
	女	82.5	55.8	77.1	91.7	86.4	90.6	64.9	43.9	26.0	17.5	9.8	83.0	55.6	77.1	91.6	86.3	90.4	64.7	330.7	25.7	17.4	9.8
Hi05　心疾患（高血圧性を除く）	男	269.5	293.7	408.5	439.0	481.6	474.6	488.0	463.5	446.4	308.4	258.3	269.6	294.6	405.3	435.0	474.1	465.4	482.4	413.3	442.3	306.2	256.4
	女	215.0	222.4	299.3	324.8	363.0	364.4	357.3	334.0	325.5	206.9	174.7	215.0	221.4	298.3	320.9	359.0	360.3	353.5	321.2	322.0	205.9	174.2
Hi06　脳血管疾患	男	724.1	712.6	832.9	912.3	894.4	760.1	597.0	413.6	311.0	327.4	236.1	724.5	712.1	831.6	909.2	890.1	754.5	595.0	198.1	309.7	325.5	235.0
	女	559.3	535.6	615.8	655.0	639.8	566.3	455.2	322.3	241.3	230.5	161.4	559.2	536.2	615.6	652.7	638.1	564.4	453.9	102.1	239.9	229.8	161.0
Hi07　肺　　炎	男	149.4	126.8	180.2	175.6	150.2	165.3	172.9	200.0	256.8	247.2	217.3	149.3	126.1	178.8	171.3	148.4	161.9	170.7	34.9	253.7	244.2	214.6
	女	95.0	81.1	112.5	109.3	98.4	102.7	94.4	103.5	124.1	121.9	99.1	95.1	81.0	112.0	107.7	96.7	101.4	92.9	9.5	122.3	120.8	98.6
Hi08　慢性気管支炎及び肺気腫	男	55.7	30.7	24.5	25.3	30.9	30.2	29.9	34.9	34.3	40.7	34.1	56.3	31.1	24.3	25.4	29.7	29.8	29.9	23.2	34.2	40.5	34.0
	女	29.5	15.1	12.5	12.1	11.1	10.7	9.3	9.7	8.5	9.1	6.3	29.4	15.1	12.5	12.2	11.1	10.6	9.2	10.3	8.4	9.0	6.3
Hi09　喘　　息	男	117.5	89.3	85.4	71.1	52.2	37.1	29.6	23.2	17.4	17.7	8.5	118.2	87.2	86.3	71.8	52.0	36.7	29.5	14.6	17.3	17.5	8.4
	女	65.1	45.1	42.5	35.3	25.8	18.0	13.0	10.3	8.1	8.7	4.9	65.1	45.0	42.5	35.1	25.5	18.1	12.8	10.4	8.0	8.7	4.9
Hi10　胃潰瘍及び十二指腸潰瘍	男	103.4	76.7	66.6	52.1	40.5	31.3	22.1	14.7	10.0	9.7	7.2	103.5	76.6	66.0	51.9	40.6	31.3	22.0	46.6	10.0	9.7	7.2
	女	42.3	30.9	28.6	23.6	19.8	16.7	13.4	10.5	6.8	6.4	4.0	42.4	31.0	28.6	23.5	19.9	16.6	13.2	20.4	6.7	6.3	4.0
Hi11　肝　疾　患	男	39.9	56.3	66.8	58.5	61.8	57.2	53.1	46.5	39.3	30.1	24.9	40.1	57.0	65.6	59.0	61.9	56.9	52.9	35.8	39.2	30.0	24.9
	女	24.6	33.2	37.0	31.0	30.7	26.6	22.3	20.4	18.0	13.1	10.2	24.6	33.1	36.6	30.5	30.7	26.6	22.3	23.9	18.0	13.1	10.2
Hi12　腎　不　全	男	…	…	…	…	…	…	23.0	36.0	42.2	39.3	33.7	…	…	…	…	…	…	22.8	134.3	42.0	38.9	33.5
	女	…	…	…	…	…	…	15.9	23.9	28.9	25.4	21.9	…	…	…	…	…	…	15.8	137.2	28.8	25.3	21.9
Hi13　老　　衰	男	1076.9	940.6	745.5	561.2	386.1	252.3	216.7	143.9	97.8	64.1	42.8	1073.8	913.3	707.5	529.6	370.0	241.7	206.1	61.3	91.8	60.7	40.4
	女	937.0	817.7	673.5	553.3	412.5	269.1	224.8	144.0	93.4	60.8	42.5	937.8	793.9	651.7	528.5	394.7	259.0	215.0	26.5	89.5	59.1	41.7
Hi14　不慮の事故	男	76.6	78.5	101.0	101.0	105.3	76.5	66.0	61.2	60.5	81.4	67.3	76.1	78.6	100.0	100.8	104.7	76.2	65.8	24.3	60.4	81.3	67.1
	女	29.6	30.1	40.3	43.1	44.8	36.9	30.9	26.7	27.4	40.6	30.0	29.7	29.9	39.8	43.2	44.7	36.4	30.4	8.2	27.2	40.5	29.9
Hi15　（再掲）交通事故	男	19.1	25.3	42.2	43.4	50.8	31.6	24.8	24.2	23.9	22.3	17.8	18.6	25.3	42.3	43.2	50.9	31.4	24.9	36.4	23.9	22.3	17.8
	女	6.0	7.4	12.9	14.3	18.1	10.6	8.2	8.1	9.0	8.5	6.8	6.0	7.4	12.9	14.4	18.0	10.6	8.1	19.3	9.0	8.5	6.8
Hi16　自　　殺	男	54.9	51.7	40.1	33.0	32.0	34.6	33.5	36.3	28.5	28.4	38.5	54.6	51.5	40.3	33.2	32.0	34.4	33.3	2110.1	28.5	28.4	38.5
	女	33.0	31.8	28.1	23.4	23.4	24.4	21.0	19.3	17.0	13.7	14.7	33.0	32.0	28.2	23.3	23.4	24.5	21.0	1323.2	17.0	13.7	14.7

令和３年人口動態統計
上巻 死亡 第５．２７表 脳血管疾患による主な死因（死因簡単分類）別にみた性・年次別死亡数・百分率・死亡率（人口10万対）及び年齢調整死亡率（人口10万対）

				(正)										(誤)											
死亡数				1951	1955	1960	1965	1970	1975	1980	1985	1990	1995	2000	1951	1955	1960	1965	1970	1975	1980	1985	1990	1995	2000
				105858	121504	150109	172773	181315	174367	162317	134994	121944	146552	132529	105858	121504	150109	172773	181315	174367	162317	134994	121944	146552	132529
百分率	09300	脳血管疾患	男	52388	62737	78965	92723	96910	89924	81650	65287	57627	69587	63127	52388	62737	78965	92723	96910	89924	81650	65287	57627	69587	63127
			女	53470	58767	71144	80050	84405	84443	80667	69707	64317	76965	69402	53470	58767	71144	80050	84405	84443	80667	69707	64317	76965	69402
			総数	1587	2649	3634	4533	5278	6575	8066	10257	12281	14424	14815	1587	2649	3634	4533	5278	6575	8066	10257	12281	14424	14815
	09301	くも膜下出血	男	767	1324	1824	2323	2677	3164	3633	4133	4856	5477	5544	767	1324	1824	2323	2677	3164	3633	4133	4856	5477	5544
			女	820	1325	1810	2210	2601	3411	4433	6124	7425	8947	9271	820	1325	1810	2210	2601	3411	4433	6124	7425	8947	9271
			総数	98441	104793	115230	104099	85518	64744	50225	35955	29558	33187	31051	98441	104793	115230	104099	85518	64744	50225	35955	29558	33187	31051
	09302	脳内出血	男	48759	54121	60726	56577	46864	34981	26785	18939	15827	17637	16793	48759	54121	60726	56577	46864	34981	26785	18939	15827	17637	16793
			女	49682	50672	54504	47522	38654	29763	23440	17016	13731	15550	14258	49682	50672	54504	47522	38654	29763	23440	17016	13731	15550	14258
			総数	3425	7968	19999	42654	59003	68547	75311	67350	64575	89431	82651	3425	7968	19999	42654	59003	68547	75311	67350	64575	89431	82651
	09303	脳梗塞	男	1697	4109	10435	22225	30604	34130	37175	32460	30419	42724	39068	1697	4109	10435	22225	30604	34130	37175	32460	30419	42724	39068
			女	1728	3859	9564	20429	28399	34417	38136	34890	34156	46707	43583	1728	3859	9564	20429	28399	34417	38136	34890	34156	46707	43583
			総数	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
死亡率	09300	脳血管疾患	男	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
			女	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
			総数	1.5	2.2	2.4	2.6	2.9	3.8	5.0	7.6	10.1	9.8	11.2	1.5	2.2	2.4	2.6	2.9	3.8	5.0	7.6	10.1	9.8	11.2
	09301	くも膜下出血	男	1.5	2.1	2.3	2.5	2.8	3.5	4.4	6.3	8.4	7.9	8.8	1.5	2.1	2.3	2.5	2.8	3.5	4.4	6.3	8.4	7.9	8.8
			女	1.5	2.3	2.5	2.8	3.1	4.0	5.5	8.8	11.5	11.6	13.4	1.5	2.3	2.5	2.8	3.1	4.0	5.5	8.8	11.5	11.6	13.4
			総数	93.0	86.2	76.8	60.3	47.2	37.1	30.9	26.6	24.2	22.6	23.4	93.0	86.2	76.8	60.3	47.2	37.1	30.9	26.6	24.2	22.6	23.4
	09302	脳内出血	男	93.1	86.3	76.9	61.0	48.4	38.9	32.8	29.0	27.5	25.3	26.6	93.1	86.3	76.9	61.0	48.4	38.9	32.8	29.0	27.5	25.3	26.6
			女	92.9	86.2	76.6	59.4	45.8	35.2	29.1	24.4	21.3	20.2	20.5	92.9	86.2	76.6	59.4	45.8	35.2	29.1	24.4	21.3	20.2	20.5
			総数	3.2	6.6	13.3	24.7	32.5	39.3	46.4	49.9	53.0	61.0	62.4	3.2	6.6	13.3	24.7	32.5	39.3	46.4	49.9	53.0	61.0	62.4
	09303	脳梗塞	男	3.2	6.5	13.2	24.0	31.6	38.0	45.5	49.7	52.8	61.4	61.9	3.2	6.5	13.2	24.0	31.6	38.0	45.5	49.7	52.8	61.4	61.9
			女	3.2	6.6	13.4	25.5	33.6	40.8	47.3	50.1	53.1	60.7	62.8	3.2	6.6	13.4	25.5	33.6	40.8	47.3	50.1	53.1	60.7	62.8
			総数	125.2	136.1	160.7	175.8	175.8	156.7	139.5	112.2	99.4	117.9	105.5	125.2	136.1	160.7	175.8	175.8	156.7	139.5	112.2	99.4	117.9	105.5
年齢調整死亡率（人口10万対）	09300	脳血管疾患	男	126.3	143.0	172.1	192.2	191.5	164.3	142.7	110.6	95.6	114.2	102.7	126.3	143.0	172.1	192.2	191.5	164.3	142.7	110.6	95.6	114.2	102.7
			女	124.1	129.4	149.6	160.0	160.7	149.4	136.4	113.9	103.0	121.4	108.2	124.1	129.4	149.6	160.0	160.7	149.4	136.4	113.9	103.0	121.4	108.2
			総数	1.9	3.0	3.9	4.6	5.1	5.9	6.9	8.5	10.0	11.6	11.8	1.9	3.0	3.9	4.6	5.1	5.9	6.9	8.5	10.0	11.6	11.8
	09301	くも膜下出血	男	1.8	3.0	4.0	4.8	5.3	5.8	6.4	7.0	8.1	9.0	9.0	1.8	3.0	4.0	4.8	5.3	5.8	6.4	7.0	8.1	9.0	9.0
			女	1.9	2.9	3.8	4.4	5.0	6.0	7.5	10.0	11.9	14.1	14.5	1.9	2.9	3.8	4.4	5.0	6.0	7.5	10.0	11.9	14.1	14.5
			総数	116.4	117.4	123.3	105.9	82.9	58.2	43.2	29.9	24.1	26.7	24.7	116.4	117.4	123.3	105.9	82.9	58.2	43.2	29.9	24.1	26.7	24.7
	09302	脳内出血	男	117.5	123.4	132.4	117.3	92.6	63.9	46.8	32.0	26.3	29.0	27.3	117.5	123.4	132.4	117.3	92.6	63.9	46.8	32.0	26.3	29.0	27.3
			女	115.3	111.6	114.6	95.0	73.6	52.7	39.6	27.8	22.0	24.5	22.2	115.3	111.6	114.6	95.0	73.6	52.7	39.6	27.8	22.0	24.5	22.2
			総数	4.0	8.9	21.4	43.4	57.2	61.6	64.7	56.0	52.6	71.9	65.8	4.0	8.9	21.4	43.4	57.2	61.6	64.7	56.0	52.6	71.9	65.8
	09303	脳梗塞	男	4.1	9.4	22.7	46.1	60.5	62.4	65.0	55.0	50.5	70.1	63.5	4.1	9.4	22.7	46.1	60.5	62.4	65.0	55.0	50.5	70.1	63.5
			女	4.0	8.5	20.1	40.8	54.1	60.9	64.5	57.0	54.7	73.7	68.0	4.0	8.5	20.1	40.8	54.1	60.9	64.5	57.0	54.7	73.7	68.0
			総数	672.2	712.6	832.9	912.3	894.4	760.1	597.0	413.6	311.0	327.4	236.1	672.2	712.6	832.9	912.3	894.4	760.1	597.0	413.6	311.0	327.4	236.1
09301	くも膜下出血	男	538.2	535.6	615.8	655.0	639.8	566.3	455.2	322.3	241.3	230.5	161.4	538.2	535.6	615.6	652.7	638.1	564.4	453.9	321.2	239.9	229.8	161.0	
		女	4.2	7.1	9.9	11.1	11.1	11.7	11.6	12.1	13.0	13.7	12.8	4.2	7.1	9.9	11.1	11.1	11.6	11.7	12.1	13.0	13.7	12.8	
		総数	4.3	7.3	9.3	10.5	10.7	12.0	14.0	17.4	19.0	20.5	18.5	4.3	7.3	9.4	10.5	10.7	12.1	14.0	17.5	19.0	20.5	18.5	
09302	脳内出血	男	630.1	610.1	614.6	503.3	360.9	229.8	147.7	89.0	62.3	62.6	50.1	630.1	610.9	614.9	504.2	360.7	228.7	147.5	89.5	62.4	62.5	49.9	
		女	503.9	460.8	461.1	366.0	261.4	168.1	109.6	66.5	44.3	41.6	31.0	503.9	461.0	461.6	365.4	261.3	167.8	109.5	66.6	44.3	41.6	31.0	
		総数	20.7	52.0	140.9	277.2	358.0	359.1	323.4	237.9	189.2	228.6	166.8	20.7	52.0	140.2	275.4	326.5	355.6	321.9	237.7	188.8	227.3	165.8	
09303	脳梗塞	男	16.4	37.6	96.9	193.7	248.9	266.6	241.9	177.1	138.2	148.8	106.3	16.4	37.7	96.1	192.1	226.6	265.3	241.0	176.5	137.4	148.3	106.3	
		女	16.4	37.6	96.9	193.7	248.9	266.6	241.9	177.1	138.2	148.8	106.3	16.4	37.7	96.1	192.1	226.6	265.3	241.0	176.5	137.4	148.3	106.3	

令和３年　人口動態統計
上巻　死亡　第５．２８表　心疾患による主な死因（死因简单分類）別にみた性・年次別死亡数・百分率・死亡率（人口10万対）及び年齢調整死亡率（人口10万対）

				(正)											(誤)										
				1950	1955	1960	1965	1970	1975	1980	1985	1990	1995	2000	1950	1955	1960	1965	1970	1975	1980	1985	1990	1995	2000
死亡数	09200	心疾患(高血圧性を除く)	総数	53377	54351	68400	75672	89411	99226	123505	141097	165478	139206	146741	53377	54351	68400	75672	89411	99226	123505	141097	165478	139206	146741
			男	26108	27282	34755	38827	45988	50395	64103	71766	81774	69718	72156	26108	27282	34755	38827	45988	50395	64103	71766	81774	69718	72156
			女	27269	27069	33645	36845	43423	48831	59402	69331	83704	69488	74585	27269	27069	33645	36845	43423	48831	59402	69331	83704	69488	74585
	09201	慢性リウマチ性心疾患	総数	5010	3092	5671	4751	4195	3948	1716	1644	1360	2755	2522	5010	3092	5671	4751	4195	3948	1716	1644	1360	2755	2522
			男	1937	1149	2116	1645	1594	1576	582	516	436	858	773	1937	1149	2116	1645	1594	1576	582	516	436	858	773
			女	3073	1943	3555	3106	2601	2372	1134	1128	924	1897	1749	3073	1943	3555	3106	2601	2372	1134	1128	924	1897	1749
	09202	急性心筋梗塞	総数	...	...	...	...	21714	23827	29393	30558	31933	52533	45885	...	...	...	...	21714	23827	29393	30558	31933	52533	45885
			男	...	...	...	...	12984	14051	17511	17656	17883	28401	24960	...	...	...	...	12984	14051	17511	17656	17883	28401	24960
			女	...	...	...	...	8730	9776	11882	12902	14050	24132	20925	...	...	...	...	8730	9776	11882	12902	14050	24132	20925
	09203	その他の虚血性心疾患	総数	...	...	...	...	17372	19993	18954	18926	19504	23040	24298	...	...	...	...	17372	19993	18954	18926	19504	23040	24298
			男	...	...	...	...	9457	10055	9376	9213	9466	11659	12915	...	...	...	...	9457	10055	9376	9213	9466	11659	12915
			女	...	...	...	...	7915	9938	9578	9713	10038	11381	11383	...	...	...	...	7915	9938	9578	9713	10038	11381	11383
	09204	慢性非リウマチ性心内膜疾患	総数	21451	18013	11953	7606	4577	2959	3510	3554	4201	5357	5995	21451	18013	11953	7606	4577	2959	3510	3554	4201	5357	5995
			男	9330	7801	5070	3133	1713	1092	1519	1452	1680	2055	2106	9330	7801	5070	3133	1713	1092	1519	1452	1680	2055	2106
	09205	心筋症	総数	12121	10212	6883	4473	2864	1867	1991	2102	2521	3302	3889	12121	10212	6883	4473	2864	1867	1991	2102	2521	3302	3889
			男	...	...	...	...	26	182	776	1417	2097	3455	3303	...	...	...	...	26	182	776	1417	2097	3455	3303
			女	...	...	...	...	22	123	492	904	1387	2188	2174	...	...	...	...	22	123	492	904	1387	2188	2174
09206	不整脈及び伝導障害	総数	176	343	737	1019	1220	1707	3826	4977	6350	12841	15097	176	343	737	1019	1220	1707	3826	4977	6350	12841	15097	
		男	73	185	383	534	644	896	1990	2533	3057	6451	7550	73	185	383	534	644	896	1990	2533	3057	6451	7550	
		女	103	158	354	485	576	811	1836	2444	3293	6390	7547	103	158	354	485	576	811	1836	2444	3293	6390	7547	
09207	心不全	総数	4575	9869	14840	21206	31736	40608	59560	75310	96078	36179	46460	4575	9869	14840	21206	31736	40608	59560	75310	96078	36179	46460	
		男	2328	4881	7122	10118	15035	19482	29448	36993	45881	16627	19983	2328	4881	7122	10118	15035	19482	29448	36993	45881	16627	19983	
		女	2247	4988	7718	11088	16701	21126	30112	38317	50197	19552	26477	2247	4988	7718	11088	16701	21126	30112	38317	50197	19552	26477	
09200	心疾患(高血圧性を除く)	総数	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
		男	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
		女	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
09201	慢性リウマチ性心疾患	総数	9.4	5.7	8.3	6.3	4.7	4.0	1.4	1.2	0.8	2.0	1.7	9.4	5.7	8.3	6.3	4.7	4.0	1.4	1.2	0.8	2.0	1.7	
		男	7.4	4.2	6.1	4.2	3.5	3.1	0.9	0.7	0.5	1.2	1.1	7.4	4.2	6.1	4.2	3.5	3.1	0.9	0.7	0.5	1.2	1.1	
		女	11.3	7.2	10.6	8.4	6.0	4.9	1.9	1.6	1.1	2.7	2.3	11.3	7.2	10.6	8.4	6.0	4.9	1.9	1.6	1.1	2.7	2.3	
09202	急性心筋梗塞	総数	...	...	...	...	24.3	24.0	23.8	21.7	19.3	37.7	31.3	...	...	...	...	24.3	24.0	23.8	21.7	19.3	37.7	31.3	
		男	...	...	...	...	28.2	27.9	27.3	24.6	21.9	40.7	34.6	...	...	...	...	28.2	27.9	27.3	24.6	21.9	40.7	34.6	
		女	...	...	...	...	20.1	20.0	20.0	18.6	16.8	34.7	28.1	...	...	...	...	20.1	20.0	20.0	18.6	16.8	34.7	28.1	
09203	その他の虚血性心疾患	総数	...	...	...	...	19.4	20.1	15.3	13.4	11.8	16.6	16.6	...	...	...	...	19.4	20.1	15.3	13.4	11.8	16.6	16.6	
		男	...	...	...	...	20.6	20.0	14.6	12.8	11.6	16.7	17.9	...	...	...	...	20.6	20.0	14.6	12.8	11.6	16.7	17.9	
		女	...	...	...	...	18.2	20.4	16.1	14.0	12.0	16.4	15.3	...	...	...	...	18.2	20.4	16.1	14.0	12.0	16.4	15.3	
09204	慢性非リウマチ性心内膜疾患	総数	40.2	33.1	17.5	10.1	5.1	3.0	2.8	2.5	2.5	3.8	4.1	40.2	33.1	17.5	10.1	5.1	3.0	2.8	2.5	2.5	3.8	4.1	
		男	35.7	28.6	14.6	8.1	3.7	2.2	2.4	2.0	2.1	2.9	2.9	35.7	28.6	14.6	8.1	3.7	2.2	2.4	2.0	2.1	2.9	2.9	
		女	44.4	37.7	20.5	12.1	6.6	3.8	3.4	3.0	3.0	4.8	5.2	44.4	37.7	20.5	12.1	6.6	3.8	3.4	3.0	3.0	4.8	5.2	
09205	心筋症	総数	...	...	...	...	0.0	0.2	0.6	1.0	1.3	2.5	2.3	...	...	...	...	0.0	0.2	0.6	1.0	1.3	2.5	2.3	
		男	...	...	...	...	0.0	0.2	0.8	1.3	1.7	3.1	3.0	...	...	...	...	0.0	0.2	0.8	1.3	1.7	3.1	3.0	
		女	...	...	...	...	0.0	0.1	0.5	0.7	0.8	1.8	1.5	...	...	...	...	0.0	0.1	0.5	0.7	0.8	1.8	1.5	
09206	不整脈及び伝導障害	総数	0.3	0.6	1.1	1.3	1.4	1.7	3.1	3.5	3.8	9.2	10.3	0.3	0.6	1.1	1.3	1.4	1.7	3.1	3.5	3.8	9.2	10.3	
		男	0.3	0.7	1.1	1.4	1.4	1.8	3.1	3.5	3.7	9.3	10.5	0.3	0.7	1.1	1.4	1.4	1.8	3.1	3.5	3.7	9.3	10.5	
		女	0.4	0.6	1.1	1.3	1.3	1.7	3.1	3.5	3.9	9.2	10.1	0.4	0.6	1.1	1.3	1.3	1.7	3.1	3.5	3.9	9.2	10.1	
09207	心不全	総数	8.6	18.2	21.7	28.0	35.5	40.9	48.2	53.4	58.1	26.0	31.7	8.6	18.2	21.7	28.0	35.5	40.9	48.2	53.4	58.1	26.0	31.7	
		男	8.9	17.9	20.5	26.1	32.7	38.7	45.9	51.5	56.1	23.8	27.7	8.9	17.9	20.5	26.1	32.7	38.7	45.9	51.5	56.1	23.8	27.7	
		女	8.2	18.4	22.9	30.1	38.5	43.3	50.7	55.3	60.0	28.1	35.5	8.2	18.4	22.9	30.1	38.5	43.3	50.7	55.3	60.0	28.1	35.5	
09200	心疾患(高血圧性を除く)	総数	64.2	60.9	73.2	77.0	86.7	89.2	106.2	117.3	134.8	112.0	116.8	64.2											